

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2011²

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		918,140	—	190	19,840	86,630	199,410	205,290	228,340	135,710	27,560	15,170
Head	1	61,200	—	—	1,520	7,870	14,580	13,590	12,760	7,230	2,510	1,140
Head, unspecified	10	13,560	—	—	360	1,470	3,130	3,140	2,630	1,970	650	220
Cranial region, including skull	11	10,910	—	—	250	1,310	2,690	2,280	2,310	1,320	690	70
Cranial region, unspecified	110	540	—	—	—	50	130	80	140	110	30	—
Brain	111	8,160	—	—	210	1,050	2,110	1,800	1,690	930	310	50
Scalp	112	1,360	—	—	30	140	300	310	370	160	40	—
Skull	113	700	—	—	—	50	80	50	90	110	310	—
Multiple cranial region locations	118	70	—	—	—	—	30	20	—	—	—	—
Cranial region, n.e.c.	119	80	—	—	—	—	30	20	—	—	—	—
Ear(s)	12	890	—	—	20	50	260	120	300	110	40	—
Face	13	34,540	—	—	860	4,920	8,240	7,720	7,270	3,640	1,070	830
Face, unspecified	130	3,020	—	—	70	340	660	670	510	430	270	70
Forehead	131	2,870	—	—	80	510	640	440	700	360	80	50
Eye(s)	132	20,780	—	—	480	2,890	5,530	4,890	4,450	1,700	250	590
Nose, nasal cavity	133	2,050	—	—	40	200	440	430	290	420	120	110
Nose, except internal location of diseases or disorders	1330	2,030	—	—	40	200	440	430	280	420	120	110
Cheek(s)	134	520	—	—	—	30	120	90	70	190	—	—
Jaw, chin	135	630	—	—	—	130	120	130	150	20	80	—
Mouth	136	2,510	—	—	130	560	390	680	420	220	100	20
Mouth, unspecified	1360	150	—	—	—	50	20	30	20	30	—	—
Lip(s)	1361	810	—	—	110	250	90	100	110	90	60	—
Tongue	1362	40	—	—	—	—	—	20	—	—	—	—
Tooth (teeth)	1363	1,190	—	—	20	150	250	440	210	90	30	—
Multiple mouth locations	1368	300	—	—	—	90	20	90	70	—	—	—
Multiple face locations	138	1,910	—	—	40	230	310	320	590	240	160	—
Face, n.e.c.	139	260	—	—	—	30	20	60	100	60	—	—
Multiple head locations	18	980	—	—	—	70	220	290	160	160	60	20
Head, n.e.c.	19	310	—	—	30	60	40	40	100	40	—	—
Neck, including throat	2	12,350	—	—	180	990	2,630	2,880	3,560	1,830	210	70
Neck, except internal location of diseases or disorders ...	20	12,310	—	—	180	980	2,620	2,880	3,540	1,830	210	70
Internal neck location, unspecified	21	20	—	—	—	—	—	—	—	—	—	—
Trunk	3	238,280	—	120	3,150	20,770	56,590	57,970	58,420	32,170	5,480	3,600
Trunk, unspecified	30	1,000	—	—	—	150	250	180	200	140	60	—
Chest, including ribs, internal organs	31	13,970	—	—	180	980	2,340	3,370	3,510	2,560	950	100
Chest, except internal location of diseases or disorders	310	13,190	—	—	170	930	2,210	3,140	3,330	2,400	920	90
Internal chest location, unspecified	311	220	—	—	—	—	—	130	40	20	—	—
Heart	313	180	—	—	—	—	—	—	70	70	—	—
Bronchus	314	30	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura	315	350	—	—	—	30	120	70	60	70	—	—
Back, including spine, spinal cord	32	183,100	—	120	2,390	16,330	46,700	45,300	44,700	21,820	2,660	3,070
Back, including spine, spinal cord, unspecified	320	72,510	—	—	1,240	6,270	18,660	17,460	17,330	8,780	1,060	1,720
Thoracic region	321	7,680	—	—	180	910	2,290	1,770	1,590	760	110	80
Lumbar region	322	93,440	—	120	820	8,580	23,620	23,760	22,640	11,320	1,380	1,200
Sacral region	323	780	—	—	20	60	210	200	120	160	20	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Coccygeal region	324	1,790	—	—	—	120	340	390	630	190	70	30
Multiple back regions	328	6,260	—	—	130	390	1,470	1,500	2,130	570	20	50
Back, including spine, spinal cord, n.e.c.	329	640	—	—	—	20	100	220	250	40	—	—
Abdomen	33	20,060	—	—	290	1,900	3,590	5,100	5,250	3,250	520	150
Abdomen, except internal location of diseases or disorders	330	18,410	—	—	290	1,680	3,430	4,770	4,900	2,780	420	140
Internal abdominal location, unspecified	331	880	—	—	—	150	60	130	240	260	40	—
Stomach organ	332	220	—	—	—	40	20	50	—	100	—	—
Spleen	333	50	—	—	—	—	—	—	—	50	—	—
Urinary organs	334	30	—	—	—	—	—	—	—	—	—	—
Urinary organs, unspecified	3340	20	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	380	—	—	—	30	50	110	90	60	40	—
Intestines, peritoneum, unspecified	3350	330	—	—	—	30	50	110	80	50	—	—
Peritoneum	3351	30	—	—	—	—	—	—	—	—	30	—
Multiple internal abdominal locations	338	20	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	60	—	—	—	—	20	30	—	—	—	—
Pelvic region	34	15,490	—	—	220	1,120	2,750	3,030	3,700	3,390	1,130	150
Pelvic region, unspecified	340	130	—	—	—	—	30	—	20	50	—	—
Hip(s)	341	7,320	—	—	90	370	890	1,260	1,750	2,020	840	90
Pelvis	342	750	—	—	—	60	160	130	80	230	90	—
Buttock(s)	343	870	—	—	20	30	190	150	260	170	40	—
Groin	344	5,830	—	—	100	580	1,320	1,330	1,480	820	150	60
External reproductive tract structures	345	310	—	—	—	40	130	80	40	—	—	—
External reproductive tract structures, unspecified ..	3450	40	—	—	—	—	—	—	—	—	—	—
Scrotum	3451	160	—	—	—	30	80	20	20	—	—	—
Penis	3452	90	—	—	—	—	40	50	—	—	—	—
Internal reproductive tract structures	346	40	—	—	—	20	—	—	—	—	—	—
Testis (testes)	3462	20	—	—	—	20	—	—	—	—	—	—
Multiple pelvic region locations	348	210	—	—	—	—	20	50	60	70	—	—
Pelvic region, n.e.c.	349	30	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	38	4,450	—	—	50	290	940	960	990	930	160	110
Trunk, n.e.c.	39	220	—	—	—	—	20	40	80	70	—	—
Upper extremities	4	288,790	—	60	8,840	29,430	59,010	62,960	71,310	44,820	8,110	4,250
Upper extremities, unspecified	40	600	—	—	—	30	100	200	70	170	—	20
Shoulder(s), including clavicle(s), scapula(e)	41	68,890	—	—	730	4,040	11,690	15,770	19,760	14,030	2,280	590
Arm(s)	42	44,760	—	—	790	3,970	8,370	10,530	12,010	7,020	1,650	420
Arm(s), unspecified	420	14,460	—	—	230	1,690	2,590	3,190	3,940	1,920	740	150
Upper arm(s)	421	5,380	—	—	90	190	470	1,310	1,540	1,510	230	40
Elbow(s)	422	14,670	—	—	220	1,080	2,420	3,800	4,240	2,290	490	130
Forearm(s)	423	7,790	—	—	250	760	2,310	1,740	1,550	990	120	70
Multiple arm locations	428	1,970	—	—	—	190	470	390	590	230	70	20
Multiple arm locations, unspecified	4280	340	—	—	—	20	130	70	90	40	—	—
Elbow(s) and arm(s)	4281	690	—	—	—	20	110	160	230	120	50	—
Multiple arm locations, n.e.c.	4289	940	—	—	—	160	240	170	270	80	20	—
Arm(s), n.e.c.	429	490	—	—	—	40	100	90	140	70	—	20
Wrist(s)	43	39,340	—	—	860	3,400	7,450	8,160	10,790	6,730	1,320	630
Hand(s)	44	119,850	—	40	6,220	16,940	28,320	24,890	24,780	13,910	2,410	2,350
Hand(s), unspecified	440	29,190	—	—	1,060	3,700	7,200	6,080	6,240	3,570	550	780
Hand(s), except finger(s)	441	7,560	—	—	330	1,010	1,770	1,710	1,840	620	230	50

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Finger(s), fingernail(s)	442	78,950	—	30	4,680	11,770	18,480	16,080	15,890	8,960	1,600	1,470
Finger(s), fingernail(s), unspecified	4420	52,730	—	30	3,410	7,290	12,350	10,940	10,880	5,840	1,060	930
Fingernail(s), nailbed(s)	4421	2,800	—	—	120	510	580	670	410	470	20	20
Fingertip(s)	4422	6,790	—	—	270	950	1,700	1,170	1,660	940	40	60
Finger(s), fingernail(s), n.e.c.	4429	16,630	—	—	890	3,020	3,840	3,300	2,940	1,710	480	470
Hand(s) and finger(s)	448	2,590	—	—	80	310	550	720	540	330	20	40
Hand(s), n.e.c.	449	1,550	—	—	70	160	320	300	270	430	—	—
Multiple upper extremities locations	48	15,110	—	—	230	1,040	3,020	3,400	3,790	2,930	440	250
Multiple upper extremities locations, unspecified	480	280	—	—	—	—	50	80	80	50	—	—
Hand(s) and arms(s)	481	1,880	—	—	—	90	550	450	470	270	20	—
Hand(s) and arm(s), unspecified	4810	930	—	—	—	40	290	190	280	130	—	—
Hand(s) and elbow(s)	4811	220	—	—	—	—	20	110	40	40	—	—
Hand(s) and arm(s), n.e.c.	4819	730	—	—	—	40	250	160	160	100	—	—
Hand(s) and wrist(s)	482	2,960	—	—	20	340	690	510	830	520	20	30
Wrist(s) and arm(s)	483	2,070	—	—	110	290	570	330	400	250	60	50
Wrist(s) and arm(s), unspecified	4830	970	—	—	80	30	370	170	130	150	20	20
Wrist(s) and elbow(s)	4831	390	—	—	20	30	100	50	110	50	20	—
Wrist(s) and arm(s), n.e.c.	4839	710	—	—	—	230	110	110	170	50	20	30
Shoulder(s) and arm(s)	484	4,300	—	—	20	150	600	1,190	1,160	910	200	90
Multiple upper extremities locations, n.e.c.	489	3,610	—	—	60	150	560	840	840	940	140	80
Upper extremities, n.e.c.	49	250	—	—	—	20	70	—	110	20	—	—
Lower extremities	5	205,760	—	—	4,680	19,820	45,690	42,900	52,680	31,030	6,030	2,930
Lower extremities, unspecified	50	290	—	—	—	60	60	100	50	20	—	—
Leg(s)	51	109,260	—	—	2,010	8,380	21,160	22,490	30,730	19,280	3,450	1,740
Leg(s), unspecified	510	13,510	—	—	220	1,500	2,880	2,510	3,200	2,430	350	420
Thigh(s)	511	4,400	—	—	60	590	930	1,120	1,010	470	140	60
Knee(s)	512	79,020	—	—	1,550	5,470	15,010	16,400	22,880	14,100	2,620	990
Lower leg(s)	513	8,860	—	—	140	600	1,710	1,790	2,800	1,410	260	150
Multiple leg locations	518	3,000	—	—	40	180	560	570	630	830	70	120
Multiple leg locations, unspecified	5180	370	—	—	—	—	30	150	100	40	—	—
Knee(s) and leg(s)	5181	1,580	—	—	—	110	220	310	440	320	60	120
Multiple leg locations, n.e.c.	5189	1,050	—	—	—	60	320	110	90	470	—	—
Leg(s), n.e.c.	519	470	—	—	—	40	60	100	210	50	—	—
Ankle(s)	52	46,610	—	—	1,330	5,360	12,560	10,260	10,500	4,990	1,280	320
Foot (feet)	53	42,480	—	—	1,240	5,430	10,450	8,250	9,520	5,660	1,100	810
Foot (feet), unspecified	530	26,100	—	—	830	3,350	6,370	5,180	5,680	3,490	890	310
Sole(s)	531	3,540	—	—	40	290	990	790	870	530	20	—
Sole(s), unspecified	5310	510	—	—	—	70	190	60	160	30	—	—
Ball(s) of the foot	5311	150	—	—	—	—	—	140	—	—	—	—
Arch(es), instep(s)	5312	410	—	—	—	20	20	30	30	300	—	—
Heel(s)	5313	2,390	—	—	30	190	740	550	670	190	—	—
Multiple sole locations	5318	30	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c.	5319	40	—	—	—	—	40	—	—	—	—	—
Toes(s), toenail(s)	532	10,750	—	—	330	1,530	2,620	1,860	2,530	1,300	110	480
Multiple foot (feet) locations	538	580	—	—	20	50	140	90	100	150	40	—
Foot (feet), n.e.c.	539	1,510	—	—	40	210	330	340	350	190	50	—
Multiple lower extremities locations	58	7,050	—	—	90	580	1,430	1,780	1,870	1,060	190	50
Multiple lower extremities locations, unspecified	580	230	—	—	—	—	30	30	130	20	—	—
Foot (feet) and leg(s)	581	980	—	—	—	50	160	330	240	170	20	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Foot(feet) and leg(s), unspecified	5810	370	—	—	—	20	40	120	90	90	—	—
Foot(feet) and knee(s)	5811	330	—	—	—	20	60	80	120	50	—	—
Foot(feet) and leg(s), n.e.c.	5819	280	—	—	—	20	50	130	40	20	—	—
Foot (feet) and ankle(s)	582	2,290	—	—	50	280	500	500	570	290	90	20
Ankle(s) and leg(s)	583	2,400	—	—	20	190	530	510	670	420	50	20
Ankle(s) and leg(s), unspecified	5830	550	—	—	—	20	70	180	200	70	—	—
Ankle(s) and knee(s)	5831	1,370	—	—	—	150	370	270	280	250	30	20
Ankle(s) and leg(s), n.e.c.	5839	470	—	—	—	—	90	60	190	100	20	—
Multiple lower extremities locations, n.e.c.	589	1,150	—	—	—	50	220	410	250	170	40	—
Lower extremities, n.e.c.	59	60	—	—	—	—	20	—	20	—	—	—
Body systems	6	17,710	—	—	500	1,750	3,880	4,490	4,360	2,010	370	340
Multiple body parts	8	87,620	—	—	880	5,460	16,070	19,410	23,860	15,970	4,760	1,200
Multiple body parts, unspecified	80	7,620	—	—	110	430	1,500	1,680	2,070	1,190	400	240
Head and neck	81	2,340	—	—	30	120	920	450	370	330	100	20
Head, neck, and trunk	82	770	—	—	—	60	140	150	290	80	50	—
Head and trunk	83	1,830	—	—	20	310	440	290	370	230	150	—
Neck and back	84	8,400	—	—	120	420	1,970	2,140	2,540	960	190	70
Shoulder(s) and back	85	3,600	—	—	40	330	650	1,050	890	570	50	30
Hip(s) and leg(s)	86	1,300	—	—	—	120	160	300	250	330	110	—
Upper and lower limb(s)	87	7,190	—	—	30	380	950	1,480	1,780	1,950	580	40
Other multiple body parts	89	54,560	—	—	510	3,280	9,350	11,870	15,310	10,330	3,140	760
Whole body	891	1,010	—	—	20	160	140	290	180	190	20	—
Multiple body parts, n.e.c.	899	53,550	—	—	490	3,120	9,210	11,580	15,130	10,130	3,120	760

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Nonclassifiable	9999	6,410	—	—	90	540	960	1,080	1,380	640	90	1,640

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.