

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2011²

Part of body	Part of body code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		918,140	380,740	71,740	119,830	11,920	2,810	4,340	510	670	325,590
Head	1	61,200	25,880	4,690	7,830	840	160	310	50	40	21,400
Head, unspecified	10	13,560	5,060	1,220	1,820	240	40	40	40	—	5,100
Cranial region, including skull	11	10,910	4,670	630	1,030	130	—	40	—	—	4,400
Cranial region, unspecified	110	540	140	100	40	—	—	—	—	—	250
Brain	111	8,160	3,970	310	580	80	—	40	—	—	3,180
Scalp	112	1,360	370	160	360	30	—	—	—	—	420
Skull	113	700	150	20	30	—	—	—	—	—	480
Multiple cranial region locations	118	70	20	30	—	—	—	—	—	—	20
Cranial region, n.e.c.	119	80	20	—	—	—	—	—	—	—	40
Ear(s)	12	890	490	20	20	—	—	—	—	—	340
Face	13	34,540	15,140	2,680	4,780	420	100	220	—	40	11,160
Face, unspecified	130	3,020	1,080	290	430	50	—	130	—	—	1,020
Forehead	131	2,870	1,240	140	360	60	—	—	—	—	1,060
Eye(s)	132	20,780	9,000	1,740	2,910	170	30	70	—	40	6,830
Nose, nasal cavity	133	2,050	980	100	240	80	—	—	—	—	640
Nose, except internal location of diseases or disorders	1330	2,030	970	100	240	80	—	—	—	—	630
Cheek(s)	134	520	240	30	100	20	—	—	—	—	130
Jaw, chin	135	630	280	30	170	—	—	—	—	—	140
Mouth	136	2,510	1,290	240	400	20	—	—	—	—	540
Mouth, unspecified	1360	150	20	30	40	—	—	—	—	—	60
Lip(s)	1361	810	450	100	150	—	—	—	—	—	100
Tongue	1362	40	—	—	20	—	—	—	—	—	—
Tooth (teeth)	1363	1,190	680	90	150	—	—	—	—	—	250
Multiple mouth locations	1368	300	120	—	30	—	—	—	—	—	130
Multiple face locations	138	1,910	870	90	150	20	40	—	—	—	740
Face, n.e.c.	139	260	150	20	20	—	—	—	—	—	60
Multiple head locations	18	980	400	120	130	—	—	—	—	—	320
Head, n.e.c.	19	310	120	20	50	30	—	—	—	—	80
Neck, including throat	2	12,350	4,850	1,140	1,260	180	30	30	—	—	4,850
Neck, except internal location of diseases or disorders ...	20	12,310	4,820	1,140	1,250	170	30	30	—	—	4,840
Internal neck location, unspecified	21	20	—	—	—	—	—	—	—	—	—
Trunk	3	238,280	98,730	17,360	29,660	3,040	690	1,360	90	210	87,150
Trunk, unspecified	30	1,000	280	110	200	—	—	—	—	—	400
Chest, including ribs, internal organs	31	13,970	5,960	910	1,750	210	20	140	—	—	4,970
Chest, except internal location of diseases or disorders	310	13,190	5,540	860	1,680	190	—	130	—	—	4,770
Internal chest location, unspecified	311	220	130	—	20	—	—	—	—	—	40
Heart	313	180	120	—	—	—	—	—	—	—	30
Bronchus	314	30	—	—	—	—	—	—	—	—	—
Lung(s), pleura	315	350	160	30	30	—	—	—	—	—	120
Back, including spine, spinal cord	32	183,100	75,090	13,770	22,160	2,470	620	1,010	60	170	67,750

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Back, including spine, spinal cord, unspecified	320	72,510	33,100	5,900	9,110	1,120	230	660	20	80	22,290
Thoracic region	321	7,680	3,100	540	530	80	—	—	—	—	3,410
Lumbar region	322	93,440	34,910	6,680	11,110	1,190	350	290	30	80	38,790
Sacral region	323	780	420	70	70	—	—	—	—	—	210
Coccygeal region	324	1,790	1,020	30	310	—	—	—	—	—	400
Multiple back regions	328	6,260	2,140	490	990	70	—	30	—	—	2,510
Back, including spine, spinal cord, n.e.c.	329	640	410	50	40	—	—	—	—	—	130
Abdomen	33	20,060	8,950	1,170	3,040	210	20	140	—	20	6,490
Abdomen, except internal location of diseases or disorders	330	18,410	8,400	1,130	2,590	180	20	140	—	20	5,930
Internal abdominal location, unspecified	331	880	210	30	310	30	—	—	—	—	300
Stomach organ	332	220	90	—	20	—	—	—	—	—	110
Spleen	333	50	—	—	—	—	—	—	—	—	50
Urinary organs	334	30	20	—	—	—	—	—	—	—	—
Urinary organs, unspecified	3340	20	20	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	380	190	—	100	—	—	—	—	—	90
Intestines, peritoneum, unspecified	3350	330	150	—	100	—	—	—	—	—	80
Peritoneum	3351	30	30	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	338	20	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	60	30	—	—	—	—	—	—	—	—
Pelvic region	34	15,490	6,750	930	1,830	100	—	50	30	—	5,780
Pelvic region, unspecified	340	130	40	—	20	—	—	—	—	—	60
Hip(s)	341	7,320	3,340	500	570	40	—	30	—	—	2,830
Pelvis	342	750	480	—	140	—	—	—	—	—	120
Buttock(s)	343	870	250	120	130	—	—	—	—	—	320
Groin	344	5,830	2,450	220	860	—	—	—	—	—	2,280
External reproductive tract structures	345	310	50	20	90	—	—	—	—	—	130
External reproductive tract structures, unspecified ..	3450	40	—	—	—	—	—	—	—	—	30
Scrotum	3451	160	30	20	60	—	—	—	—	—	40
Penis	3452	90	—	—	—	—	—	—	—	—	50
Internal reproductive tract structures	346	40	30	—	—	—	—	—	—	—	—
Testis (testes)	3462	20	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	210	100	30	20	30	—	—	—	—	30
Pelvic region, n.e.c.	349	30	—	—	—	—	—	—	—	—	—
Multiple trunk locations	38	4,450	1,610	440	650	30	—	—	—	—	1,680
Trunk, n.e.c.	39	220	90	20	30	—	—	—	—	—	70
Upper extremities	4	288,790	123,570	20,680	41,340	4,210	910	980	200	250	96,660
Upper extremities, unspecified	40	600	150	30	130	20	—	—	—	—	250
Shoulder(s), including clavicle(s), scapula(e)	41	68,890	29,990	5,020	7,420	930	170	290	80	60	24,930
Arm(s)	42	44,760	18,960	2,600	6,220	540	130	130	20	20	16,130
Arm(s), unspecified	420	14,460	4,820	1,050	2,620	290	60	40	—	—	5,560
Upper arm(s)	421	5,380	2,630	290	410	20	—	20	—	—	2,000
Elbow(s)	422	14,670	6,990	650	1,450	110	20	30	20	—	5,400
Forearm(s)	423	7,790	3,560	470	1,290	70	40	30	—	—	2,330
Multiple arm locations	428	1,970	770	100	380	50	—	—	—	—	670

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Multiple arm locations, unspecified	4280	340	110	—	80	—	—	—	—	—	—	130
Elbow(s) and arm(s)	4281	690	290	30	110	20	—	—	—	—	—	240
Multiple arm locations, n.e.c.	4289	940	360	60	190	20	—	—	—	—	—	300
Arm(s), n.e.c.	429	490	200	50	60	—	—	—	—	—	—	170
Wrist(s)	43	39,340	16,760	2,790	4,960	610	180	130	—	—	30	13,850
Hand(s)	44	119,850	51,930	8,600	20,480	1,770	320	360	90	100	—	36,190
Hand(s), unspecified	440	29,190	12,160	1,800	5,320	350	100	90	30	—	—	9,320
Hand(s), except finger(s)	441	7,560	3,090	870	720	90	—	20	—	—	—	2,770
Finger(s), fingernail(s)	442	78,950	34,990	5,550	13,770	1,270	200	230	60	70	—	22,810
Finger(s), fingernail(s), unspecified	4420	52,730	22,520	3,840	8,940	850	150	190	50	60	—	16,140
Fingernail(s), nailbed(s)	4421	2,800	790	470	830	150	—	—	—	—	—	570
Fingertip(s)	4422	6,790	3,640	400	1,110	70	—	20	—	—	—	1,540
Finger(s), fingernail(s), n.e.c.	4429	16,630	8,040	840	2,910	210	40	20	—	—	—	4,550
Hand(s) and finger(s)	448	2,590	1,000	240	530	60	—	20	—	—	—	720
Hand(s), n.e.c.	449	1,550	710	140	130	—	—	—	—	—	—	570
Multiple upper extremities locations	48	15,110	5,680	1,590	2,090	330	110	70	—	—	—	5,220
Multiple upper extremities locations, unspecified	480	280	70	20	30	—	—	—	—	—	—	140
Hand(s) and arms(s)	481	1,880	860	130	180	40	—	—	—	—	—	660
Hand(s) and arm(s), unspecified	4810	930	430	70	60	20	—	—	—	—	—	350
Hand(s) and elbow(s)	4811	220	140	—	—	—	—	—	—	—	—	60
Hand(s) and arm(s), n.e.c.	4819	730	300	50	100	20	—	—	—	—	—	250
Hand(s) and wrist(s)	482	2,960	900	350	510	70	—	30	—	—	—	1,080
Wrist(s) and arm(s)	483	2,070	850	100	270	40	—	—	—	—	—	780
Wrist(s) and arm(s), unspecified	4830	970	360	30	130	—	—	—	—	—	—	430
Wrist(s) and elbow(s)	4831	390	100	50	50	—	—	—	—	—	—	180
Wrist(s) and arm(s), n.e.c.	4839	710	390	20	90	30	—	—	—	—	—	170
Shoulder(s) and arm(s)	484	4,300	1,580	660	580	70	80	—	—	—	—	1,310
Multiple upper extremities locations, n.e.c.	489	3,610	1,420	320	510	110	—	—	—	—	—	1,250
Upper extremities, n.e.c.	49	250	90	50	30	—	—	—	—	—	—	80
Lower extremities	5	205,760	84,710	16,440	24,990	2,070	440	850	80	100	—	76,080
Lower extremities, unspecified	50	290	130	30	—	—	—	—	—	—	—	120
Leg(s)	51	109,260	46,260	9,030	11,940	870	220	450	20	60	—	40,420
Leg(s), unspecified	510	13,510	5,960	1,280	2,260	150	20	80	—	—	—	3,740
Thigh(s)	511	4,400	1,440	300	500	40	50	40	—	—	—	2,020
Knee(s)	512	79,020	33,690	6,310	7,740	590	120	290	—	50	—	30,230
Lower leg(s)	513	8,860	3,870	830	1,030	70	30	20	—	—	—	3,000
Multiple leg locations	518	3,000	1,190	270	350	30	—	—	—	—	—	1,150
Multiple leg locations, unspecified	5180	370	80	100	20	—	—	—	—	—	—	170
Knee(s) and leg(s)	5181	1,580	710	130	200	—	—	—	—	—	—	520
Multiple leg locations, n.e.c.	5189	1,050	390	50	130	—	—	—	—	—	—	460
Leg(s), n.e.c.	519	470	110	20	60	—	—	—	—	—	—	270
Ankle(s)	52	46,610	18,440	3,430	6,530	670	90	230	20	20	—	17,190
Foot (feet)	53	42,480	17,020	3,390	5,570	490	100	150	40	—	—	15,700
Foot (feet), unspecified	530	26,100	11,040	1,970	2,900	310	50	110	40	—	—	9,680
Sole(s)	531	3,540	1,580	310	740	—	—	—	—	—	—	890

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Sole(s), unspecified	5310	510	250	—	100	—	—	—	—	—	—	140
Ball(s) of the foot	5311	150	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	410	310	50	—	—	—	—	—	—	—	50
Heel(s)	5313	2,390	1,000	120	600	—	—	—	—	—	—	660
Multiple sole locations	5318	30	—	—	—	—	—	—	—	—	—	20
Sole(s), n.e.c.	5319	40	—	—	30	—	—	—	—	—	—	—
Toes(s), toenail(s)	532	10,750	3,590	840	1,590	150	30	30	—	—	—	4,520
Multiple foot (feet) locations	538	580	250	80	80	—	—	—	—	—	—	160
Foot (feet), n.e.c.	539	1,510	570	190	260	30	—	—	—	—	—	460
Multiple lower extremities locations	58	7,050	2,820	550	950	30	30	20	—	—	—	2,640
Multiple lower extremities locations, unspecified	580	230	20	—	—	—	—	—	—	—	—	190
Foot (feet) and leg(s)	581	980	460	70	130	—	20	—	—	—	—	310
Foot(feet) and leg(s), unspecified	5810	370	210	20	50	—	—	—	—	—	—	80
Foot(feet) and knee(s)	5811	330	100	40	50	—	—	—	—	—	—	140
Foot(feet) and leg(s), n.e.c.	5819	280	150	—	30	—	—	—	—	—	—	90
Foot (feet) and ankle(s)	582	2,290	920	190	350	—	—	—	—	—	—	810
Ankle(s) and leg(s)	583	2,400	960	220	290	20	—	—	—	—	—	890
Ankle(s) and leg(s), unspecified	5830	550	210	50	120	—	—	—	—	—	—	170
Ankle(s) and knee(s)	5831	1,370	490	150	120	—	—	—	—	—	—	580
Ankle(s) and leg(s), n.e.c.	5839	470	260	20	50	—	—	—	—	—	—	140
Multiple lower extremities locations, n.e.c.	589	1,150	460	80	160	—	—	—	—	—	—	450
Lower extremities, n.e.c.	59	60	40	—	—	—	—	—	—	—	—	—
Body systems	6	17,710	7,220	1,670	2,300	180	30	170	—	—	—	6,150
Multiple body parts	8	87,620	34,240	9,180	11,570	1,330	540	610	80	40	—	30,020
Multiple body parts, unspecified	80	7,620	2,460	560	1,150	140	—	50	—	—	—	3,240
Head and neck	81	2,340	1,020	200	470	—	—	—	—	—	—	610
Head, neck, and trunk	82	770	340	60	100	20	—	—	—	—	—	260
Head and trunk	83	1,830	760	220	260	—	—	—	—	—	—	540
Neck and back	84	8,400	2,970	1,010	900	190	30	120	20	—	—	3,170
Shoulder(s) and back	85	3,600	1,360	440	530	70	50	50	—	—	—	1,110
Hip(s) and leg(s)	86	1,300	560	100	170	—	—	—	—	—	—	460
Upper and lower limb(s)	87	7,190	3,150	760	740	50	20	—	—	—	—	2,460
Other multiple body parts	89	54,560	21,640	5,830	7,250	840	420	340	40	20	—	18,180
Whole body	891	1,010	420	70	90	90	—	—	—	—	—	340
Multiple body parts, n.e.c.	899	53,550	21,210	5,760	7,160	750	420	340	40	20	—	17,840
Nonclassifiable	9999	6,410	1,540	580	890	60	20	40	—	—	—	3,270

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.