

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2011

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		918,140	128,070	13.9	99,350	10.8	163,110	17.8
Head	1	61,200	20,620	33.7	10,020	16.4	12,730	20.8
Head, unspecified	10	13,560	3,880	28.6	2,390	17.6	3,070	22.6
Cranial region, including skull	11	10,910	2,270	20.8	1,440	13.2	2,300	21.1
Cranial region, unspecified	110	540	100	18.5	40	7.4	160	29.6
Brain	111	8,160	1,610	19.7	1,090	13.4	1,810	22.2
Scalp	112	1,360	470	34.6	210	15.4	240	17.6
Skull	113	700	60	8.6	50	7.1	50	7.1
Multiple cranial region locations	118	70	20	28.6	30	42.9	-	-
Cranial region, n.e.c.	119	80	-	-	20	25.0	30	37.5
Ear(s)	12	890	350	39.3	90	10.1	110	12.4
Face	13	34,540	13,690	39.6	5,930	17.2	6,980	20.2
Face, unspecified	130	3,020	880	29.1	340	11.3	670	22.2
Forehead	131	2,870	1,420	49.5	520	18.1	490	17.1
Eye(s)	132	20,780	8,750	42.1	4,120	19.8	4,190	20.2
Nose, nasal cavity	133	2,050	690	33.7	250	12.2	400	19.5
Nose, except internal location of diseases or disorders	1330	2,030	680	33.5	250	12.3	400	19.7
Cheek(s)	134	520	130	25.0	50	9.6	100	19.2
Jaw, chin	135	630	220	34.9	70	11.1	90	14.3
Mouth	136	2,510	1,090	43.4	310	12.4	420	16.7
Mouth, unspecified	1360	150	30	20.0	20	13.3	60	40.0
Lip(s)	1361	810	400	49.4	70	8.6	130	16.0
Tongue	1362	40	-	-	30	75.0	-	-
Tooth (teeth)	1363	1,190	550	46.2	180	15.1	130	10.9
Multiple mouth locations	1368	300	90	30.0	20	6.7	100	33.3
Multiple face locations	138	1,910	410	21.5	250	13.1	550	28.8
Face, n.e.c.	139	260	100	38.5	20	7.7	60	23.1
Multiple head locations	18	980	360	36.7	140	14.3	140	14.3
Head, n.e.c.	19	310	60	19.4	40	12.9	130	41.9
Neck, including throat	2	12,350	2,050	16.6	1,200	9.7	2,530	20.5
Neck, except internal location of diseases or disorders ...	20	12,310	2,040	16.6	1,190	9.7	2,510	20.4
Internal neck location, unspecified	21	20	-	-	-	-	-	-
Trunk	3	238,280	26,320	11.0	25,290	10.6	47,930	20.1
Trunk, unspecified	30	1,000	160	16.0	100	10.0	270	27.0
Chest, including ribs, internal organs	31	13,970	1,940	13.9	1,850	13.2	3,110	22.3
Chest, except internal location of diseases or disorders	310	13,190	1,810	13.7	1,770	13.4	2,840	21.5
Internal chest location, unspecified	311	220	20	9.1	-	-	130	59.1
Heart	313	180	30	16.7	-	-	20	11.1
Bronchus	314	30	-	-	-	-	-	-
Lung(s), pleura	315	350	70	20.0	60	17.1	100	28.6
Back, including spine, spinal cord	32	183,100	20,960	11.4	20,060	11.0	38,790	21.2
Back, including spine, spinal cord, unspecified	320	72,510	8,870	12.2	8,080	11.1	16,370	22.6
Thoracic region	321	7,680	1,250	16.3	1,020	13.3	1,700	22.1
Lumbar region	322	93,440	9,970	10.7	9,980	10.7	19,080	20.4
Sacral region	323	780	120	15.4	90	11.5	260	33.3

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2011 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	108,840	11.9	102,880	11.2	60,210	6.6	255,680	27.8	8
Head	5,500	9.0	4,140	6.8	1,810	3.0	6,380	10.4	2
Head, unspecified	1,250	9.2	980	7.2	490	3.6	1,500	11.1	3
Cranial region, including skull	1,040	9.5	1,080	9.9	440	4.0	2,340	21.4	5
Cranial region, unspecified	60	11.1	20	3.7	30	5.6	110	20.4	5
Brain	760	9.3	650	8.0	330	4.0	1,910	23.4	5
Scalp	190	14.0	80	5.9	40	2.9	130	9.6	2
Skull	20	2.9	330	47.1	40	5.7	160	22.9	13
Multiple cranial region locations	—	—	—	—	—	—	20	28.6	2
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	4
Ear(s)	140	15.7	80	9.0	70	7.9	40	4.5	3
Face	2,900	8.4	1,930	5.6	770	2.2	2,360	6.8	2
Face, unspecified	340	11.3	200	6.6	90	3.0	490	16.2	3
Forehead	150	5.2	70	2.4	20	.7	200	7.0	2
Eye(s)	1,490	7.2	1,000	4.8	220	1.1	1,010	4.9	2
Nose, nasal cavity	260	12.7	120	5.9	180	8.8	150	7.3	3
Nose, except internal location of diseases or disorders	250	12.3	120	5.9	180	8.9	140	6.9	3
Cheek(s)	20	3.8	130	25.0	20	3.8	60	11.5	5
Jaw, chin	110	17.5	20	3.2	60	9.5	60	9.5	4
Mouth	350	13.9	150	6.0	70	2.8	110	4.4	2
Mouth, unspecified	20	13.3	20	13.3	—	—	—	—	5
Lip(s)	120	14.8	90	11.1	—	—	—	—	2
Tongue	—	—	—	—	—	—	—	—	2
Tooth (teeth)	150	12.6	40	3.4	60	5.0	90	7.6	2
Multiple mouth locations	70	23.3	—	—	—	—	—	—	3
Multiple face locations	150	7.9	210	11.0	100	5.2	240	12.6	3
Face, n.e.c.	20	7.7	—	—	—	—	40	15.4	3
Multiple head locations	140	14.3	60	6.1	30	3.1	100	10.2	2
Head, n.e.c.	30	9.7	—	—	—	—	40	12.9	3
Neck, including throat	1,410	11.4	1,140	9.2	710	5.7	3,330	27.0	6
Neck, except internal location of diseases or disorders ...	1,410	11.5	1,130	9.2	700	5.7	3,320	27.0	6
Internal neck location, unspecified	—	—	—	—	—	—	—	—	8
Trunk	31,230	13.1	28,720	12.1	17,110	7.2	61,680	25.9	8
Trunk, unspecified	110	11.0	90	9.0	70	7.0	200	20.0	5
Chest, including ribs, internal organs	2,070	14.8	1,670	12.0	800	5.7	2,530	18.1	6
Chest, except internal location of diseases or disorders	2,000	15.2	1,640	12.4	780	5.9	2,360	17.9	6
Internal chest location, unspecified	20	9.1	—	—	—	—	20	9.1	5
Heart	—	—	—	—	—	—	90	50.0	32
Bronchus	—	—	—	—	—	—	—	—	4
Lung(s), pleura	30	8.6	20	5.7	—	—	50	14.3	4
Back, including spine, spinal cord	24,720	13.5	20,760	11.3	11,930	6.5	45,890	25.1	7
Back, including spine, spinal cord, unspecified	8,580	11.8	7,600	10.5	5,250	7.2	17,760	24.5	7
Thoracic region	1,180	15.4	690	9.0	400	5.2	1,440	18.8	5
Lumbar region	13,770	14.7	11,240	12.0	5,820	6.2	23,590	25.2	8
Sacral region	70	9.0	80	10.3	40	5.1	140	17.9	5

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2011 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Coccygeal region	324	1,790	140	7.8	320	17.9	190	10.6
Multiple back regions	328	6,260	540	8.6	520	8.3	1,100	17.6
Back, including spine, spinal cord, n.e.c.	329	640	70	10.9	50	7.8	90	14.1
Abdomen	33	20,060	1,320	6.6	1,390	6.9	2,220	11.1
Abdomen, except internal location of diseases or disorders	330	18,410	1,290	7.0	1,320	7.2	2,070	11.2
Internal abdominal location, unspecified	331	880	—	—	—	—	60	6.8
Stomach organ	332	220	20	9.1	—	—	50	22.7
Spleen	333	50	—	—	—	—	—	—
Urinary organs	334	30	—	—	—	—	—	—
Urinary organs, unspecified	3340	20	—	—	—	—	—	—
Intestines, peritoneum	335	380	—	—	50	13.2	40	10.5
Intestines, peritoneum, unspecified	3350	330	—	—	40	12.1	30	9.1
Peritoneum	3351	30	—	—	—	—	—	—
Multiple internal abdominal locations	338	20	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	60	—	—	—	—	—	—
Pelvic region	34	15,490	1,480	9.6	1,480	9.6	2,580	16.7
Pelvic region, unspecified	340	130	—	—	—	—	20	15.4
Hip(s)	341	7,320	640	8.7	620	8.5	1,190	16.3
Pelvis	342	750	40	5.3	50	6.7	80	10.7
Buttock(s)	343	870	160	18.4	160	18.4	190	21.8
Groin	344	5,830	520	8.9	620	10.6	1,000	17.2
External reproductive tract structures	345	310	90	29.0	—	—	80	25.8
External reproductive tract structures, unspecified ..	3450	40	—	—	—	—	—	—
Scrotum	3451	160	—	—	—	—	60	37.5
Penis	3452	90	80	88.9	—	—	—	—
Internal reproductive tract structures	346	40	—	—	—	—	—	—
Testis (testes)	3462	20	—	—	—	—	—	—
Multiple pelvic region locations	348	210	20	9.5	—	—	20	9.5
Pelvic region, n.e.c.	349	30	—	—	—	—	—	—
Multiple trunk locations	38	4,450	420	9.4	400	9.0	930	20.9
Trunk, n.e.c.	39	220	50	22.7	—	—	40	18.2
Upper extremities	4	288,790	40,290	14.0	31,290	10.8	45,990	15.9
Upper extremities, unspecified	40	600	50	8.3	50	8.3	80	13.3
Shoulder(s), including clavicle(s), scapula(e)	41	68,890	5,170	7.5	4,860	7.1	8,810	12.8
Arm(s)	42	44,760	5,330	11.9	4,860	10.9	6,970	15.6
Arm(s), unspecified	420	14,460	1,960	13.6	1,380	9.5	2,650	18.3
Upper arm(s)	421	5,380	400	7.4	420	7.8	540	10.0
Elbow(s)	422	14,670	1,380	9.4	1,600	10.9	2,160	14.7
Forearm(s)	423	7,790	1,280	16.4	1,290	16.6	1,310	16.8
Multiple arm locations	428	1,970	260	13.2	130	6.6	220	11.2
Multiple arm locations, unspecified	4280	340	60	17.6	30	8.8	50	14.7
Elbow(s) and arm(s)	4281	690	90	13.0	40	5.8	110	15.9
Multiple arm locations, n.e.c.	4289	940	120	12.8	60	6.4	60	6.4
Arm(s), n.e.c.	429	490	60	12.2	50	10.2	90	18.4
Wrist(s)	43	39,340	4,470	11.4	3,150	8.0	5,000	12.7
Hand(s)	44	119,850	23,440	19.6	17,080	14.3	23,090	19.3
Hand(s), unspecified	440	29,190	5,910	20.2	4,140	14.2	5,620	19.3
Hand(s), except finger(s)	441	7,560	1,430	18.9	1,240	16.4	1,700	22.5

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2011 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Coccygeal region	190	10.6	470	26.3	90	5.0	380	21.2	13
Multiple back regions	700	11.2	640	10.2	320	5.1	2,440	39.0	13
Back, including spine, spinal cord, n.e.c.	230	35.9	40	6.2	20	3.1	140	21.9	7
Abdomen	2,240	11.2	3,750	18.7	2,610	13.0	6,530	32.6	19
Abdomen, except internal location of diseases or disorders	2,030	11.0	3,320	18.0	2,330	12.7	6,050	32.9	18
Internal abdominal location, unspecified	90	10.2	290	33.0	150	17.0	280	31.8	20
Stomach organ	40	18.2	50	22.7	—	—	40	18.2	10
Spleen	—	—	—	—	—	—	—	—	60
Urinary organs	—	—	—	—	—	—	—	—	44
Urinary organs, unspecified	—	—	—	—	—	—	—	—	44
Intestines, peritoneum	60	15.8	60	15.8	90	23.7	70	18.4	15
Intestines, peritoneum, unspecified	50	15.2	60	18.2	70	21.2	60	18.2	15
Peritoneum	—	—	—	—	—	—	—	—	21
Multiple internal abdominal locations	—	—	—	—	—	—	—	—	8
Internal abdominal location, n.e.c.	—	—	20	33.3	20	33.3	20	33.3	24
Pelvic region	1,410	9.1	1,660	10.7	1,470	9.5	5,400	34.9	14
Pelvic region, unspecified	20	15.4	—	—	—	—	60	46.2	25
Hip(s)	700	9.6	820	11.2	270	3.7	3,080	42.1	14
Pelvis	40	5.3	100	13.3	—	—	440	58.7	55
Buttock(s)	50	5.7	70	8.0	120	13.8	130	14.9	4
Groin	560	9.6	630	10.8	1,000	17.2	1,510	25.9	13
External reproductive tract structures	20	6.5	—	—	—	—	80	25.8	4
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	12
Scrotum	—	—	—	—	—	—	70	43.8	7
Penis	—	—	—	—	—	—	—	—	1
Internal reproductive tract structures	—	—	—	—	—	—	—	—	24
Testis (testes)	—	—	—	—	—	—	—	—	24
Multiple pelvic region locations	—	—	—	—	30	14.3	100	47.6	24
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	8
Multiple trunk locations	660	14.8	750	16.9	220	4.9	1,070	24.0	9
Trunk, n.e.c.	20	9.1	30	13.6	—	—	70	31.8	10
Upper extremities	32,890	11.4	32,050	11.1	20,160	7.0	86,130	29.8	10
Upper extremities, unspecified	40	6.7	130	21.7	30	5.0	220	36.7	15
Shoulder(s), including clavicle(s), scapula(e)	6,710	9.7	7,030	10.2	4,690	6.8	31,620	45.9	25
Arm(s)	5,470	12.2	5,420	12.1	2,860	6.4	13,850	30.9	10
Arm(s), unspecified	1,870	12.9	1,500	10.4	710	4.9	4,400	30.4	8
Upper arm(s)	510	9.5	570	10.6	230	4.3	2,720	50.6	31
Elbow(s)	1,840	12.5	2,100	14.3	1,500	10.2	4,100	27.9	13
Forearm(s)	1,030	13.2	800	10.3	310	4.0	1,780	22.8	6
Multiple arm locations	160	8.1	390	19.8	100	5.1	710	36.0	14
Multiple arm locations, unspecified	30	8.8	30	8.8	—	—	130	38.2	10
Elbow(s) and arm(s)	70	10.1	100	14.5	50	7.2	230	33.3	13
Multiple arm locations, n.e.c.	60	6.4	250	26.6	50	5.3	350	37.2	15
Arm(s), n.e.c.	60	12.2	60	12.2	—	—	150	30.6	10
Wrist(s)	4,630	11.8	4,700	11.9	3,220	8.2	14,180	36.0	15
Hand(s)	14,150	11.8	13,220	11.0	8,050	6.7	20,830	17.4	5
Hand(s), unspecified	3,530	12.1	2,870	9.8	1,950	6.7	5,160	17.7	5
Hand(s), except finger(s)	770	10.2	1,010	13.4	290	3.8	1,130	14.9	4

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2011 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Finger(s), fingernail(s)	442	78,950	15,090	19.1	11,380	14.4	15,010	19.0
Finger(s), fingernail(s), unspecified	4420	52,730	10,620	20.1	7,550	14.3	10,250	19.4
Fingernail(s), nailbed(s)	4421	2,800	540	19.3	330	11.8	400	14.3
Fingertip(s)	4422	6,790	920	13.5	960	14.1	1,200	17.7
Finger(s), fingernail(s), n.e.c.	4429	16,630	3,020	18.2	2,540	15.3	3,150	18.9
Hand(s) and finger(s)	448	2,590	410	15.8	200	7.7	530	20.5
Hand(s), n.e.c.	449	1,550	610	39.4	110	7.1	230	14.8
Multiple upper extremities locations	48	15,110	1,800	11.9	1,290	8.5	1,980	13.1
Multiple upper extremities locations, unspecified	480	280	20	7.1	20	7.1	40	14.3
Hand(s) and arms(s)	481	1,880	190	10.1	90	4.8	230	12.2
Hand(s) and arm(s), unspecified	4810	930	70	7.5	60	6.5	120	12.9
Hand(s) and elbow(s)	4811	220	40	18.2	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	730	70	9.6	30	4.1	100	13.7
Hand(s) and wrist(s)	482	2,960	300	10.1	270	9.1	490	16.6
Wrist(s) and arm(s)	483	2,070	220	10.6	140	6.8	310	15.0
Wrist(s) and arm(s), unspecified	4830	970	110	11.3	30	3.1	150	15.5
Wrist(s) and elbow(s)	4831	390	30	7.7	40	10.3	70	17.9
Wrist(s) and arm(s), n.e.c.	4839	710	80	11.3	70	9.9	80	11.3
Shoulder(s) and arm(s)	484	4,300	640	14.9	360	8.4	590	13.7
Multiple upper extremities locations, n.e.c.	489	3,610	430	11.9	410	11.4	320	8.9
Upper extremities, n.e.c.	49	250	30	12.0	—	—	60	24.0
Lower extremities	5	205,760	23,280	11.3	18,850	9.2	33,150	16.1
Lower extremities, unspecified	50	290	—	—	40	13.8	70	24.1
Leg(s)	51	109,260	12,010	11.0	8,680	7.9	15,930	14.6
Leg(s), unspecified	510	13,510	1,650	12.2	1,070	7.9	2,150	15.9
Thigh(s)	511	4,400	1,010	23.0	360	8.2	760	17.3
Knee(s)	512	79,020	7,840	9.9	6,350	8.0	10,830	13.7
Lower leg(s)	513	8,860	1,280	14.4	690	7.8	1,580	17.8
Multiple leg locations	518	3,000	210	7.0	180	6.0	410	13.7
Multiple leg locations, unspecified	5180	370	20	5.4	40	10.8	20	5.4
Knee(s) and leg(s)	5181	1,580	150	9.5	100	6.3	290	18.4
Multiple leg locations, n.e.c.	5189	1,050	40	3.8	30	2.9	90	8.6
Leg(s), n.e.c.	519	470	30	6.4	30	6.4	190	40.4
Ankle(s)	52	46,610	5,210	11.2	4,450	9.5	8,310	17.8
Foot (feet)	53	42,480	5,280	12.4	5,050	11.9	7,610	17.9
Foot (feet), unspecified	530	26,100	3,100	11.9	3,440	13.2	4,970	19.0
Sole(s)	531	3,540	500	14.1	210	5.9	370	10.5
Sole(s), unspecified	5310	510	150	29.4	70	13.7	100	19.6
Ball(s) of the foot	5311	150	140	93.3	—	—	—	—
Arch(es), instep(s)	5312	410	—	—	20	4.9	70	17.1
Heel(s)	5313	2,390	190	7.9	110	4.6	170	7.1
Multiple sole locations	5318	30	—	—	—	—	—	—
Sole(s), n.e.c.	5319	40	—	—	—	—	20	50.0
Toes(s), toenail(s)	532	10,750	1,440	13.4	1,220	11.3	1,870	17.4
Multiple foot (feet) locations	538	580	60	10.3	60	10.3	120	20.7
Foot (feet), n.e.c.	539	1,510	190	12.6	140	9.3	280	18.5
Multiple lower extremities locations	58	7,050	750	10.6	620	8.8	1,220	17.3
Multiple lower extremities locations, unspecified	580	230	20	8.7	—	—	—	—
Foot (feet) and leg(s)	581	980	100	10.2	80	8.2	160	16.3

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2011 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Finger(s), fingernail(s)	9,440	12.0	8,890	11.3	5,610	7.1	13,530	17.1	5
Finger(s), fingernail(s), unspecified	6,450	12.2	5,680	10.8	3,580	6.8	8,600	16.3	5
Fingernail(s), nailed(s)	230	8.2	400	14.3	180	6.4	710	25.4	7
Fingertip(s)	850	12.5	940	13.8	660	9.7	1,270	18.7	8
Finger(s), fingernail(s), n.e.c.	1,910	11.5	1,880	11.3	1,180	7.1	2,950	17.7	5
Hand(s) and finger(s)	240	9.3	300	11.6	150	5.8	760	29.3	8
Hand(s), n.e.c.	160	10.3	140	9.0	50	3.2	250	16.1	3
Multiple upper extremities locations	1,860	12.3	1,550	10.3	1,290	8.5	5,320	35.2	14
Multiple upper extremities locations, unspecified	20	7.1	30	10.7	50	17.9	110	39.3	29
Hand(s) and arms(s)	420	22.3	190	10.1	220	11.7	540	28.7	12
Hand(s) and arm(s), unspecified	320	34.4	110	11.8	80	8.6	170	18.3	8
Hand(s) and elbow(s)	20	9.1	20	9.1	—	—	110	50.0	35
Hand(s) and arm(s), n.e.c.	80	11.0	70	9.6	120	16.4	250	34.2	22
Hand(s) and wrist(s)	410	13.9	330	11.1	180	6.1	970	32.8	11
Wrist(s) and arm(s)	150	7.2	250	12.1	160	7.7	840	40.6	18
Wrist(s) and arm(s), unspecified	40	4.1	100	10.3	30	3.1	500	51.5	32
Wrist(s) and elbow(s)	20	5.1	30	7.7	—	—	180	46.2	18
Wrist(s) and arm(s), n.e.c.	80	11.3	120	16.9	120	16.9	160	22.5	14
Shoulder(s) and arm(s)	560	13.0	290	6.7	250	5.8	1,610	37.4	10
Multiple upper extremities locations, n.e.c.	310	8.6	460	12.7	420	11.6	1,250	34.6	19
Upper extremities, n.e.c.	30	12.0	—	—	20	8.0	100	40.0	10
Lower extremities	24,890	12.1	25,670	12.5	14,130	6.9	65,790	32.0	12
Lower extremities, unspecified	20	6.9	—	—	30	10.3	110	37.9	11
Leg(s)	13,260	12.1	13,470	12.3	8,120	7.4	37,790	34.6	14
Leg(s), unspecified	1,760	13.0	1,750	13.0	700	5.2	4,420	32.7	12
Thigh(s)	520	11.8	430	9.8	260	5.9	1,060	24.1	6
Knee(s)	9,040	11.4	9,930	12.6	6,250	7.9	28,780	36.4	15
Lower leg(s)	1,200	13.5	1,060	12.0	480	5.4	2,560	28.9	8
Multiple leg locations	690	23.0	280	9.3	390	13.0	840	28.0	11
Multiple leg locations, unspecified	110	29.7	50	13.5	—	—	120	32.4	10
Knee(s) and leg(s)	150	9.5	190	12.0	120	7.6	580	36.7	12
Multiple leg locations, n.e.c.	440	41.9	40	3.8	260	24.8	150	14.3	10
Leg(s), n.e.c.	40	8.5	30	6.4	30	6.4	130	27.7	5
Ankle(s)	5,590	12.0	5,620	12.1	3,010	6.5	14,430	31.0	10
Foot (feet)	5,140	12.1	5,660	13.3	2,440	5.7	11,290	26.6	8
Foot (feet), unspecified	3,070	11.8	3,070	11.8	1,630	6.2	6,840	26.2	8
Sole(s)	340	9.6	560	15.8	130	3.7	1,420	40.1	19
Sole(s), unspecified	70	13.7	40	7.8	—	—	70	13.7	4
Ball(s) of the foot	—	—	—	—	—	—	—	—	1
Arch(es), instep(s)	—	—	—	—	—	—	300	73.2	120
Heel(s)	260	10.9	510	21.3	110	4.6	1,050	43.9	19
Multiple sole locations	—	—	—	—	—	—	—	—	6
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	3
Toes(s), toenail(s)	1,490	13.9	1,790	16.7	590	5.5	2,360	22.0	8
Multiple foot (feet) locations	60	10.3	90	15.5	50	8.6	140	24.1	10
Foot (feet), n.e.c.	170	11.3	160	10.6	40	2.6	530	35.1	10
Multiple lower extremities locations	850	12.1	900	12.8	540	7.7	2,160	30.6	11
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	170	73.9	39
Foot (feet) and leg(s)	190	19.4	160	16.3	60	6.1	220	22.4	7

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2011 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Foot(feet) and leg(s), unspecified	5810	370	40	10.8	50	13.5	50	13.5
Foot(feet) and knee(s)	5811	330	40	12.1	20	6.1	60	18.2
Foot(feet) and leg(s), n.e.c.	5819	280	20	7.1	20	7.1	50	17.9
Foot (feet) and ankle(s)	582	2,290	230	10.0	250	10.9	410	17.9
Ankle(s) and leg(s)	583	2,400	240	10.0	140	5.8	370	15.4
Ankle(s) and leg(s), unspecified	5830	550	70	12.7	—	—	60	10.9
Ankle(s) and knee(s)	5831	1,370	150	10.9	90	6.6	230	16.8
Ankle(s) and leg(s), n.e.c.	5839	470	—	—	40	8.5	80	17.0
Multiple lower extremities locations, n.e.c.	589	1,150	160	13.9	140	12.2	270	23.5
Lower extremities, n.e.c.	59	60	—	—	—	—	—	—
Body systems	6	17,710	3,990	22.5	2,500	14.1	4,360	24.6
Multiple body parts	8	87,620	10,290	11.7	9,520	10.9	14,800	16.9
Multiple body parts, unspecified	80	7,620	1,040	13.6	620	8.1	1,360	17.8
Head and neck	81	2,340	340	14.5	290	12.4	600	25.6
Head, neck, and trunk	82	770	70	9.1	100	13.0	270	35.1
Head and trunk	83	1,830	250	13.7	360	19.7	270	14.8
Neck and back	84	8,400	930	11.1	1,350	16.1	1,460	17.4
Shoulder(s) and back	85	3,600	370	10.3	260	7.2	530	14.7
Hip(s) and leg(s)	86	1,300	250	19.2	110	8.5	200	15.4
Upper and lower limb(s)	87	7,190	760	10.6	830	11.5	1,020	14.2
Other multiple body parts	89	54,560	6,300	11.5	5,600	10.3	9,080	16.6
Whole body	891	1,010	160	15.8	160	15.8	240	23.8
Multiple body parts, n.e.c.	899	53,550	6,140	11.5	5,450	10.2	8,850	16.5
Nonclassifiable	9999	6,410	1,230	19.2	680	10.6	1,630	25.4

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2011 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Foot(feet) and leg(s), unspecified	60	16.2	110	29.7	20	5.4	50	13.5	7
Foot(feet) and knee(s)	40	12.1	30	9.1	30	9.1	110	33.3	14
Foot(feet) and leg(s), n.e.c.	100	35.7	20	7.1	—	—	50	17.9	6
Foot (feet) and ankle(s)	230	10.0	370	16.2	150	6.6	650	28.4	11
Ankle(s) and leg(s)	330	13.8	260	10.8	230	9.6	830	34.6	14
Ankle(s) and leg(s), unspecified	130	23.6	70	12.7	20	3.6	190	34.5	11
Ankle(s) and knee(s)	150	10.9	150	10.9	70	5.1	520	38.0	14
Ankle(s) and leg(s), n.e.c.	50	10.6	40	8.5	140	29.8	110	23.4	24
Multiple lower extremities locations, n.e.c.	90	7.8	90	7.8	90	7.8	300	26.1	6
Lower extremities, n.e.c.	20	33.3	20	33.3	—	—	—	—	8
Body systems	2,060	11.6	1,300	7.3	690	3.9	2,810	15.9	4
Multiple body parts	10,290	11.7	9,380	10.7	5,310	6.1	28,020	32.0	10
Multiple body parts, unspecified	910	11.9	680	8.9	460	6.0	2,550	33.5	10
Head and neck	170	7.3	440	18.8	100	4.3	410	17.5	5
Head, neck, and trunk	100	13.0	80	10.4	40	5.2	110	14.3	4
Head and trunk	130	7.1	380	20.8	80	4.4	360	19.7	7
Neck and back	1,150	13.7	960	11.4	400	4.8	2,150	25.6	6
Shoulder(s) and back	520	14.4	370	10.3	160	4.4	1,390	38.6	13
Hip(s) and leg(s)	210	16.2	100	7.7	110	8.5	330	25.4	7
Upper and lower limb(s)	840	11.7	720	10.0	690	9.6	2,340	32.5	11
Other multiple body parts	6,260	11.5	5,670	10.4	3,280	6.0	18,360	33.7	11
Whole body	150	14.9	170	16.8	—	—	120	11.9	5
Multiple body parts, n.e.c.	6,110	11.4	5,490	10.3	3,260	6.1	18,240	34.1	11
Nonclassifiable	570	8.9	470	7.3	290	4.5	1,540	24.0	4

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.