

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2011<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
<b>Total</b> .....		918,140	7,180	74,740	87,620	184,660	146,080	126,880	66,100	18,150	6,860	720	199,140
<b>Head</b> .....	1	61,200	450	4,440	4,980	13,790	10,510	9,130	4,390	1,270	390	60	11,790
Head, unspecified .....	10	13,560	100	1,160	1,110	3,580	2,130	1,820	1,080	240	120	—	2,210
Cranial region, including skull .....	11	10,910	140	890	970	2,420	2,170	1,680	670	180	90	20	1,690
Cranial region, unspecified .....	110	540	—	30	50	120	110	30	40	—	—	—	150
Brain .....	111	8,160	90	620	750	1,660	1,710	1,230	530	110	80	20	1,360
Scalp .....	112	1,360	30	130	120	260	230	300	80	70	—	—	130
Skull .....	113	700	20	70	40	340	80	100	20	—	—	—	40
Multiple cranial region locations .....	118	70	—	—	—	20	30	—	—	—	—	—	—
Cranial region, n.e.c. ....	119	80	—	30	—	—	—	20	—	—	—	—	—
Ear(s) .....	12	890	—	30	130	140	170	50	50	—	—	—	300
Face .....	13	34,540	200	2,280	2,620	7,340	5,750	5,410	2,510	800	150	30	7,450
Face, unspecified .....	130	3,020	20	290	220	500	600	590	150	80	40	—	530
Forehead .....	131	2,870	—	200	180	530	670	440	170	130	20	—	520
Eye(s) .....	132	20,780	50	1,130	1,380	4,790	2,890	3,260	1,780	380	60	20	5,030
Nose, nasal cavity .....	133	2,050	60	190	210	360	380	210	50	80	—	—	490
Nose, except internal location of diseases or disorders .....	1330	2,030	60	190	210	350	380	210	50	80	—	—	490
Cheek(s) .....	134	520	—	40	140	80	80	40	40	20	—	—	80
Jaw, chin .....	135	630	—	40	80	160	130	60	40	40	—	—	80
Mouth .....	136	2,510	30	230	180	590	640	370	140	60	—	—	260
Mouth, unspecified .....	1360	150	—	—	40	—	20	—	—	—	—	—	40
Lip(s) .....	1361	810	—	70	60	350	190	60	50	—	—	—	20
Tongue .....	1362	40	—	—	—	—	30	—	—	—	—	—	—
Tooth (teeth) .....	1363	1,190	30	60	60	220	360	220	60	20	—	—	140
Multiple mouth locations .....	1368	300	—	90	—	—	30	70	20	—	—	—	50
Multiple face locations .....	138	1,910	—	130	190	270	320	400	140	20	20	—	430
Face, n.e.c. ....	139	260	—	40	40	70	30	30	—	—	—	—	30
Multiple head locations .....	18	980	—	70	130	200	250	130	60	30	—	—	90
Head, n.e.c. ....	19	310	—	—	20	110	30	50	30	—	—	—	50
<b>Neck, including throat</b> .....	2	12,350	100	860	920	2,780	2,130	1,270	1,100	350	160	—	2,680
Neck, except internal location of diseases or disorders .....	20	12,310	100	860	920	2,770	2,120	1,260	1,100	350	160	—	2,670
Internal neck location, unspecified .....	21	20	—	—	—	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	3	238,280	1,320	20,580	24,210	47,700	36,040	30,630	14,810	4,460	2,050	270	56,210
Trunk, unspecified .....	30	1,000	—	60	80	220	180	160	70	40	—	—	190
Chest, including ribs, internal organs .....	31	13,970	100	1,040	1,100	2,980	1,960	2,140	1,060	310	90	—	3,170
Chest, except internal location of diseases or disorders .....	310	13,190	100	970	1,010	2,850	1,760	2,080	1,010	300	90	—	3,020
Internal chest location, unspecified .....	311	220	—	—	20	20	130	20	—	—	—	—	—
Heart .....	313	180	—	40	50	30	20	—	20	—	—	—	—
Bronchus .....	314	30	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura .....	315	350	—	30	20	70	60	20	30	—	—	—	110
Back, including spine, spinal cord .....	32	183,100	1,010	16,040	19,330	36,700	28,010	22,920	10,430	3,280	1,740	270	43,380

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Back, including spine, spinal cord, unspecified .....	320	72,510	240	5,970	7,550	13,870	10,250	8,650	3,570	1,230	470	60	20,670
Thoracic region .....	321	7,680	—	1,010	830	1,580	1,210	1,070	520	130	70	—	1,260
Lumbar region .....	322	93,440	360	8,330	10,010	19,470	14,700	12,090	5,420	1,760	1,160	210	19,930
Sacral region .....	323	780	—	90	110	140	130	70	120	—	—	—	120
Coccygeal region .....	324	1,790	80	180	270	190	210	160	450	—	—	—	220
Multiple back regions .....	328	6,260	310	460	530	1,210	1,430	830	330	140	30	—	980
Back, including spine, spinal cord, n.e.c. ....	329	640	—	20	20	240	80	60	20	—	—	—	190
Abdomen .....	33	20,060	20	970	1,840	4,040	2,620	2,640	1,750	300	80	—	5,780
Abdomen, except internal location of diseases or disorders .....	330	18,410	20	870	1,770	3,820	2,500	2,460	1,690	300	80	—	4,920
Internal abdominal location, unspecified .....	331	880	—	60	20	100	40	60	20	—	—	—	560
Stomach organ .....	332	220	—	—	—	70	—	80	—	—	—	—	30
Spleen .....	333	50	—	—	—	—	—	—	—	—	—	—	—
Urinary organs .....	334	30	—	—	—	—	—	—	—	—	—	—	20
Urinary organs, unspecified .....	3340	20	—	—	—	—	—	—	—	—	—	—	20
Intestines, peritoneum .....	335	380	—	40	30	40	60	20	20	—	—	—	160
Intestines, peritoneum, unspecified .....	3350	330	—	40	—	40	50	20	20	—	—	—	150
Peritoneum .....	3351	30	—	—	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations ..	338	20	—	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	339	60	—	—	—	—	—	—	—	—	—	—	40
Pelvic region .....	34	15,490	110	2,020	1,170	3,000	2,570	2,070	1,180	460	100	—	2,790
Pelvic region, unspecified .....	340	130	—	—	—	—	30	20	—	—	—	—	40
Hip(s) .....	341	7,320	70	890	630	1,440	1,090	930	340	320	70	—	1,540
Pelvis .....	342	750	—	70	50	100	310	150	30	—	—	—	40
Buttock(s) .....	343	870	—	160	70	130	190	130	90	—	—	—	60
Groin .....	344	5,830	20	820	390	1,250	880	690	650	120	20	—	1,010
External reproductive tract structures ..	345	310	—	60	20	20	20	110	20	—	—	—	60
External reproductive tract structures, unspecified .....	3450	40	—	—	—	—	—	—	—	—	—	—	20
Scrotum .....	3451	160	—	—	—	—	—	70	—	—	—	—	40
Penis .....	3452	90	—	50	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures ...	346	40	—	—	—	—	—	20	—	—	—	—	—
Testis (testes) .....	3462	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	348	210	—	—	—	50	40	20	40	—	—	—	30
Pelvic region, n.e.c. ....	349	30	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	38	4,450	60	430	640	680	660	690	320	60	30	—	870
Trunk, n.e.c. ....	39	220	—	20	50	70	40	—	—	—	—	—	30
<b>Upper extremities .....</b>	<b>4</b>	<b>288,790</b>	<b>1,460</b>	<b>22,210</b>	<b>27,650</b>	<b>60,180</b>	<b>44,570</b>	<b>41,010</b>	<b>19,820</b>	<b>4,970</b>	<b>1,460</b>	<b>90</b>	<b>65,380</b>
Upper extremities, unspecified .....	40	600	—	60	30	110	40	60	90	30	—	—	190
Shoulder(s), including clavicle(s), scapula(e) .....	41	68,890	360	5,520	6,380	14,080	11,060	9,830	4,560	1,210	370	30	15,500
Arm(s) .....	42	44,760	350	3,070	4,500	9,750	6,940	6,260	3,470	800	140	30	9,460
Arm(s), unspecified .....	420	14,460	100	960	1,070	3,220	2,140	2,110	920	230	50	20	3,640
Upper arm(s) .....	421	5,380	30	250	760	1,150	880	730	630	130	30	—	810

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Elbow(s) .....	422	14,670	140	1,170	1,710	3,350	1,920	1,830	1,070	210	40	—	3,230
Forearm(s) .....	423	7,790	40	440	810	1,620	1,650	1,210	680	180	—	—	1,140
Multiple arm locations .....	428	1,970	20	220	140	340	260	270	150	40	—	—	510
Multiple arm locations, unspecified ..	4280	340	—	40	40	40	50	40	—	—	—	—	130
Elbow(s) and arm(s) .....	4281	690	—	50	60	150	80	130	50	—	—	—	150
Multiple arm locations, n.e.c. ....	4289	940	—	140	50	150	130	100	90	30	—	—	240
Arm(s), n.e.c. ....	429	490	—	20	20	70	100	100	20	—	—	—	120
Wrist(s) .....	43	39,340	280	2,990	2,880	7,310	5,120	4,340	2,340	640	230	—	13,200
Hand(s) .....	44	119,850	330	9,260	12,170	26,440	19,280	17,960	8,450	2,090	610	20	23,250
Hand(s), unspecified .....	440	29,190	120	2,070	2,700	6,750	4,460	3,320	2,610	420	160	—	6,570
Hand(s), except finger(s) .....	441	7,560	20	440	690	1,530	960	1,610	500	190	30	—	1,600
Finger(s), fingernail(s) .....	442	78,950	190	6,380	8,330	17,320	13,200	12,420	5,060	1,430	390	20	14,210
Finger(s), fingernail(s), unspecified ..	4420	52,730	130	4,160	5,480	11,440	8,280	8,180	3,630	920	190	20	10,290
Fingernail(s), nailbed(s) .....	4421	2,800	—	210	310	680	400	470	90	—	80	—	540
Fingertip(s) .....	4422	6,790	—	640	730	1,400	1,120	1,240	350	260	—	—	1,040
Finger(s), fingernail(s), n.e.c. ....	4429	16,630	50	1,370	1,810	3,800	3,400	2,540	990	230	110	—	2,340
Hand(s) and finger(s) .....	448	2,590	—	290	350	530	400	430	190	40	20	—	350
Hand(s), n.e.c. ....	449	1,550	—	80	100	300	270	180	90	—	—	—	520
Multiple upper extremities locations .....	48	15,110	140	1,300	1,680	2,440	2,090	2,510	890	200	90	—	3,770
Multiple upper extremities locations, unspecified .....	480	280	—	—	—	70	60	30	20	—	—	—	70
Hand(s) and arms(s) .....	481	1,880	—	200	230	350	280	240	60	—	—	—	500
Hand(s) and arm(s), unspecified .....	4810	930	—	90	140	200	100	130	20	—	—	—	240
Hand(s) and elbow(s) .....	4811	220	—	—	—	30	90	—	—	—	—	—	60
Hand(s) and arm(s), n.e.c. ....	4819	730	—	100	80	130	90	90	30	—	—	—	210
Hand(s) and wrist(s) .....	482	2,960	20	240	320	510	370	370	200	40	—	—	880
Wrist(s) and arm(s) .....	483	2,070	20	150	210	300	290	250	150	20	—	—	670
Wrist(s) and arm(s), unspecified .....	4830	970	—	40	60	170	60	150	110	20	—	—	370
Wrist(s) and elbow(s) .....	4831	390	—	40	40	60	60	30	30	—	—	—	120
Wrist(s) and arm(s), n.e.c. ....	4839	710	20	70	110	70	170	70	—	—	—	—	180
Shoulder(s) and arm(s) .....	484	4,300	50	370	530	650	530	900	280	90	40	—	850
Multiple upper extremities locations, n.e.c. ....	489	3,610	40	330	380	550	560	730	170	30	30	—	790
Upper extremities, n.e.c. ....	49	250	—	20	20	60	40	50	20	—	20	—	20
<b>Lower extremities</b> .....	<b>5</b>	<b>205,760</b>	<b>2,150</b>	<b>16,230</b>	<b>19,520</b>	<b>40,770</b>	<b>34,780</b>	<b>29,370</b>	<b>16,920</b>	<b>4,540</b>	<b>2,030</b>	<b>160</b>	<b>39,280</b>
Lower extremities, unspecified .....	50	290	—	40	40	30	20	60	30	—	—	—	60
Leg(s) .....	51	109,260	1,120	8,330	9,520	21,700	19,050	15,930	8,430	2,210	970	40	21,950
Leg(s), unspecified .....	510	13,510	70	1,090	1,110	2,620	2,500	2,020	1,000	230	100	—	2,760
Thigh(s) .....	511	4,400	20	330	520	790	730	480	290	70	20	—	1,130
Knee(s) .....	512	79,020	890	6,000	6,670	15,630	13,990	11,460	6,220	1,720	630	30	15,780
Lower leg(s) .....	513	8,860	110	710	690	2,210	1,150	1,470	770	140	60	—	1,550
Multiple leg locations .....	518	3,000	20	190	510	380	620	450	110	40	30	—	640
Multiple leg locations, unspecified ...	5180	370	—	40	40	20	30	80	—	—	—	—	140
Knee(s) and leg(s) .....	5181	1,580	—	100	130	290	260	310	80	30	20	—	350
Multiple leg locations, n.e.c. ....	5189	1,050	—	50	340	70	330	70	30	—	—	—	150
Leg(s), n.e.c. ....	519	470	—	—	—	70	60	50	30	—	—	—	90
Ankle(s) .....	52	46,610	680	3,800	4,780	8,840	7,460	6,540	4,300	960	610	80	8,570

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Foot (feet) .....	53	42,480	190	3,420	4,440	8,810	7,070	5,750	3,550	1,110	410	20	7,710
Foot (feet), unspecified .....	530	26,100	130	2,110	2,880	5,030	4,420	3,530	2,340	710	330	20	4,600
Sole(s) .....	531	3,540	—	280	180	730	570	560	220	30	20	—	940
Sole(s), unspecified .....	5310	510	—	50	20	80	110	40	20	—	—	—	190
Ball(s) of the foot .....	5311	150	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s) .....	5312	410	—	30	20	—	—	20	60	—	—	—	260
Heel(s) .....	5313	2,390	—	200	140	640	430	360	120	30	20	—	460
Multiple sole locations .....	5318	30	—	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c. ....	5319	40	—	—	—	—	—	—	—	—	—	—	—
Toes(s), toenail(s) .....	532	10,750	50	870	1,130	2,570	1,670	1,370	870	330	60	—	1,830
Multiple foot (feet) locations .....	538	580	—	50	80	130	140	100	—	—	—	—	50
Foot (feet), n.e.c. ....	539	1,510	—	100	170	350	270	190	110	40	—	—	280
Multiple lower extremities locations .....	58	7,050	160	630	720	1,380	1,170	1,090	610	250	40	30	980
Multiple lower extremities locations, unspecified .....	580	230	—	—	—	30	40	100	—	—	—	—	40
Foot (feet) and leg(s) .....	581	980	—	80	100	220	180	120	110	30	—	—	140
Foot(feet) and leg(s), unspecified ....	5810	370	—	30	20	30	100	60	60	—	—	—	60
Foot(feet) and knee(s) .....	5811	330	—	30	40	60	50	30	40	20	—	—	40
Foot(feet) and leg(s), n.e.c. ....	5819	280	—	—	40	120	30	20	—	—	—	—	40
Foot (feet) and ankle(s) .....	582	2,290	50	130	220	460	380	450	190	90	—	—	320
Ankle(s) and leg(s) .....	583	2,400	70	250	230	470	410	280	250	30	20	—	360
Ankle(s) and leg(s), unspecified .....	5830	550	—	40	110	100	80	40	110	—	—	—	40
Ankle(s) and knee(s) .....	5831	1,370	60	180	100	270	300	200	70	20	—	—	160
Ankle(s) and leg(s), n.e.c. ....	5839	470	—	30	20	100	30	40	70	—	—	—	160
Multiple lower extremities locations, n.e.c. ....	589	1,150	30	160	160	200	160	130	60	110	20	—	110
Lower extremities, n.e.c. ....	59	60	—	—	—	—	—	—	—	—	—	—	20
<b>Body systems</b> .....	<b>6</b>	<b>17,710</b>	<b>50</b>	<b>1,480</b>	<b>1,110</b>	<b>3,140</b>	<b>2,850</b>	<b>2,110</b>	<b>1,270</b>	<b>700</b>	<b>120</b>	<b>—</b>	<b>4,890</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>87,620</b>	<b>1,610</b>	<b>8,270</b>	<b>8,940</b>	<b>15,640</b>	<b>14,710</b>	<b>12,890</b>	<b>7,260</b>	<b>1,790</b>	<b>630</b>	<b>130</b>	<b>15,750</b>
Multiple body parts, unspecified .....	80	7,620	100	540	660	1,230	1,110	970	590	290	40	—	2,080
Head and neck .....	81	2,340	—	160	220	380	350	270	380	50	—	—	520
Head, neck, and trunk .....	82	770	—	40	90	150	220	70	70	30	—	—	70
Head and trunk .....	83	1,830	20	250	190	480	280	260	80	—	—	—	240
Neck and back .....	84	8,400	20	560	950	1,410	1,260	1,350	1,170	140	140	—	1,390
Shoulder(s) and back .....	85	3,600	30	280	380	690	570	560	260	80	20	40	700
Hip(s) and leg(s) .....	86	1,300	30	110	100	350	160	190	100	40	—	—	230
Upper and lower limb(s) .....	87	7,190	150	1,120	470	1,260	1,280	1,240	410	200	70	—	990
Other multiple body parts .....	89	54,560	1,240	5,210	5,890	9,690	9,480	7,990	4,190	950	340	60	9,530
Whole body .....	891	1,010	20	150	70	150	130	140	70	20	—	—	240
Multiple body parts, n.e.c. ....	899	53,550	1,230	5,060	5,820	9,530	9,340	7,860	4,120	930	330	60	9,290

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
<b>Nonclassifiable .....</b>	9999	6,410	50	670	300	660	490	460	530	60	20	–	3,170

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.