

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³

Part of body	Part of body code ⁴	Private industry ⁵	Summary occupational groups ⁶					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		104.3	27.7	13.0	52.0	96.7	145.1	55.8
Head	1	7.0	2.2	.9	3.9	4.5	8.6	3.8
Head, unspecified	10	1.5	.8	.3	1.0	1.1	2.1	1.1
Cranial region, including skull	11	1.2	.9	.2	1.1	1.1	1.6	.8
Cranial region, unspecified	110	.1	—	—	—	—	.1	(.7)
Brain	111	.9	.8	.2	1.0	.9	1.2	.7
Scalp	112	.2	(.7)	(.7)	—	.1	.2	.1
Skull	113	.1	—	—	—	.1	.1	(.7)
Multiple cranial region locations	118	(.7)	—	—	—	—	(.7)	—
Cranial region, n.e.c.	119	(.7)	—	—	—	—	—	—
Ear(s)	12	.1	(.7)	—	(.7)	—	.2	(.7)
Face	13	3.9	.5	.3	1.7	2.2	4.6	1.7
Face, unspecified	130	.3	(.7)	—	.2	.4	.5	.3
Forehead	131	.3	(.7)	(.7)	.4	.2	.5	.1
Eye(s)	132	2.4	.2	.2	.5	1.0	2.4	.9
Nose, nasal cavity	133	.2	.1	—	.2	.1	.3	.2
Nose, except internal location of diseases or disorders	1330	.2	.1	—	.2	.1	.3	.2
Cheek(s)	134	.1	—	—	—	.1	.1	(.7)
Jaw, chin	135	.1	(.7)	—	.2	.1	.1	(.7)
Mouth	136	.3	—	—	.1	.2	.4	.1
Mouth, unspecified	1360	(.7)	—	—	—	—	(.7)	—
Lip(s)	1361	.1	—	—	.1	.1	.2	(.7)
Tongue	1362	(.7)	—	—	—	—	—	—
Tooth (teeth)	1363	.1	—	—	.1	.1	.1	(.7)
Multiple mouth locations	1368	(.7)	—	—	—	—	.1	—
Multiple face locations	138	.2	.1	—	.1	.2	.2	.1
Face, n.e.c.	139	(.7)	(.7)	—	—	(.7)	.1	—
Multiple head locations	18	.1	(.7)	—	.1	(.7)	.1	(.7)
Head, n.e.c.	19	(.7)	—	—	(.7)	—	.1	—
Neck, including throat	2	1.4	.5	.1	1.0	2.3	1.6	.6
Neck, except internal location of diseases or disorders	20	1.4	.5	.1	.9	2.3	1.6	.6
Internal neck location, unspecified	21	(.7)	—	—	—	—	—	—
Trunk	3	27.1	6.6	2.4	11.3	32.4	41.1	15.7
Trunk, unspecified	30	.1	(.7)	—	—	.1	.2	(.7)
Chest, including ribs, internal organs	31	1.6	.4	.1	1.2	.9	2.1	.6
Chest, except internal location of diseases or disorders	310	1.5	.4	.1	.9	.8	2.0	.6

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³ — Continued

Part of body	Summary occupational groups ⁶					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	51.7	149.1	187.7	210.0	150.9	246.7
Head	3.4	14.0	12.5	18.0	11.0	15.6
Head, unspecified	1.0	1.9	1.6	2.9	1.5	3.9
Cranial region, including skull8	1.6	1.2	2.0	1.2	3.3
Cranial region, unspecified	(⁷)	—	.1	.1	.1	.2
Brain6	1.1	.9	1.6	.7	2.0
Scalp1	.4	.1	.3	.3	.5
Skull	(⁷)	—	.1	(⁷)	.1	.5
Multiple cranial region locations	—	—	—	—	—	—
Cranial region, n.e.c.	(⁷)	—	—	—	—	—
Ear(s)	(⁷)	—	.1	.2	.1	.3
Face	1.4	10.4	9.4	12.5	8.1	7.8
Face, unspecified1	1.3	.8	.4	.3	.9
Forehead3	.6	.3	.9	.4	.6
Eye(s)7	6.3	6.8	8.3	6.3	4.0
Nose, nasal cavity2	.3	.1	.6	.3	.6
Nose, except internal location of diseases or disorders2	.3	.1	.6	.3	.6
Cheek(s)	—	—	.1	.1	(⁷)	.3
Jaw, chin	(⁷)	.5	.2	.1	.2	.1
Mouth1	1.1	.7	1.3	.2	.5
Mouth, unspecified	(⁷)	—	—	—	—	(⁷)
Lip(s)	(⁷)	.7	.2	.2	.1	.1
Tongue	—	—	—	—	—	—
Tooth (teeth)	(⁷)	—	.5	.9	.1	.3
Multiple mouth locations	—	.2	—	.1	—	.1
Multiple face locations	(⁷)	—	.3	.6	.3	.8
Face, n.e.c.	(⁷)	—	.1	(⁷)	—	(⁷)
Multiple head locations2	—	.2	.3	.1	.2
Head, n.e.c.	—	—	—	—	(⁷)	.1
Neck, including throat8	1.3	1.6	2.4	1.0	4.8
Neck, except internal location of diseases or disorders8	1.3	1.6	2.4	1.0	4.8
Internal neck location, unspecified	—	—	—	—	—	—
Trunk	12.9	35.9	45.4	50.9	31.2	66.2
Trunk, unspecified1	.3	.1	.1	.3	.3
Chest, including ribs, internal organs6	5.2	4.0	2.6	1.7	4.9
Chest, except internal location of diseases or disorders6	5.2	3.9	2.5	1.6	4.8

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³—Continued

Part of body	Part of body code ⁴	Private industry ⁵	Summary occupational groups ⁶					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Internal chest location, unspecified	311	(⁷)	—	—	0.3	—	(⁷)	(⁷)
Heart	313	(⁷)	—	—	—	—	(⁷)	(⁷)
Bronchus	314	(⁷)	—	—	—	—	—	—
Lung(s), pleura	315	(⁷)	—	—	—	0.1	.1	(⁷)
Back, including spine, spinal cord ..	32	20.8	5.0	1.8	8.5	27.5	33.1	12.1
Back, including spine, spinal cord, unspecified	320	8.2	2.3	.8	3.0	9.8	13.6	3.7
Thoracic region	321	.9	.3	.1	.2	1.6	1.2	.5
Lumbar region	322	10.6	1.9	.8	5.0	14.2	16.5	7.5
Sacral region	323	.1	—	—	(⁷)	.1	.2	(⁷)
Coccygeal region	324	.2	.4	—	.1	.2	.3	.1
Multiple back regions	328	.7	.1	.1	.2	1.5	1.2	.3
Back, including spine, spinal cord, n.e.c.	329	.1	(⁷)	—	.1	(⁷)	.1	.1
Abdomen	33	2.3	.6	.1	.5	1.6	2.2	1.2
Abdomen, except internal location of diseases or disorders	330	2.1	.5	.1	.5	1.6	2.1	1.1
Internal abdominal location, unspecified	331	.1	.1	—	—	—	.1	—
Stomach organ	332	(⁷)	—	—	—	—	(⁷)	.1
Spleen	333	(⁷)	—	—	—	—	—	—
Urinary organs	334	(⁷)	—	—	—	—	—	—
Urinary organs, unspecified ...	3340	(⁷)	—	—	—	—	—	—
Intestines, peritoneum	335	(⁷)	—	—	—	—	(⁷)	.1
Intestines, peritoneum, unspecified	3350	(⁷)	—	—	—	—	(⁷)	(⁷)
Peritoneum	3351	(⁷)	—	—	—	—	—	—
Multiple internal abdominal locations	338	(⁷)	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	(⁷)	—	—	—	—	—	—
Pelvic region	34	1.8	.5	.2	.8	1.6	2.6	1.3
Pelvic region, unspecified	340	(⁷)	—	—	—	—	(⁷)	—
Hip(s)	341	.8	.3	.2	.5	.9	1.4	.7
Pelvis	342	.1	.2	—	—	.2	.1	(⁷)
Buttock(s)	343	.1	(⁷)	—	—	.1	.2	.1
Groin	344	.7	(⁷)	.1	.2	.3	.8	.5
External reproductive tract structures	345	(⁷)	—	—	—	—	.1	—
External reproductive tract structures, unspecified	3450	(⁷)	—	—	—	—	—	—
Scrotum	3451	(⁷)	—	—	—	—	(⁷)	—

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³ — Continued

Part of body	Summary occupational groups ⁶					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Internal chest location, unspecified	—	—	—	—	—	(⁷)
Heart	(⁷)	—	.1	(⁷)	—	(⁷)
Bronchus	—	—	—	—	(⁷)	—
Lung(s), pleura	(⁷)	—	(⁷)	.1	(⁷)	.1
Back, including spine, spinal cord ..	10.2	22.1	32.8	39.3	22.3	48.6
Back, including spine, spinal cord, unspecified	3.7	11.5	15.7	17.5	8.6	18.3
Thoracic region4	.7	.6	1.4	1.1	2.5
Lumbar region	5.6	9.2	15.1	19.3	11.3	25.3
Sacral region1	—	.2	.3	.1	.1
Coccygeal region2	—	.3	.1	.1	.4
Multiple back regions3	.5	.9	.5	1.0	1.9
Back, including spine, spinal cord, n.e.c.	—	—	.1	.2	.1	.1
Abdomen9	2.6	5.4	5.8	4.5	6.2
Abdomen, except internal location of diseases or disorders8	2.3	5.1	5.5	4.1	5.5
Internal abdominal location, unspecified1	.2	.1	.1	.2	.4
Stomach organ	—	—	—	—	(⁷)	.1
Spleen	—	—	—	—	—	—
Urinary organs	—	—	—	.1	—	—
Urinary organs, unspecified ...	—	—	—	.1	—	—
Intestines, peritoneum	—	—	—	.1	.1	.1
Intestines, peritoneum, unspecified	—	—	(⁷)	.1	.1	.1
Peritoneum	—	—	—	—	—	—
Multiple internal abdominal locations	—	—	—	—	—	—
Internal abdominal location, n.e.c.	—	—	—	—	—	—
Pelvic region9	3.3	2.3	2.5	1.9	4.8
Pelvic region, unspecified	—	—	(⁷)	—	—	.1
Hip(s)5	.9	.9	.9	.6	2.1
Pelvis	(⁷)	.3	.2	.2	.1	.1
Buttock(s)1	—	(⁷)	.2	.1	.2
Groin2	1.8	.9	1.1	1.1	2.2
External reproductive tract structures	—	—	.1	.1	(⁷)	.1
External reproductive tract structures, unspecified	—	—	—	—	(⁷)	(⁷)
Scrotum	—	—	—	(⁷)	(⁷)	(⁷)

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³—Continued

Part of body	Part of body code ⁴	Private industry ⁵	Summary occupational groups ⁶					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Penis	3452	(⁷)	—	—	—	—	—	—
Internal reproductive tract structures	346	(⁷)	—	—	—	—	—	—
Testis (testes)	3462	(⁷)	—	—	—	—	—	—
Multiple pelvic region locations ..	348	(⁷)	—	—	—	(⁷)	0.1	—
Pelvic region, n.e.c.	349	(⁷)	—	—	—	—	—	—
Multiple trunk locations	38	.5	0.1	0.1	0.2	.6	.9	0.3
Trunk, n.e.c.	39	(⁷)	—	—	—	(⁷)	(⁷)	—
Upper extremities	4	32.8	7.3	4.4	10.6	24.7	46.3	14.4
Upper extremities, unspecified	40	.1	—	—	(⁷)	.1	.1	—
Shoulder(s), including clavicle(s), scapula(e)	41	7.8	1.8	.9	2.3	7.4	9.7	4.0
Arm(s)	42	5.1	2.1	1.1	2.8	3.7	6.7	2.6
Arm(s), unspecified	420	1.6	.4	.2	.8	1.5	2.6	1.0
Upper arm(s)	421	.6	.5	.1	.3	.5	.7	.3
Elbow(s)	422	1.7	.7	.7	1.0	1.0	1.9	.8
Forearm(s)	423	.9	.6	(⁷)	.5	.4	1.2	.3
Multiple arm locations	428	.2	(⁷)	—	.2	.2	.2	(⁷)
Multiple arm locations, unspecified	4280	(⁷)	—	—	—	—	(⁷)	—
Elbow(s) and arm(s)	4281	.1	—	—	—	.1	.1	(⁷)
Multiple arm locations, n.e.c.	4289	.1	—	—	.1	.1	.1	—
Arm(s), n.e.c.	429	.1	—	—	—	.1	.1	(⁷)
Wrist(s)	43	4.5	1.2	.5	1.5	3.9	6.0	2.8
Hand(s)	44	13.6	1.6	1.7	2.4	8.0	20.9	4.4
Hand(s), unspecified	440	3.3	.4	.3	.8	2.0	4.9	1.5
Hand(s), except finger(s)	441	.9	.1	.1	.1	.4	1.6	.2
Finger(s), fingernail(s)	442	9.0	1.0	.8	1.3	5.3	13.7	2.7
Finger(s), fingernail(s), unspecified	4420	6.0	.7	.6	1.0	2.9	9.2	1.7
Fingernail(s), nailbed(s)	4421	.3	—	—	—	.1	.6	.3
Fingertip(s)	4422	.8	.1	—	.1	.8	.8	.3
Finger(s), fingernail(s), n.e.c.	4429	1.9	.2	.1	.1	1.6	3.1	.4
Hand(s) and finger(s)	448	.3	(⁷)	.1	.1	.2	.6	(⁷)
Hand(s), n.e.c.	449	.2	.1	.6	.1	.1	.2	(⁷)
Multiple upper extremities locations	48	1.7	.4	.3	1.5	1.6	2.7	.6
Multiple upper extremities locations, unspecified	480	(⁷)	—	—	—	—	.1	—
Hand(s) and arms(s)	481	.2	—	.1	.1	.1	.4	(⁷)
Hand(s) and arm(s), unspecified	4810	.1	—	.1	(⁷)	—	.3	—
Hand(s) and elbow(s)	4811	(⁷)	—	—	—	(⁷)	.3	—
Hand(s) and arm(s), n.e.c.	4819	.1	—	(⁷)	—	—	.1	(⁷)

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³ — Continued

Part of body	Summary occupational groups ⁶					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Penis	—	—	0.1	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—
Testis (testes)	—	—	—	—	—	—
Multiple pelvic region locations ..	—	—	—	—	0.1	(⁷)
Pelvic region, n.e.c.	—	—	—	—	—	—
Multiple trunk locations	0.1	2.3	.8	0.5	.5	1.4
Trunk, n.e.c.	(⁷)	—	—	—	.1	.1
Upper extremities	15.5	40.5	64.2	70.1	70.1	63.9
Upper extremities, unspecified	(⁷)	—	—	.1	.1	.2
Shoulder(s), including clavicle(s), scapula(e)	4.0	9.3	13.8	17.6	11.2	22.2
Arm(s)	2.7	5.5	8.8	10.8	7.9	11.5
Arm(s), unspecified8	2.2	3.4	3.3	2.3	3.0
Upper arm(s)3	.5	1.0	1.7	.7	1.5
Elbow(s)	1.0	2.0	1.7	3.9	2.6	4.5
Forearm(s)3	.4	2.4	1.6	1.7	1.8
Multiple arm locations3	.4	.3	.4	.5	.5
Multiple arm locations, unspecified	(⁷)	—	—	.1	.1	(⁷)
Elbow(s) and arm(s)1	—	(⁷)	.1	.2	.1
Multiple arm locations, n.e.c.1	.4	.2	.2	.2	.3
Arm(s), n.e.c.	(⁷)	—	.2	.1	.1	.1
Wrist(s)	3.7	3.4	7.0	6.9	9.4	7.0
Hand(s)	3.9	21.1	32.4	32.1	38.2	19.6
Hand(s), unspecified	1.1	6.3	9.3	8.2	7.2	5.2
Hand(s), except finger(s)3	1.5	1.5	2.1	2.1	1.2
Finger(s), fingernail(s)	2.4	12.8	21.0	20.7	27.5	12.7
Finger(s), fingernail(s), unspecified	1.7	9.1	13.1	14.1	18.1	8.9
Fingernail(s), nailbed(s)1	.3	.6	.6	.9	.4
Fingertip(s)1	1.9	3.4	1.4	2.3	1.0
Finger(s), fingernail(s), n.e.c.4	1.5	3.8	4.6	6.2	2.4
Hand(s) and finger(s)1	.4	.5	.7	.9	.3
Hand(s), n.e.c.	(⁷)	—	.2	.3	.4	.3
Multiple upper extremities locations	1.1	1.2	2.1	2.5	3.3	3.3
Multiple upper extremities locations, unspecified	(⁷)	—	(⁷)	.1	.1	(⁷)
Hand(s) and arms(s)1	—	.5	.4	.4	.5
Hand(s) and arm(s), unspecified	(⁷)	—	.2	.2	.2	.1
Hand(s) and elbow(s)	—	—	—	—	.1	.1
Hand(s) and arm(s), n.e.c.	(⁷)	—	.2	.1	.1	.3

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³—Continued

Part of body	Part of body code ⁴	Private industry ⁵	Summary occupational groups ⁶					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Hand(s) and wrist(s)	482	0.3	(⁷)	0.1	0.2	0.3	0.6	0.1
Wrist(s) and arm(s)	483	.2	.1	—	.1	.3	.2	.1
Wrist(s) and arm(s), unspecified	4830	.1	.1	—	(⁷)	.2	.1	(⁷)
Wrist(s) and elbow(s)	4831	(⁷)	(⁷)	—	—	.1	(⁷)	(⁷)
Wrist(s) and arm(s), n.e.c.	4839	.1	—	—	—	(⁷)	.1	(⁷)
Shoulder(s) and arm(s)	484	.5	.2	—	.3	.5	.9	.2
Multiple upper extremities locations, n.e.c.	489	.4	.1	.1	.9	.4	.6	.2
Upper extremities, n.e.c.	49	(⁷)	—	—	.1	(⁷)	(⁷)	—
Lower extremities	5	23.4	6.1	3.1	16.2	17.5	29.6	14.5
Lower extremities, unspecified	50	(⁷)	—	—	—	—	(⁷)	—
Leg(s)	51	12.4	3.1	1.5	8.2	10.0	16.3	7.2
Leg(s), unspecified	510	1.5	.2	.2	1.1	.5	2.2	.7
Thigh(s)	511	.5	.1	(⁷)	.9	.3	.6	.2
Knee(s)	512	9.0	2.5	1.1	5.4	8.0	11.7	5.7
Lower leg(s)	513	1.0	.3	.1	.6	.6	1.0	.3
Multiple leg locations	518	.3	.1	(⁷)	.1	.3	.7	.2
Multiple leg locations, unspecified	5180	(⁷)	—	—	—	—	(⁷)	(⁷)
Knee(s) and leg(s)	5181	.2	(⁷)	(⁷)	.1	.2	.4	.1
Multiple leg locations, n.e.c. ...	5189	.1	(⁷)	—	—	.1	.3	.1
Leg(s), n.e.c.	519	.1	—	—	—	.3	.1	—
Ankle(s)	52	5.3	1.5	.8	4.3	3.9	7.3	3.5
Foot (feet)	53	4.8	1.2	.7	3.3	2.5	4.9	3.5
Foot (feet), unspecified	530	3.0	.9	.3	2.1	1.6	3.0	2.1
Sole(s)	531	.4	.1	.3	.1	.1	.3	.1
Sole(s), unspecified	5310	.1	—	—	—	—	(⁷)	(⁷)
Ball(s) of the foot	5311	(⁷)	—	—	—	—	—	—
Arch(es), instep(s)	5312	(⁷)	—	—	—	—	.2	—
Heel(s)	5313	.3	.1	—	.1	.1	.1	.1
Multiple sole locations	5318	(⁷)	—	—	—	—	—	—
Sole(s), n.e.c.	5319	(⁷)	—	—	—	—	—	—
Toes(s), toenail(s)	532	1.2	.2	.1	1.0	.5	1.3	1.1
Multiple foot (feet) locations	538	.1	(⁷)	—	(⁷)	—	.1	(⁷)
Foot (feet), n.e.c.	539	.2	(⁷)	—	.1	.2	.2	.1
Multiple lower extremities locations	58	.8	.2	.1	.4	1.0	1.1	.3
Multiple lower extremities locations, unspecified	580	(⁷)	—	—	—	—	(⁷)	—
Foot (feet) and leg(s)	581	.1	(⁷)	—	—	.1	.2	(⁷)
Foot(feet) and leg(s), unspecified	5810	(⁷)	(⁷)	—	—	—	(⁷)	—
Foot(feet) and knee(s)	5811	(⁷)	(⁷)	—	—	—	.1	(⁷)

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³ — Continued

Part of body	Summary occupational groups ⁶					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Hand(s) and wrist(s)	0.3	0.3	0.3	0.3	0.9	0.7
Wrist(s) and arm(s)2	.2	.7	.2	.6	.5
Wrist(s) and arm(s), unspecified1	—	.6	.1	.2	.2
Wrist(s) and elbow(s)	(7)	—	—	—	.1	.1
Wrist(s) and arm(s), n.e.c.1	.2	.1	.1	.3	.2
Shoulder(s) and arm(s)2	.5	.4	.9	.6	1.0
Multiple upper extremities locations, n.e.c.3	—	.2	.7	.8	.7
Upper extremities, n.e.c.	—	—	—	.1	(7)	.1
Lower extremities	12.1	39.4	44.2	45.0	26.8	65.2
Lower extremities, unspecified	—	—	—	.1	(7)	.1
Leg(s)	5.7	18.4	24.1	26.7	14.0	34.0
Leg(s), unspecified6	3.4	3.7	3.0	1.6	4.8
Thigh(s)2	1.5	1.1	1.1	.5	1.2
Knee(s)	4.2	10.7	16.6	19.9	9.8	24.0
Lower leg(s)5	1.9	2.3	2.0	1.8	3.0
Multiple leg locations1	.7	.4	.5	.3	.8
Multiple leg locations, unspecified	(7)	—	—	.2	—	.1
Knee(s) and leg(s)	(7)	.2	.2	.3	.2	.3
Multiple leg locations, n.e.c.	(7)	—	.2	—	(7)	.4
Leg(s), n.e.c.	—	.2	.1	.1	(7)	.1
Ankle(s)	3.0	7.8	9.6	9.6	4.8	14.3
Foot (feet)	2.9	11.4	9.4	7.6	7.2	14.2
Foot (feet), unspecified	1.7	3.8	5.3	4.7	4.6	9.3
Sole(s)2	3.4	2.2	.7	.4	.8
Sole(s), unspecified	(7)	—	.3	.2	.1	.2
Ball(s) of the foot	—	—	—	—	—	—
Arch(es), instep(s)	(7)	—	—	—	.1	.1
Heel(s)1	3.2	1.8	.5	.2	.5
Multiple sole locations	—	—	—	—	—	—
Sole(s), n.e.c.	—	—	—	—	—	—
Toes(s), toenail(s)8	3.8	1.3	1.8	1.8	3.5
Multiple foot (feet) locations	(7)	.2	.2	.1	.1	.2
Foot (feet), n.e.c.1	—	.4	.1	.3	.4
Multiple lower extremities locations5	1.8	1.0	1.0	.7	2.6
Multiple lower extremities locations, unspecified	—	—	—	(7)	(7)	.2
Foot (feet) and leg(s)1	.4	—	.1	.1	.4
Foot(feet) and leg(s), unspecified	(7)	—	—	.1	(7)	.1
Foot(feet) and knee(s)	(7)	—	—	(7)	(7)	.1

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³—Continued

Part of body	Part of body code ⁴	Private industry ⁵	Summary occupational groups ⁶					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Foot(feet) and leg(s), n.e.c. ...	5819	(⁷)	—	—	—	—	(⁷)	(⁷)
Foot (feet) and ankle(s)	582	.3	0.1	—	0.1	0.3	.4	.1
Ankle(s) and leg(s)	583	.3	.1	—	.3	.3	.4	.1
Ankle(s) and leg(s), unspecified	5830	.1	.1	—	—	—	.1	—
Ankle(s) and knee(s)	5831	.2	(⁷)	—	.1	.3	.3	.1
Ankle(s) and leg(s), n.e.c.	5839	.1	(⁷)	—	.1	—	(⁷)	—
Multiple lower extremities locations, n.e.c.	589	.1	(⁷)	0.1	.1	.3	.2	(⁷)
Lower extremities, n.e.c.	59	(⁷)	—	—	—	—	(⁷)	—
Body systems	6	2.0	.8	.3	1.3	1.9	2.5	1.1
Multiple body parts	8	10.0	3.9	1.6	7.4	12.7	14.2	5.5
Multiple body parts, unspecified	80	.9	.3	.2	.5	.9	1.1	.5
Head and neck	81	.3	.1	—	.5	.3	.3	.2
Head, neck, and trunk	82	.1	(⁷)	—	.1	.1	.1	.1
Head and trunk	83	.2	.1	.1	.1	.1	.3	.1
Neck and back	84	1.0	.4	.4	.7	1.7	1.1	.7
Shoulder(s) and back	85	.4	.1	.1	.2	.6	.7	.1
Hip(s) and leg(s)	86	.1	(⁷)	—	(⁷)	.1	.3	.1
Upper and lower limb(s)	87	.8	.3	.1	1.0	1.1	1.2	.6
Other multiple body parts	89	6.2	2.6	.8	4.2	7.6	9.2	3.1
Whole body	891	.1	.1	(⁷)	(⁷)	.1	.2	(⁷)
Multiple body parts, n.e.c.	899	6.1	2.5	.8	4.2	7.6	9.0	3.1

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³ — Continued

Part of body	Summary occupational groups ⁶					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Foot(feet) and leg(s), n.e.c.	(⁷)	—	—	—	(⁷)	0.2
Foot (feet) and ankle(s)1	0.6	0.5	0.2	.2	.9
Ankle(s) and leg(s)2	.5	.4	.5	.2	.8
Ankle(s) and leg(s), unspecified1	—	.1	.1	(⁷)	.2
Ankle(s) and knee(s)1	—	.2	.3	.1	.3
Ankle(s) and leg(s), n.e.c.	(⁷)	.2	—	.1	.1	.3
Multiple lower extremities locations, n.e.c.1	.3	.1	.1	.2	.4
Lower extremities, n.e.c.	—	—	—	—	—	—
Body systems	1.6	3.1	3.9	4.5	2.1	3.8
Multiple body parts	5.2	13.4	14.5	18.6	7.9	25.7
Multiple body parts, unspecified5	1.3	1.7	1.5	1.0	2.0
Head and neck1	—	.3	.7	.2	1.0
Head, neck, and trunk1	—	—	.2	.1	.2
Head and trunk1	.6	.3	.1	.1	1.0
Neck and back5	1.0	.5	2.2	.4	2.8
Shoulder(s) and back1	.2	.8	.5	.5	1.1
Hip(s) and leg(s)1	.3	.1	.4	.1	.3
Upper and lower limb(s)5	1.5	1.4	.6	.7	1.7
Other multiple body parts	3.2	8.3	9.4	12.2	4.9	15.7
Whole body	(⁷)	.2	.2	.5	(⁷)	.2
Multiple body parts, n.e.c.	3.2	8.2	9.2	11.7	4.8	15.5

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³—Continued

Part of body	Part of body code ⁴	Private industry ⁵	Summary occupational groups ⁶					
			Manage- ment, business, and financial occupa- tions	Computer, engi- neering, and science occupa- tions	Education, legal, community service, arts, and media occupa- tions	Healthcare practi- tioners and technical occupa- tions	Service occupa- tions	Sales and related occupa- tions
Nonclassifiable	9999	0.7	0.2	0.1	0.4	0.8	1.1	0.3

See footnotes at end of table.

TABLE R106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, private industry, 2011³ — Continued

Part of body	Summary occupational groups ⁶					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Nonclassifiable	0.2	1.5	1.4	0.7	0.8	1.4

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: $(N/EH) \times 20,000,000$, where

N = number of injuries and illnesses

EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers
(working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

⁴ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Excludes farms with fewer than 11 employees.

⁶ Standard Occupational Classification Manual, 2010, Office of Management and Budget.

⁷ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.