

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2012²

Nature	Nature code ³	Private industry ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Total		918,720	—	110	21,170	90,500	203,370	198,930	223,430	139,430	28,080	13,710	
Traumatic injuries and disorders	1	882,800	—	110	20,890	87,880	195,990	191,280	214,770	133,220	27,230	11,400	
Traumatic injuries and disorders, unspecified	10	14,610	—	—	300	970	2,800	2,880	4,140	2,310	700	500	
Traumatic injuries to bones, nerves, spinal cord	11	75,790	—	—	1,610	5,840	13,690	13,610	19,010	16,230	4,710	1,080	
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	510	—	—	—	40	30	60	330	30	—	—	
Fractures	111	73,810	—	—	1,600	5,720	13,380	13,280	18,210	15,880	4,670	1,070	
Traumatic injuries to spinal cord	112	80	—	—	—	—	—	30	20	20	—	—	
Traumatic injuries to spinal cord, n.e.c.	1129	70	—	—	—	—	—	20	20	20	—	—	
Traumatic injuries to nerves, except the spinal cord ..	113	1,220	—	—	—	60	230	210	390	290	20	—	
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	110	—	—	—	—	30	—	40	20	—	—	
Pinched nerve	1131	1,010	—	—	—	50	190	150	340	250	20	—	
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	90	—	—	—	—	—	40	20	—	—	—	
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	—	—	—	—	—	30	20	20	—	—	
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	90	—	—	—	—	20	—	40	—	—	—	
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	371,530	—	50	5,730	32,640	81,540	86,790	95,390	56,180	8,900	4,300	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,800	—	—	—	90	330	740	330	280	30	—	
Dislocations	121	8,140	—	—	220	810	2,230	1,660	1,880	1,010	300	30	
Dislocations, unspecified	1210	940	—	—	80	180	120	160	180	110	100	—	
Herniated discs	1211	2,900	—	—	—	60	930	790	790	270	40	—	
Dislocation of joints	1212	4,140	—	—	130	560	1,090	700	890	600	150	—	
Dislocations, n.e.c.	1219	160	—	—	—	—	80	—	20	30	—	—	
Cartilage fractures and tears	122	3,930	—	—	—	140	410	950	1,270	990	120	40	
Cartilage fractures and tears, unspecified	1220	180	—	—	—	—	—	40	50	70	—	—	
Meniscus tears	1221	3,540	—	—	—	120	380	890	1,190	810	110	40	
Cartilage fractures and tears, n.e.c.	1229	200	—	—	—	—	20	20	40	110	—	—	
Sprains, strains, tears	123	342,920	—	50	5,460	30,990	76,410	80,020	87,080	50,720	8,070	4,130	
Sprains, strains, tears, unspecified	1230	23,610	—	—	310	1,430	4,760	5,240	6,080	4,870	710	200	
Major tears to muscles, tendons, ligaments	1231	18,990	—	—	130	730	2,550	4,020	5,820	4,960	680	110	
Sprains	1232	82,890	—	—	1,660	9,050	19,270	18,950	20,350	10,620	2,110	870	
Strains	1233	211,290	—	50	3,280	19,270	48,700	50,300	53,420	28,960	4,480	2,840	
Multiple sprains, strains, tears	1238	6,150	—	—	80	510	1,130	1,500	1,420	1,310	100	100	
Hernias due to traumatic incidents	124	12,720	—	—	30	480	1,870	2,760	4,280	2,840	360	90	
Whiplash	125	860	—	—	—	90	230	310	130	80	—	—	
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	700	—	—	—	—	50	290	100	230	—	—	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	460	—	—	—	30	20	60	320	30	—	—	
Open wounds	13	95,070	—	20	3,840	15,960	26,800	18,250	18,090	9,360	1,740	1,010	
Open wounds, unspecified	130	870	—	—	—	130	270	170	130	140	—	—	
Amputations, avulsions, enucleations	131	7,180	—	—	190	1,180	1,640	1,260	1,810	910	120	80	
Amputations, avulsions, enucleations, unspecified	1310	300	—	—	—	30	60	30	40	140	—	—	
Amputations	1311	5,120	—	—	140	970	1,180	910	1,180	610	70	60	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Avulsions, enucleations	1312	1,590	—	—	50	160	360	320	540	110	30	20
Amputations, avulsions, enucleations, n.e.c.	1319	170	—	—	—	20	40	—	50	60	—	—
Cuts, lacerations	132	73,150	—	—	3,370	12,280	20,540	14,050	13,550	7,190	1,460	700
Puncture wounds, except gunshot wounds	133	13,510	—	—	260	2,330	4,250	2,710	2,540	1,060	120	240
Gunshot wounds	134	50	—	—	—	—	20	20	—	—	—	—
Multiple types of open wounds	138	180	—	—	—	30	40	30	30	40	—	—
Open wounds, n.e.c.	139	120	—	—	—	—	50	20	20	—	20	—
Surface wounds and bruises	14	85,530	—	30	2,880	10,290	18,480	16,480	18,850	14,320	3,290	910
Surface wounds and bruises, unspecified	140	380	—	—	—	20	100	70	80	60	20	20
Abrasions, scratches	141	8,080	—	—	430	730	2,320	1,760	1,470	1,010	190	160
Blisters	142	350	—	—	—	180	—	30	110	20	—	—
Bruises, contusions	143	75,070	—	30	2,400	8,960	15,690	14,350	16,920	12,950	3,040	720
Multiple surface wounds and bruises	148	1,180	—	—	—	390	250	140	160	210	20	—
Surface wounds and bruises, n.e.c.	149	470	—	—	30	—	100	130	110	70	20	—
Burns and corrosions	15	19,830	—	—	1,930	2,900	5,160	3,490	4,090	1,520	400	350
Burns and corrosions, unspecified	150	670	—	—	30	250	140	80	130	20	—	20
Chemical burns and corrosions	151	3,320	—	—	200	340	930	570	800	350	100	30
Chemical burns and corrosions, unspecified	1510	2,880	—	—	180	270	880	450	710	260	100	30
First degree chemical burns and corrosions	1511	110	—	—	—	20	—	30	—	20	—	—
Second degree chemical burns and corrosions	1512	160	—	—	—	—	—	50	40	60	—	—
Chemical burns and corrosions, n.e.c.	1519	160	—	—	—	30	40	30	50	—	—	—
Heat (thermal) burns	152	13,780	—	—	1,660	2,020	3,530	2,400	2,630	1,040	220	270
Heat (thermal) burns, unspecified	1520	9,580	—	—	1,260	1,440	2,470	1,430	1,980	730	160	100
First degree heat (thermal) burns	1521	800	—	—	90	50	290	180	80	30	—	—
Second degree heat (thermal) burns	1522	2,580	—	—	240	400	530	650	400	210	30	120
Third or fourth degree heat (thermal) burns	1523	400	—	—	—	60	110	80	90	50	—	—
Heat (thermal) burns, n.e.c.	1529	430	—	—	80	60	130	60	80	—	—	—
Electrical burns	153	740	—	—	—	50	200	110	250	70	70	—
Electrical burns, unspecified	1530	540	—	—	—	50	110	90	180	40	70	—
First degree electrical burns	1531	30	—	—	—	—	—	—	—	—	—	—
Second degree electrical burns	1532	30	—	—	—	—	—	—	—	—	—	—
Third or fourth degree electrical burns	1533	50	—	—	—	—	20	—	20	—	—	—
Electrical burns, n.e.c.	1539	100	—	—	—	—	60	—	30	—	—	—
Other burns	159	1,310	—	—	40	250	350	330	280	30	—	20
Other burns, unspecified	1590	250	—	—	—	40	50	130	—	20	—	—
Other burns, first degree	1591	970	—	—	30	200	260	180	270	—	—	20
Other burns, second degree	1592	50	—	—	—	—	20	20	—	—	—	—
Other burns, n.e.c.	1599	30	—	—	—	—	20	—	—	—	—	—
Intracranial injuries	16	9,430	—	—	880	1,170	1,900	2,170	1,750	1,150	340	70
Intracranial injuries, unspecified	160	770	—	—	20	60	110	180	210	150	20	—
Cerebral and other intracranial hemorrhages	161	170	—	—	—	—	—	—	—	20	110	—
Concussions	162	8,430	—	—	850	1,100	1,760	1,980	1,520	960	200	60
Multiple types of intracranial injuries	168	20	—	—	—	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	40	—	—	—	—	—	—	—	20	—	—
Effects of environmental conditions	17	3,550	—	—	160	350	1,190	660	710	390	50	50
Effects of reduced temperature	171	190	—	—	60	—	20	30	—	70	—	—
Frostbite	1711	180	—	—	60	—	—	30	—	60	—	—
Effects of heat and light	172	3,240	—	—	100	330	1,170	540	690	310	50	50
Effects of heat and light, unspecified	1720	120	—	—	—	30	20	50	—	—	—	—
Heat stroke	1721	350	—	—	—	50	50	60	150	20	20	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Heat syncope	1722	210	—	—	30	—	80	—	50	30	—	—	
Heat fatigue	1723	150	—	—	—	90	20	—	—	—	—	—	
Heat exhaustion, prostration	1725	1,840	—	—	50	120	850	310	270	200	20	—	
Multiple effects of heat and light	1728	30	—	—	—	—	—	—	—	—	—	—	
Effects of heat and light, n.e.c.	1729	510	—	—	—	30	140	90	200	40	—	—	
Effects of air or water pressure	173	100	—	—	—	—	—	90	—	—	—	—	
Aero-otitis media	1731	40	—	—	—	—	—	40	—	—	—	—	
Effects of air or water pressure, n.e.c.	1739	50	—	—	—	—	—	—	—	—	—	—	
Effects of environmental conditions, n.e.c.	179	20	—	—	—	—	—	—	—	—	—	—	
Multiple traumatic injuries and disorders	18	28,180	—	—	360	2,140	5,600	5,700	7,330	5,240	1,550	260	
Multiple traumatic injuries and disorders, unspecified	180	1,210	—	—	30	50	210	220	240	350	80	40	
Cuts and abrasions or bruises	181	4,490	—	—	80	510	950	620	1,210	740	340	50	
Sprains and other injuries	182	12,210	—	—	100	1,070	2,600	2,780	2,980	2,060	550	80	
Sprains and other injuries, unspecified	1820	470	—	—	—	20	90	110	80	40	130	—	
Sprains and bruises	1821	9,690	—	—	80	930	1,880	2,230	2,530	1,660	330	50	
Sprains and cuts	1822	780	—	—	—	40	250	180	120	140	50	—	
Sprains and other injuries, n.e.c.	1829	1,260	—	—	—	80	370	260	250	220	50	30	
Fractures and other injuries	183	6,180	—	—	130	290	1,090	1,100	1,900	1,220	380	70	
Fractures and other injuries, unspecified	1830	1,050	—	—	20	50	200	230	260	200	80	—	
Fractures (except skull fractures) and concussions	1831	290	—	—	—	30	50	130	40	30	—	—	
Fractures (except rib, trunk fractures) and internal injuries	1832	70	—	—	—	—	20	—	—	40	—	—	
Fractures and burns	1833	30	—	—	—	—	—	—	—	—	—	—	
Fractures and dislocations	1834	220	—	—	—	—	—	30	110	50	20	—	
Fractures and other injuries, n.e.c.	1839	4,530	—	—	100	190	820	700	1,480	900	280	60	
Burns and other injuries, except fractures	184	160	—	—	—	30	60	30	40	—	—	—	
Burns and other injuries, n.e.c.	1849	120	—	—	—	30	30	30	30	—	—	—	
Multiple traumatic injuries and disorders, n.e.c.	189	3,930	—	—	30	190	690	960	960	870	190	30	
Other traumatic injuries and disorders	19	179,280	—	—	3,210	15,610	38,830	41,250	45,410	26,520	5,560	2,870	
Other traumatic injuries and disorders, unspecified ...	190	190	—	—	—	20	70	50	20	30	—	—	
Asphyxiations, strangulations, suffocations	191	680	—	—	—	260	—	270	110	20	—	—	
Electrocutions, electric shocks	193	980	—	—	—	200	290	200	180	50	—	50	
Internal injuries to organs and blood vessels of the trunk	194	120	—	—	—	30	30	20	—	20	—	—	
Dermatitis and reactions affecting the skin—acute	195	2,150	—	—	90	330	590	450	390	250	30	—	
Dermatitis and reactions affecting the skin—acute, unspecified	1950	980	—	—	40	150	250	230	180	110	20	—	
Allergic dermatitis—acute	1951	660	—	—	—	110	220	130	120	50	—	—	
Irritant dermatitis—acute	1952	300	—	—	20	50	70	80	70	—	—	—	
Hives, urticaria—acute	1953	110	—	—	—	—	—	—	—	70	—	—	
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	90	—	—	—	—	40	—	—	—	—	—	
Other poisoning, toxic, noxious, or allergenic effects	196	6,460	—	—	130	600	1,620	1,230	1,840	880	80	90	
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,040	—	—	30	170	680	500	440	190	20	20	
Poisoning, including poisoning-related asphyxia ...	1961	710	—	—	—	80	110	100	300	100	—	—	
Anaphylactic shock, anaphylaxis	1962	20	—	—	—	—	—	—	—	—	—	—	
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,190	—	—	—	130	280	230	390	140	—	—	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	150	—	—	—	20	60	30	20	—	—	—	
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	560	—	—	30	20	110	160	140	20	20	60	
Other or unspecified allergic reactions	1966	1,060	—	—	20	60	230	120	270	340	20	—	
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	200	—	—	—	50	60	30	30	20	—	—	
Multiple poisoning, toxic, noxious, or allergenic effects	1968	210	—	—	30	—	30	40	80	30	—	—	
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	330	—	—	—	60	60	20	150	30	—	—	
Nonspecified injuries and disorders	197	167,780	—	—	2,920	14,110	36,090	38,910	42,730	24,900	5,410	2,700	
Crushing injuries	1971	9,210	—	—	250	1,430	2,370	2,020	2,100	800	140	90	
Soreness, pain, hurt—nonspecified injury	1972	135,140	—	—	2,280	10,490	28,130	31,520	34,790	21,040	4,640	2,230	
Swelling, inflammation, irritation—nonspecified injury	1973	17,840	—	—	300	1,700	4,110	4,150	4,480	2,250	510	330	
Numbness—nonspecified injury	1974	880	—	—	—	30	160	200	260	170	30	—	
Multiple nonspecified injuries and disorders	1978	2,490	—	—	40	240	500	560	750	340	50	—	
Nonspecified injuries and disorders, n.e.c.	1979	2,230	—	—	30	220	820	470	340	290	40	20	
Other traumatic injuries and disorders, n.e.c.	199	920	—	—	60	60	130	120	140	370	30	—	
Traumatic shock	1991	50	—	—	—	—	—	—	30	—	—	—	
Traumatic injuries and disorders, n.e.c.	1999	870	—	—	60	60	120	120	100	360	30	—	
Diseases and disorders of body systems	2	21,480	—	—	80	1,140	3,900	5,130	6,300	3,970	450	500	
Systemic diseases and disorders, unspecified	20	30	—	—	—	—	—	—	—	—	—	—	
Nervous system and sense organs diseases	22	9,980	—	—	30	670	1,530	2,440	3,010	2,040	120	140	
Degenerative diseases of the central nervous system	222	90	—	—	—	—	—	30	—	50	—	—	
Other disorders of the central nervous system	223	190	—	—	—	40	30	70	40	—	—	—	
Seizure disorder, epilepsy	2231	130	—	—	—	30	20	40	40	—	—	—	
Migraine	2232	40	—	—	—	—	—	20	—	—	—	—	
Disorders of the peripheral nervous system	224	8,510	—	—	20	420	1,210	1,990	2,750	1,890	110	120	
Disorders of the peripheral nervous system, unspecified	2240	110	—	—	—	—	—	30	—	20	—	—	
Carpal tunnel syndrome	2241	7,590	—	—	20	340	1,010	1,620	2,610	1,800	100	110	
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	20	—	—	—	—	—	—	—	—	—	—	
Disorders of the peripheral nervous system, n.e.c.	2249	790	—	—	—	40	180	350	120	70	—	20	
Disorders of the eye, adnexa, vision	225	990	—	—	—	210	240	280	150	70	20	20	
Disorders of the eye, adnexa, vision, unspecified ..	2250	110	—	—	—	—	50	—	—	40	—	—	
Conjunctivitis—non-viral	2251	570	—	—	—	140	150	170	70	20	—	—	
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	40	—	—	—	—	—	20	—	—	—	—	
Blindness, low vision	2254	30	—	—	—	—	—	30	—	—	—	—	
Disorders of the eye, adnexa, vision, n.e.c.	2259	210	—	—	—	40	40	50	50	—	—	—	
Disorders of the ear, mastoid process, hearing	226	190	—	—	—	—	40	70	50	20	—	—	
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—	—	—	—	—	
Deafness, hearing loss and impairment	2261	110	—	—	—	—	40	40	20	—	—	—	
Tinnitus	2262	50	—	—	—	—	—	—	30	—	—	—	
Circulatory system diseases	23	520	—	—	—	—	30	80	140	190	60	—	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Age										Not reported	
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over			
Hypertensive disease	232	20	—	—	—	—	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	270	—	—	—	—	—	60	90	100	—	—	—	—
Ischemic heart disease, unspecified	2330	30	—	—	—	—	—	—	30	—	—	—	—	—
Myocardial infarction (heart attack)	2331	240	—	—	—	—	—	50	70	100	—	—	—	—
Other forms of heart disease	235	20	—	—	—	—	—	—	—	—	—	—	—	—
Cerebrovascular disease	236	120	—	—	—	—	—	—	30	50	30	—	—	—
Stroke	2361	90	—	—	—	—	—	—	20	30	30	—	—	—
Transient ischemia attacks	2362	20	—	—	—	—	—	—	—	20	—	—	—	—
Diseases of arteries, arterioles, capillaries	237	30	—	—	—	—	—	—	—	—	20	—	—	—
Aneurysm—nontraumatic	2372	30	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	20	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	24	880	—	—	—	—	390	240	120	120	—	—	—	—
Respiratory system diseases, unspecified	240	90	—	—	—	—	—	50	30	—	—	—	—	—
Acute respiratory infections (including common cold)	241	60	—	—	—	—	—	20	—	30	—	—	—	—
Other diseases of upper respiratory tract	242	40	—	—	—	—	20	—	—	20	—	—	—	—
Chronic conditions of upper respiratory tract	2422	20	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia, influenza	243	470	—	—	—	—	320	110	20	—	—	—	—	—
Pneumonia	2431	20	—	—	—	—	—	—	—	—	—	—	—	—
Influenza—common	2432	370	—	—	—	—	320	40	—	—	—	—	—	—
Influenza—novel	2433	80	—	—	—	—	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	170	—	—	—	—	40	30	30	50	—	—	—	—
Asthma, except intrinsic	2443	100	—	—	—	—	30	—	20	30	—	—	—	—
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	2449	40	—	—	—	—	—	—	—	20	—	—	—	—
Pneumoconioses	245	30	—	—	—	—	—	—	—	—	—	—	—	—
Coal workers pneumoconiosis	2451	20	—	—	—	—	—	—	—	—	—	—	—	—
Other respiratory system diseases	249	30	—	—	—	—	—	—	20	—	—	—	—	—
Digestive system diseases and disorders	25	670	—	—	—	20	160	260	130	70	20	—	—	—
Hernia—nontraumatic	253	650	—	—	—	20	160	260	120	60	20	—	—	—
Genitourinary system diseases and disorders, n.e.c.	26	30	—	—	—	—	—	—	—	20	—	—	—	—
Genitourinary system diseases and disorders, n.e.c.	269	20	—	—	—	—	—	—	—	20	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	7,760	—	—	40	360	1,380	1,820	2,360	1,330	150	—	320	—
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	190	—	—	—	—	30	80	30	30	—	—	—	—
Arthropathies and related disorders (arthritis)	271	140	—	—	—	—	40	—	60	30	—	—	—	—
Dorsopathies	272	550	—	—	—	20	140	130	160	80	—	—	—	—
Sciatica	2721	260	—	—	—	—	30	70	110	30	—	—	—	—
Lumbago	2722	60	—	—	—	—	40	—	—	—	—	—	—	—
Disc disorders, except dislocation	2723	60	—	—	—	—	—	—	20	20	—	—	—	—
Dorsopathies, n.e.c.	2729	170	—	—	—	—	60	50	20	30	—	—	—	—
Soft tissue disorders, except the back	273	6,770	—	—	40	340	1,170	1,610	2,070	1,110	130	—	300	—
Soft tissue disorder, except the back, unspecified	2730	300	—	—	—	—	60	120	50	50	—	—	—	—
Bursitis	2731	550	—	—	—	40	90	120	200	70	30	—	—	—
Stenosing tenosynovitis	2732	980	—	—	—	40	120	170	370	230	—	—	30	—
Other tenosynovitis, synovitis	2733	410	—	—	—	40	110	80	110	60	—	—	—	—
Epicondylitis	2734	1,130	—	—	—	30	120	370	410	190	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	2,600	—	—	30	160	540	560	650	340	70	—	250	—
Ganglion or cystic tumor	2736	320	—	—	—	—	60	80	110	50	—	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Multiple soft tissue disorders	2738	110	-	-	-	-	20	20	40	40	-	-	
Soft tissue disorder, except the back, n.e.c.	2739	370	-	-	-	-	50	80	130	90	-	-	
Osteopathies, chondropathies, and acquired deformities	274	90	-	-	-	-	-	-	20	60	-	-	
Osteopathies, chondropathies, and acquired deformities, unspecified	2740	80	-	-	-	-	-	-	20	60	-	-	
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	20	-	-	-	-	-	-	-	20	-	-	
Disorders of the skin and subcutaneous tissue	28	1,500	-	-	-	60	380	220	520	180	90	40	
Disorders of the skin and subcutaneous tissue, unspecified	280	20	-	-	-	-	-	-	-	-	-	-	
Infections of the skin and subcutaneous tissue	281	1,350	-	-	-	60	340	200	470	150	90	40	
Infections of the skin and subcutaneous tissue, unspecified	2810	270	-	-	-	-	130	40	80	-	-	-	
Cellulitis and abscess	2811	680	-	-	-	40	190	110	130	120	40	30	
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	110	-	-	-	-	-	30	-	-	50	-	
Other staphylococcus skin infection	2814	260	-	-	-	-	-	-	240	-	-	-	
Infections of the skin and subcutaneous tissue, n.e.c.	2819	40	-	-	-	-	-	-	20	-	-	-	
Other diseases and disorders of the skin and subcutaneous tissue	289	120	-	-	-	-	30	20	30	30	-	-	
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	80	-	-	-	-	20	20	-	30	-	-	
Other systemic diseases and disorders	29	100	-	-	-	-	-	80	-	-	-	-	
Endocrine, nutritional, metabolic, and immunity disorders	291	100	-	-	-	-	-	70	-	-	-	-	
Diseases and disorders of other endocrine glands	2912	60	-	-	-	-	-	-	-	-	-	-	
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	-	-	-	-	-	-	-	-	-	-	
Infectious and parasitic diseases	3	1,740	-	-	20	180	530	400	260	310	30	20	
Infectious and parasitic diseases, unspecified	30	170	-	-	-	-	-	-	-	160	-	-	
Bacterial diseases	31	270	-	-	-	20	130	70	20	-	-	-	
Bacterial diseases, unspecified	310	80	-	-	-	-	-	-	-	-	-	-	
Tuberculosis	311	30	-	-	-	-	-	-	-	-	-	-	
Other bacterial diseases	319	150	-	-	-	20	40	70	20	-	-	-	
Diphtheria, whooping cough	3192	90	-	-	-	-	-	60	-	-	-	-	
Streptococcal sore throat and scarlatina	3193	20	-	-	-	-	-	-	-	-	-	-	
Other bacterial diseases, n.e.c.	3199	40	-	-	-	-	-	-	-	-	-	-	
Viral diseases	32	300	-	-	-	60	100	70	60	-	-	-	
Viral diseases, unspecified	320	50	-	-	-	-	40	-	-	-	-	-	
Viral diseases accompanied by exanthem (eruptive fever)	323	120	-	-	-	30	40	30	-	-	-	-	
Chickenpox, varicella	3233	90	-	-	-	30	20	20	-	-	-	-	
Herpes zoster, shingles	3234	20	-	-	-	-	-	-	-	-	-	-	
Viral diseases of the conjunctiva	326	20	-	-	-	-	-	-	20	-	-	-	
Viral conjunctivitis (ophthalmia)	3261	20	-	-	-	-	-	-	20	-	-	-	
Other diseases due to viruses	329	80	-	-	-	-	-	30	30	-	-	-	
Foot and mouth disease	3294	20	-	-	-	-	-	-	-	-	-	-	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Other diseases due to viruses, n.e.c.	3299	60	—	—	—	—	—	—	—	20	—	—	—
Mycoses (fungal infections)	34	30	—	—	—	20	—	—	—	—	—	—	—
Dermatophytosis (including athletes foot, tinea)	341	20	—	—	—	20	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	270	—	—	—	30	90	90	30	30	—	—	—
Infectious diseases peculiar to the intestines, unspecified	360	60	—	—	—	—	—	—	—	—	—	—	—
Typhoid and paratyphoid fevers	362	60	—	—	—	—	—	50	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c. ...	369	120	—	—	—	20	70	20	—	—	—	—	—
Other infectious and parasitic diseases	39	700	—	—	—	50	200	160	140	110	30	—	—
Other infectious and parasitic diseases, unspecified	390	20	—	—	—	—	—	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	391	30	—	—	—	—	20	—	—	—	—	—	—
Scabies and other acariases	392	640	—	—	—	50	180	150	140	90	30	—	—
Neoplasms, tumors, and cancers	4	40	—	—	—	—	—	—	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	20	—	—	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	5,400	—	—	170	550	1,420	940	890	1,070	250	120	—
Symptoms, signs, and ill-defined conditions, unspecified	50	90	—	—	—	20	—	20	30	20	—	—	—
Symptoms	51	5,180	—	—	160	530	1,400	870	840	1,050	220	110	—
Symptoms, unspecified	510	60	—	—	—	—	—	40	—	—	—	—	—
General symptoms	511	3,410	—	—	140	390	720	460	560	860	180	100	—
General symptoms, unspecified	5110	30	—	—	—	—	—	—	20	—	—	—	—
Loss of consciousness—not heat related	5111	1,650	—	—	60	200	290	220	240	430	130	90	—
Convulsions, seizures	5112	500	—	—	—	40	110	40	60	230	—	—	—
Malaise and fatigue	5113	30	—	—	—	20	—	—	—	—	—	—	—
Dizziness—general	5114	540	—	—	50	60	80	70	130	120	30	—	—
Inflammation, swelling—general	5115	100	—	—	20	—	—	—	—	30	—	—	—
Numbness—general	5116	80	—	—	—	—	40	—	20	—	—	—	—
Multiple general symptoms	5118	380	—	—	—	20	160	110	60	20	—	—	—
General symptoms, n.e.c.	5119	100	—	—	—	30	20	—	—	30	—	—	—
Symptoms involving nervous and musculoskeletal systems	512	80	—	—	—	—	40	40	—	—	—	—	—
Earache	5122	30	—	—	—	—	—	30	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	600	—	—	—	20	310	130	50	70	—	—	—
Headache, except migraine	5141	550	—	—	—	20	300	120	30	60	—	—	—
Symptoms involving head and neck, n.e.c.	5149	40	—	—	—	—	—	—	20	—	—	—	—
Symptoms involving cardiovascular system	515	140	—	—	—	—	120	—	20	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	120	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	610	—	—	—	60	160	160	120	70	30	—	—
Symptoms involving respiratory system and chest, unspecified	5160	250	—	—	—	20	80	70	30	30	20	—	—
Chest pain	5164	150	—	—	—	—	40	40	40	20	—	—	—
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	180	—	—	—	30	30	50	50	20	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Symptoms involving digestive and urinary system	517	140	—	—	—	30	30	—	50	—	—	—
Nausea and vomiting—general	5171	40	—	—	—	—	20	—	—	—	—	—
Abdominal pain, unspecified	5174	90	—	—	—	20	20	—	40	—	—	—
Multiple symptoms	518	100	—	—	—	—	—	—	40	—	—	—
Abnormal findings	52	80	—	—	—	—	—	40	—	—	30	—
Other abnormal findings	529	70	—	—	—	—	—	40	—	—	30	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	—	—	—	—	—	—	20	—	—	—
Other diseases, conditions, and disorders	6	2,830	—	—	—	200	720	530	700	490	50	140
Damage to prosthetic and orthopedic devices	61	50	—	—	—	—	—	—	—	30	—	—
Damage to orthopedic devices	612	40	—	—	—	—	—	—	—	30	—	—
Damage to pins, rods, plates, and screws	6122	40	—	—	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	2,780	—	—	—	200	720	530	690	450	40	140
Mental disorders and syndromes, unspecified	620	150	—	—	—	—	70	—	60	—	—	—
Anxiety, stress	621	2,610	—	—	—	200	650	510	630	440	30	140
Anxiety, stress, unspecified	6210	1,630	—	—	—	80	400	280	440	300	20	100
Post-traumatic stress disorder	6211	560	—	—	—	100	130	140	130	40	—	20
Adjustment disorder	6212	20	—	—	—	—	—	—	—	—	—	—
Anxiety or panic disorder	6213	130	—	—	—	—	50	—	—	20	—	20
Anxiety, stress, n.e.c.	6219	270	—	—	—	—	70	60	40	90	—	—
Exposures to disease—no illness incurred	7	280	—	—	—	50	110	50	20	30	—	—
Multiple diseases, conditions, and disorders	8	510	—	—	—	20	150	150	120	50	20	—
Nonclassifiable	9999	3,640	—	—	—	480	530	440	360	260	20	1,530

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.