

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012²

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		918,720	28,430	7,490	22,030	50,780	224,260	58,980
Traumatic injuries and disorders	1	882,800	26,680	6,950	21,010	48,760	217,190	56,370
Traumatic injuries and disorders, unspecified	10	14,610	420	80	350	710	4,780	780
Traumatic injuries to bones, nerves, spinal cord	11	75,790	3,760	540	2,170	2,640	12,590	5,200
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	510	—	—	—	—	150	—
Fractures	111	73,810	3,720	540	2,140	2,570	12,190	5,170
Traumatic injuries to spinal cord	112	80	—	—	—	—	30	—
Traumatic injuries to spinal cord, n.e.c.	1129	70	—	—	—	—	20	—
Traumatic injuries to nerves, except the spinal cord	113	1,220	40	—	30	50	190	20
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	110	—	—	—	—	30	—
Pinched nerve	1131	1,010	20	—	20	40	150	20
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	90	—	—	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	—	—	—	—	20	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	90	—	—	—	—	20	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	12	371,530	10,550	3,080	8,870	26,470	89,960	24,590
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,800	20	—	20	70	410	40
Dislocations	121	8,140	360	40	270	420	2,020	590
Dislocations, unspecified	1210	940	30	—	—	50	200	160
Herniated discs	1211	2,900	190	—	20	160	920	250
Dislocation of joints	1212	4,140	140	—	230	210	880	180
Dislocations, n.e.c.	1219	160	—	—	—	—	30	—
Cartilage fractures and tears ...	122	3,930	350	60	130	230	550	290
Cartilage fractures and tears, unspecified	1220	180	—	—	—	—	—	60
Meniscus tears	1221	3,540	340	60	110	220	500	230
Cartilage fractures and tears, n.e.c.	1229	200	—	—	—	—	40	—
Sprains, strains, tears	123	342,920	9,440	2,730	8,110	25,460	84,430	22,820

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	65,730	14,820	70,300	85,330	110,130	177,640
Traumatic injuries and disorders	61,530	14,280	68,670	82,410	104,280	172,680
Traumatic injuries and disorders, unspecified	810	330	1,360	1,160	1,200	2,620
Traumatic injuries to bones, nerves, spinal cord	5,420	1,680	9,230	6,660	9,730	15,890
Traumatic injuries to bones, nerves, spinal cord, unspecified	20	—	—	30	—	270
Fractures	5,320	1,680	9,080	6,320	9,500	15,320
Traumatic injuries to spinal cord	—	—	—	—	—	20
Traumatic injuries to spinal cord, n.e.c.	—	—	—	—	—	20
Traumatic injuries to nerves, except the spinal cord	80	—	110	290	190	210
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	—	30
Pinched nerve	80	—	100	270	160	140
Traumatic injuries to nerves, except the spinal cord, n.e.c.	—	—	—	—	20	40
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	—	—	—	30
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	30
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	27,440	4,170	24,170	35,670	35,780	80,030
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	40	—	470	420	140	170
Dislocations	410	80	830	690	700	1,700
Dislocations, unspecified	20	—	80	20	80	270
Herniated discs	120	—	200	260	220	540
Dislocation of joints	260	70	540	410	390	820
Dislocations, n.e.c.	—	—	—	—	—	60
Cartilage fractures and tears	250	50	280	420	500	810
Cartilage fractures and tears, unspecified	—	—	60	—	—	20
Meniscus tears	200	50	210	400	480	740
Cartilage fractures and tears, n.e.c.	40	—	—	—	20	60
Sprains, strains, tears	26,060	3,870	21,350	32,290	32,230	73,400

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Sprains, strains, tears, unspecified	1230	23,610	530	440	620	1,750	4,240	1,710
Major tears to muscles, tendons, ligaments	1231	18,990	880	210	770	890	2,840	1,040
Sprains	1232	82,890	2,630	450	2,760	4,740	21,950	5,130
Strains	1233	211,290	5,290	1,600	3,790	17,580	54,120	14,540
Multiple sprains, strains, tears	1238	6,150	110	40	180	500	1,280	400
Hernias due to traumatic incidents	124	12,720	200	210	40	200	1,860	790
Whiplash	125	860	150	—	140	20	130	40
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	700	20	—	160	30	260	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	460	—	—	—	40	300	—
Open wounds	13	95,070	1,630	600	1,010	2,360	26,560	3,500
Open wounds, unspecified	130	870	—	—	—	—	100	20
Amputations, avulsions, enucleations	131	7,180	70	120	20	50	1,030	120
Amputations, avulsions, enucleations, unspecified ...	1310	300	—	—	—	—	30	—
Amputations	1311	5,120	40	30	—	—	670	80
Avulsions, enucleations	1312	1,590	20	80	—	40	310	50
Amputations, avulsions, enucleations, n.e.c.	1319	170	—	—	—	—	20	—
Cuts, lacerations	132	73,150	1,180	440	660	910	21,840	2,980
Puncture wounds, except gunshot wounds	133	13,510	360	30	310	1,370	3,470	370
Gunshot wounds	134	50	—	—	—	—	—	—
Multiple types of open wounds	138	180	—	—	—	—	80	—
Open wounds, n.e.c.	139	120	—	—	—	—	30	—
Surface wounds and bruises	14	85,530	1,850	510	2,240	4,460	20,940	7,650
Surface wounds and bruises, unspecified	140	380	—	—	—	—	60	30
Abrasions, scratches	141	8,080	110	50	140	250	1,480	290
Blisters	142	350	—	—	—	—	20	180
Bruises, contusions	143	75,070	1,700	440	2,010	4,120	18,670	7,090
Multiple surface wounds and bruises	148	1,180	30	—	70	30	530	30
Surface wounds and bruises, n.e.c.	149	470	—	—	—	30	170	30
Burns and corrosions	15	19,830	540	240	60	400	8,650	490

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Sprains, strains, tears, unspecified	2,120	40	1,670	2,290	2,140	5,670
Major tears to muscles, tendons, ligaments	1,180	100	1,920	2,570	2,610	3,990
Sprains	6,090	1,340	5,830	7,980	6,460	17,450
Strains	16,100	2,290	11,430	19,000	20,460	44,830
Multiple sprains, strains, tears	580	100	500	450	570	1,440
Hernias due to traumatic incidents	590	160	1,210	1,670	2,140	3,640
Whiplash	50	—	20	50	—	210
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	30	—	—	100	30	60
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	30	30	30
Open wounds	3,950	1,760	10,380	10,550	19,710	12,710
Open wounds, unspecified	—	40	90	140	140	170
Amputations, avulsions, enucleations	150	100	820	1,040	2,610	1,040
Amputations, avulsions, enucleations, unspecified ...	—	—	50	20	150	40
Amputations	90	80	690	830	1,890	700
Avulsions, enucleations	60	—	60	180	490	290
Amputations, avulsions, enucleations, n.e.c.	—	—	—	—	80	—
Cuts, lacerations	3,290	1,250	8,130	8,050	14,400	9,810
Puncture wounds, except gunshot wounds	480	370	1,330	1,300	2,490	1,610
Gunshot wounds	—	—	—	—	—	—
Multiple types of open wounds	—	—	—	—	40	40
Open wounds, n.e.c.	—	—	—	—	30	—
Surface wounds and bruises	8,250	1,880	5,700	6,030	9,210	16,620
Surface wounds and bruises, unspecified	20	—	60	30	40	100
Abrasions, scratches	550	310	1,260	640	1,590	1,380
Blisters	—	50	—	20	50	—
Bruises, contusions	7,540	1,440	4,330	5,260	7,430	14,860
Multiple surface wounds and bruises	110	—	40	50	60	220
Surface wounds and bruises, n.e.c.	20	60	—	40	30	60
Burns and corrosions	210	300	1,070	2,530	3,630	1,630

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Burns and corrosions, unspecified	150	670	—	—	—	—	360	20
Chemical burns and corrosions	151	3,320	20	90	—	110	790	90
Chemical burns and corrosions, unspecified	1510	2,880	20	70	—	100	700	70
First degree chemical burns and corrosions	1511	110	—	—	—	—	30	—
Second degree chemical burns and corrosions	1512	160	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	160	—	—	—	—	50	—
Heat (thermal) burns	152	13,780	500	120	50	270	7,360	370
Heat (thermal) burns, unspecified	1520	9,580	150	20	30	190	5,370	250
First degree heat (thermal) burns	1521	800	—	30	—	30	490	40
Second degree heat (thermal) burns	1522	2,580	340	70	—	40	1,070	60
Third or fourth degree heat (thermal) burns	1523	400	—	—	—	—	200	—
Heat (thermal) burns, n.e.c.	1529	430	—	—	—	—	240	30
Electrical burns	153	740	20	30	—	—	70	—
Electrical burns, unspecified	1530	540	—	20	—	—	70	—
First degree electrical burns	1531	30	—	—	—	—	—	—
Second degree electrical burns	1532	30	—	—	—	—	—	—
Third or fourth degree electrical burns	1533	50	—	—	—	—	—	—
Electrical burns, n.e.c.	1539	100	—	—	—	—	—	—
Other burns	159	1,310	—	—	—	—	70	—
Other burns, unspecified	1590	250	—	—	—	—	50	—
Other burns, first degree	1591	970	—	—	—	—	—	—
Other burns, second degree	1592	50	—	—	—	—	—	—
Other burns, n.e.c.	1599	30	—	—	—	—	—	—
Intracranial injuries	16	9,430	530	70	590	580	2,070	1,070
Intracranial injuries, unspecified	160	770	—	—	100	60	240	30
Cerebral and other intracranial hemorrhages	161	170	—	—	—	—	20	110
Concussions	162	8,430	520	70	490	510	1,810	900
Multiple types of intracranial injuries	168	20	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	40	—	—	—	—	—	30
Effects of environmental conditions	17	3,550	30	30	70	—	350	110

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Burns and corrosions, unspecified	—	—	—	50	140	70
Chemical burns and corrosions	30	90	100	620	810	560
Chemical burns and corrosions, unspecified	30	90	100	530	690	470
First degree chemical burns and corrosions	—	—	—	—	20	30
Second degree chemical burns and corrosions	—	—	—	50	60	30
Chemical burns and corrosions, n.e.c.	—	—	—	30	30	40
Heat (thermal) burns	150	20	720	1,340	1,900	920
Heat (thermal) burns, unspecified	130	20	500	890	1,290	690
First degree heat (thermal) burns	—	—	70	50	50	—
Second degree heat (thermal) burns	—	—	70	310	420	190
Third or fourth degree heat (thermal) burns	—	—	60	50	70	—
Heat (thermal) burns, n.e.c.	—	—	20	50	60	20
Electrical burns	—	—	210	310	80	—
Electrical burns, unspecified	—	—	180	190	50	—
First degree electrical burns	—	—	—	20	—	—
Second degree electrical burns	—	—	—	20	—	—
Third or fourth degree electrical burns	—	—	20	20	—	—
Electrical burns, n.e.c.	—	—	—	60	20	—
Other burns	—	180	30	210	710	70
Other burns, unspecified	—	—	—	30	160	—
Other burns, first degree	—	180	20	160	550	40
Other burns, second degree	—	—	—	—	—	20
Other burns, n.e.c.	—	—	—	20	—	—
Intracranial injuries	840	30	390	870	720	1,650
Intracranial injuries, unspecified	20	—	30	30	30	230
Cerebral and other intracranial hemorrhages	—	—	—	—	—	20
Concussions	810	30	340	840	690	1,410
Multiple types of intracranial injuries	—	—	—	—	—	—
Intracranial injuries, n.e.c.	—	—	—	—	—	—
Effects of environmental conditions	110	80	740	420	420	1,180

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Effects of reduced temperature	171	190	—	—	—	—	30	—
Frostbite	1711	180	—	—	—	—	20	—
Effects of heat and light	172	3,240	30	30	40	—	320	90
Effects of heat and light, unspecified	1720	120	—	—	—	—	—	—
Heat stroke	1721	350	—	—	—	—	20	30
Heat syncope	1722	210	20	—	—	—	60	—
Heat fatigue	1723	150	—	—	—	—	—	—
Heat exhaustion, prostration	1725	1,840	—	—	—	—	200	50
Multiple effects of heat and light	1728	30	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	510	—	—	30	—	20	—
Effects of air or water pressure	173	100	—	—	30	—	—	—
Aero-otitis media	1731	40	—	—	30	—	—	—
Effects of air or water pressure, n.e.c.	1739	50	—	—	—	—	—	—
Effects of environmental conditions, n.e.c.	179	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	28,180	1,450	280	1,080	1,510	5,930	2,120
Multiple traumatic injuries and disorders, unspecified	180	1,210	70	—	60	30	240	40
Cuts and abrasions or bruises	181	4,490	120	20	90	210	740	270
Sprains and other injuries	182	12,210	450	100	430	900	2,890	1,340
Sprains and other injuries, unspecified	1820	470	—	—	—	30	100	110
Sprains and bruises	1821	9,690	360	80	380	740	2,230	1,090
Sprains and cuts	1822	780	40	—	20	30	200	70
Sprains and other injuries, n.e.c.	1829	1,260	30	20	30	100	370	70
Fractures and other injuries	183	6,180	260	110	110	190	1,280	280
Fractures and other injuries, unspecified	1830	1,050	—	—	—	50	170	90
Fractures (except skull fractures) and concussions	1831	290	120	—	—	—	20	20
Fractures (except rib, trunk fractures) and internal injuries	1832	70	—	—	—	—	—	—
Fractures and burns	1833	30	—	—	—	—	—	—
Fractures and dislocations	1834	220	—	—	—	—	40	—
Fractures and other injuries, n.e.c.	1839	4,530	120	100	80	120	1,030	170
Burns and other injuries, except fractures	184	160	—	—	—	—	20	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Effects of reduced temperature	—	—	—	—	—	110
Frostbite	—	—	—	—	—	110
Effects of heat and light	100	80	740	410	400	990
Effects of heat and light, unspecified	—	—	40	—	30	—
Heat stroke	—	—	20	40	20	180
Heat syncope	—	—	—	30	30	60
Heat fatigue	—	30	—	20	—	60
Heat exhaustion, prostration	50	20	410	250	260	560
Multiple effects of heat and light	—	—	—	—	—	—
Effects of heat and light, n.e.c.	—	20	220	60	50	100
Effects of air or water pressure	—	—	—	—	—	70
Aero-otitis media	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	—	—	—	—	—	50
Effects of environmental conditions, n.e.c.	—	—	—	—	—	—
Multiple traumatic injuries and disorders	2,110	770	1,590	2,040	3,360	5,860
Multiple traumatic injuries and disorders, unspecified	120	20	150	90	60	320
Cuts and abrasions or bruises	390	60	260	410	670	1,250
Sprains and other injuries	910	260	400	880	1,260	2,370
Sprains and other injuries, unspecified	20	—	70	—	30	70
Sprains and bruises	810	200	260	730	1,010	1,800
Sprains and cuts	20	20	40	40	70	220
Sprains and other injuries, n.e.c.	60	20	30	100	150	280
Fractures and other injuries	440	270	470	490	940	1,300
Fractures and other injuries, unspecified	70	120	80	120	110	190
Fractures (except skull fractures) and concussions	—	—	30	—	30	40
Fractures (except rib, trunk fractures) and internal injuries	—	—	30	—	—	—
Fractures and burns	—	—	—	—	—	—
Fractures and dislocations	30	—	20	20	20	50
Fractures and other injuries, n.e.c.	340	130	320	320	770	1,010
Burns and other injuries, except fractures	—	—	—	—	90	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Burns and other injuries, n.e.c.	1849	120	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	3,930	560	30	390	190	760	170
Other traumatic injuries and disorders	19	179,280	5,920	1,520	4,570	9,630	45,360	10,850
Other traumatic injuries and disorders, unspecified	190	190	—	—	—	—	30	—
Asphyxiations, strangulations, suffocations	191	680	260	—	—	—	20	310
Electrocutions, electric shocks	193	980	60	—	—	30	130	40
Internal injuries to organs and blood vessels of the trunk	194	120	30	—	—	—	30	—
Dermatitis and reactions affecting the skin—acute	195	2,150	100	110	—	170	650	90
Dermatitis and reactions affecting the skin—acute, unspecified	1950	980	30	60	—	50	290	20
Allergic dermatitis—acute	1951	660	70	50	—	40	200	30
Irritant dermatitis—acute	1952	300	—	—	—	30	120	—
Hives, urticaria—acute	1953	110	—	—	—	50	20	30
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	90	—	—	—	—	30	—
Other poisoning, toxic, noxious, or allergenic effects	196	6,460	240	390	210	840	1,390	280
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,040	20	40	20	430	340	80
Poisoning, including poisoning-related asphyxia	1961	710	60	—	—	40	90	20
Anaphylactic shock, anaphylaxis	1962	20	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,190	80	30	60	160	280	30
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	150	—	—	40	—	40	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	560	—	—	60	100	190	40
Other or unspecified allergic reactions	1966	1,060	50	280	20	60	250	50

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Burns and other injuries, n.e.c.	—	—	—	—	60	—
Multiple traumatic injuries and disorders, n.e.c.	230	170	310	160	340	620
Other traumatic injuries and disorders	12,380	3,290	14,030	16,460	20,500	34,500
Other traumatic injuries and disorders, unspecified	20	—	40	40	—	—
Asphyxiations, strangulations, suffocations	—	—	—	50	—	—
Electrocutions, electric shocks	50	—	150	250	160	80
Internal injuries to organs and blood vessels of the trunk	—	—	—	30	—	20
Dermatitis and reactions affecting the skin—acute	90	70	90	150	420	180
Dermatitis and reactions affecting the skin—acute, unspecified	30	40	20	100	220	130
Allergic dermatitis—acute	30	20	50	40	90	40
Irritant dermatitis—acute	20	—	20	—	80	—
Hives, urticaria—acute	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	—	—	—	—	30	—
Other poisoning, toxic, noxious, or allergenic effects	500	220	400	760	480	750
Poisoning, toxic, noxious, or allergenic effect, unspecified	80	110	140	360	190	240
Poisoning, including poisoning-related asphyxia	40	—	190	50	50	160
Anaphylactic shock, anaphylaxis	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	210	—	20	130	100	110
Coughing and throat irritation— toxic, noxious, or allergenic effect	20	—	—	—	20	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	40	—	30	—	60
Other or unspecified allergic reactions	70	20	20	150	50	40

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	200	—	—	—	—	50	50
Multiple poisoning, toxic, noxious, or allergenic effects	1968	210	—	—	—	20	40	20
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	330	—	—	—	30	100	—
Nonspecified injuries and disorders	197	167,780	5,180	1,000	4,340	8,510	42,870	10,030
Crushing injuries	1971	9,210	140	50	—	110	1,100	320
Soreness, pain, hurt—nonspecified injury	1972	135,140	4,370	890	3,940	7,530	37,240	8,370
Swelling, inflammation, irritation—nonspecified injury	1973	17,840	460	50	250	490	3,440	1,010
Numbness—nonspecified injury	1974	880	60	—	—	20	100	30
Multiple nonspecified injuries and disorders	1978	2,490	90	—	70	260	630	150
Nonspecified injuries and disorders, n.e.c.	1979	2,230	60	—	60	90	360	160
Other traumatic injuries and disorders, n.e.c.	199	920	20	—	—	60	240	80
Traumatic shock	1991	50	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	870	20	—	—	60	240	70
Diseases and disorders of body systems	2	21,480	710	320	470	870	3,370	840
Systemic diseases and disorders, unspecified	20	30	—	—	—	—	20	—
Nervous system and sense organs diseases	22	9,980	400	120	130	320	1,430	440
Degenerative diseases of the central nervous system	222	90	—	—	—	—	—	—
Other disorders of the central nervous system	223	190	—	—	—	30	70	50
Seizure disorder, epilepsy	2231	130	—	—	—	30	40	50
Migraine	2232	40	—	—	—	—	20	—
Disorders of the peripheral nervous system	224	8,510	360	120	100	230	1,090	270
Disorders of the peripheral nervous system, unspecified	2240	110	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Nausea, vomiting— toxic, noxious, or allergenic effect	30	—	—	20	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	50
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	40	—	—	—	40	80
Nonspecified injuries and disorders	11,700	2,990	13,240	14,900	19,350	33,380
Crushing injuries	650	350	1,090	800	2,210	2,370
Soreness, pain, hurt—nonspecified injury	9,430	1,960	10,090	10,970	13,080	27,100
Swelling, inflammation, irritation—nonspecified injury	1,210	620	1,680	2,480	3,200	2,940
Numbness—nonspecified injury	60	—	30	170	210	150
Multiple nonspecified injuries and disorders	280	40	150	260	320	230
Nonspecified injuries and disorders, n.e.c.	80	20	210	230	320	590
Other traumatic injuries and disorders, n.e.c.	—	—	100	280	50	50
Traumatic shock	—	—	—	—	30	—
Traumatic injuries and disorders, n.e.c.	—	—	100	280	—	50
Diseases and disorders of body systems	3,220	380	910	2,320	5,090	2,940
Systemic diseases and disorders, unspecified	—	—	—	—	—	—
Nervous system and sense organs diseases	2,090	70	260	840	2,600	1,270
Degenerative diseases of the central nervous system	—	—	—	40	—	—
Other disorders of the central nervous system	20	—	—	—	—	—
Seizure disorder, epilepsy ...	—	—	—	—	—	—
Migraine	—	—	—	—	—	—
Disorders of the peripheral nervous system	2,030	30	200	670	2,370	1,040
Disorders of the peripheral nervous system, unspecified	20	—	—	—	60	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Carpal tunnel syndrome	2241	7,590	340	110	90	220	920	230
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	20	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	790	30	—	—	—	160	40
Disorders of the eye, adnexa, vision	225	990	20	—	—	50	230	130
Disorders of the eye, adnexa, vision, unspecified	2250	110	—	—	—	—	70	—
Conjunctivitis—non-viral	2251	570	—	—	—	20	110	120
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	40	—	—	—	—	20	—
Blindness, low vision	2254	30	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	210	—	—	—	—	30	—
Disorders of the ear, mastoid process, hearing	226	190	—	—	30	—	30	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	110	—	—	—	—	30	—
Tinnitus	2262	50	—	—	30	—	—	—
Circulatory system diseases	23	520	—	—	60	—	100	40
Hypertensive disease	232	20	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	270	—	—	50	—	30	30
Ischemic heart disease, unspecified	2330	30	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	240	—	—	50	—	30	20
Other forms of heart disease	235	20	—	—	—	—	—	—
Cerebrovascular disease	236	120	—	—	—	—	40	—
Stroke	2361	90	—	—	—	—	40	—
Transient ischemia attacks ..	2362	20	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	237	30	—	—	—	—	20	—
Aneurysm—nontraumatic	2372	30	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	20	—	—	—	—	—	—
Respiratory system diseases	24	880	60	—	40	40	110	30
Respiratory system diseases, unspecified	240	90	—	—	—	—	40	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Carpal tunnel syndrome	1,800	20	200	440	2,240	980
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	210	—	—	210	50	50
Disorders of the eye, adnexa, vision	30	40	30	120	130	200
Disorders of the eye, adnexa, vision, unspecified	—	—	—	—	—	—
Conjunctivitis—non-viral	20	—	—	40	80	160
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	—	—	—
Blindness, low vision	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	—	—	20	80	20	30
Disorders of the ear, mastoid process, hearing	—	—	20	20	50	30
Disorders of the ear, mastoid process, hearing, unspecified	—	—	—	—	—	—
Deafness, hearing loss and impairment	—	—	20	—	30	30
Tinnitus	—	—	—	—	—	—
Circulatory system diseases	40	20	40	100	20	60
Hypertensive disease	—	—	—	—	—	—
Ischemic heart disease, including heart attack	—	—	30	80	—	30
Ischemic heart disease, unspecified	—	—	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	80	—	30
Other forms of heart disease ..	—	—	—	—	—	—
Cerebrovascular disease	20	—	—	—	—	—
Stroke	—	—	—	—	—	—
Transient ischemia attacks ..	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	—	—	—	—	—	—
Aneurysm—nontraumatic	—	—	—	—	—	—
Diseases of the veins, lymphatics	—	—	—	—	—	—
Respiratory system diseases	30	—	30	390	100	40
Respiratory system diseases, unspecified	—	—	—	20	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Acute respiratory infections (including common cold)	241	60	—	—	—	—	—	—
Other diseases of upper respiratory tract	242	40	—	—	—	—	—	—
Chronic conditions of upper respiratory tract	2422	20	—	—	—	—	—	—
Pneumonia, influenza	243	470	50	—	—	—	30	—
Pneumonia	2431	20	—	—	—	—	—	—
Influenza—common	2432	370	40	—	—	—	30	—
Influenza—novel	2433	80	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ..	244	170	—	—	20	30	20	—
Asthma, except intrinsic	2443	100	—	—	—	20	—	—
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	2449	40	—	—	—	—	—	—
Pneumoconioses	245	30	—	—	—	—	—	—
Coal workers pneumoconiosis	2451	20	—	—	—	—	—	—
Other respiratory system diseases	249	30	—	—	—	—	—	—
Digestive system diseases and disorders	25	670	—	—	—	30	40	20
Hernia—nontraumatic	253	650	—	—	—	30	40	20
Genitourinary system diseases and disorders	26	30	—	—	—	—	20	—
Genitourinary system diseases and disorders, n.e.c.	269	20	—	—	—	—	20	—
Musculoskeletal system and connective tissue diseases and disorders	27	7,760	230	180	210	360	1,370	220
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	190	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	271	140	—	—	—	—	—	—
Dorsopathies	272	550	—	—	20	20	140	20
Sciatica	2721	260	—	—	—	—	30	—
Lumbago	2722	60	—	—	—	—	40	—
Disc disorders, except dislocation	2723	60	—	—	—	—	30	—
Dorsopathies, n.e.c.	2729	170	—	—	20	—	40	—
Soft tissue disorders, except the back	273	6,770	230	150	110	330	1,220	190

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Acute respiratory infections (including common cold)	—	—	—	—	—	20
Other diseases of upper respiratory tract	—	—	—	—	—	—
Chronic conditions of upper respiratory tract	—	—	—	—	—	—
Pneumonia, influenza	—	—	—	350	—	—
Pneumonia	—	—	—	—	—	—
Influenza—common	—	—	—	—	—	—
Influenza—novel	—	—	—	70	—	—
Chronic obstructive pulmonary disease and allied conditions ..	20	—	—	—	50	—
Asthma, except intrinsic	—	—	—	—	30	—
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	—	—	—	—	—	—
Pneumoconioses	—	—	20	—	—	—
Coal workers pneumoconiosis	—	—	—	—	—	—
Other respiratory system diseases	—	—	—	—	—	—
Digestive system diseases and disorders	80	—	50	150	120	150
Hernia—nontraumatic	80	—	50	150	120	150
Genitourinary system diseases and disorders	—	—	—	—	—	—
Genitourinary system diseases and disorders, n.e.c.	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	900	120	360	530	2,020	1,230
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	30	40	20	50
Arthropathies and related disorders (arthritis)	—	—	20	20	20	—
Dorsopathies	30	—	20	40	110	120
Sciatica	20	—	—	20	70	60
Lumbago	—	—	—	—	—	—
Disc disorders, except dislocation	—	—	—	—	—	—
Dorsopathies, n.e.c.	20	—	—	—	20	40
Soft tissue disorders, except the back	860	90	280	420	1,870	1,030

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Soft tissue disorder, except the back, unspecified	2730	300	—	—	—	—	40	—
Bursitis	2731	550	—	—	—	30	100	—
Stenosing tenosynovitis	2732	980	30	20	—	40	140	—
Other tenosynovitis, synovitis	2733	410	—	—	—	30	100	40
Epicondylitis	2734	1,130	20	—	60	40	140	20
Other or unspecified tendonitis (tendinitis)	2735	2,600	80	70	30	140	610	70
Ganglion or cystic tumor	2736	320	—	—	—	—	40	—
Multiple soft tissue disorders	2738	110	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	370	—	—	—	20	40	—
Osteopathies, chondropathies, and acquired deformities	274	90	—	—	50	—	—	—
Osteopathies, chondropathies, and acquired deformities, unspecified	2740	80	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	20	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	1,500	—	—	20	110	270	80
Disorders of the skin and subcutaneous tissue, unspecified	280	20	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	1,350	—	—	—	100	230	80
Infections of the skin and subcutaneous tissue, unspecified	2810	270	—	—	—	30	80	—
Cellulitis and abscess	2811	680	—	—	—	20	100	80
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	110	—	—	—	50	40	—
Other staphylococcus skin infection	2814	260	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	40	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	120	—	—	20	—	40	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Soft tissue disorder, except the back, unspecified	30	—	20	—	70	20
Bursitis	30	—	120	70	80	80
Stenosing tenosynovitis	120	—	30	70	400	110
Other tenosynovitis, synovitis	60	—	—	20	80	60
Epicondylitis	150	20	30	140	350	150
Other or unspecified tendonitis (tendinitis)	400	60	60	80	590	410
Ganglion or cystic tumor	20	—	—	—	140	40
Multiple soft tissue disorders	30	—	—	—	30	40
Soft tissue disorder, except the back, n.e.c.	20	—	—	20	120	110
Osteopathies, chondropathies, and acquired deformities	—	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities, unspecified	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	60	160	180	250	210	150
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	60	150	170	250	180	120
Infections of the skin and subcutaneous tissue, unspecified	—	40	30	—	40	20
Cellulitis and abscess	50	100	—	120	130	80
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	—	—	—	—
Other staphylococcus skin infection	—	—	110	120	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	—	—	—	—	20	30

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	80	—	—	20	—	20	—
Other systemic diseases and disorders	29	100	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	291	100	—	—	—	—	—	—
Diseases and disorders of other endocrine glands	2912	60	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	—	—	—	—
Infectious and parasitic diseases	3	1,740	40	60	130	350	720	160
Infectious and parasitic diseases, unspecified	30	170	—	—	—	—	—	—
Bacterial diseases	31	270	—	—	—	50	110	—
Bacterial diseases, unspecified	310	80	—	—	—	—	—	—
Tuberculosis	311	30	—	—	—	—	20	—
Other bacterial diseases	319	150	—	—	—	50	90	—
Diphtheria, whooping cough	3192	90	—	—	—	20	50	—
Streptococcal sore throat and scarlatina	3193	20	—	—	—	—	20	—
Other bacterial diseases, n.e.c.	3199	40	—	—	—	20	—	—
Viral diseases	32	300	—	—	20	40	160	—
Viral diseases, unspecified	320	50	—	—	—	—	40	—
Viral diseases accompanied by exanthem (eruptive fever)	323	120	—	—	—	30	70	—
Chickenpox, varicella	3233	90	—	—	—	20	60	—
Herpes zoster, shingles	3234	20	—	—	—	—	—	—
Viral diseases of the conjunctiva	326	20	—	—	—	—	20	—
Viral conjunctivitis (ophthalmia)	3261	20	—	—	—	—	—	—
Other diseases due to viruses	329	80	—	—	20	—	20	—
Foot and mouth disease	3294	20	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	60	—	—	—	—	—	—
Mycoses (fungal infections)	34	30	—	—	—	—	—	—
Dermatophytosis (including athletes foot, tinea)	341	20	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	270	30	50	60	30	50	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	-	-	-	-	-	20
Other systemic diseases and disorders	-	-	-	70	-	20
Endocrine, nutritional, metabolic, and immunity disorders	-	-	-	70	-	20
Diseases and disorders of other endocrine glands	-	-	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	-	-	-	-	-	20
Infectious and parasitic diseases	40	-	80	20	30	120
Infectious and parasitic diseases, unspecified	-	-	-	-	-	-
Bacterial diseases	-	-	-	-	-	-
Bacterial diseases, unspecified	-	-	-	-	-	-
Tuberculosis	-	-	-	-	-	-
Other bacterial diseases	-	-	-	-	-	-
Diphtheria, whooping cough	-	-	-	-	-	-
Streptococcal sore throat and scarlatina	-	-	-	-	-	-
Other bacterial diseases, n.e.c.	-	-	-	-	-	-
Viral diseases	-	-	-	-	-	50
Viral diseases, unspecified	-	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever)	-	-	-	-	-	-
Chickenpox, varicella	-	-	-	-	-	-
Herpes zoster, shingles	-	-	-	-	-	-
Viral diseases of the conjunctiva	-	-	-	-	-	-
Viral conjunctivitis (ophthalmia)	-	-	-	-	-	-
Other diseases due to viruses	-	-	-	-	-	50
Foot and mouth disease	-	-	-	-	-	-
Other diseases due to viruses, n.e.c.	-	-	-	-	-	50
Mycoses (fungal infections)	-	-	-	-	-	20
Dermatophytosis (including athlete's foot, tinea)	-	-	-	-	-	-
Infectious diseases peculiar to the intestines	-	-	-	-	-	30

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Infectious diseases peculiar to the intestines, unspecified	360	60	20	—	—	—	—	—
Typhoid and paratyphoid fevers	362	60	—	50	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	369	120	—	—	60	—	40	—
Other infectious and parasitic diseases	39	700	—	—	30	220	390	—
Other infectious and parasitic diseases, unspecified	390	20	—	—	—	—	20	—
Pediculosis and phthirus infestation (lice)	391	30	—	—	—	—	—	—
Scabies and other acariases ...	392	640	—	—	20	210	370	—
Neoplasms, tumors, and cancers	4	40	—	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	5,400	440	120	200	280	1,640	830
Symptoms, signs, and ill-defined conditions, unspecified	50	90	—	—	—	—	30	—
Symptoms	51	5,180	440	120	190	260	1,550	830
Symptoms, unspecified	510	60	—	—	—	—	20	—
General symptoms	511	3,410	390	110	150	210	1,100	350
General symptoms, unspecified	5110	30	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	1,650	80	90	40	60	640	220
Convulsions, seizures	5112	500	240	—	—	—	110	40
Malaise and fatigue	5113	30	—	—	—	—	—	—
Dizziness—general	5114	540	40	—	90	—	150	60
Inflammation, swelling—general	5115	100	—	—	—	—	40	—
Numbness—general	5116	80	—	—	—	—	—	—
Multiple general symptoms ..	5118	380	—	—	—	100	90	20
General symptoms, n.e.c.	5119	100	—	—	—	20	50	—
Symptoms involving nervous and musculoskeletal systems	512	80	—	—	—	—	70	—
Earache	5122	30	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	—	—
Symptoms involving head and neck	514	600	—	—	20	—	90	330
Headache, except migraine	5141	550	—	—	—	—	60	320

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Infectious diseases peculiar to the intestines, unspecified	—	—	—	—	—	30
Typhoid and paratyphoid fevers	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—
Other infectious and parasitic diseases, unspecified	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	—	—	—	—	—	—
Scabies and other acariases ...	—	—	—	—	—	—
Neoplasms, tumors, and cancers	—	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	370	50	340	350	340	430
Symptoms, signs, and ill-defined conditions, unspecified	—	—	—	—	20	—
Symptoms	350	50	320	340	310	400
Symptoms, unspecified	—	—	—	—	—	40
General symptoms	260	30	170	190	200	260
General symptoms, unspecified	—	—	—	—	—	—
Loss of consciousness—not heat related	110	—	40	130	120	120
Convulsions, seizures	—	—	—	20	—	30
Malaise and fatigue	—	—	—	—	—	—
Dizziness—general	80	—	—	20	30	40
Inflammation, swelling—general	—	—	—	—	—	—
Numbness—general	—	—	—	—	30	20
Multiple general symptoms ..	20	—	80	20	—	30
General symptoms, n.e.c.	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems	—	—	—	—	—	—
Earache	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	—	—	—	—	—	—
Symptoms involving head and neck	—	—	—	60	30	30
Headache, except migraine	—	—	—	60	30	30

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Symptoms involving head and neck, n.e.c.	5149	40	—	—	—	—	20	—
Symptoms involving cardiovascular system	515	140	—	—	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	120	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	610	40	—	20	20	200	80
Symptoms involving respiratory system and chest, unspecified	5160	250	—	—	—	—	60	60
Chest pain	5164	150	—	—	—	—	80	—
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	180	20	—	—	—	40	20
Symptoms involving digestive and urinary system	517	140	—	—	—	—	50	—
Nausea and vomiting—general	5171	40	—	—	—	—	20	—
Abdominal pain, unspecified	5174	90	—	—	—	—	40	—
Multiple symptoms	518	100	—	—	—	—	—	40
Abnormal findings	52	80	—	—	—	—	40	—
Other abnormal findings	529	70	—	—	—	—	30	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	—	—	—	—	30	—
Other diseases, conditions, and disorders	6	2,830	410	—	150	170	550	350
Damage to prosthetic and orthopedic devices	61	50	—	—	—	—	—	—
Damage to orthopedic devices	612	40	—	—	—	—	—	—
Damage to pins, rods, plates, and screws	6122	40	—	—	—	—	—	—
Mental disorders and syndromes	62	2,780	410	—	150	170	550	340
Mental disorders and syndromes, unspecified	620	150	—	—	—	20	40	20
Anxiety, stress	621	2,610	410	—	150	150	510	320
Anxiety, stress, unspecified	6210	1,630	260	—	110	110	290	110
Post-traumatic stress disorder	6211	560	20	—	30	30	130	190
Adjustment disorder	6212	20	—	—	—	—	—	—
Anxiety or panic disorder	6213	130	—	—	—	—	50	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—
Symptoms involving cardiovascular system	—	—	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	—	—	—	—	—	—
Symptoms involving respiratory system and chest	60	—	20	60	50	40
Symptoms involving respiratory system and chest, unspecified	20	—	—	30	20	—
Chest pain	—	—	—	20	—	—
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	30	—	—	—	20	20
Symptoms involving digestive and urinary system	—	—	—	—	—	20
Nausea and vomiting—general	—	—	—	—	—	—
Abdominal pain, unspecified	—	—	—	—	—	—
Multiple symptoms	—	—	—	—	—	—
Abnormal findings	—	—	—	—	—	30
Other abnormal findings	—	—	—	—	—	30
Symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	—
Other diseases, conditions, and disorders	470	—	20	60	140	460
Damage to prosthetic and orthopedic devices	—	—	—	—	—	—
Damage to orthopedic devices	—	—	—	—	—	—
Damage to pins, rods, plates, and screws	—	—	—	—	—	—
Mental disorders and syndromes	470	—	20	60	140	430
Mental disorders and syndromes, unspecified	—	—	—	—	60	—
Anxiety, stress	450	—	20	60	80	420
Anxiety, stress, unspecified	350	—	—	40	40	280
Post-traumatic stress disorder	30	—	—	—	30	80
Adjustment disorder	—	—	—	—	—	—
Anxiety or panic disorder	20	—	—	—	—	30

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Anxiety, stress, n.e.c.	6219	270	100	—	20	—	40	20
Exposures to disease—no illness incurred	7	280	—	—	30	130	80	—
Multiple diseases, conditions, and disorders	8	510	20	20	—	20	100	—
Nonclassifiable	9999	3,640	110	—	30	200	600	430

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2012² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Anxiety, stress, n.e.c.	50	—	—	—	—	30
Exposures to disease—no illness incurred	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	30	—	50	60	30	160
Nonclassifiable	70	110	220	120	210	840

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.