

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2012²

Part of body	Part of body code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		918,720	568,560	346,950	3,200	97,750	174,210	305,320	328,870	12,560
Head	1	66,880	43,620	23,080	190	8,990	14,640	23,020	19,390	840
Head, unspecified	10	14,870	8,030	6,810	30	1,820	3,260	4,780	4,850	150
Cranial region, including skull	11	13,980	7,910	6,010	70	1,680	3,020	4,870	4,240	160
Cranial region, unspecified	110	380	240	110	30	50	50	180	60	30
Brain	111	9,940	5,260	4,660	30	1,340	1,950	3,760	2,830	60
Scalp	112	2,980	1,990	990	-	230	880	690	1,170	-
Skull	113	410	240	160	-	40	60	180	120	-
Multiple cranial region locations	118	160	120	40	-	-	30	30	30	-
Cranial region, n.e.c.	119	120	60	50	-	-	50	40	30	-
Ear(s)	12	1,090	780	300	-	70	100	520	400	-
Face	13	35,980	26,270	9,620	80	5,250	8,070	12,500	9,640	510
Face, unspecified	130	3,580	2,280	1,290	-	510	980	1,180	890	30
Forehead	131	2,530	1,610	900	-	420	430	850	800	30
Eye(s)	132	21,370	16,900	4,430	40	3,150	4,840	7,590	5,440	340
Nose, nasal cavity	133	2,320	1,350	980	-	250	400	820	790	80
Nose, except internal location of diseases or disorders	1330	2,310	1,340	960	-	250	400	820	780	70
Cheek(s)	134	410	260	140	-	70	130	80	120	-
Jaw, chin	135	1,120	600	520	-	380	210	320	200	-
Mouth	136	2,370	1,810	550	-	160	650	960	590	20
Mouth, unspecified	1360	200	110	70	-	-	40	50	90	-
Lip(s)	1361	500	270	230	-	60	100	150	180	-
Tongue	1362	20	-	-	-	-	-	-	-	-
Tooth (teeth)	1363	1,140	930	210	-	70	470	330	270	-
Multiple mouth locations	1368	460	440	20	-	20	30	380	30	-
Mouth, n.e.c.	1369	50	40	-	-	-	-	30	-	-
Multiple face locations	138	1,930	1,230	700	-	270	370	570	710	-
Face, n.e.c.	139	360	240	120	-	40	60	130	110	-
Multiple head locations	18	780	500	280	-	140	170	270	200	-
Head, n.e.c.	19	180	120	60	-	40	-	80	50	-
Neck, including throat	2	12,380	6,390	5,900	90	1,480	1,950	3,940	4,790	230
Neck, except internal location of diseases or disorders ...	20	12,280	6,320	5,870	90	1,480	1,940	3,910	4,720	230
Internal neck location, unspecified	21	90	60	20	-	-	-	20	60	-
Trunk	3	235,260	151,220	83,340	700	20,500	44,370	82,710	84,910	2,770
Trunk, unspecified	30	1,530	990	530	-	110	170	650	580	20
Chest, including ribs, internal organs	31	14,470	10,320	4,070	80	1,110	2,790	4,310	6,060	200
Chest, except internal location of diseases or disorders	310	13,500	9,670	3,760	70	1,070	2,620	4,040	5,600	170
Internal chest location, unspecified	311	100	30	60	-	-	40	30	20	-
Heart	313	420	360	50	-	-	60	100	240	-
Lung(s), pleura	315	440	240	200	-	30	50	140	200	20
Back, including spine, spinal cord	32	178,190	108,640	69,030	520	16,040	34,610	63,610	61,960	1,960
Back, including spine, spinal cord, unspecified	320	71,730	44,230	27,440	50	7,420	14,150	26,140	23,390	640
Thoracic region	321	7,830	4,560	3,220	50	600	1,650	2,670	2,790	110
Lumbar region	322	91,300	56,860	34,020	430	7,410	17,590	32,190	32,960	1,150

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Sacral region	323	440	140	300	—	40	60	150	180	—
Coccygeal region	324	1,390	320	1,060	—	50	270	300	760	—
Multiple back regions	328	5,220	2,360	2,870	—	500	830	2,060	1,780	50
Back, including spine, spinal cord, n.e.c.	329	280	170	110	—	20	60	100	100	—
Abdomen	33	20,510	17,740	2,730	40	1,250	3,310	7,580	8,150	220
Abdomen, except internal location of diseases or disorders	330	19,560	17,060	2,470	40	1,210	3,160	7,180	7,810	200
Internal abdominal location, unspecified	331	440	380	60	—	20	100	110	200	—
Stomach organ	332	70	40	30	—	—	20	30	20	—
Intestines, peritoneum	335	300	150	150	—	20	30	150	100	—
Intestines, peritoneum, unspecified	3350	120	90	30	—	—	20	50	40	—
Peritoneum	3351	50	50	—	—	—	—	30	—	—
Large intestine, colon, rectum	3353	40	—	30	—	—	—	20	—	—
Intestines, peritoneum, n.e.c.	3359	70	—	70	—	—	—	—	—	—
Pelvic region	34	16,060	10,900	5,110	50	1,580	2,700	5,080	6,410	300
Pelvic region, unspecified	340	120	60	40	20	—	20	40	30	20
Hip(s)	341	7,210	3,950	3,260	—	660	1,200	1,860	3,470	20
Pelvis	342	790	450	340	—	70	80	270	360	—
Buttock(s)	343	1,340	530	820	—	90	210	640	370	20
Groin	344	6,040	5,470	570	—	700	1,100	1,990	2,040	200
External reproductive tract structures	345	210	190	—	20	40	60	80	20	20
External reproductive tract structures, unspecified ..	3450	20	—	—	20	—	—	—	—	20
Scrotum	3451	160	160	—	—	40	50	70	—	—
Internal reproductive tract structures	346	60	40	20	—	—	—	60	—	—
Testis (testes)	3462	40	40	—	—	—	—	30	—	—
Uterus	3464	20	—	20	—	—	—	20	—	—
Multiple pelvic region locations	348	230	180	50	—	—	20	90	110	—
Pelvic region, n.e.c.	349	50	40	—	—	—	—	30	—	—
Multiple trunk locations	38	4,350	2,540	1,810	—	400	800	1,440	1,650	60
Trunk, n.e.c.	39	150	90	60	—	—	—	40	90	—
Upper extremities	4	289,940	183,580	105,410	940	32,250	53,590	94,030	106,320	3,740
Upper extremities, unspecified	40	460	260	200	—	30	60	80	300	—
Shoulder(s), including clavicle(s), scapula(e)	41	69,020	44,080	24,630	320	4,910	10,670	21,860	30,700	880
Arm(s)	42	42,200	26,500	15,520	170	4,770	6,970	13,040	16,680	750
Arm(s), unspecified	420	13,740	8,210	5,520	—	1,670	2,550	4,400	5,000	120
Upper arm(s)	421	5,620	4,160	1,410	50	320	640	1,460	3,070	110
Elbow(s)	422	13,170	7,840	5,270	50	1,090	2,240	4,210	5,260	370
Forearm(s)	423	7,060	4,790	2,220	50	1,430	1,050	2,180	2,250	150
Multiple arm locations	428	1,910	980	930	—	190	350	530	840	—
Multiple arm locations, unspecified	4280	250	160	100	—	30	40	70	120	—
Elbow(s) and arm(s)	4281	790	430	370	—	110	160	140	380	—
Multiple arm locations, n.e.c.	4289	870	400	470	—	50	150	320	350	—
Arm(s), n.e.c.	429	700	530	170	—	70	130	260	250	—
Wrist(s)	43	38,600	17,160	21,350	90	3,350	7,130	11,400	15,990	730
Hand(s)	44	123,560	87,650	35,550	360	17,940	25,890	42,380	36,110	1,230
Hand(s), unspecified	440	29,250	19,640	9,590	20	4,160	5,980	10,030	8,850	230
Hand(s), except finger(s)	441	5,940	4,240	1,590	110	740	1,170	1,920	1,980	130
Finger(s), fingernail(s)	442	81,890	59,220	22,440	230	12,250	17,310	28,100	23,430	810

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Finger(s), fingernail(s), unspecified	4420	58,660	42,180	16,280	200	8,630	12,060	20,710	16,550	710
Fingernail(s), nailbed(s)	4421	1,590	1,220	350	20	70	210	760	530	30
Fingertip(s)	4422	7,390	5,810	1,580	—	1,240	1,480	2,860	1,780	30
Finger(s), fingernail(s), n.e.c.	4429	14,240	10,010	4,230	—	2,310	3,550	3,760	4,580	50
Hand(s) and finger(s)	448	3,660	2,420	1,240	—	610	1,010	1,010	1,030	—
Hand(s), n.e.c.	449	2,810	2,140	680	—	190	430	1,320	820	60
Multiple upper extremities locations	48	15,970	7,840	8,130	—	1,250	2,840	5,220	6,500	150
Multiple upper extremities locations, unspecified	480	600	350	250	—	90	90	180	240	—
Hand(s) and arms(s)	481	1,640	1,050	590	—	230	190	810	400	20
Hand(s) and arm(s), unspecified	4810	700	400	300	—	160	70	260	190	20
Hand(s) and elbow(s)	4811	110	40	70	—	—	20	40	40	—
Hand(s) and arm(s), n.e.c.	4819	840	610	220	—	70	100	510	160	—
Hand(s) and wrist(s)	482	3,130	1,170	1,960	—	190	550	1,220	1,130	20
Wrist(s) and arm(s)	483	2,070	1,020	1,050	—	160	360	610	930	—
Wrist(s) and arm(s), unspecified	4830	1,030	450	570	—	100	160	290	470	—
Wrist(s) and elbow(s)	4831	460	300	160	—	40	70	110	230	—
Wrist(s) and arm(s), n.e.c.	4839	580	270	310	—	20	120	200	230	—
Shoulder(s) and arm(s)	484	5,180	2,910	2,270	—	240	1,040	1,430	2,410	60
Multiple upper extremities locations, n.e.c.	489	3,360	1,350	2,010	—	330	620	980	1,400	30
Upper extremities, n.e.c.	49	130	90	40	—	—	20	60	50	—
Lower extremities	5	204,220	128,690	74,710	820	24,070	40,030	65,200	72,790	2,130
Lower extremities, unspecified	50	470	310	140	20	40	160	190	70	20
Leg(s)	51	107,900	68,950	38,430	510	11,270	19,960	33,530	41,920	1,230
Leg(s), unspecified	510	12,070	8,720	3,330	20	2,100	2,470	3,690	3,640	170
Thigh(s)	511	4,930	3,230	1,680	30	440	1,040	1,990	1,420	40
Knee(s)	512	78,360	48,420	29,570	370	7,190	13,910	24,470	31,930	870
Lower leg(s)	513	8,760	6,460	2,210	90	1,100	1,840	2,430	3,250	140
Multiple leg locations	518	2,940	1,440	1,500	—	340	560	780	1,250	—
Multiple leg locations, unspecified	5180	430	130	310	—	—	220	80	130	—
Knee(s) and leg(s)	5181	1,830	940	890	—	210	220	490	910	—
Multiple leg locations, n.e.c.	5189	670	380	300	—	120	120	210	210	—
Leg(s), n.e.c.	519	840	690	150	—	90	140	180	430	—
Ankle(s)	52	44,860	26,230	18,440	190	6,260	8,150	15,030	14,920	490
Foot (feet)	53	42,920	28,390	14,430	100	5,670	9,560	13,990	13,340	360
Foot (feet), unspecified	530	27,950	17,870	10,010	80	3,310	6,540	9,270	8,540	290
Sole(s)	531	2,420	2,060	360	—	410	460	790	750	—
Sole(s), unspecified	5310	260	240	20	—	110	40	70	40	—
Ball(s) of the foot	5311	20	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	130	80	50	—	30	30	20	50	—
Heel(s)	5313	1,950	1,690	260	—	270	390	690	600	—
Sole(s), n.e.c.	5319	60	50	—	—	—	—	—	60	—
Toes(s), toenail(s)	532	9,870	6,620	3,230	20	1,720	1,800	2,990	3,310	50
Multiple foot (feet) locations	538	550	350	200	—	50	210	160	130	—
Foot (feet), n.e.c.	539	2,120	1,490	630	—	200	560	770	600	—
Multiple lower extremities locations	58	8,050	4,790	3,260	—	830	2,190	2,460	2,540	40
Multiple lower extremities locations, unspecified	580	270	190	80	—	20	120	20	110	—
Foot (feet) and leg(s)	581	1,240	920	310	—	100	510	220	400	—
Foot(feet) and leg(s), unspecified	5810	220	140	80	—	—	110	40	50	—

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Foot(feet) and knee(s)	5811	670	480	180	—	60	340	140	120	—
Foot(feet) and leg(s), n.e.c.	5819	350	300	60	—	20	60	40	230	—
Foot (feet) and ankle(s)	582	2,690	1,580	1,110	—	350	720	670	940	—
Ankle(s) and leg(s)	583	2,620	1,430	1,180	—	310	630	960	700	—
Ankle(s) and leg(s), unspecified	5830	320	170	150	—	50	60	80	130	—
Ankle(s) and knee(s)	5831	1,840	960	880	—	220	550	640	410	—
Ankle(s) and leg(s), n.e.c.	5839	450	300	150	—	40	20	230	160	—
Multiple lower extremities locations, n.e.c.	589	1,240	670	570	—	50	210	580	390	—
Lower extremities, n.e.c.	59	20	—	—	—	—	—	—	—	—
Body systems	6	17,770	10,070	7,650	60	1,910	3,700	6,290	5,630	240
Multiple body parts	8	83,900	40,750	43,040	100	7,690	14,850	27,690	32,750	920
Multiple body parts, unspecified	80	7,410	3,680	3,650	80	480	1,340	2,620	2,720	250
Head and neck	81	2,360	1,390	980	—	120	370	830	1,040	—
Head, neck, and trunk	82	740	560	180	—	110	60	190	350	30
Head and trunk	83	980	670	310	—	40	130	290	510	—
Neck and back	84	6,930	3,380	3,550	—	940	1,230	2,530	2,190	30
Shoulder(s) and back	85	3,890	2,110	1,780	—	410	750	1,330	1,380	20
Hip(s) and leg(s)	86	1,440	640	810	—	120	330	440	530	20
Upper and lower limb(s)	87	6,430	2,480	3,950	—	630	1,340	1,900	2,510	50
Other multiple body parts	89	53,720	25,850	27,850	20	4,830	9,290	17,570	21,530	500
Whole body	891	810	610	200	—	100	160	410	140	—
Multiple body parts, n.e.c.	899	52,910	25,240	27,650	20	4,730	9,140	17,160	21,390	500

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Nonclassifiable	9999	8,360	4,250	3,810	310	870	1,090	2,430	2,280	1,700

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.