

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012²

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		918,720	130,050	14.2	98,650	10.7	157,900	17.2
Traumatic injuries and disorders	1	882,800	125,460	14.2	95,720	10.8	152,790	17.3
Traumatic injuries and disorders, unspecified	10	14,610	2,100	14.4	1,450	9.9	2,560	17.5
Traumatic injuries to bones, nerves, spinal cord	11	75,790	4,380	5.8	3,370	4.4	7,150	9.4
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	510	—	—	—	—	220	43.1
Fractures	111	73,810	4,270	5.8	3,250	4.4	6,720	9.1
Traumatic injuries to spinal cord	112	80	—	—	—	—	—	—
Traumatic injuries to spinal cord, n.e.c.	1129	70	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord ..	113	1,220	70	5.7	70	5.7	190	15.6
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	110	—	—	—	—	—	—
Pinched nerve	1131	1,010	60	5.9	70	6.9	160	15.8
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	90	—	—	—	—	20	22.2
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	—	—	20	25.0	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	90	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	371,530	39,290	10.6	35,950	9.7	62,840	16.9
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,800	260	14.4	110	6.1	170	9.4
Dislocations	121	8,140	360	4.4	260	3.2	900	11.1
Dislocations, unspecified	1210	940	60	6.4	60	6.4	60	6.4
Herniated discs	1211	2,900	60	2.1	20	.7	300	10.3
Dislocation of joints	1212	4,140	240	5.8	170	4.1	520	12.6
Dislocations, n.e.c.	1219	160	—	—	—	—	20	12.5
Cartilage fractures and tears	122	3,930	40	1.0	110	2.8	210	5.3
Cartilage fractures and tears, unspecified	1220	180	—	—	—	—	—	—
Meniscus tears	1221	3,540	40	1.1	100	2.8	200	5.6
Cartilage fractures and tears, n.e.c.	1229	200	—	—	—	—	—	—
Sprains, strains, tears	123	342,920	38,250	11.2	35,140	10.2	60,420	17.6
Sprains, strains, tears, unspecified	1230	23,610	2,350	10.0	1,830	7.8	3,580	15.2
Major tears to muscles, tendons, ligaments	1231	18,990	680	3.6	750	3.9	1,100	5.8
Sprains	1232	82,890	11,180	13.5	9,940	12.0	15,000	18.1
Strains	1233	211,290	23,550	11.1	22,210	10.5	39,850	18.9
Multiple sprains, strains, tears	1238	6,150	490	8.0	400	6.5	890	14.5
Hernias due to traumatic incidents	124	12,720	250	2.0	190	1.5	880	6.9
Whiplash	125	860	100	11.6	100	11.6	200	23.3
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	700	—	—	—	—	20	2.9
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	460	—	—	30	6.5	40	8.7
Open wounds	13	95,070	23,600	24.8	14,460	15.2	18,660	19.6
Open wounds, unspecified	130	870	220	25.3	60	6.9	200	23.0
Amputations, avulsions, enucleations	131	7,180	530	7.4	370	5.2	730	10.2
Amputations, avulsions, enucleations, unspecified	1310	300	60	20.0	—	—	40	13.3
Amputations	1311	5,120	210	4.1	200	3.9	430	8.4

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	110,150	12.0	105,390	11.5	59,940	6.5	256,630	27.9	8
Traumatic injuries and disorders	106,340	12.0	100,740	11.4	57,100	6.5	244,630	27.7	8
Traumatic injuries and disorders, unspecified	1,310	9.0	1,450	9.9	890	6.1	4,850	33.2	10
Traumatic injuries to bones, nerves, spinal cord	6,280	8.3	8,170	10.8	8,340	11.0	38,110	50.3	31
Traumatic injuries to bones, nerves, spinal cord, unspecified	—	—	—	—	—	—	230	45.1	9
Fractures	6,130	8.3	8,020	10.9	8,250	11.2	37,160	50.3	31
Traumatic injuries to spinal cord	—	—	—	—	—	—	60	75.0	73
Traumatic injuries to spinal cord, n.e.c.	—	—	—	—	—	—	40	57.1	55
Traumatic injuries to nerves, except the spinal cord ..	110	9.0	100	8.2	60	4.9	610	50.0	31
Traumatic injuries to nerves, except the spinal cord, unspecified	20	18.2	—	—	—	—	50	45.5	27
Pinched nerve	90	8.9	90	8.9	50	5.0	500	49.5	30
Traumatic injuries to nerves, except the spinal cord, n.e.c.	—	—	—	—	—	—	60	66.7	41
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	20	25.0	—	—	20	25.0	12
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	20	22.2	—	—	20	22.2	6
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	47,330	12.7	46,420	12.5	26,110	7.0	113,580	30.6	11
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	160	8.9	220	12.2	150	8.3	740	41.1	18
Dislocations	780	9.6	860	10.6	590	7.2	4,390	53.9	36
Dislocations, unspecified	90	9.6	130	13.8	60	6.4	490	52.1	36
Herniated discs	360	12.4	230	7.9	200	6.9	1,740	60.0	58
Dislocation of joints	330	8.0	480	11.6	330	8.0	2,080	50.2	31
Dislocations, n.e.c.	—	—	20	12.5	—	—	70	43.8	21
Cartilage fractures and tears	460	11.7	660	16.8	440	11.2	2,010	51.1	32
Cartilage fractures and tears, unspecified	—	—	20	11.1	—	—	140	77.8	34
Meniscus tears	440	12.4	610	17.2	440	12.4	1,720	48.6	29
Cartilage fractures and tears, n.e.c.	20	10.0	30	15.0	—	—	150	75.0	96
Sprains, strains, tears	44,650	13.0	41,350	12.1	22,180	6.5	100,940	29.4	10
Sprains, strains, tears, unspecified	2,820	11.9	2,830	12.0	1,620	6.9	8,590	36.4	15
Major tears to muscles, tendons, ligaments	2,190	11.5	2,180	11.5	1,110	5.8	10,970	57.8	47
Sprains	10,060	12.1	10,070	12.1	5,270	6.4	21,360	25.8	7
Strains	28,870	13.7	25,770	12.2	13,800	6.5	57,240	27.1	9
Multiple sprains, strains, tears	710	11.5	490	8.0	390	6.3	2,770	45.0	23
Hernias due to traumatic incidents	1,150	9.0	3,060	24.1	2,670	21.0	4,520	35.5	24
Whiplash	110	12.8	80	9.3	40	4.7	220	25.6	6
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	190	27.1	30	4.3	420	60.0	66
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	—	—	—	350	76.1	90
Open wounds	12,790	13.5	10,030	10.6	4,100	4.3	11,440	12.0	4
Open wounds, unspecified	170	19.5	80	9.2	20	2.3	120	13.8	5
Amputations, avulsions, enucleations	850	11.8	970	13.5	840	11.7	2,890	40.3	23
Amputations, avulsions, enucleations, unspecified	40	13.3	20	6.7	—	—	130	43.3	11
Amputations	500	9.8	750	14.6	710	13.9	2,320	45.3	26

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Avulsions, enucleations	1312	1,590	260	16.4	150	9.4	250	15.7
Amputations, avulsions, enucleations, n.e.c.	1319	170	—	—	—	—	—	—
Cuts, lacerations	132	73,150	18,540	25.3	11,930	16.3	14,360	19.6
Puncture wounds, except gunshot wounds	133	13,510	4,230	31.3	2,060	15.2	3,310	24.5
Gunshot wounds	134	50	—	—	—	—	—	—
Multiple types of open wounds	138	180	30	16.7	30	16.7	30	16.7
Open wounds, n.e.c.	139	120	30	25.0	—	—	20	16.7
Surface wounds and bruises	14	85,530	17,140	20.0	12,660	14.8	19,220	22.5
Surface wounds and bruises, unspecified	140	380	70	18.4	50	13.2	60	15.8
Abrasions, scratches	141	8,080	2,660	32.9	1,110	13.7	1,600	19.8
Blisters	142	350	30	8.6	150	42.9	40	11.4
Bruises, contusions	143	75,070	14,040	18.7	11,080	14.8	16,910	22.5
Multiple surface wounds and bruises	148	1,180	190	16.1	200	16.9	500	42.4
Surface wounds and bruises, n.e.c.	149	470	150	31.9	60	12.8	110	23.4
Burns and corrosions	15	19,830	4,230	21.3	2,550	12.9	4,330	21.8
Burns and corrosions, unspecified	150	670	100	14.9	90	13.4	140	20.9
Chemical burns and corrosions	151	3,320	660	19.9	570	17.2	760	22.9
Chemical burns and corrosions, unspecified	1510	2,880	620	21.5	530	18.4	610	21.2
First degree chemical burns and corrosions	1511	110	30	27.3	30	27.3	30	27.3
Second degree chemical burns and corrosions	1512	160	—	—	—	—	60	37.5
Chemical burns and corrosions, n.e.c.	1519	160	—	—	—	—	70	43.8
Heat (thermal) burns	152	13,780	2,650	19.2	1,650	12.0	3,050	22.1
Heat (thermal) burns, unspecified	1520	9,580	1,770	18.5	1,220	12.7	2,250	23.5
First degree heat (thermal) burns	1521	800	170	21.2	200	25.0	240	30.0
Second degree heat (thermal) burns	1522	2,580	600	23.3	140	5.4	430	16.7
Third or fourth degree heat (thermal) burns	1523	400	—	—	—	—	30	7.5
Heat (thermal) burns, n.e.c.	1529	430	100	23.3	80	18.6	100	23.3
Electrical burns	153	740	150	20.3	20	2.7	150	20.3
Electrical burns, unspecified	1530	540	110	20.4	—	—	90	16.7
First degree electrical burns	1531	30	—	—	—	—	—	—
Second degree electrical burns	1532	30	—	—	—	—	—	—
Third or fourth degree electrical burns	1533	50	—	—	—	—	—	—
Electrical burns, n.e.c.	1539	100	20	20.0	—	—	50	50.0
Other burns	159	1,310	680	51.9	220	16.8	240	18.3
Other burns, unspecified	1590	250	80	32.0	60	24.0	40	16.0
Other burns, first degree	1591	970	600	61.9	140	14.4	180	18.6
Other burns, second degree	1592	50	—	—	—	—	—	—
Other burns, n.e.c.	1599	30	—	—	20	66.7	—	—
Intracranial injuries	16	9,430	1,260	13.4	1,520	16.1	1,960	20.8
Intracranial injuries, unspecified	160	770	70	9.1	80	10.4	140	18.2
Cerebral and other intracranial hemorrhages	161	170	—	—	—	—	—	—
Concussions	162	8,430	1,180	14.0	1,400	16.6	1,810	21.5
Multiple types of intracranial injuries	168	20	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	40	—	—	30	75.0	—	—
Effects of environmental conditions	17	3,550	1,410	39.7	690	19.4	700	19.7
Effects of reduced temperature	171	190	—	—	—	—	30	15.8
Frostbite	1711	180	—	—	—	—	20	11.1
Effects of heat and light	172	3,240	1,400	43.2	620	19.1	670	20.7
Effects of heat and light, unspecified	1720	120	20	16.7	20	16.7	50	41.7
Heat stroke	1721	350	100	28.6	60	17.1	70	20.0

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Avulsions, enucleations	300	18.9	180	11.3	60	3.8	390	24.5	7
Amputations, avulsions, enucleations, n.e.c.	—	—	30	17.6	60	35.3	60	35.3	28
Cuts, lacerations	10,450	14.3	7,820	10.7	2,560	3.5	7,480	10.2	3
Puncture wounds, except gunshot wounds	1,260	9.3	1,110	8.2	650	4.8	890	6.6	3
Gunshot wounds	—	—	—	—	—	—	20	40.0	24
Multiple types of open wounds	40	22.2	30	16.7	—	—	—	—	4
Open wounds, n.e.c.	—	—	20	16.7	—	—	30	25.0	5
Surface wounds and bruises	10,970	12.8	9,000	10.5	3,210	3.8	13,340	15.6	4
Surface wounds and bruises, unspecified	60	15.8	40	10.5	—	—	90	23.7	7
Abrasions, scratches	680	8.4	990	12.3	140	1.7	880	10.9	3
Blisters	—	—	—	—	—	—	100	28.6	2
Bruises, contusions	10,090	13.4	7,780	10.4	3,030	4.0	12,150	16.2	4
Multiple surface wounds and bruises	80	6.8	110	9.3	30	2.5	80	6.8	4
Surface wounds and bruises, n.e.c.	50	10.6	70	14.9	—	—	30	6.4	3
Burns and corrosions	2,620	13.2	2,860	14.4	940	4.7	2,290	11.5	4
Burns and corrosions, unspecified	90	13.4	130	19.4	20	3.0	100	14.9	6
Chemical burns and corrosions	420	12.7	440	13.3	190	5.7	280	8.4	4
Chemical burns and corrosions, unspecified	320	11.1	400	13.9	170	5.9	240	8.3	3
First degree chemical burns and corrosions	30	27.3	—	—	—	—	—	—	2
Second degree chemical burns and corrosions	40	25.0	20	12.5	—	—	20	12.5	6
Chemical burns and corrosions, n.e.c.	30	18.8	20	12.5	—	—	20	12.5	5
Heat (thermal) burns	1,930	14.0	2,170	15.7	690	5.0	1,660	12.0	5
Heat (thermal) burns, unspecified	1,440	15.0	1,500	15.7	430	4.5	970	10.1	5
First degree heat (thermal) burns	40	5.0	80	10.0	30	3.8	40	5.0	3
Second degree heat (thermal) burns	330	12.8	550	21.3	160	6.2	370	14.3	7
Third or fourth degree heat (thermal) burns	40	10.0	20	5.0	50	12.5	250	62.5	49
Heat (thermal) burns, n.e.c.	80	18.6	20	4.7	20	4.7	30	7.0	4
Electrical burns	110	14.9	80	10.8	30	4.1	210	28.4	7
Electrical burns, unspecified	100	18.5	60	11.1	—	—	160	29.6	7
First degree electrical burns	—	—	—	—	—	—	—	—	1
Second degree electrical burns	—	—	—	—	—	—	—	—	7
Third or fourth degree electrical burns	—	—	—	—	—	—	30	60.0	54
Electrical burns, n.e.c.	—	—	—	—	20	20.0	—	—	4
Other burns	80	6.1	40	3.1	20	1.5	40	3.1	1
Other burns, unspecified	50	20.0	20	8.0	—	—	—	—	2
Other burns, first degree	—	—	20	2.1	—	—	—	—	1
Other burns, second degree	20	40.0	—	—	—	—	20	40.0	9
Other burns, n.e.c.	—	—	—	—	—	—	—	—	2
Intracranial injuries	1,230	13.0	1,300	13.8	480	5.1	1,690	17.9	5
Intracranial injuries, unspecified	50	6.5	80	10.4	130	16.9	210	27.3	14
Cerebral and other intracranial hemorrhages	—	—	—	—	—	—	150	88.2	45
Concussions	1,170	13.9	1,210	14.4	350	4.2	1,320	15.7	5
Multiple types of intracranial injuries	—	—	—	—	—	—	—	—	58
Intracranial injuries, n.e.c.	—	—	—	—	—	—	—	—	2
Effects of environmental conditions	370	10.4	190	5.4	50	1.4	150	4.2	2
Effects of reduced temperature	90	47.4	40	21.1	—	—	20	10.5	7
Frostbite	90	50.0	40	22.2	—	—	—	—	7
Effects of heat and light	280	8.6	150	4.6	40	1.2	90	2.8	2
Effects of heat and light, unspecified	—	—	20	16.7	—	—	—	—	4
Heat stroke	50	14.3	40	11.4	—	—	20	5.7	3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Heat syncope	1722	210	90	42.9	50	23.8	40	19.0
Heat fatigue	1723	150	50	33.3	20	13.3	20	13.3
Heat exhaustion, prostration	1725	1,840	820	44.6	390	21.2	360	19.6
Multiple effects of heat and light	1728	30	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	510	260	51.0	70	13.7	120	23.5
Effects of air or water pressure	173	100	—	—	—	—	—	—
Aero-otitis media	1731	40	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	50	—	—	—	—	—	—
Effects of environmental conditions, n.e.c.	179	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	28,180	3,170	11.2	2,710	9.6	4,540	16.1
Multiple traumatic injuries and disorders, unspecified	180	1,210	60	5.0	120	9.9	160	13.2
Cuts and abrasions or bruises	181	4,490	820	18.3	570	12.7	1,150	25.6
Sprains and other injuries	182	12,210	1,500	12.3	1,570	12.9	2,020	16.5
Sprains and other injuries, unspecified	1820	470	60	12.8	50	10.6	230	48.9
Sprains and bruises	1821	9,690	1,170	12.1	1,330	13.7	1,490	15.4
Sprains and cuts	1822	780	120	15.4	110	14.1	90	11.5
Sprains and other injuries, n.e.c.	1829	1,260	160	12.7	70	5.6	200	15.9
Fractures and other injuries	183	6,180	390	6.3	180	2.9	430	7.0
Fractures and other injuries, unspecified	1830	1,050	80	7.6	20	1.9	90	8.6
Fractures (except skull fractures) and concussions	1831	290	—	—	20	6.9	30	10.3
Fractures (except rib, trunk fractures) and internal injuries	1832	70	—	—	—	—	—	—
Fractures and burns	1833	30	—	—	—	—	—	—
Fractures and dislocations	1834	220	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	4,530	300	6.6	130	2.9	300	6.6
Burns and other injuries, except fractures	184	160	20	12.5	40	25.0	30	18.8
Burns and other injuries, n.e.c.	1849	120	20	16.7	—	—	30	25.0
Multiple traumatic injuries and disorders, n.e.c.	189	3,930	370	9.4	230	5.9	750	19.1
Other traumatic injuries and disorders	19	179,280	28,900	16.1	20,360	11.4	30,840	17.2
Other traumatic injuries and disorders, unspecified ...	190	190	20	10.5	50	26.3	20	10.5
Asphyxiations, strangulations, suffocations	191	680	60	8.8	—	—	—	—
Electrocutions, electric shocks	193	980	420	42.9	140	14.3	100	10.2
Internal injuries to organs and blood vessels of the trunk	194	120	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute	195	2,150	570	26.5	350	16.3	590	27.4
Dermatitis and reactions affecting the skin—acute, unspecified	1950	980	210	21.4	190	19.4	270	27.6
Allergic dermatitis—acute	1951	660	260	39.4	80	12.1	200	30.3
Irritant dermatitis—acute	1952	300	70	23.3	50	16.7	100	33.3
Hives, urticaria—acute	1953	110	20	18.2	—	—	20	18.2
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	90	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	6,460	2,010	31.1	1,190	18.4	1,250	19.3
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,040	540	26.5	390	19.1	400	19.6
Poisoning, including poisoning-related asphyxia ...	1961	710	190	26.8	120	16.9	100	14.1
Anaphylactic shock, anaphylaxis	1962	20	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,190	320	26.9	210	17.6	270	22.7

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Heat syncope	—	—	—	—	—	—	—	—	2
Heat fatigue	—	—	50	33.3	—	—	—	—	3
Heat exhaustion, prostration	200	10.9	30	1.6	—	—	40	2.2	2
Multiple effects of heat and light	—	—	—	—	—	—	—	—	1
Effects of heat and light, n.e.c.	20	3.9	—	—	—	—	20	3.9	1
Effects of air or water pressure	—	—	—	—	—	—	30	30.0	2
Aero-otitis media	—	—	—	—	—	—	30	75.0	39
Effects of air or water pressure, n.e.c.	—	—	—	—	—	—	—	—	2
Effects of environmental conditions, n.e.c.	—	—	—	—	—	—	—	—	2
Multiple traumatic injuries and disorders	3,480	12.3	3,370	12.0	1,990	7.1	8,920	31.7	11
Multiple traumatic injuries and disorders, unspecified	110	9.1	140	11.6	50	4.1	550	45.5	19
Cuts and abrasions or bruises	570	12.7	590	13.1	250	5.6	530	11.8	5
Sprains and other injuries	1,230	10.1	1,410	11.5	800	6.6	3,680	30.1	10
Sprains and other injuries, unspecified	30	6.4	20	4.3	—	—	70	14.9	4
Sprains and bruises	1,000	10.3	970	10.0	710	7.3	3,020	31.2	10
Sprains and cuts	90	11.5	240	30.8	30	3.8	110	14.1	10
Sprains and other injuries, n.e.c.	110	8.7	180	14.3	50	4.0	490	38.9	16
Fractures and other injuries	830	13.4	760	12.3	610	9.9	2,980	48.2	28
Fractures and other injuries, unspecified	90	8.6	110	10.5	170	16.2	480	45.7	28
Fractures (except skull fractures) and concussions	20	6.9	—	—	—	—	200	69.0	92
Fractures (except rib, trunk fractures) and internal injuries	—	—	30	42.9	—	—	40	57.1	31
Fractures and burns	—	—	—	—	—	—	20	66.7	66
Fractures and dislocations	—	—	40	18.2	20	9.1	140	63.6	55
Fractures and other injuries, n.e.c.	720	15.9	570	12.6	400	8.8	2,110	46.6	25
Burns and other injuries, except fractures	—	—	—	—	—	—	40	25.0	4
Burns and other injuries, n.e.c.	—	—	—	—	—	—	40	33.3	7
Multiple traumatic injuries and disorders, n.e.c.	730	18.6	450	11.5	270	6.9	1,140	29.0	9
Other traumatic injuries and disorders	19,950	11.1	17,960	10.0	10,990	6.1	50,280	28.0	7
Other traumatic injuries and disorders, unspecified ...	30	15.8	20	10.5	—	—	50	26.3	7
Asphyxiations, strangulations, suffocations	310	45.6	—	—	—	—	270	39.7	7
Electrocutions, electric shocks	80	8.2	40	4.1	20	2.0	160	16.3	2
Internal injuries to organs and blood vessels of the trunk	30	25.0	30	25.0	20	16.7	40	33.3	24
Dermatitis and reactions affecting the skin—acute	210	9.8	140	6.5	110	5.1	180	8.4	3
Dermatitis and reactions affecting the skin—acute, unspecified	130	13.3	50	5.1	30	3.1	100	10.2	3
Allergic dermatitis—acute	40	6.1	40	6.1	40	6.1	—	—	2
Irritant dermatitis—acute	—	—	30	10.0	—	—	30	10.0	3
Hives, urticaria—acute	—	—	—	—	—	—	40	36.4	29
Dermatitis and reactions affecting the skin—acute, n.e.c.	30	33.3	20	22.2	—	—	—	—	7
Other poisoning, toxic, noxious, or allergenic effects	550	8.5	580	9.0	420	6.5	450	7.0	3
Poisoning, toxic, noxious, or allergenic effect, unspecified	160	7.8	420	20.6	70	3.4	60	2.9	3
Poisoning, including poisoning-related asphyxia ...	40	5.6	40	5.6	20	2.8	200	28.2	4
Anaphylactic shock, anaphylaxis	—	—	—	—	—	—	—	—	2
Other respiratory system symptoms—toxic, noxious, or allergenic effect	200	16.8	60	5.0	30	2.5	100	8.4	3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	150	—	—	60	40.0	50	33.3
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	560	280	50.0	90	16.1	130	23.2
Other or unspecified allergic reactions	1966	1,060	390	36.8	140	13.2	180	17.0
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	200	80	40.0	70	35.0	30	15.0
Multiple poisoning, toxic, noxious, or allergenic effects	1968	210	100	47.6	20	9.5	40	19.0
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	330	110	33.3	90	27.3	40	12.1
Nonspecified injuries and disorders	197	167,780	25,730	15.3	18,560	11.1	28,810	17.2
Crushing injuries	1971	9,210	980	10.6	1,010	11.0	1,700	18.5
Soreness, pain, hurt—nonspecified injury	1972	135,140	18,110	13.4	13,820	10.2	23,360	17.3
Swelling, inflammation, irritation—nonspecified injury	1973	17,840	6,080	34.1	2,970	16.6	2,660	14.9
Numbness—nonspecified injury	1974	880	40	4.5	80	9.1	110	12.5
Multiple nonspecified injuries and disorders	1978	2,490	230	9.2	400	16.1	390	15.7
Nonspecified injuries and disorders, n.e.c.	1979	2,230	280	12.6	280	12.6	600	26.9
Other traumatic injuries and disorders, n.e.c.	199	920	80	8.7	60	6.5	60	6.5
Traumatic shock	1991	50	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	870	80	9.2	60	6.9	60	6.9
Diseases and disorders of body systems	2	21,480	1,640	7.6	1,450	6.8	3,000	14.0
Systemic diseases and disorders, unspecified	20	30	—	—	—	—	—	—
Nervous system and sense organs diseases	22	9,980	770	7.7	460	4.6	1,230	12.3
Degenerative diseases of the central nervous system	222	90	—	—	—	—	—	—
Other disorders of the central nervous system	223	190	60	31.6	—	—	70	36.8
Seizure disorder, epilepsy	2231	130	40	30.8	—	—	60	46.2
Migraine	2232	40	20	50.0	—	—	—	—
Disorders of the peripheral nervous system	224	8,510	210	2.5	320	3.8	850	10.0
Disorders of the peripheral nervous system, unspecified	2240	110	—	—	—	—	—	—
Carpal tunnel syndrome	2241	7,590	210	2.8	280	3.7	830	10.9
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	20	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	790	—	—	30	3.8	—	—
Disorders of the eye, adnexa, vision	225	990	480	48.5	120	12.1	260	26.3
Disorders of the eye, adnexa, vision, unspecified ..	2250	110	40	36.4	—	—	50	45.5
Conjunctivitis—non-viral	2251	570	320	56.1	70	12.3	140	24.6
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	40	—	—	—	—	—	—
Blindness, low vision	2254	30	20	66.7	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	210	90	42.9	30	14.3	50	23.8
Disorders of the ear, mastoid process, hearing	226	190	—	—	—	—	40	21.1
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	110	—	—	—	—	30	27.3
Tinnitus	2262	50	—	—	—	—	—	—
Circulatory system diseases	23	520	70	13.5	20	3.8	50	9.6

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	2
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	30	5.4	30	5.4	2
Other or unspecified allergic reactions	40	3.8	—	—	260	24.5	40	3.8	2
Nausea, vomiting— toxic, noxious, or allergenic effect	20	10.0	—	—	—	—	—	—	2
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	30	14.3	—	—	—	—	2
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	60	18.2	—	—	—	—	—	—	2
Nonspecified injuries and disorders	18,600	11.1	17,060	10.2	10,390	6.2	48,630	29.0	8
Crushing injuries	1,190	12.9	1,170	12.7	580	6.3	2,570	27.9	10
Soreness, pain, hurt—nonspecified injury	15,120	11.2	14,170	10.5	8,550	6.3	42,010	31.1	10
Swelling, inflammation, irritation—nonspecified injury	1,800	10.1	1,040	5.8	770	4.3	2,530	14.2	2
Numbness—nonspecified injury	70	8.0	140	15.9	100	11.4	340	38.6	21
Multiple nonspecified injuries and disorders	210	8.4	340	13.7	150	6.0	770	30.9	11
Nonspecified injuries and disorders, n.e.c.	210	9.4	200	9.0	240	10.8	420	18.8	5
Other traumatic injuries and disorders, n.e.c.	130	14.1	60	6.5	20	2.2	500	54.3	39
Traumatic shock	—	—	—	—	—	—	40	80.0	70
Traumatic injuries and disorders, n.e.c.	130	14.9	60	6.9	20	2.3	460	52.9	35
Diseases and disorders of body systems	2,090	9.7	3,110	14.5	1,830	8.5	8,350	38.9	18
Systemic diseases and disorders, unspecified	—	—	—	—	—	—	—	—	1
Nervous system and sense organs diseases	690	6.9	1,460	14.6	880	8.8	4,490	45.0	26
Degenerative diseases of the central nervous system	—	—	—	—	—	—	80	88.9	180
Other disorders of the central nervous system	—	—	—	—	—	—	20	10.5	3
Seizure disorder, epilepsy	—	—	—	—	—	—	—	—	3
Migraine	—	—	—	—	—	—	—	—	2
Disorders of the peripheral nervous system	590	6.9	1,390	16.3	860	10.1	4,300	50.5	31
Disorders of the peripheral nervous system, unspecified	—	—	40	36.4	—	—	30	27.3	15
Carpal tunnel syndrome	560	7.4	1,280	16.9	810	10.7	3,620	47.7	30
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	—	—	—	—	—	—	21
Disorders of the peripheral nervous system, n.e.c.	—	—	50	6.3	40	5.1	650	82.3	92
Disorders of the eye, adnexa, vision	50	5.1	40	4.0	20	2.0	30	3.0	2
Disorders of the eye, adnexa, vision, unspecified ..	—	—	—	—	—	—	—	—	5
Conjunctivitis—non-viral	20	3.5	—	—	—	—	—	—	1
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	—	—	—	—	—	2
Blindness, low vision	—	—	—	—	—	—	—	—	2
Disorders of the eye, adnexa, vision, n.e.c.	20	9.5	—	—	—	—	—	—	2
Disorders of the ear, mastoid process, hearing	40	21.1	30	15.8	—	—	60	31.6	10
Disorders of the ear, mastoid process, hearing, unspecified	—	—	—	—	—	—	—	—	74
Deafness, hearing loss and impairment	20	18.2	—	—	—	—	40	36.4	10
Tinnitus	—	—	—	—	—	—	—	—	20
Circulatory system diseases	40	7.7	60	11.5	30	5.8	240	46.2	26

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Hypertensive disease	232	20	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	270	—	—	—	—	40	14.8
Ischemic heart disease, unspecified	2330	30	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	240	—	—	—	—	30	12.5
Other forms of heart disease	235	20	—	—	—	—	—	—
Cerebrovascular disease	236	120	—	—	—	—	—	—
Stroke	2361	90	—	—	—	—	—	—
Transient ischemia attacks	2362	20	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	237	30	30	100.0	—	—	—	—
Aneurysm—nontraumatic	2372	30	20	66.7	—	—	—	—
Diseases of the veins, lymphatics	238	20	—	—	—	—	—	—
Respiratory system diseases	24	880	60	6.8	380	43.2	120	13.6
Respiratory system diseases, unspecified	240	90	—	—	30	33.3	—	—
Acute respiratory infections (including common cold)	241	60	—	—	—	—	20	33.3
Other diseases of upper respiratory tract	242	40	—	—	—	—	—	—
Chronic conditions of upper respiratory tract	2422	20	—	—	—	—	—	—
Pneumonia, influenza	243	470	—	—	320	68.1	50	10.6
Pneumonia	2431	20	—	—	—	—	—	—
Influenza—common	2432	370	—	—	310	83.8	50	13.5
Influenza—novel	2433	80	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	170	30	17.6	20	11.8	40	23.5
Asthma, except intrinsic	2443	100	20	20.0	—	—	30	30.0
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	2449	40	—	—	—	—	—	—
Pneumoconioses	245	30	—	—	—	—	—	—
Coal workers pneumoconiosis	2451	20	—	—	—	—	—	—
Other respiratory system diseases	249	30	—	—	—	—	—	—
Digestive system diseases and disorders	25	670	—	—	—	—	—	—
Hernia—nontraumatic	253	650	—	—	—	—	—	—
Genitourinary system diseases and disorders	26	30	—	—	—	—	20	66.7
Genitourinary system diseases and disorders, n.e.c.	269	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	7,760	580	7.5	450	5.8	1,250	16.1
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	190	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	271	140	—	—	—	—	—	—
Dorsopathies	272	550	60	10.9	30	5.5	100	18.2
Sciatica	2721	260	20	7.7	—	—	40	15.4
Lumbago	2722	60	30	50.0	—	—	—	—
Disc disorders, except dislocation	2723	60	—	—	—	—	—	—
Dorsopathies, n.e.c.	2729	170	—	—	20	11.8	60	35.3
Soft tissue disorders, except the back	273	6,770	460	6.8	400	5.9	1,130	16.7
Soft tissue disorder, except the back, unspecified	2730	300	—	—	30	10.0	20	6.7
Bursitis	2731	550	60	10.9	40	7.3	110	20.0
Stenosing tenosynovitis	2732	980	60	6.1	30	3.1	130	13.3
Other tenosynovitis, synovitis	2733	410	—	—	20	4.9	100	24.4
Epicondylitis	2734	1,130	100	8.8	70	6.2	200	17.7
Other or unspecified tendonitis (tendinitis)	2735	2,600	180	6.9	150	5.8	440	16.9
Ganglion or cystic tumor	2736	320	20	6.2	—	—	30	9.4

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Hypertensive disease	—	—	—	—	—	—	—	—	1
Ischemic heart disease, including heart attack	30	11.1	40	14.8	20	7.4	140	51.9	29
Ischemic heart disease, unspecified	—	—	—	—	—	—	—	—	90
Myocardial infarction (heart attack)	20	8.3	40	16.7	20	8.3	110	45.8	27
Other forms of heart disease	—	—	—	—	—	—	—	—	151
Cerebrovascular disease	—	—	—	—	—	—	80	66.7	60
Stroke	—	—	—	—	—	—	60	66.7	77
Transient ischemia attacks	—	—	—	—	—	—	20	100.0	86
Diseases of arteries, arterioles, capillaries	—	—	—	—	—	—	—	—	1
Aneurysm—nontraumatic	—	—	—	—	—	—	—	—	1
Diseases of the veins, lymphatics	—	—	—	—	—	—	—	—	5
Respiratory system diseases	110	12.5	40	4.5	—	—	170	19.3	3
Respiratory system diseases, unspecified	—	—	—	—	—	—	40	44.4	3
Acute respiratory infections (including common cold)	—	—	—	—	—	—	—	—	5
Other diseases of upper respiratory tract	—	—	—	—	—	—	20	50.0	31
Chronic conditions of upper respiratory tract	—	—	—	—	—	—	—	—	50
Pneumonia, influenza	70	14.9	—	—	—	—	—	—	2
Pneumonia	—	—	—	—	—	—	—	—	60
Influenza—common	—	—	—	—	—	—	—	—	2
Influenza—novel	70	87.5	—	—	—	—	—	—	7
Chronic obstructive pulmonary disease and allied conditions	20	11.8	20	11.8	—	—	40	23.5	6
Asthma, except intrinsic	—	—	20	20.0	—	—	20	20.0	3
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	—	—	—	—	—	—	—	—	6
Pneumoconioses	—	—	—	—	—	—	30	100.0	64
Coal workers pneumoconiosis	—	—	—	—	—	—	—	—	116
Other respiratory system diseases	—	—	—	—	—	—	—	—	14
Digestive system diseases and disorders	50	7.5	260	38.8	90	13.4	230	34.3	19
Hernia—nontraumatic	50	7.7	260	40.0	90	13.8	230	35.4	19
Genitourinary system diseases and disorders	—	—	—	—	—	—	—	—	5
Genitourinary system diseases and disorders, n.e.c.	—	—	—	—	—	—	—	—	5
Musculoskeletal system and connective tissue diseases and disorders	950	12.2	1,000	12.9	710	9.1	2,830	36.5	15
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	—	—	30	15.8	130	68.4	49
Arthropathies and related disorders (arthritis)	—	—	20	14.3	20	14.3	80	57.1	39
Dorsopathies	80	14.5	20	3.6	40	7.3	220	40.0	12
Sciatica	50	19.2	—	—	30	11.5	110	42.3	22
Lumbago	—	—	—	—	—	—	—	—	3
Disc disorders, except dislocation	—	—	—	—	—	—	30	50.0	78
Dorsopathies, n.e.c.	—	—	—	—	—	—	60	35.3	5
Soft tissue disorders, except the back	850	12.6	950	14.0	610	9.0	2,370	35.0	15
Soft tissue disorder, except the back, unspecified	—	—	30	10.0	—	—	180	60.0	44
Bursitis	100	18.2	130	23.6	30	5.5	80	14.5	9
Stenosing tenosynovitis	110	11.2	140	14.3	80	8.2	440	44.9	24
Other tenosynovitis, synovitis	30	7.3	60	14.6	40	9.8	160	39.0	19
Epicondylitis	110	9.7	130	11.5	30	2.7	480	42.5	15
Other or unspecified tendonitis (tendinitis)	360	13.8	360	13.8	380	14.6	720	27.7	15
Ganglion or cystic tumor	60	18.8	50	15.6	30	9.4	120	37.5	19

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple soft tissue disorders	2738	110	—	—	—	—	40	36.4
Soft tissue disorder, except the back, n.e.c.	2739	370	20	5.4	30	8.1	60	16.2
Osteopathies, chondropathies, and acquired deformities	274	90	50	55.6	—	—	—	—
Osteopathies, chondropathies, and acquired deformities, unspecified	2740	80	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	20	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	1,500	110	7.3	120	8.0	310	20.7
Disorders of the skin and subcutaneous tissue, unspecified	280	20	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	1,350	100	7.4	90	6.7	270	20.0
Infections of the skin and subcutaneous tissue, unspecified	2810	270	—	—	40	14.8	50	18.5
Cellulitis and abscess	2811	680	80	11.8	40	5.9	170	25.0
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	110	—	—	—	—	20	18.2
Other staphylococcus skin infection	2814	260	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	40	—	—	—	—	20	50.0
Other diseases and disorders of the skin and subcutaneous tissue	289	120	—	—	30	25.0	40	33.3
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	80	—	—	20	25.0	30	37.5
Other systemic diseases and disorders	29	100	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	291	100	—	—	—	—	—	—
Diseases and disorders of other endocrine glands	2912	60	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	—	—	—	—
Infectious and parasitic diseases	3	1,740	370	21.3	150	8.6	460	26.4
Infectious and parasitic diseases, unspecified	30	170	—	—	—	—	—	—
Bacterial diseases	31	270	30	11.1	—	—	170	63.0
Bacterial diseases, unspecified	310	80	—	—	—	—	80	100.0
Tuberculosis	311	30	—	—	—	—	—	—
Other bacterial diseases	319	150	30	20.0	—	—	80	53.3
Diphtheria, whooping cough	3192	90	—	—	—	—	70	77.8
Streptococcal sore throat and scarlatina	3193	20	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	3199	40	—	—	—	—	—	—
Viral diseases	32	300	20	6.7	20	6.7	100	33.3
Viral diseases, unspecified	320	50	—	—	—	—	40	80.0
Viral diseases accompanied by exanthem (eruptive fever)	323	120	—	—	—	—	20	16.7
Chickenpox, varicella	3233	90	—	—	—	—	—	—
Herpes zoster, shingles	3234	20	—	—	—	—	—	—
Viral diseases of the conjunctiva	326	20	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	3261	20	—	—	—	—	—	—
Other diseases due to viruses	329	80	—	—	20	25.0	—	—
Foot and mouth disease	3294	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple soft tissue disorders	—	—	—	—	—	—	40	36.4	3
Soft tissue disorder, except the back, n.e.c.	50	13.5	40	10.8	—	—	150	40.5	16
Osteopathies, chondropathies, and acquired deformities	—	—	—	—	—	—	30	33.3	1
Osteopathies, chondropathies, and acquired deformities, unspecified	—	—	—	—	—	—	30	37.5	1
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	—	—	—	—	—	—	16
Disorders of the skin and subcutaneous tissue	240	16.0	280	18.7	110	7.3	320	21.3	9
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—	—	—	1
Infections of the skin and subcutaneous tissue	220	16.3	250	18.5	100	7.4	320	23.7	11
Infections of the skin and subcutaneous tissue, unspecified	50	18.5	70	25.9	30	11.1	20	7.4	8
Cellulitis and abscess	120	17.6	80	11.8	60	8.8	130	19.1	8
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	—	—	—	—	50	45.5	29
Other staphylococcus skin infection	40	15.4	100	38.5	—	—	120	46.2	14
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—	—	—	4
Other diseases and disorders of the skin and subcutaneous tissue	—	—	20	16.7	—	—	—	—	3
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—	—	—	3
Other systemic diseases and disorders	—	—	—	—	—	—	70	70.0	96
Endocrine, nutritional, metabolic, and immunity disorders	—	—	—	—	—	—	60	60.0	96
Diseases and disorders of other endocrine glands	—	—	—	—	—	—	—	—	96
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	—	—	—	—	—	5
Infectious and parasitic diseases	230	13.2	200	11.5	80	4.6	260	14.9	5
Infectious and parasitic diseases, unspecified	—	—	—	—	—	—	160	94.1	48
Bacterial diseases	20	7.4	20	7.4	—	—	20	7.4	5
Bacterial diseases, unspecified	—	—	—	—	—	—	—	—	5
Tuberculosis	—	—	—	—	—	—	—	—	18
Other bacterial diseases	20	13.3	—	—	—	—	—	—	5
Diphtheria, whooping cough	—	—	—	—	—	—	—	—	5
Streptococcal sore throat and scarlatina	—	—	—	—	—	—	—	—	1
Other bacterial diseases, n.e.c.	—	—	—	—	—	—	—	—	5
Viral diseases	60	20.0	70	23.3	20	6.7	20	6.7	7
Viral diseases, unspecified	—	—	—	—	—	—	—	—	5
Viral diseases accompanied by exanthem (eruptive fever)	30	25.0	50	41.7	—	—	—	—	12
Chickenpox, varicella	30	33.3	40	44.4	—	—	—	—	12
Herpes zoster, shingles	—	—	—	—	—	—	—	—	5
Viral diseases of the conjunctiva	—	—	—	—	—	—	—	—	3
Viral conjunctivitis (ophthalmia)	—	—	—	—	—	—	—	—	3
Other diseases due to viruses	30	37.5	—	—	—	—	—	—	6
Foot and mouth disease	—	—	—	—	—	—	—	—	2

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Other diseases due to viruses, n.e.c.	3299	60	—	—	—	—	—	—
Mycoses (fungal infections)	34	30	—	—	—	—	—	—
Dermatophytosis (including athlete's foot, tinea)	341	20	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	270	—	—	—	—	50	18.5
Infectious diseases peculiar to the intestines, unspecified	360	60	—	—	—	—	30	50.0
Typhoid and paratyphoid fevers	362	60	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	369	120	—	—	—	—	—	—
Other infectious and parasitic diseases	39	700	290	41.4	110	15.7	140	20.0
Other infectious and parasitic diseases, unspecified	390	20	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	391	30	20	66.7	—	—	—	—
Scabies and other acariases	392	640	260	40.6	110	17.2	140	21.9
Neoplasms, tumors, and cancers	4	40	—	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	5,400	1,660	30.7	920	17.0	820	15.2
Symptoms, signs, and ill-defined conditions, unspecified	50	90	40	44.4	20	22.2	—	—
Symptoms	51	5,180	1,590	30.7	850	16.4	800	15.4
Symptoms, unspecified	510	60	20	33.3	—	—	—	—
General symptoms	511	3,410	960	28.2	610	17.9	550	16.1
General symptoms, unspecified	5110	30	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	1,650	570	34.5	180	10.9	270	16.4
Convulsions, seizures	5112	500	110	22.0	70	14.0	40	8.0
Malaise and fatigue	5113	30	—	—	—	—	—	—
Dizziness—general	5114	540	200	37.0	110	20.4	130	24.1
Inflammation, swelling—general	5115	100	—	—	30	30.0	20	20.0
Numbness—general	5116	80	—	—	—	—	—	—
Multiple general symptoms	5118	380	50	13.2	150	39.5	50	13.2
General symptoms, n.e.c.	5119	100	20	20.0	50	50.0	20	20.0
Symptoms involving nervous and musculoskeletal systems	512	80	40	50.0	—	—	—	—
Earache	5122	30	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	—	—
Symptoms involving head and neck	514	600	370	61.7	70	11.7	60	10.0
Headache, except migraine	5141	550	360	65.5	70	12.7	40	7.3
Symptoms involving head and neck, n.e.c.	5149	40	—	—	—	—	20	50.0
Symptoms involving cardiovascular system	515	140	—	—	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	120	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	610	140	23.0	130	21.3	80	13.1
Symptoms involving respiratory system and chest, unspecified	5160	250	70	28.0	20	8.0	50	20.0
Chest pain	5164	150	30	20.0	50	33.3	20	13.3
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	180	30	16.7	60	33.3	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Other diseases due to viruses, n.e.c.	30	50.0	—	—	—	—	—	—	10
Mycoses (fungal infections)	—	—	—	—	—	—	—	—	1
Dermatophytosis (including athlete's foot, tinea)	—	—	—	—	—	—	—	—	1
Infectious diseases peculiar to the intestines	110	40.7	20	7.4	—	—	60	22.2	7
Infectious diseases peculiar to the intestines, unspecified	—	—	—	—	—	—	—	—	4
Typhoid and paratyphoid fevers	—	—	—	—	—	—	—	—	39
Infectious diseases peculiar to the intestines, n.e.c. ..	80	66.7	—	—	—	—	—	—	7
Other infectious and parasitic diseases	40	5.7	70	10.0	—	—	—	—	2
Other infectious and parasitic diseases, unspecified	—	—	—	—	—	—	—	—	11
Pediculosis and phthirus infestation (lice)	—	—	—	—	—	—	—	—	1
Scabies and other acariases	40	6.2	50	7.8	—	—	—	—	2
Neoplasms, tumors, and cancers	—	—	—	—	—	—	30	75.0	47
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	—	—	—	—	—	—	—	—	180
Symptoms, signs, and ill-defined conditions	660	12.2	580	10.7	100	1.9	660	12.2	3
Symptoms, signs, and ill-defined conditions, unspecified	20	22.2	—	—	—	—	—	—	2
Symptoms	620	12.0	580	11.2	100	1.9	650	12.5	3
Symptoms, unspecified	—	—	—	—	—	—	30	50.0	38
General symptoms	330	9.7	460	13.5	50	1.5	450	13.2	3
General symptoms, unspecified	—	—	—	—	—	—	—	—	4
Loss of consciousness—not heat related	120	7.3	170	10.3	—	—	320	19.4	3
Convulsions, seizures	20	4.0	240	48.0	—	—	—	—	11
Malaise and fatigue	20	66.7	—	—	—	—	—	—	10
Dizziness—general	40	7.4	20	3.7	—	—	30	5.6	2
Inflammation, swelling—general	20	20.0	—	—	—	—	—	—	4
Numbness—general	—	—	—	—	—	—	60	75.0	56
Multiple general symptoms	100	26.3	—	—	—	—	—	—	2
General symptoms, n.e.c.	—	—	—	—	—	—	—	—	2
Symptoms involving nervous and musculoskeletal systems	—	—	40	50.0	—	—	—	—	16
Earache	—	—	—	—	—	—	—	—	1
Symptoms involving skin and other integumentary tissue	—	—	—	—	—	—	—	—	10
Symptoms involving head and neck	50	8.3	—	—	—	—	20	3.3	1
Headache, except migraine	50	9.1	—	—	—	—	20	3.6	1
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—	—	—	3
Symptoms involving cardiovascular system	120	85.7	—	—	—	—	—	—	7
Unspecified tachycardia (rapid heartbeat)	—	—	—	—	—	—	—	—	7
Symptoms involving respiratory system and chest	100	16.4	40	6.6	40	6.6	90	14.8	4
Symptoms involving respiratory system and chest, unspecified	60	24.0	—	—	—	—	40	16.0	4
Chest pain	—	—	—	—	—	—	30	20.0	2
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—	—	—	3
Symptoms involving respiratory system and chest, n.e.c.	30	16.7	—	—	30	16.7	20	11.1	5

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms involving digestive and urinary system	517	140	30	21.4	—	—	40	28.6
Nausea and vomiting—general	5171	40	—	—	—	—	—	—
Abdominal pain, unspecified	5174	90	—	—	—	—	40	44.4
Multiple symptoms	518	100	20	20.0	20	20.0	50	50.0
Abnormal findings	52	80	—	—	40	50.0	—	—
Other abnormal findings	529	70	—	—	40	57.1	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	2,830	120	4.2	160	5.7	260	9.2
Damage to prosthetic and orthopedic devices	61	50	—	—	—	—	—	—
Damage to orthopedic devices	612	40	—	—	—	—	—	—
Damage to pins, rods, plates, and screws	6122	40	—	—	—	—	—	—
Mental disorders and syndromes	62	2,780	120	4.3	160	5.8	250	9.0
Mental disorders and syndromes, unspecified	620	150	—	—	—	—	60	40.0
Anxiety, stress	621	2,610	120	4.6	160	6.1	190	7.3
Anxiety, stress, unspecified	6210	1,630	100	6.1	100	6.1	80	4.9
Post-traumatic stress disorder	6211	560	—	—	30	5.4	80	14.3
Adjustment disorder	6212	20	—	—	—	—	—	—
Anxiety or panic disorder	6213	130	—	—	20	15.4	—	—
Anxiety, stress, n.e.c.	6219	270	20	7.4	—	—	20	7.4
Exposures to disease—no illness incurred	7	280	40	14.3	50	17.9	100	35.7
Multiple diseases, conditions, and disorders	8	510	60	11.8	20	3.9	50	9.8
Nonclassifiable	9999	3,640	690	19.0	190	5.2	420	11.5

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Symptoms involving digestive and urinary system	—	—	—	—	—	—	40	28.6	5
Nausea and vomiting—general	—	—	—	—	—	—	—	—	2
Abdominal pain, unspecified	—	—	—	—	—	—	30	33.3	5
Multiple symptoms	—	—	—	—	—	—	—	—	3
Abnormal findings	—	—	—	—	—	—	—	—	2
Other abnormal findings	—	—	—	—	—	—	—	—	2
Symptoms, signs, and ill-defined conditions, n.e.c.	20	50.0	—	—	—	—	—	—	6
Other diseases, conditions, and disorders	350	12.4	310	11.0	250	8.8	1,390	49.1	30
Damage to prosthetic and orthopedic devices	—	—	—	—	40	80.0	—	—	22
Damage to orthopedic devices	—	—	—	—	40	100.0	—	—	22
Damage to pins, rods, plates, and screws	—	—	—	—	40	100.0	—	—	22
Mental disorders and syndromes	350	12.6	300	10.8	210	7.6	1,390	50.0	30
Mental disorders and syndromes, unspecified	—	—	—	—	—	—	60	40.0	19
Anxiety, stress	340	13.0	290	11.1	210	8.0	1,310	50.2	31
Anxiety, stress, unspecified	260	16.0	180	11.0	120	7.4	800	49.1	30
Post-traumatic stress disorder	40	7.1	70	12.5	—	—	320	57.1	74
Adjustment disorder	—	—	—	—	—	—	—	—	100
Anxiety or panic disorder	30	23.1	30	23.1	—	—	20	15.4	8
Anxiety, stress, n.e.c.	—	—	—	—	60	22.2	150	55.6	34
Exposures to disease—no illness incurred	30	10.7	30	10.7	20	7.1	20	7.1	4
Multiple diseases, conditions, and disorders	40	7.8	50	9.8	30	5.9	270	52.9	38
Nonclassifiable	410	11.3	370	10.2	530	14.6	1,010	27.7	13

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.