

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2012²

Part of body	Part of body code ³	Private industry ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		918,720	5,030	74,670	89,350	189,830	146,970	126,040	63,810	18,330	6,550	890	197,240
Head	1	66,880	340	4,680	6,670	14,870	11,750	9,380	5,320	1,210	370	70	12,210
Head, unspecified	10	14,870	80	960	1,670	3,710	2,720	2,150	960	200	140	40	2,240
Cranial region, including skull	11	13,980	150	1,360	1,420	3,210	2,830	1,640	970	250	50	20	2,090
Cranial region, unspecified	110	380	—	—	40	60	30	20	—	—	—	—	200
Brain	111	9,940	130	960	1,080	2,120	2,190	1,170	610	160	40	—	1,470
Scalp	112	2,980	—	360	230	840	480	400	280	70	—	—	290
Skull	113	410	—	30	50	110	90	40	30	—	—	—	40
Multiple cranial region locations	118	160	—	—	—	30	—	—	—	—	—	—	80
Cranial region, n.e.c.	119	120	—	—	—	40	20	—	—	—	—	—	—
Ear(s)	12	1,090	—	40	90	100	110	60	50	—	50	—	590
Face	13	35,980	100	2,220	3,400	7,590	5,950	5,410	3,270	730	120	—	7,180
Face, unspecified	130	3,580	20	230	530	1,010	490	520	130	80	—	—	550
Forehead	131	2,530	20	200	260	550	510	390	200	50	—	—	340
Eye(s)	132	21,370	—	1,050	1,630	4,200	3,570	3,330	2,110	400	80	—	4,960
Nose, nasal cavity	133	2,320	20	250	260	450	290	340	260	60	—	—	400
Nose, except internal location of diseases or disorders	1330	2,310	20	250	260	440	290	340	260	60	—	—	390
Cheek(s)	134	410	—	—	40	130	60	20	30	—	—	—	100
Jaw, chin	135	1,120	—	130	70	160	210	190	30	—	—	—	320
Mouth	136	2,370	—	190	310	560	370	180	390	50	—	—	300
Mouth, unspecified	1360	200	—	—	—	30	20	40	—	40	—	—	60
Lip(s)	1361	500	—	70	50	160	80	70	30	—	—	—	30
Tongue	1362	20	—	—	—	—	—	—	—	—	—	—	—
Tooth (teeth)	1363	1,140	—	110	250	330	170	60	40	—	—	—	180
Multiple mouth locations	1368	460	—	—	—	—	90	—	320	—	—	—	20
Mouth, n.e.c.	1369	50	—	—	—	20	—	—	—	—	—	—	—
Multiple face locations	138	1,930	—	110	250	490	380	330	80	70	—	—	190
Face, n.e.c.	139	360	—	60	50	30	50	90	40	—	—	—	20
Multiple head locations	18	780	—	60	60	240	130	90	60	20	—	—	100
Head, n.e.c.	19	180	—	40	40	20	—	30	—	—	—	—	20
Neck, including throat	2	12,380	40	900	1,610	2,220	2,150	1,730	890	320	80	30	2,420
Neck, except internal location of diseases or disorders	20	12,280	40	900	1,600	2,220	2,150	1,710	890	310	80	30	2,350
Internal neck location, unspecified	21	90	—	—	—	—	—	—	—	—	—	—	70
Trunk	3	235,260	920	19,620	25,310	48,250	37,090	29,780	14,180	4,770	1,630	150	53,560
Trunk, unspecified	30	1,530	—	150	90	210	330	110	70	20	—	—	530
Chest, including ribs, internal organs	31	14,470	80	1,560	1,740	3,070	2,140	1,800	1,100	250	60	—	2,660
Chest, except internal location of diseases or disorders	310	13,500	70	1,450	1,660	2,920	2,040	1,710	1,030	250	60	—	2,310
Internal chest location, unspecified	311	100	—	40	—	—	—	—	—	—	—	—	20
Heart	313	420	—	20	40	50	70	50	40	—	—	—	140
Lung(s), pleura	315	440	—	50	40	90	20	30	30	—	—	—	170
Back, including spine, spinal cord	32	178,190	740	15,210	20,110	35,520	28,300	22,220	10,540	3,770	1,300	120	40,370

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Back, including spine, spinal cord, unspecified	320	71,730	380	5,810	8,090	13,500	11,160	8,390	3,640	1,710	410	30	18,620
Thoracic region	321	7,830	—	820	1,140	1,670	1,490	870	480	150	120	—	1,090
Lumbar region	322	91,300	280	7,980	10,170	18,880	14,300	12,130	5,910	1,760	680	90	19,130
Sacral region	323	440	—	40	40	80	60	60	20	20	—	—	80
Coccygeal region	324	1,390	40	100	90	220	220	110	120	—	20	—	460
Multiple back regions	328	5,220	20	420	580	1,090	1,040	640	380	120	20	—	910
Back, including spine, spinal cord, n.e.c.	329	280	—	40	—	80	40	20	—	—	—	—	80
Abdomen	33	20,510	—	1,180	1,380	4,480	3,110	2,630	1,260	370	130	20	5,940
Abdomen, except internal location of diseases or disorders	330	19,560	—	1,150	1,340	4,280	3,040	2,460	1,250	360	130	20	5,530
Internal abdominal location, unspecified	331	440	—	20	20	160	20	30	—	—	—	—	170
Stomach organ	332	70	—	—	—	—	20	—	—	—	—	—	30
Intestines, peritoneum	335	300	—	—	20	30	20	30	—	—	—	—	200
Intestines, peritoneum, unspecified	3350	120	—	—	—	—	—	—	—	—	—	—	80
Peritoneum	3351	50	—	—	—	30	—	—	—	—	—	—	20
Large intestine, colon, rectum	3353	40	—	—	—	—	—	—	—	—	—	—	30
Intestines, peritoneum, n.e.c.	3359	70	—	—	—	—	—	—	—	—	—	—	70
Pelvic region	34	16,060	60	1,040	1,420	3,800	2,690	2,450	1,020	270	110	—	3,200
Pelvic region, unspecified	340	120	—	—	—	30	—	20	—	—	—	—	40
Hip(s)	341	7,210	30	530	530	1,840	1,160	1,340	410	120	40	—	1,200
Pelvis	342	790	—	30	30	260	230	100	90	—	—	—	50
Buttock(s)	343	1,340	—	90	110	140	290	210	60	—	—	—	430
Groin	344	6,040	—	360	720	1,420	900	690	410	120	50	—	1,350
External reproductive tract structures ..	345	210	—	—	—	30	20	20	40	—	—	—	90
External reproductive tract structures, unspecified	3450	20	—	—	—	—	—	—	—	—	—	—	20
Scrotum	3451	160	—	—	—	20	—	—	40	—	—	—	60
Internal reproductive tract structures ...	346	60	—	—	—	40	—	—	—	—	—	—	20
Testis (testes)	3462	40	—	—	—	—	—	—	—	—	—	—	20
Uterus	3464	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	230	—	—	—	30	80	70	—	—	—	—	—
Pelvic region, n.e.c.	349	50	—	20	—	—	—	—	—	—	—	—	—
Multiple trunk locations	38	4,350	30	440	550	1,150	490	550	160	90	40	—	830
Trunk, n.e.c.	39	150	—	30	—	20	20	30	20	—	—	—	20
Upper extremities	4	289,940	1,060	22,800	27,720	60,610	45,450	41,070	19,260	4,940	1,840	280	64,890
Upper extremities, unspecified	40	460	—	—	—	90	140	70	20	—	—	—	90
Shoulder(s), including clavicle(s), scapula(e)	41	69,020	380	5,730	5,950	14,030	10,880	9,470	4,510	1,110	560	80	16,310
Arm(s)	42	42,200	190	3,630	4,240	8,860	6,750	5,140	3,190	810	260	50	9,080
Arm(s), unspecified	420	13,740	60	1,050	1,640	2,580	2,310	1,660	940	160	50	40	3,240
Upper arm(s)	421	5,620	—	520	500	1,440	940	730	370	90	50	—	970
Elbow(s)	422	13,170	90	860	1,280	2,700	1,970	1,550	1,160	360	110	—	3,080
Forearm(s)	423	7,060	—	1,000	610	1,550	1,140	990	490	140	40	—	1,090
Multiple arm locations	428	1,910	—	130	170	370	300	150	210	50	—	—	510

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Multiple arm locations, unspecified ..	4280	250	—	—	30	50	90	—	—	—	—	—	—	40
Elbow(s) and arm(s)	4281	790	—	70	110	120	140	80	40	—	—	—	—	220
Multiple arm locations, n.e.c.	4289	870	—	50	30	200	70	60	160	40	—	—	—	250
Arm(s), n.e.c.	429	700	—	70	50	220	100	60	20	—	—	—	—	190
Wrist(s)	43	38,600	210	2,960	2,870	7,540	4,670	4,710	1,950	520	390	—	—	12,770
Hand(s)	44	123,560	180	9,280	13,110	27,030	20,880	19,030	8,460	2,210	480	140	—	22,780
Hand(s), unspecified	440	29,250	60	2,060	3,080	6,030	4,320	4,220	1,850	540	180	80	—	6,820
Hand(s), except finger(s)	441	5,940	—	530	530	1,180	1,010	830	840	60	20	—	—	930
Finger(s), fingernail(s)	442	81,890	70	6,240	8,850	18,610	14,610	12,630	5,340	1,540	260	40	—	13,710
Finger(s), fingernail(s), unspecified ..	4420	58,660	60	4,570	6,280	13,220	10,430	8,680	3,700	1,050	180	40	—	10,440
Fingernail(s), nailbed(s)	4421	1,590	—	150	160	400	190	340	110	30	—	—	—	210
Fingertip(s)	4422	7,390	—	450	1,140	1,570	1,640	1,100	360	240	—	—	—	890
Finger(s), fingernail(s), n.e.c.	4429	14,240	—	1,080	1,260	3,410	2,340	2,510	1,170	220	70	—	—	2,170
Hand(s) and finger(s)	448	3,660	30	280	460	820	570	660	220	30	—	—	—	580
Hand(s), n.e.c.	449	2,810	—	150	180	400	380	690	220	40	—	—	—	750
Multiple upper extremities locations	48	15,970	90	1,190	1,530	3,020	2,130	2,640	1,110	260	140	—	—	3,840
Multiple upper extremities locations, unspecified	480	600	—	40	120	110	40	120	30	30	—	—	—	120
Hand(s) and arms(s)	481	1,640	—	60	130	340	180	450	50	20	—	—	—	410
Hand(s) and arm(s), unspecified	4810	700	—	30	30	200	80	120	—	—	—	—	—	220
Hand(s) and elbow(s)	4811	110	—	—	—	20	—	—	—	—	—	—	—	50
Hand(s) and arm(s), n.e.c.	4819	840	—	30	100	120	90	320	30	—	—	—	—	130
Hand(s) and wrist(s)	482	3,130	30	360	390	600	370	370	200	—	20	—	—	760
Wrist(s) and arm(s)	483	2,070	20	130	140	550	230	240	370	20	—	—	—	350
Wrist(s) and arm(s), unspecified	4830	1,030	20	40	80	210	50	150	310	—	—	—	—	150
Wrist(s) and elbow(s)	4831	460	—	30	—	160	80	50	40	—	—	—	—	70
Wrist(s) and arm(s), n.e.c.	4839	580	—	60	50	170	100	40	20	20	—	—	—	120
Shoulder(s) and arm(s)	484	5,180	30	350	390	760	740	990	250	120	50	—	—	1,500
Multiple upper extremities locations, n.e.c.	489	3,360	—	250	370	660	570	480	200	60	40	—	—	720
Upper extremities, n.e.c.	49	130	—	—	—	40	—	—	30	30	—	—	—	—
Lower extremities	5	204,220	1,550	17,290	18,040	42,210	33,530	30,160	15,810	4,170	1,350	270	—	39,830
Lower extremities, unspecified	50	470	—	100	—	40	40	110	—	—	—	—	—	170
Leg(s)	51	107,900	780	9,000	9,540	22,550	16,680	15,520	7,970	2,290	620	110	—	22,830
Leg(s), unspecified	510	12,070	40	950	1,180	1,930	1,490	2,060	830	200	60	—	—	3,330
Thigh(s)	511	4,930	100	280	340	1,520	670	730	620	80	—	—	—	570
Knee(s)	512	78,360	570	6,400	6,620	16,520	12,610	11,010	5,720	1,760	440	90	—	16,600
Lower leg(s)	513	8,760	20	770	760	2,000	1,430	1,250	550	200	80	—	—	1,700
Multiple leg locations	518	2,940	50	540	520	500	380	220	220	40	—	—	—	460
Multiple leg locations, unspecified ...	5180	430	—	200	—	80	40	—	60	—	—	—	—	30
Knee(s) and leg(s)	5181	1,830	30	200	430	310	270	180	150	30	—	—	—	230
Multiple leg locations, n.e.c.	5189	670	—	140	70	110	70	40	—	—	—	—	—	190
Leg(s), n.e.c.	519	840	—	60	120	80	100	250	40	—	30	—	—	160
Ankle(s)	52	44,860	500	3,710	3,980	9,490	7,540	6,250	3,450	830	360	140	—	8,610
Foot (feet)	53	42,920	170	3,660	3,390	8,670	7,880	6,780	3,910	850	340	20	—	7,260
Foot (feet), unspecified	530	27,950	120	2,260	2,150	5,750	5,190	4,670	2,330	660	260	20	—	4,550
Sole(s)	531	2,420	20	100	120	400	580	390	160	30	20	—	—	610

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Sole(s), unspecified	5310	260	—	—	—	50	50	50	—	—	—	—	70
Ball(s) of the foot	5311	20	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	130	20	—	—	—	30	20	—	—	—	—	20
Heel(s)	5313	1,950	—	80	100	320	500	310	100	30	—	—	520
Sole(s), n.e.c.	5319	60	—	—	—	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	532	9,870	30	1,080	900	2,010	1,700	1,210	1,020	100	60	—	1,760
Multiple foot (feet) locations	538	550	—	50	60	190	80	30	40	20	—	—	90
Foot (feet), n.e.c.	539	2,120	—	180	160	320	330	480	360	30	—	—	250
Multiple lower extremities locations	58	8,050	100	810	1,120	1,450	1,390	1,500	480	200	30	—	970
Multiple lower extremities locations, unspecified	580	270	—	—	—	—	40	50	90	20	—	—	60
Foot (feet) and leg(s)	581	1,240	20	60	260	140	140	460	30	—	—	—	110
Foot(feet) and leg(s), unspecified	5810	220	—	—	40	—	30	80	—	—	—	—	40
Foot(feet) and knee(s)	5811	670	20	30	30	80	90	350	20	—	—	—	60
Foot(feet) and leg(s), n.e.c.	5819	350	—	20	200	50	20	40	—	—	—	—	20
Foot (feet) and ankle(s)	582	2,690	—	150	230	550	590	470	230	70	—	—	370
Ankle(s) and leg(s)	583	2,620	40	240	520	490	500	340	90	100	—	—	270
Ankle(s) and leg(s), unspecified	5830	320	—	30	30	60	70	40	30	—	—	—	70
Ankle(s) and knee(s)	5831	1,840	40	150	460	300	340	210	60	90	—	—	180
Ankle(s) and leg(s), n.e.c.	5839	450	—	60	40	130	90	90	—	—	—	—	30
Multiple lower extremities locations, n.e.c.	589	1,240	20	350	110	260	120	180	40	—	—	—	150
Lower extremities, n.e.c.	59	20	—	—	—	—	—	—	—	—	—	—	—
Body systems	6	17,770	80	1,390	1,230	3,150	2,490	1,900	1,600	1,020	140	—	4,770
Multiple body parts	8	83,900	1,030	7,280	8,380	17,230	13,650	11,570	6,470	1,870	1,100	60	15,250
Multiple body parts, unspecified	80	7,410	50	730	550	1,580	840	910	540	200	60	—	1,940
Head and neck	81	2,360	—	250	360	330	320	390	160	50	—	—	500
Head, neck, and trunk	82	740	—	70	40	100	300	100	—	—	—	—	120
Head and trunk	83	980	30	90	260	180	130	100	30	—	—	—	140
Neck and back	84	6,930	50	510	910	1,550	930	870	630	140	70	—	1,270
Shoulder(s) and back	85	3,890	—	210	430	820	590	730	190	90	—	—	790
Hip(s) and leg(s)	86	1,440	—	80	220	380	330	100	60	30	—	—	210
Upper and lower limb(s)	87	6,430	140	700	600	1,450	1,170	700	510	150	50	—	940
Other multiple body parts	89	53,720	730	4,640	5,000	10,830	9,030	7,670	4,350	1,200	900	40	9,330
Whole body	891	810	40	70	50	220	90	160	40	—	—	—	110
Multiple body parts, n.e.c.	899	52,910	690	4,570	4,950	10,610	8,940	7,510	4,300	1,180	900	40	9,230

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Nonclassifiable	9999	8,360	20	700	390	1,290	850	460	260	40	30	–	4,310

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.