

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|--|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Total | | 101.9 | 27.5 | 13.8 | 52.2 | 95.9 | 141.3 | 55.3 |
| Traumatic injuries and disorders | 1 | 98.0 | 25.8 | 12.8 | 49.7 | 92.1 | 136.9 | 52.9 |
| Traumatic injuries and disorders, unspecified | 10 | 1.6 | .4 | .2 | .8 | 1.3 | 3.0 | .7 |
| Traumatic injuries to bones, nerves, spinal cord | 11 | 8.4 | 3.6 | 1.0 | 5.1 | 5.0 | 7.9 | 4.9 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | 110 | .1 | – | – | – | – | .1 | – |
| Fractures | 111 | 8.2 | 3.6 | 1.0 | 5.1 | 4.9 | 7.7 | 4.8 |
| Traumatic injuries to spinal cord | 112 | (⁷) | – | – | – | – | (⁷) | – |
| Traumatic injuries to spinal cord, n.e.c. | 1129 | (⁷) | – | – | – | – | (⁷) | – |
| Traumatic injuries to nerves, except the spinal cord | 113 | .1 | (⁷) | – | .1 | .1 | .1 | (⁷) |
| Traumatic injuries to nerves, except the spinal cord, unspecified | 1130 | (⁷) | – | – | – | – | (⁷) | – |
| Pinched nerve | 1131 | .1 | (⁷) | – | .1 | .1 | .1 | (⁷) |
| Traumatic injuries to nerves, except the spinal cord, n.e.c. | 1139 | (⁷) | – | – | – | – | – | – |
| Multiple traumatic injuries to bones, nerves, spinal cord | 118 | (⁷) | – | – | – | – | (⁷) | – |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | 119 | (⁷) | – | – | – | – | (⁷) | – |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 12 | 41.2 | 10.2 | 5.7 | 21.0 | 50.0 | 56.7 | 23.1 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 120 | .2 | (⁷) | – | (⁷) | .1 | .3 | (⁷) |
| Dislocations | 121 | .9 | .4 | .1 | .6 | .8 | 1.3 | .6 |
| Dislocations, unspecified | 1210 | .1 | (⁷) | – | – | .1 | .1 | .1 |
| Herniated discs | 1211 | .3 | .2 | – | .1 | .3 | .6 | .2 |
| Dislocation of joints | 1212 | .5 | .1 | – | .6 | .4 | .6 | .2 |
| Dislocations, n.e.c. | 1219 | (⁷) | – | – | – | – | (⁷) | – |
| Cartilage fractures and tears | 122 | .4 | .3 | .1 | .3 | .4 | .3 | .3 |
| Cartilage fractures and tears, unspecified | 1220 | (⁷) | – | – | – | – | – | .1 |
| Meniscus tears | 1221 | .4 | .3 | .1 | .3 | .4 | .3 | .2 |
| Cartilage fractures and tears, n.e.c. | 1229 | (⁷) | – | – | – | – | (⁷) | – |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|--|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Total | 46.1 | 155.3 | 172.9 | 204.3 | 145.4 | 253.2 |
| Traumatic injuries and disorders | 43.2 | 149.7 | 168.9 | 197.3 | 137.7 | 246.1 |
| Traumatic injuries and disorders, unspecified | .6 | 3.4 | 3.3 | 2.8 | 1.6 | 3.7 |
| Traumatic injuries to bones, nerves, spinal cord | 3.8 | 17.6 | 22.7 | 15.9 | 12.9 | 22.6 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | (⁷) | — | — | .1 | — | .4 |
| Fractures | 3.7 | 17.6 | 22.3 | 15.1 | 12.5 | 21.8 |
| Traumatic injuries to spinal cord | — | — | — | — | — | (⁷) |
| Traumatic injuries to spinal cord, n.e.c. | — | — | — | — | — | (⁷) |
| Traumatic injuries to nerves, except the spinal cord | .1 | — | .3 | .7 | .3 | .3 |
| Traumatic injuries to nerves, except the spinal cord, unspecified | — | — | — | — | — | (⁷) |
| Pinched nerve | .1 | — | .2 | .7 | .2 | .2 |
| Traumatic injuries to nerves, except the spinal cord, n.e.c. | — | — | — | — | (⁷) | .1 |
| Multiple traumatic injuries to bones, nerves, spinal cord | — | — | — | — | — | (⁷) |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | — | — | — | — | — | (⁷) |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. ... | 19.3 | 43.7 | 59.5 | 85.4 | 47.2 | 114.1 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | (⁷) | — | 1.2 | 1.0 | .2 | .2 |
| Dislocations | .3 | .9 | 2.0 | 1.7 | .9 | 2.4 |
| Dislocations, unspecified | (⁷) | — | .2 | .1 | .1 | .4 |
| Herniated discs | .1 | — | .5 | .6 | .3 | .8 |
| Dislocation of joints | .2 | .7 | 1.3 | 1.0 | .5 | 1.2 |
| Dislocations, n.e.c. | — | — | — | — | — | .1 |
| Cartilage fractures and tears ... | .2 | .5 | .7 | 1.0 | .7 | 1.2 |
| Cartilage fractures and tears, unspecified | — | — | .1 | — | — | (⁷) |
| Meniscus tears | .1 | .5 | .5 | 1.0 | .6 | 1.1 |
| Cartilage fractures and tears, n.e.c. | (⁷) | — | — | — | (⁷) | .1 |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|---|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Sprains, strains, tears | 123 | 38.1 | 9.1 | 5.0 | 19.2 | 48.1 | 53.2 | 21.4 |
| Sprains, strains, tears, unspecified | 1230 | 2.6 | .5 | .8 | 1.5 | 3.3 | 2.7 | 1.6 |
| Major tears to muscles, tendons, ligaments | 1231 | 2.1 | .9 | .4 | 1.8 | 1.7 | 1.8 | 1.0 |
| Sprains | 1232 | 9.2 | 2.5 | .8 | 6.5 | 9.0 | 13.8 | 4.8 |
| Strains | 1233 | 23.4 | 5.1 | 2.9 | 9.0 | 33.2 | 34.1 | 13.6 |
| Multiple sprains, strains, tears | 1238 | .7 | .1 | .1 | .4 | 1.0 | .8 | .4 |
| Hernias due to traumatic incidents | 124 | 1.4 | .2 | .4 | .1 | .4 | 1.2 | .7 |
| Whiplash | 125 | .1 | .1 | — | .3 | (⁷) | .1 | (⁷) |
| Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc. | 128 | .1 | (⁷) | — | .4 | .1 | .2 | — |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | 129 | .1 | — | — | — | .1 | .2 | — |
| Open wounds | 13 | 10.5 | 1.6 | 1.1 | 2.4 | 4.5 | 16.7 | 3.3 |
| Open wounds, unspecified | 130 | .1 | — | — | — | — | .1 | (⁷) |
| Amputations, avulsions, enucleations | 131 | .8 | .1 | .2 | .1 | .1 | .6 | .1 |
| Amputations, avulsions, enucleations, unspecified ... | 1310 | (⁷) | — | — | — | — | (⁷) | — |
| Amputations | 1311 | .6 | (⁷) | .1 | — | — | .4 | .1 |
| Avulsions, enucleations | 1312 | .2 | (⁷) | .2 | — | .1 | .2 | (⁷) |
| Amputations, avulsions, enucleations, n.e.c. | 1319 | (⁷) | — | — | — | — | (⁷) | — |
| Cuts, lacerations | 132 | 8.1 | 1.1 | .8 | 1.6 | 1.7 | 13.8 | 2.8 |
| Puncture wounds, except gunshot wounds | 133 | 1.5 | .3 | .1 | .7 | 2.6 | 2.2 | .3 |
| Gunshot wounds | 134 | (⁷) | — | — | — | — | — | — |
| Multiple types of open wounds | 138 | (⁷) | — | — | — | — | .1 | — |
| Open wounds, n.e.c. | 139 | (⁷) | — | — | — | — | (⁷) | — |
| Surface wounds and bruises | 14 | 9.5 | 1.8 | .9 | 5.3 | 8.4 | 13.2 | 7.2 |
| Surface wounds and bruises, unspecified | 140 | (⁷) | — | — | — | — | (⁷) | (⁷) |
| Abrasions, scratches | 141 | .9 | .1 | .1 | .3 | .5 | .9 | .3 |
| Blisters | 142 | (⁷) | — | — | — | — | (⁷) | .2 |
| Bruises, contusions | 143 | 8.3 | 1.6 | .8 | 4.8 | 7.8 | 11.8 | 6.7 |
| Multiple surface wounds and bruises | 148 | .1 | (⁷) | — | .2 | .1 | .3 | (⁷) |
| Surface wounds and bruises, n.e.c. | 149 | .1 | — | — | — | .1 | .1 | (⁷) |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|---|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Sprains, strains, tears | 18.3 | 40.6 | 52.5 | 77.3 | 42.6 | 104.6 |
| Sprains, strains, tears, unspecified | 1.5 | .4 | 4.1 | 5.5 | 2.8 | 8.1 |
| Major tears to muscles, tendons, ligaments | .8 | 1.0 | 4.7 | 6.1 | 3.4 | 5.7 |
| Sprains | 4.3 | 14.0 | 14.4 | 19.1 | 8.5 | 24.9 |
| Strains | 11.3 | 24.0 | 28.1 | 45.5 | 27.0 | 63.9 |
| Multiple sprains, strains, tears | .4 | 1.1 | 1.2 | 1.1 | .7 | 2.1 |
| Hernias due to traumatic incidents | .4 | 1.6 | 3.0 | 4.0 | 2.8 | 5.2 |
| Whiplash | (⁷) | — | .1 | .1 | — | .3 |
| Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc. | (⁷) | — | — | .2 | (⁷) | .1 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | — | — | — | .1 | (⁷) | (⁷) |
| Open wounds | 2.8 | 18.5 | 25.5 | 25.3 | 26.0 | 18.1 |
| Open wounds, unspecified | — | .4 | .2 | .3 | .2 | .2 |
| Amputations, avulsions, enucleations | .1 | 1.0 | 2.0 | 2.5 | 3.4 | 1.5 |
| Amputations, avulsions, enucleations, unspecified ... | — | — | .1 | (⁷) | .2 | .1 |
| Amputations | .1 | .8 | 1.7 | 2.0 | 2.5 | 1.0 |
| Avulsions, enucleations | (⁷) | — | .1 | .4 | .6 | .4 |
| Amputations, avulsions, enucleations, n.e.c. | — | — | — | — | .1 | — |
| Cuts, lacerations | 2.3 | 13.0 | 20.0 | 19.3 | 19.0 | 14.0 |
| Puncture wounds, except gunshot wounds | .3 | 3.9 | 3.3 | 3.1 | 3.3 | 2.3 |
| Gunshot wounds | — | — | — | — | — | — |
| Multiple types of open wounds | — | — | — | — | (⁷) | .1 |
| Open wounds, n.e.c. | — | — | — | — | (⁷) | — |
| Surface wounds and bruises | 5.8 | 19.8 | 14.0 | 14.4 | 12.2 | 23.7 |
| Surface wounds and bruises, unspecified | (⁷) | — | .2 | .1 | .1 | .1 |
| Abrasions, scratches | .4 | 3.3 | 3.1 | 1.5 | 2.1 | 2.0 |
| Blisters | — | .5 | — | (⁷) | .1 | — |
| Bruises, contusions | 5.3 | 15.1 | 10.6 | 12.6 | 9.8 | 21.2 |
| Multiple surface wounds and bruises | .1 | — | .1 | .1 | .1 | .3 |
| Surface wounds and bruises, n.e.c. | (⁷) | .6 | — | .1 | (⁷) | .1 |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|--|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Burns and corruptions | 15 | 2.2 | 0.5 | 0.4 | 0.2 | 0.7 | 5.5 | 0.5 |
| Burns and corruptions, unspecified | 150 | .1 | — | — | — | — | .2 | (⁷) |
| Chemical burns and corruptions | 151 | .4 | (⁷) | .2 | — | .2 | .5 | .1 |
| Chemical burns and corruptions, unspecified | 1510 | .3 | (⁷) | .1 | — | .2 | .4 | .1 |
| First degree chemical burns and corruptions | 1511 | (⁷) | — | — | — | — | (⁷) | — |
| Second degree chemical burns and corruptions | 1512 | (⁷) | — | — | — | — | — | — |
| Chemical burns and corruptions, n.e.c. | 1519 | (⁷) | — | — | — | — | (⁷) | — |
| Heat (thermal) burns | 152 | 1.5 | .5 | .2 | .1 | .5 | 4.6 | .4 |
| Heat (thermal) burns, unspecified | 1520 | 1.1 | .1 | (⁷) | .1 | .4 | 3.4 | .2 |
| First degree heat (thermal) burns | 1521 | .1 | — | (⁷) | — | .1 | .3 | (⁷) |
| Second degree heat (thermal) burns | 1522 | .3 | .3 | .1 | — | .1 | .7 | .1 |
| Third or fourth degree heat (thermal) burns | 1523 | (⁷) | — | — | — | — | .1 | — |
| Heat (thermal) burns, n.e.c. | 1529 | (⁷) | — | — | — | — | .1 | (⁷) |
| Electrical burns | 153 | .1 | (⁷) | (⁷) | — | — | (⁷) | — |
| Electrical burns, unspecified | 1530 | .1 | — | (⁷) | — | — | (⁷) | — |
| First degree electrical burns | 1531 | (⁷) | — | — | — | — | — | — |
| Second degree electrical burns | 1532 | (⁷) | — | — | — | — | — | — |
| Third or fourth degree electrical burns | 1533 | (⁷) | — | — | — | — | — | — |
| Electrical burns, n.e.c. | 1539 | (⁷) | — | — | — | — | — | — |
| Other burns | 159 | .1 | — | — | — | — | (⁷) | — |
| Other burns, unspecified | 1590 | (⁷) | — | — | — | — | (⁷) | — |
| Other burns, first degree | 1591 | .1 | — | — | — | — | — | — |
| Other burns, second degree | 1592 | (⁷) | — | — | — | — | — | — |
| Other burns, n.e.c. | 1599 | (⁷) | — | — | — | — | — | — |
| Intracranial injuries | 16 | 1.0 | .5 | .1 | 1.4 | 1.1 | 1.3 | 1.0 |
| Intracranial injuries, unspecified | 160 | .1 | — | — | .2 | .1 | .1 | (⁷) |
| Cerebral and other intracranial hemorrhages | 161 | (⁷) | — | — | — | — | (⁷) | .1 |
| Concussions | 162 | .9 | .5 | .1 | 1.2 | 1.0 | 1.1 | .8 |
| Multiple types of intracranial injuries | 168 | (⁷) | — | — | — | — | — | — |
| Intracranial injuries, n.e.c. | 169 | (⁷) | — | — | — | — | — | (⁷) |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|--|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Burns and corruptions | 0.2 | 3.1 | 2.6 | 6.1 | 4.8 | 2.3 |
| Burns and corruptions, unspecified | — | — | — | .1 | .2 | .1 |
| Chemical burns and corruptions | (⁷) | 1.0 | .3 | 1.5 | 1.1 | .8 |
| Chemical burns and corruptions, unspecified | (⁷) | 1.0 | .3 | 1.3 | .9 | .7 |
| First degree chemical burns and corruptions | — | — | — | — | (⁷) | (⁷) |
| Second degree chemical burns and corruptions | — | — | — | .1 | .1 | (⁷) |
| Chemical burns and corruptions, n.e.c. | — | — | — | .1 | (⁷) | .1 |
| Heat (thermal) burns | .1 | .2 | 1.8 | 3.2 | 2.5 | 1.3 |
| Heat (thermal) burns, unspecified | .1 | .2 | 1.2 | 2.1 | 1.7 | 1.0 |
| First degree heat (thermal) burns | — | — | .2 | .1 | .1 | — |
| Second degree heat (thermal) burns | — | — | .2 | .7 | .6 | .3 |
| Third or fourth degree heat (thermal) burns | — | — | .2 | .1 | .1 | — |
| Heat (thermal) burns, n.e.c. | — | — | (⁷) | .1 | .1 | (⁷) |
| Electrical burns | — | — | .5 | .7 | .1 | — |
| Electrical burns, unspecified | — | — | .5 | .4 | .1 | — |
| First degree electrical burns | — | — | — | (⁷) | — | — |
| Second degree electrical burns | — | — | — | (⁷) | — | — |
| Third or fourth degree electrical burns | — | — | (⁷) | .1 | — | — |
| Electrical burns, n.e.c. | — | — | — | .1 | (⁷) | — |
| Other burns | — | 1.9 | .1 | .5 | .9 | .1 |
| Other burns, unspecified | — | — | — | .1 | .2 | — |
| Other burns, first degree | — | 1.9 | .1 | .4 | .7 | .1 |
| Other burns, second degree | — | — | — | — | — | (⁷) |
| Other burns, n.e.c. | — | — | — | .1 | — | — |
| Intracranial injuries | .6 | .3 | 1.0 | 2.1 | 1.0 | 2.4 |
| Intracranial injuries, unspecified | (⁷) | — | .1 | .1 | (⁷) | .3 |
| Cerebral and other intracranial hemorrhages | — | — | — | — | — | (⁷) |
| Concussions | .6 | .3 | .8 | 2.0 | .9 | 2.0 |
| Multiple types of intracranial injuries | — | — | — | — | — | — |
| Intracranial injuries, n.e.c. | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|---|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Effects of environmental conditions | 17 | 0.4 | (⁷) | 0.1 | 0.2 | — | 0.2 | 0.1 |
| Effects of reduced temperature | 171 | (⁷) | — | — | — | — | (⁷) | — |
| Frostbite | 1711 | (⁷) | — | — | — | — | (⁷) | — |
| Effects of heat and light | 172 | .4 | (⁷) | .1 | .1 | — | .2 | .1 |
| Effects of heat and light, unspecified | 1720 | (⁷) | — | — | — | — | — | — |
| Heat stroke | 1721 | (⁷) | — | — | — | — | (⁷) | (⁷) |
| Heat syncope | 1722 | (⁷) | (⁷) | — | — | — | (⁷) | — |
| Heat fatigue | 1723 | (⁷) | — | — | — | — | — | — |
| Heat exhaustion, prostration | 1725 | .2 | — | — | — | — | .1 | (⁷) |
| Multiple effects of heat and light | 1728 | (⁷) | — | — | — | — | — | — |
| Effects of heat and light, n.e.c. | 1729 | .1 | — | — | .1 | — | (⁷) | — |
| Effects of air or water pressure | 173 | (⁷) | — | — | .1 | — | — | — |
| Aero-otitis media | 1731 | (⁷) | — | — | .1 | — | — | — |
| Effects of air or water pressure, n.e.c. | 1739 | (⁷) | — | — | — | — | — | — |
| Effects of environmental conditions, n.e.c. | 179 | (⁷) | — | — | — | — | — | — |
| Multiple traumatic injuries and disorders | 18 | 3.1 | 1.4 | .5 | 2.6 | 2.9 | 3.7 | 2.0 |
| Multiple traumatic injuries and disorders, unspecified | 180 | .1 | .1 | — | .1 | (⁷) | .2 | (⁷) |
| Cuts and abrasions or bruises | 181 | .5 | .1 | (⁷) | .2 | .4 | .5 | .3 |
| Sprains and other injuries | 182 | 1.4 | .4 | .2 | 1.0 | 1.7 | 1.8 | 1.3 |
| Sprains and other injuries, unspecified | 1820 | .1 | — | — | — | .1 | .1 | .1 |
| Sprains and bruises | 1821 | 1.1 | .3 | .1 | .9 | 1.4 | 1.4 | 1.0 |
| Sprains and cuts | 1822 | .1 | (⁷) | — | (⁷) | .1 | .1 | .1 |
| Sprains and other injuries, n.e.c. | 1829 | .1 | (⁷) | (⁷) | .1 | .2 | .2 | .1 |
| Fractures and other injuries | 183 | .7 | .2 | .2 | .3 | .4 | .8 | .3 |
| Fractures and other injuries, unspecified | 1830 | .1 | — | — | — | .1 | .1 | .1 |
| Fractures (except skull fractures) and concussions | 1831 | (⁷) | .1 | — | — | — | (⁷) | (⁷) |
| Fractures (except rib, trunk fractures) and internal injuries | 1832 | (⁷) | — | — | — | — | — | — |
| Fractures and burns | 1833 | (⁷) | — | — | — | — | — | — |
| Fractures and dislocations ... | 1834 | (⁷) | — | — | — | — | (⁷) | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|---|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Effects of environmental conditions | 0.1 | 0.8 | 1.8 | 1.0 | 0.6 | 1.7 |
| Effects of reduced temperature | — | — | — | — | — | .2 |
| Frostbite | — | — | — | — | — | .2 |
| Effects of heat and light | .1 | .8 | 1.8 | 1.0 | .5 | 1.4 |
| Effects of heat and light, unspecified | — | — | .1 | — | (⁷) | — |
| Heat stroke | — | — | (⁷) | .1 | (⁷) | .3 |
| Heat syncope | — | — | — | .1 | (⁷) | .1 |
| Heat fatigue | — | .3 | — | .1 | — | .1 |
| Heat exhaustion, prostration | (⁷) | .2 | 1.0 | .6 | .3 | .8 |
| Multiple effects of heat and light | — | — | — | — | — | — |
| Effects of heat and light, n.e.c. | — | .2 | .5 | .1 | .1 | .1 |
| Effects of air or water pressure | — | — | — | — | — | .1 |
| Aero-otitis media | — | — | — | — | — | — |
| Effects of air or water pressure, n.e.c. | — | — | — | — | — | .1 |
| Effects of environmental conditions, n.e.c. | — | — | — | — | — | — |
| Multiple traumatic injuries and disorders | 1.5 | 8.1 | 3.9 | 4.9 | 4.4 | 8.4 |
| Multiple traumatic injuries and disorders, unspecified | .1 | .2 | .4 | .2 | .1 | .5 |
| Cuts and abrasions or bruises | .3 | .7 | .6 | 1.0 | .9 | 1.8 |
| Sprains and other injuries | .6 | 2.7 | 1.0 | 2.1 | 1.7 | 3.4 |
| Sprains and other injuries, unspecified | (⁷) | — | .2 | — | (⁷) | .1 |
| Sprains and bruises | .6 | 2.1 | .6 | 1.8 | 1.3 | 2.6 |
| Sprains and cuts | (⁷) | .2 | .1 | .1 | .1 | .3 |
| Sprains and other injuries, n.e.c. | (⁷) | .2 | .1 | .2 | .2 | .4 |
| Fractures and other injuries | .3 | 2.8 | 1.2 | 1.2 | 1.2 | 1.9 |
| Fractures and other injuries, unspecified | .1 | 1.2 | .2 | .3 | .1 | .3 |
| Fractures (except skull fractures) and concussions | — | — | .1 | — | (⁷) | .1 |
| Fractures (except rib, trunk fractures) and internal injuries | — | — | .1 | — | — | — |
| Fractures and burns | — | — | — | — | — | — |
| Fractures and dislocations | (⁷) | — | (⁷) | (⁷) | (⁷) | .1 |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|--|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Fractures and other injuries, n.e.c. | 1839 | 0.5 | 0.1 | 0.2 | 0.2 | 0.2 | 0.6 | 0.2 |
| Burns and other injuries, except fractures | 184 | (⁷) | — | — | — | — | (⁷) | — |
| Burns and other injuries, n.e.c. | 1849 | (⁷) | — | — | — | — | — | — |
| Multiple traumatic injuries and disorders, n.e.c. | 189 | .4 | .5 | .1 | .9 | .4 | .5 | .2 |
| Other traumatic injuries and disorders | 19 | 19.9 | 5.7 | 2.8 | 10.8 | 18.2 | 28.6 | 10.2 |
| Other traumatic injuries and disorders, unspecified | 190 | (⁷) | — | — | — | — | (⁷) | — |
| Asphyxiations, strangulations, suffocations | 191 | .1 | .3 | — | — | — | (⁷) | .3 |
| Electrocutions, electric shocks | 193 | .1 | .1 | — | — | (⁷) | .1 | (⁷) |
| Internal injuries to organs and blood vessels of the trunk | 194 | (⁷) | (⁷) | — | — | — | (⁷) | — |
| Dermatitis and reactions affecting the skin—acute | 195 | .2 | .1 | .2 | — | .3 | .4 | .1 |
| Dermatitis and reactions affecting the skin—acute, unspecified | 1950 | .1 | (⁷) | .1 | — | .1 | .2 | (⁷) |
| Allergic dermatitis—acute | 1951 | .1 | .1 | .1 | — | .1 | .1 | (⁷) |
| Irritant dermatitis—acute | 1952 | (⁷) | — | — | — | .1 | .1 | — |
| Hives, urticaria—acute | 1953 | (⁷) | — | — | — | .1 | (⁷) | (⁷) |
| Dermatitis and reactions affecting the skin—acute, n.e.c. | 1959 | (⁷) | — | — | — | — | (⁷) | — |
| Other poisoning, toxic, noxious, or allergenic effects | 196 | .7 | .2 | .7 | .5 | 1.6 | .9 | .3 |
| Poisoning, toxic, noxious, or allergenic effect, unspecified | 1960 | .2 | (⁷) | .1 | .1 | .8 | .2 | .1 |
| Poisoning, including poisoning-related asphyxia | 1961 | .1 | .1 | — | — | .1 | .1 | (⁷) |
| Anaphylactic shock, anaphylaxis | 1962 | (⁷) | — | — | — | — | — | — |
| Other respiratory system symptoms—toxic, noxious, or allergenic effect | 1963 | .1 | .1 | .1 | .1 | .3 | .2 | (⁷) |
| Coughing and throat irritation— toxic, noxious, or allergenic effect | 1964 | (⁷) | — | — | .1 | — | (⁷) | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|---|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Fractures and other injuries, n.e.c. | 0.2 | 1.4 | 0.8 | 0.8 | 1.0 | 1.4 |
| Burns and other injuries, except fractures | — | — | — | — | .1 | — |
| Burns and other injuries, n.e.c. | — | — | — | — | .1 | — |
| Multiple traumatic injuries and disorders, n.e.c. | .2 | 1.8 | .8 | .4 | .5 | .9 |
| Other traumatic injuries and disorders | 8.7 | 34.5 | 34.5 | 39.4 | 27.1 | 49.2 |
| Other traumatic injuries and disorders, unspecified | (⁷) | — | .1 | .1 | — | — |
| Asphyxiations, strangulations, suffocations | — | — | — | .1 | — | — |
| Electrocutions, electric shocks | (⁷) | — | .4 | .6 | .2 | .1 |
| Internal injuries to organs and blood vessels of the trunk | — | — | — | .1 | — | (⁷) |
| Dermatitis and reactions affecting the skin—acute | .1 | .7 | .2 | .4 | .6 | .3 |
| Dermatitis and reactions affecting the skin—acute, unspecified | (⁷) | .5 | (⁷) | .2 | .3 | .2 |
| Allergic dermatitis—acute | (⁷) | .2 | .1 | .1 | .1 | .1 |
| Irritant dermatitis—acute | (⁷) | — | (⁷) | — | .1 | — |
| Hives, urticaria—acute | — | — | — | — | — | — |
| Dermatitis and reactions affecting the skin—acute, n.e.c. | — | — | — | — | (⁷) | — |
| Other poisoning, toxic, noxious, or allergenic effects | .4 | 2.3 | 1.0 | 1.8 | .6 | 1.1 |
| Poisoning, toxic, noxious, or allergenic effect, unspecified | .1 | 1.1 | .3 | .9 | .3 | .3 |
| Poisoning, including poisoning-related asphyxia | (⁷) | — | .5 | .1 | .1 | .2 |
| Anaphylactic shock, anaphylaxis | — | — | — | — | — | — |
| Other respiratory system symptoms—toxic, noxious, or allergenic effect | .1 | — | (⁷) | .3 | .1 | .2 |
| Coughing and throat irritation— toxic, noxious, or allergenic effect | (⁷) | — | — | — | (⁷) | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|---|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect | 1965 | 0.1 | — | — | 0.1 | 0.2 | 0.1 | (⁷) |
| Other or unspecified allergic reactions | 1966 | .1 | (⁷) | 0.5 | (⁷) | .1 | .2 | (⁷) |
| Nausea, vomiting— toxic, noxious, or allergenic effect | 1967 | (⁷) | — | — | — | — | (⁷) | (⁷) |
| Multiple poisoning, toxic, noxious, or allergenic effects | 1968 | (⁷) | — | — | — | (⁷) | (⁷) | (⁷) |
| Other poisoning, toxic, noxious, or allergenic effects, n.e.c. | 1969 | (⁷) | — | — | — | .1 | .1 | — |
| Nonspecified injuries and disorders | 197 | 18.6 | 5.0 | 1.8 | 10.3 | 16.1 | 27.0 | 9.4 |
| Crushing injuries | 1971 | 1.0 | .1 | .1 | — | .2 | .7 | .3 |
| Soreness, pain, hurt—nonspecified injury | 1972 | 15.0 | 4.2 | 1.6 | 9.3 | 14.2 | 23.5 | 7.9 |
| Swelling, inflammation, irritation—nonspecified injury | 1973 | 2.0 | .4 | .1 | .6 | .9 | 2.2 | .9 |
| Numbness—nonspecified injury | 1974 | .1 | .1 | — | — | (⁷) | .1 | (⁷) |
| Multiple nonspecified injuries and disorders | 1978 | .3 | .1 | — | .2 | .5 | .4 | .1 |
| Nonspecified injuries and disorders, n.e.c. | 1979 | .2 | .1 | — | .1 | .2 | .2 | .1 |
| Other traumatic injuries and disorders, n.e.c. | 199 | .1 | (⁷) | — | — | .1 | .2 | .1 |
| Traumatic shock | 1991 | (⁷) | — | — | — | — | — | — |
| Traumatic injuries and disorders, n.e.c. | 1999 | .1 | (⁷) | — | — | .1 | .2 | .1 |
| Diseases and disorders of body systems | 2 | 2.4 | .7 | .6 | 1.1 | 1.6 | 2.1 | .8 |
| Systemic diseases and disorders, unspecified | 20 | (⁷) | — | — | — | — | (⁷) | — |
| Nervous system and sense organs diseases | 22 | 1.1 | .4 | .2 | .3 | .6 | .9 | .4 |
| Degenerative diseases of the central nervous system | 222 | (⁷) | — | — | — | — | — | — |
| Other disorders of the central nervous system | 223 | (⁷) | — | — | — | .1 | (⁷) | (⁷) |
| Seizure disorder, epilepsy ... | 2231 | (⁷) | — | — | — | (⁷) | (⁷) | (⁷) |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|---|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect | — | 0.5 | — | 0.1 | — | 0.1 |
| Other or unspecified allergic reactions | (⁷) | .2 | 0.1 | .4 | 0.1 | .1 |
| Nausea, vomiting— toxic, noxious, or allergenic effect | (⁷) | — | — | .1 | — | — |
| Multiple poisoning, toxic, noxious, or allergenic effects | — | — | — | — | — | .1 |
| Other poisoning, toxic, noxious, or allergenic effects, n.e.c. | (⁷) | — | — | — | .1 | .1 |
| Nonspecified injuries and disorders | 8.2 | 31.4 | 32.6 | 35.7 | 25.6 | 47.6 |
| Crushing injuries | .5 | 3.7 | 2.7 | 1.9 | 2.9 | 3.4 |
| Soreness, pain, hurt—nonspecified injury | 6.6 | 20.5 | 24.8 | 26.3 | 17.3 | 38.6 |
| Swelling, inflammation, irritation—nonspecified injury | .8 | 6.5 | 4.1 | 5.9 | 4.2 | 4.2 |
| Numbness—nonspecified injury | (⁷) | — | .1 | .4 | .3 | .2 |
| Multiple nonspecified injuries and disorders | .2 | .5 | .4 | .6 | .4 | .3 |
| Nonspecified injuries and disorders, n.e.c. | .1 | .2 | .5 | .5 | .4 | .8 |
| Other traumatic injuries and disorders, n.e.c. | — | — | .2 | .7 | .1 | .1 |
| Traumatic shock | — | — | — | — | (⁷) | — |
| Traumatic injuries and disorders, n.e.c. | — | — | .2 | .7 | — | .1 |
| Diseases and disorders of body systems | 2.3 | 3.9 | 2.2 | 5.6 | 6.7 | 4.2 |
| Systemic diseases and disorders, unspecified | — | — | — | — | — | — |
| Nervous system and sense organs diseases | 1.5 | .7 | .6 | 2.0 | 3.4 | 1.8 |
| Degenerative diseases of the central nervous system | — | — | — | .1 | — | — |
| Other disorders of the central nervous system | (⁷) | — | — | — | — | — |
| Seizure disorder, epilepsy ... | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|--|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Migraine | 2232 | (⁷) | — | — | — | — | (⁷) | — |
| Disorders of the peripheral nervous system | 224 | .9 | 0.4 | 0.2 | 0.2 | 0.4 | .7 | 0.3 |
| Disorders of the peripheral nervous system, unspecified | 2240 | (⁷) | — | — | — | — | — | — |
| Carpal tunnel syndrome | 2241 | .8 | .3 | .2 | .2 | .4 | .6 | .2 |
| Inflammatory and toxic neuropathy, toxic polyneuropathy | 2242 | (⁷) | — | — | — | — | — | — |
| Disorders of the peripheral nervous system, n.e.c. | 2249 | .1 | (⁷) | — | — | — | .1 | (⁷) |
| Disorders of the eye, adnexa, vision | 225 | .1 | (⁷) | — | — | .1 | .1 | .1 |
| Disorders of the eye, adnexa, vision, unspecified | 2250 | (⁷) | — | — | — | — | (⁷) | — |
| Conjunctivitis—non-viral | 2251 | .1 | — | — | — | (⁷) | .1 | .1 |
| Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion) | 2252 | (⁷) | — | — | — | — | (⁷) | — |
| Blindness, low vision | 2254 | (⁷) | — | — | — | — | — | — |
| Disorders of the eye, adnexa, vision, n.e.c. | 2259 | (⁷) | — | — | — | — | (⁷) | — |
| Disorders of the ear, mastoid process, hearing | 226 | (⁷) | — | — | .1 | — | (⁷) | — |
| Disorders of the ear, mastoid process, hearing, unspecified | 2260 | (⁷) | — | — | — | — | — | — |
| Deafness, hearing loss and impairment | 2261 | (⁷) | — | — | — | — | (⁷) | — |
| Tinnitus | 2262 | (⁷) | — | — | .1 | — | — | — |
| Circulatory system diseases | 23 | .1 | — | — | .1 | — | .1 | (⁷) |
| Hypertensive disease | 232 | (⁷) | — | — | — | — | — | — |
| Ischemic heart disease, including heart attack | 233 | (⁷) | — | — | .1 | — | (⁷) | (⁷) |
| Ischemic heart disease, unspecified | 2330 | (⁷) | — | — | — | — | — | — |
| Myocardial infarction (heart attack) | 2331 | (⁷) | — | — | .1 | — | (⁷) | (⁷) |
| Other forms of heart disease | 235 | (⁷) | — | — | — | — | — | — |
| Cerebrovascular disease | 236 | (⁷) | — | — | — | — | (⁷) | — |
| Stroke | 2361 | (⁷) | — | — | — | — | (⁷) | — |
| Transient ischemia attacks .. | 2362 | (⁷) | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|--|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Migraine | — | — | — | — | — | — |
| Disorders of the peripheral nervous system | 1.4 | 0.3 | 0.5 | 1.6 | 3.1 | 1.5 |
| Disorders of the peripheral nervous system, unspecified | (⁷) | — | — | — | .1 | — |
| Carpal tunnel syndrome | 1.3 | .2 | .5 | 1.1 | 3.0 | 1.4 |
| Inflammatory and toxic neuropathy, toxic polyneuropathy | — | — | — | — | — | — |
| Disorders of the peripheral nervous system, n.e.c. | .2 | — | — | .5 | .1 | .1 |
| Disorders of the eye, adnexa, vision | (⁷) | .4 | .1 | .3 | .2 | .3 |
| Disorders of the eye, adnexa, vision, unspecified | — | — | — | — | — | — |
| Conjunctivitis—non-viral | (⁷) | — | — | .1 | .1 | .2 |
| Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion) | — | — | — | — | — | — |
| Blindness, low vision | — | — | — | — | — | — |
| Disorders of the eye, adnexa, vision, n.e.c. | — | — | .1 | .2 | (⁷) | (⁷) |
| Disorders of the ear, mastoid process, hearing | — | — | (⁷) | (⁷) | .1 | (⁷) |
| Disorders of the ear, mastoid process, hearing, unspecified | — | — | — | — | — | — |
| Deafness, hearing loss and impairment | — | — | (⁷) | — | (⁷) | (⁷) |
| Tinnitus | — | — | — | — | — | — |
| Circulatory system diseases | (⁷) | .3 | .1 | .2 | (⁷) | .1 |
| Hypertensive disease | — | — | — | — | — | — |
| Ischemic heart disease, including heart attack | — | — | .1 | .2 | — | (⁷) |
| Ischemic heart disease, unspecified | — | — | — | — | — | — |
| Myocardial infarction (heart attack) | — | — | — | .2 | — | (⁷) |
| Other forms of heart disease .. | — | — | — | — | — | — |
| Cerebrovascular disease | (⁷) | — | — | — | — | — |
| Stroke | — | — | — | — | — | — |
| Transient ischemia attacks .. | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|--|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Diseases of arteries, arterioles, capillaries | 237 | (⁷) | — | — | — | — | (⁷) | — |
| Aneurysm—nontraumatic | 2372 | (⁷) | — | — | — | — | — | — |
| Diseases of the veins, lymphatics | 238 | (⁷) | — | — | — | — | — | — |
| Respiratory system diseases | 24 | .1 | 0.1 | — | 0.1 | 0.1 | .1 | (⁷) |
| Respiratory system diseases, unspecified | 240 | (⁷) | — | — | — | — | (⁷) | — |
| Acute respiratory infections (including common cold) | 241 | (⁷) | — | — | — | — | — | — |
| Other diseases of upper respiratory tract | 242 | (⁷) | — | — | — | — | — | — |
| Chronic conditions of upper respiratory tract | 2422 | (⁷) | — | — | — | — | — | — |
| Pneumonia, influenza | 243 | .1 | (⁷) | — | — | — | (⁷) | — |
| Pneumonia | 2431 | (⁷) | — | — | — | — | — | — |
| Influenza—common | 2432 | (⁷) | (⁷) | — | — | — | (⁷) | — |
| Influenza—novel | 2433 | (⁷) | — | — | — | — | — | — |
| Chronic obstructive pulmonary disease and allied conditions .. | 244 | (⁷) | — | — | .1 | .1 | (⁷) | — |
| Asthma, except intrinsic | 2443 | (⁷) | — | — | — | (⁷) | — | — |
| Chronic obstructive pulmonary diseases and allied conditions, n.e.c. | 2449 | (⁷) | — | — | — | — | — | — |
| Pneumoconioses | 245 | (⁷) | — | — | — | — | — | — |
| Coal workers pneumoconiosis | 2451 | (⁷) | — | — | — | — | — | — |
| Other respiratory system diseases | 249 | (⁷) | — | — | — | — | — | — |
| Digestive system diseases and disorders | 25 | .1 | — | — | — | .1 | (⁷) | (⁷) |
| Hernia—nontraumatic | 253 | .1 | — | — | — | .1 | (⁷) | (⁷) |
| Genitourinary system diseases and disorders | 26 | (⁷) | — | — | — | — | (⁷) | — |
| Genitourinary system diseases and disorders, n.e.c. | 269 | (⁷) | — | — | — | — | (⁷) | — |
| Musculoskeletal system and connective tissue diseases and disorders | 27 | .9 | .2 | 0.3 | .5 | .7 | .9 | .2 |
| Musculoskeletal system and connective tissue diseases and disorders, unspecified | 270 | (⁷) | — | — | — | — | — | — |
| Arthropathies and related disorders (arthritis) | 271 | (⁷) | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|--|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Diseases of arteries, arterioles, capillaries | - | - | - | - | - | - |
| Aneurysm—nontraumatic | - | - | - | - | - | - |
| Diseases of the veins, lymphatics | - | - | - | - | - | - |
| Respiratory system diseases | (⁷) | - | 0.1 | 0.9 | 0.1 | (⁷) |
| Respiratory system diseases, unspecified | - | - | - | (⁷) | - | - |
| Acute respiratory infections (including common cold) | - | - | - | - | - | (⁷) |
| Other diseases of upper respiratory tract | - | - | - | - | - | - |
| Chronic conditions of upper respiratory tract | - | - | - | - | - | - |
| Pneumonia, influenza | - | - | - | .8 | - | - |
| Pneumonia | - | - | - | - | - | - |
| Influenza—common | - | - | - | - | - | - |
| Influenza—novel | - | - | - | .2 | - | - |
| Chronic obstructive pulmonary disease and allied conditions .. | (⁷) | - | - | - | .1 | - |
| Asthma, except intrinsic | - | - | - | - | (⁷) | - |
| Chronic obstructive pulmonary diseases and allied conditions, n.e.c. | - | - | - | - | - | - |
| Pneumoconioses | - | - | (⁷) | - | - | - |
| Coal workers pneumoconiosis | - | - | - | - | - | - |
| Other respiratory system diseases | - | - | - | - | - | - |
| Digestive system diseases and disorders | .1 | - | .1 | .4 | .2 | .2 |
| Hernia—nontraumatic | .1 | - | .1 | .3 | .2 | .2 |
| Genitourinary system diseases and disorders | - | - | - | - | - | - |
| Genitourinary system diseases and disorders, n.e.c. | - | - | - | - | - | - |
| Musculoskeletal system and connective tissue diseases and disorders | .6 | 1.2 | .9 | 1.3 | 2.7 | 1.8 |
| Musculoskeletal system and connective tissue diseases and disorders, unspecified | - | - | .1 | .1 | (⁷) | .1 |
| Arthropathies and related disorders (arthritis) | - | - | (⁷) | (⁷) | (⁷) | - |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|--|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Dorsopathies | 272 | 0.1 | — | — | (⁷) | (⁷) | 0.1 | (⁷) |
| Sciatica | 2721 | (⁷) | — | — | — | — | (⁷) | — |
| Lumbago | 2722 | (⁷) | — | — | — | — | (⁷) | — |
| Disc disorders, except dislocation | 2723 | (⁷) | — | — | — | — | (⁷) | — |
| Dorsopathies, n.e.c. | 2729 | (⁷) | — | — | (⁷) | — | (⁷) | — |
| Soft tissue disorders, except the back | 273 | .8 | 0.2 | 0.3 | .3 | .6 | .8 | .2 |
| Soft tissue disorder, except the back, unspecified | 2730 | (⁷) | — | — | — | — | (⁷) | — |
| Bursitis | 2731 | .1 | — | — | — | .1 | .1 | — |
| Stenosing tenosynovitis | 2732 | .1 | (⁷) | (⁷) | — | .1 | .1 | — |
| Other tenosynovitis, synovitis | 2733 | (⁷) | — | — | — | .1 | .1 | (⁷) |
| Epicondylitis | 2734 | .1 | (⁷) | — | .1 | .1 | .1 | (⁷) |
| Other or unspecified tendonitis (tendinitis) | 2735 | .3 | .1 | .1 | .1 | .3 | .4 | .1 |
| Ganglion or cystic tumor | 2736 | (⁷) | — | — | — | — | (⁷) | — |
| Multiple soft tissue disorders | 2738 | (⁷) | — | — | — | — | — | — |
| Soft tissue disorder, except the back, n.e.c. | 2739 | (⁷) | — | — | — | (⁷) | (⁷) | — |
| Osteopathies, chondropathies, and acquired deformities | 274 | (⁷) | — | — | .1 | — | — | — |
| Osteopathies, chondropathies, and acquired deformities, unspecified | 2740 | (⁷) | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders, n.e.c. | 279 | (⁷) | — | — | — | — | — | — |
| Disorders of the skin and subcutaneous tissue | 28 | .2 | — | — | .1 | .2 | .2 | .1 |
| Disorders of the skin and subcutaneous tissue, unspecified | 280 | (⁷) | — | — | — | — | — | — |
| Infections of the skin and subcutaneous tissue | 281 | .1 | — | — | — | .2 | .1 | .1 |
| Infections of the skin and subcutaneous tissue, unspecified | 2810 | (⁷) | — | — | — | (⁷) | .1 | — |
| Cellulitis and abscess | 2811 | .1 | — | — | — | (⁷) | .1 | .1 |
| Methicillin-resistant staphylococcus aureus (MRSA) infection | 2813 | (⁷) | — | — | — | .1 | (⁷) | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|--|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Dorsopathies | (⁷) | — | (⁷) | 0.1 | 0.1 | 0.2 |
| Sciatica | (⁷) | — | — | (⁷) | .1 | .1 |
| Lumbago | — | — | — | — | — | — |
| Disc disorders, except dislocation | — | — | — | — | — | — |
| Dorsopathies, n.e.c. | (⁷) | — | — | — | (⁷) | .1 |
| Soft tissue disorders, except the back | .6 | 1.0 | .7 | 1.0 | 2.5 | 1.5 |
| Soft tissue disorder, except the back, unspecified | (⁷) | — | .1 | — | .1 | (⁷) |
| Bursitis | (⁷) | — | .3 | .2 | .1 | .1 |
| Stenosing tenosynovitis | .1 | — | .1 | .2 | .5 | .2 |
| Other tenosynovitis, synovitis | (⁷) | — | — | .1 | .1 | .1 |
| Epicondylitis | .1 | .2 | .1 | .3 | .5 | .2 |
| Other or unspecified tendonitis (tendinitis) | .3 | .7 | .1 | .2 | .8 | .6 |
| Ganglion or cystic tumor | (⁷) | — | — | — | .2 | .1 |
| Multiple soft tissue disorders | (⁷) | — | — | — | (⁷) | .1 |
| Soft tissue disorder, except the back, n.e.c. | (⁷) | — | — | (⁷) | .2 | .2 |
| Osteopathies, chondropathies, and acquired deformities | — | — | — | — | — | — |
| Osteopathies, chondropathies, and acquired deformities, unspecified | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders, n.e.c. | — | — | — | — | — | — |
| Disorders of the skin and subcutaneous tissue | (⁷) | 1.6 | .4 | .6 | .3 | .2 |
| Disorders of the skin and subcutaneous tissue, unspecified | — | — | — | — | — | — |
| Infections of the skin and subcutaneous tissue | (⁷) | 1.6 | .4 | .6 | .2 | .2 |
| Infections of the skin and subcutaneous tissue, unspecified | — | .4 | .1 | — | .1 | (⁷) |
| Cellulitis and abscess | (⁷) | 1.0 | — | .3 | .2 | .1 |
| Methicillin-resistant staphylococcus aureus (MRSA) infection | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|--|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Other staphylococcus skin infection | 2814 | (7) | - | - | - | - | - | - |
| Infections of the skin and subcutaneous tissue, n.e.c. | 2819 | (7) | - | - | - | - | - | - |
| Other diseases and disorders of the skin and subcutaneous tissue | 289 | (7) | - | - | (7) | - | (7) | - |
| Other diseases and disorders of the skin and subcutaneous tissue, n.e.c. | 2899 | (7) | - | - | (7) | - | (7) | - |
| Other systemic diseases and disorders | 29 | (7) | - | - | - | - | - | - |
| Endocrine, nutritional, metabolic, and immunity disorders | 291 | (7) | - | - | - | - | - | - |
| Diseases and disorders of other endocrine glands | 2912 | (7) | - | - | - | - | - | - |
| Endocrine, nutritional, metabolic, and immunity disorders, n.e.c. | 2919 | (7) | - | - | - | - | - | - |
| Infectious and parasitic diseases | 3 | .2 | (7) | 0.1 | .3 | 0.7 | .5 | 0.1 |
| Infectious and parasitic diseases, unspecified | 30 | (7) | - | - | - | - | - | - |
| Bacterial diseases | 31 | (7) | - | - | - | .1 | .1 | - |
| Bacterial diseases, unspecified | 310 | (7) | - | - | - | - | - | - |
| Tuberculosis | 311 | (7) | - | - | - | - | (7) | - |
| Other bacterial diseases | 319 | (7) | - | - | - | .1 | .1 | - |
| Diphtheria, whooping cough | 3192 | (7) | - | - | - | (7) | (7) | - |
| Streptococcal sore throat and scarlatina | 3193 | (7) | - | - | - | - | (7) | - |
| Other bacterial diseases, n.e.c | 3199 | (7) | - | - | - | (7) | - | - |
| Viral diseases | 32 | (7) | - | - | (7) | .1 | .1 | - |
| Viral diseases, unspecified | 320 | (7) | - | - | - | - | (7) | - |
| Viral diseases accompanied by exanthem (eruptive fever) | 323 | (7) | - | - | - | .1 | (7) | - |
| Chickenpox, varicella | 3233 | (7) | - | - | - | (7) | (7) | - |
| Herpes zoster, shingles | 3234 | (7) | - | - | - | - | - | - |
| Viral diseases of the conjunctiva | 326 | (7) | - | - | - | - | (7) | - |
| Viral conjunctivitis (ophthalmia) | 3261 | (7) | - | - | - | - | - | - |
| Other diseases due to viruses | 329 | (7) | - | - | (7) | - | (7) | - |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|--|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Other staphylococcus skin infection | - | - | 0.3 | 0.3 | - | - |
| Infections of the skin and subcutaneous tissue, n.e.c. | - | - | - | - | - | - |
| Other diseases and disorders of the skin and subcutaneous tissue | - | - | - | - | (⁷) | (⁷) |
| Other diseases and disorders of the skin and subcutaneous tissue, n.e.c. | - | - | - | - | - | (⁷) |
| Other systemic diseases and disorders | - | - | - | .2 | - | (⁷) |
| Endocrine, nutritional, metabolic, and immunity disorders | - | - | - | .2 | - | (⁷) |
| Diseases and disorders of other endocrine glands | - | - | - | - | - | - |
| Endocrine, nutritional, metabolic, and immunity disorders, n.e.c. | - | - | - | - | - | (⁷) |
| Infectious and parasitic diseases | (⁷) | - | .2 | (⁷) | (⁷) | .2 |
| Infectious and parasitic diseases, unspecified | - | - | - | - | - | - |
| Bacterial diseases | - | - | - | - | - | - |
| Bacterial diseases, unspecified | - | - | - | - | - | - |
| Tuberculosis | - | - | - | - | - | - |
| Other bacterial diseases | - | - | - | - | - | - |
| Diphtheria, whooping cough | - | - | - | - | - | - |
| Streptococcal sore throat and scarlatina | - | - | - | - | - | - |
| Other bacterial diseases, n.e.c | - | - | - | - | - | - |
| Viral diseases | - | - | - | - | - | .1 |
| Viral diseases, unspecified | - | - | - | - | - | - |
| Viral diseases accompanied by exanthem (eruptive fever) | - | - | - | - | - | - |
| Chickenpox, varicella | - | - | - | - | - | - |
| Herpes zoster, shingles | - | - | - | - | - | - |
| Viral diseases of the conjunctiva | - | - | - | - | - | - |
| Viral conjunctivitis (ophthalmia) | - | - | - | - | - | - |
| Other diseases due to viruses | - | - | - | - | - | .1 |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|---|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Foot and mouth disease | 3294 | (⁷) | — | — | — | — | — | — |
| Other diseases due to viruses, n.e.c. | 3299 | (⁷) | — | — | — | — | — | — |
| Mycoses (fungal infections) | 34 | (⁷) | — | — | — | — | — | — |
| Dermatophytosis (including athletes foot, tinea) | 341 | (⁷) | — | — | — | — | — | — |
| Infectious diseases peculiar to the intestines | 36 | (⁷) | (⁷) | 0.1 | 0.2 | 0.1 | (⁷) | — |
| Infectious diseases peculiar to the intestines, unspecified | 360 | (⁷) | (⁷) | — | — | — | — | — |
| Typhoid and paratyphoid fevers | 362 | (⁷) | — | .1 | — | — | — | — |
| Infectious diseases peculiar to the intestines, n.e.c. | 369 | (⁷) | — | — | .1 | — | (⁷) | — |
| Other infectious and parasitic diseases | 39 | .1 | — | — | .1 | .4 | .2 | — |
| Other infectious and parasitic diseases, unspecified | 390 | (⁷) | — | — | — | — | (⁷) | — |
| Pediculosis and phthirus infestation (lice) | 391 | (⁷) | — | — | — | — | — | — |
| Scabies and other acariases ... | 392 | .1 | — | — | (⁷) | .4 | .2 | — |
| Neoplasms, tumors, and cancers | 4 | (⁷) | — | — | — | — | — | — |
| Malignant neoplasms and tumors (cancers, carcinomas, sarcomas) | 41 | (⁷) | — | — | — | — | — | — |
| Symptoms, signs, and ill-defined conditions | 5 | .6 | .4 | .2 | .5 | .5 | 1.0 | 0.8 |
| Symptoms, signs, and ill-defined conditions, unspecified | 50 | (⁷) | — | — | — | — | (⁷) | — |
| Symptoms | 51 | .6 | .4 | .2 | .4 | .5 | 1.0 | .8 |
| Symptoms, unspecified | 510 | (⁷) | — | — | — | — | (⁷) | — |
| General symptoms | 511 | .4 | .4 | .2 | .4 | .4 | .7 | .3 |
| General symptoms, unspecified | 5110 | (⁷) | — | — | — | — | — | — |
| Loss of consciousness—not heat related | 5111 | .2 | .1 | .2 | .1 | .1 | .4 | .2 |
| Convulsions, seizures | 5112 | .1 | .2 | — | — | — | .1 | (⁷) |
| Malaise and fatigue | 5113 | (⁷) | — | — | — | — | — | — |
| Dizziness—general | 5114 | .1 | (⁷) | — | .2 | — | .1 | .1 |
| Inflammation, swelling—general | 5115 | (⁷) | — | — | — | — | (⁷) | — |
| Numbness—general | 5116 | (⁷) | — | — | — | — | — | — |
| Multiple general symptoms .. | 5118 | (⁷) | — | — | — | .2 | .1 | (⁷) |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|---|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Foot and mouth disease | — | — | — | — | — | — |
| Other diseases due to viruses, n.e.c. | — | — | — | — | — | 0.1 (⁷) |
| Mycoses (fungal infections) | — | — | — | — | — | (⁷) |
| Dermatophytosis (including athlete's foot, tinea) | — | — | — | — | — | — |
| Infectious diseases peculiar to the intestines | — | — | — | — | — | (⁷) |
| Infectious diseases peculiar to the intestines, unspecified | — | — | — | — | — | (⁷) |
| Typhoid and paratyphoid fevers | — | — | — | — | — | — |
| Infectious diseases peculiar to the intestines, n.e.c. | — | — | — | — | — | — |
| Other infectious and parasitic diseases | — | — | — | — | — | — |
| Other infectious and parasitic diseases, unspecified | — | — | — | — | — | — |
| Pediculosis and phthirus infestation (lice) | — | — | — | — | — | — |
| Scabies and other acariases ... | — | — | — | — | — | — |
| Neoplasms, tumors, and cancers | — | — | — | — | — | — |
| Malignant neoplasms and tumors (cancers, carcinomas, sarcomas) | — | — | — | — | — | — |
| Symptoms, signs, and ill-defined conditions | 0.3 | 0.6 | 0.8 | 0.8 | 0.4 | .6 |
| Symptoms, signs, and ill-defined conditions, unspecified | — | — | — | — | (⁷) | — |
| Symptoms | .2 | .6 | .8 | .8 | .4 | .6 |
| Symptoms, unspecified | — | — | — | — | — | (⁷) |
| General symptoms | .2 | .3 | .4 | .5 | .3 | .4 |
| General symptoms, unspecified | — | — | — | — | — | — |
| Loss of consciousness—not heat related | .1 | — | .1 | .3 | .2 | .2 |
| Convulsions, seizures | — | — | — | .1 | — | (⁷) |
| Malaise and fatigue | — | — | — | — | — | — |
| Dizziness—general | .1 | — | — | (⁷) | (⁷) | .1 |
| Inflammation, swelling—general | — | — | — | — | — | — |
| Numbness—general | — | — | — | — | (⁷) | (⁷) |
| Multiple general symptoms .. | (⁷) | — | .2 | (⁷) | — | (⁷) |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|--|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| General symptoms, n.e.c. | 5119 | (⁷) | — | — | — | (⁷) | (⁷) | — |
| Symptoms involving nervous and musculoskeletal systems | 512 | (⁷) | — | — | — | — | (⁷) | — |
| Earache | 5122 | (⁷) | — | — | — | — | — | — |
| Symptoms involving skin and other integumentary tissue | 513 | (⁷) | — | — | — | — | — | — |
| Symptoms involving head and neck | 514 | .1 | — | — | (⁷) | — | .1 | 0.3 |
| Headache, except migraine | 5141 | .1 | — | — | — | — | (⁷) | .3 |
| Symptoms involving head and neck, n.e.c. | 5149 | (⁷) | — | — | — | — | (⁷) | — |
| Symptoms involving cardiovascular system | 515 | (⁷) | — | — | — | — | — | — |
| Unspecified tachycardia (rapid heartbeat) | 5151 | (⁷) | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest | 516 | .1 | (⁷) | — | (⁷) | (⁷) | .1 | .1 |
| Symptoms involving respiratory system and chest, unspecified | 5160 | (⁷) | — | — | — | — | (⁷) | .1 |
| Chest pain | 5164 | (⁷) | — | — | — | — | .1 | — |
| Multiple symptoms involving respiratory system and chest | 5168 | (⁷) | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest, n.e.c. | 5169 | (⁷) | (⁷) | — | — | — | (⁷) | (⁷) |
| Symptoms involving digestive and urinary system | 517 | (⁷) | — | — | — | — | (⁷) | — |
| Nausea and vomiting—general | 5171 | (⁷) | — | — | — | — | (⁷) | — |
| Abdominal pain, unspecified | 5174 | (⁷) | — | — | — | — | (⁷) | — |
| Multiple symptoms | 518 | (⁷) | — | — | — | — | — | (⁷) |
| Abnormal findings | 52 | (⁷) | — | — | — | — | (⁷) | — |
| Other abnormal findings | 529 | (⁷) | — | — | — | — | (⁷) | — |
| Symptoms, signs, and ill-defined conditions, n.e.c. | 59 | (⁷) | — | — | — | — | (⁷) | — |
| Other diseases, conditions, and disorders | 6 | .3 | .4 | — | .4 | .3 | .3 | .3 |
| Damage to prosthetic and orthopedic devices | 61 | (⁷) | — | — | — | — | — | — |
| Damage to orthopedic devices | 612 | (⁷) | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|--|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| General symptoms, n.e.c. | - | - | - | - | - | - |
| Symptoms involving nervous and musculoskeletal systems | - | - | - | - | - | - |
| Earache | - | - | - | - | - | - |
| Symptoms involving skin and other integumentary tissue | - | - | - | - | - | - |
| Symptoms involving head and neck | - | - | - | 0.1 | (⁷) | (⁷) |
| Headache, except migraine | - | - | - | .1 | (⁷) | (⁷) |
| Symptoms involving head and neck, n.e.c. | - | - | - | - | - | - |
| Symptoms involving cardiovascular system | - | - | - | - | - | - |
| Unspecified tachycardia (rapid heartbeat) | - | - | - | - | - | - |
| Symptoms involving respiratory system and chest | (⁷) | - | 0.1 | .2 | .1 | .1 |
| Symptoms involving respiratory system and chest, unspecified | (⁷) | - | - | .1 | (⁷) | - |
| Chest pain | - | - | - | .1 | - | - |
| Multiple symptoms involving respiratory system and chest | - | - | - | - | - | - |
| Symptoms involving respiratory system and chest, n.e.c. | (⁷) | - | - | - | (⁷) | (⁷) |
| Symptoms involving digestive and urinary system | - | - | - | - | - | (⁷) |
| Nausea and vomiting—general | - | - | - | - | - | - |
| Abdominal pain, unspecified | - | - | - | - | - | - |
| Multiple symptoms | - | - | - | - | - | - |
| Abnormal findings | - | - | - | - | - | (⁷) |
| Other abnormal findings | - | - | - | - | - | (⁷) |
| Symptoms, signs, and ill-defined conditions, n.e.c. | - | - | - | - | - | - |
| Other diseases, conditions, and disorders | .3 | - | .1 | .1 | .2 | .7 |
| Damage to prosthetic and orthopedic devices | - | - | - | - | - | - |
| Damage to orthopedic devices | - | - | - | - | - | - |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|---|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Damage to pins, rods, plates, and screws | 6122 | (⁷) | — | — | — | — | — | — |
| Mental disorders and syndromes | 62 | .3 | 0.4 | — | 0.4 | 0.3 | 0.3 | 0.3 |
| Mental disorders and syndromes, unspecified | 620 | (⁷) | — | — | — | (⁷) | (⁷) | (⁷) |
| Anxiety, stress | 621 | .3 | .4 | — | .4 | .3 | .3 | .3 |
| Anxiety, stress, unspecified | 6210 | .2 | .3 | — | .3 | .2 | .2 | .1 |
| Post-traumatic stress disorder | 6211 | .1 | (⁷) | — | .1 | .1 | .1 | .2 |
| Adjustment disorder | 6212 | (⁷) | — | — | — | — | — | — |
| Anxiety or panic disorder | 6213 | (⁷) | — | — | — | — | (⁷) | — |
| Anxiety, stress, n.e.c. | 6219 | (⁷) | .1 | — | (⁷) | — | (⁷) | (⁷) |
| Exposures to disease—no illness incurred | 7 | (⁷) | — | — | .1 | .3 | .1 | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|---|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Damage to pins, rods, plates, and screws | — | — | — | — | — | — |
| Mental disorders and syndromes | 0.3 | — | 0.1 | 0.1 | 0.2 | 0.6 |
| Mental disorders and syndromes, unspecified | — | — | — | — | .1 | — |
| Anxiety, stress | .3 | — | .1 | .1 | .1 | .6 |
| Anxiety, stress, unspecified | .2 | — | — | .1 | .1 | .4 |
| Post-traumatic stress disorder | (⁷) | — | — | — | (⁷) | .1 |
| Adjustment disorder | — | — | — | — | — | — |
| Anxiety or panic disorder | (⁷) | — | — | — | — | (⁷) |
| Anxiety, stress, n.e.c. | (⁷) | — | — | — | — | (⁷) |
| Exposures to disease—no illness incurred | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Nature code ⁴ | Private industry ⁵ | Summary occupational groups ⁶ | | | | | |
|---|--------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Multiple diseases, conditions, and disorders | 8 | 0.1 | (⁷) | (⁷) | – | (⁷) | 0.1 | – |
| Nonclassifiable | 9999 | .4 | .1 | – | 0.1 | .4 | .4 | 0.4 |

See footnotes at end of table.

TABLE R103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2012³ — Continued

| Nature | Summary occupational groups ⁶ | | | | | |
|---|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Multiple diseases, conditions, and disorders | (⁷) | — | 0.1 | 0.1 | (⁷) | 0.2 |
| Nonclassifiable | (⁷) | 1.1 | .5 | .3 | .3 | 1.2 |

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000, where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers
 (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

⁴ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Excludes farms with fewer than 11 employees.

⁶ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

⁷ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.