

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2013

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total		917,090	232,570	133,860	51,580	33,770	229,190	47,120	141,060	35,000
Head	1	69,680	39,940	23,450	9,550	140	12,240	2,470	9,420	30
Head, unspecified	10	15,080	8,680	4,250	4,360	50	4,230	610	3,570	–
Cranial region, including skull	11	15,000	7,350	3,930	3,310	40	4,820	1,240	3,320	–
Cranial region, unspecified	110	250	150	70	80	–	40	–	30	–
Brain	111	11,880	5,280	2,890	2,300	30	4,020	890	2,890	–
Scalp	112	2,120	1,510	690	810	–	490	210	290	–
Skull	113	540	280	190	80	–	220	140	70	–
Multiple cranial region locations	118	100	70	50	20	–	–	–	–	–
Cranial region, n.e.c.	119	110	50	40	20	–	50	–	40	–
Ear(s)	12	1,330	470	390	20	–	100	–	100	–
Face	13	37,230	23,050	14,590	1,780	30	2,850	560	2,230	–
Face, unspecified	130	3,720	1,230	1,070	150	–	570	150	420	–
Forehead	131	2,790	1,950	1,290	590	–	530	40	490	–
Eye(s)	132	22,120	15,270	8,170	560	–	260	40	190	–
Nose, nasal cavity	133	2,190	1,350	1,190	160	–	390	30	350	–
Nose, except internal location of diseases or disorders	1330	2,180	1,350	1,190	160	–	390	30	350	–
Cheek(s)	134	570	260	250	–	–	100	–	80	–
Jaw, chin	135	1,130	530	450	70	–	360	200	140	–
Mouth	136	2,560	1,300	1,150	120	–	340	70	270	–
Mouth, unspecified	1360	410	330	270	50	–	40	–	40	–
Lip(s)	1361	720	300	290	–	–	30	–	20	–
Tongue	1362	20	20	20	–	–	–	–	–	–
Tooth (teeth)	1363	1,280	560	480	60	–	250	60	190	–
Multiple mouth locations	1368	110	70	70	–	–	20	–	20	–
Multiple face locations	138	1,900	1,020	900	90	–	280	20	260	–
Face, n.e.c.	139	250	140	120	30	–	30	–	30	–
Multiple head locations	18	830	230	200	20	–	200	30	170	–
Head, n.e.c.	19	210	150	80	70	–	40	–	30	–
Neck, including throat	2	13,430	1,690	1,150	430	50	1,540	380	1,030	100
Neck, except internal location of diseases or disorders ...	20	13,400	1,680	1,140	430	50	1,540	380	1,030	100
Larynx	23	20	–	–	–	–	–	–	–	–
Trunk	3	226,640	10,690	6,040	3,270	600	41,050	9,670	24,190	6,070
Trunk, unspecified	30	840	40	–	20	–	340	70	200	50
Chest, including ribs, internal organs	31	13,830	2,620	1,450	950	130	4,690	1,430	3,150	60
Chest, except internal location of diseases or disorders	310	13,000	2,620	1,450	950	130	4,690	1,430	3,150	50
Internal chest location, unspecified	311	100	–	–	–	–	–	–	–	–
Heart	313	210	–	–	–	–	–	–	–	–
Bronchus	314	70	–	–	–	–	–	–	–	–

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total	322,310	107,910	24,420	40,100	44,410	30,840	1,470	38,500	13,800	11,830	11,980	8,560
Head	460	50	—	7,410	3,040	2,000	490	5,780	3,210	1,350	1,140	330
Head, unspecified	190	20	—	80	940	600	—	880	650	170	60	60
Cranial region, including skull	100	—	—	40	1,500	1,010	—	1,120	840	210	70	50
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—	—	30
Brain	80	—	—	—	1,420	950	—	1,030	790	200	40	20
Scalp	—	—	—	—	70	50	—	30	20	—	—	—
Skull	—	—	—	—	—	—	—	40	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	60	—	—	510	90	20	—	60	30	—	20	30
Face	110	20	—	6,700	340	200	440	3,560	1,560	930	990	180
Face, unspecified	—	—	—	700	90	70	360	760	390	180	190	—
Forehead	—	—	—	—	70	20	—	120	50	50	20	110
Eye(s)	90	20	—	5,590	40	—	70	750	330	270	150	60
Nose, nasal cavity	—	—	—	40	20	—	—	390	280	70	30	—
Nose, except internal location of diseases or disorders	—	—	—	30	20	—	—	390	280	70	30	—
Cheek(s)	—	—	—	30	—	—	—	180	30	—	130	—
Jaw, chin	—	—	—	—	—	—	—	230	170	—	50	—
Mouth	—	—	—	30	30	20	—	850	130	330	340	—
Mouth, unspecified	—	—	—	—	—	—	—	30	20	—	—	—
Lip(s)	—	—	—	—	—	—	—	370	50	—	260	—
Tongue	—	—	—	—	—	—	—	—	—	—	—	—
Tooth (teeth)	—	—	—	—	20	—	—	450	50	320	80	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	270	80	60	—	240	150	20	70	—
Face, n.e.c.	—	—	—	30	—	—	—	40	20	—	20	—
Multiple head locations	—	—	—	70	170	170	20	140	110	20	—	—
Head, n.e.c.	—	—	—	—	—	—	—	20	—	—	—	—
Neck, including throat	5,030	1,660	290	60	4,060	3,270	—	970	540	280	130	80
Neck, except internal location of diseases or disorders ...	5,030	1,660	290	40	4,060	3,270	—	970	540	280	130	80
Larynx	—	—	—	—	—	—	—	—	—	—	—	—
Trunk	157,520	71,000	2,370	1,570	8,620	6,450	90	5,740	2,260	2,660	800	1,370
Trunk, unspecified	370	140	—	—	50	30	—	20	—	—	—	—
Chest, including ribs, internal organs	3,460	1,140	50	650	1,340	1,080	—	1,000	620	220	150	70
Chest, except internal location of diseases or disorders	3,130	1,120	50	190	1,330	1,080	—	970	590	220	150	60
Internal chest location, unspecified	70	—	—	20	—	—	—	—	—	—	—	—
Heart	160	20	—	—	—	—	—	30	—	—	—	—
Bronchus	—	—	—	70	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Falls, slips, trips				
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall	
Lung(s), pleura	315	440	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	170,450	5,300	3,130	1,530	280	27,220	6,150	15,420	4,760	
Back, including spine, spinal cord, unspecified	320	69,680	2,790	1,850	730	70	12,460	3,130	6,820	1,940	
Thoracic region	321	8,360	420	280	90	20	1,300	410	680	160	
Lumbar region	322	85,100	1,900	910	660	140	11,170	2,060	6,270	2,580	
Sacral region	323	230	—	—	—	—	50	—	30	—	
Coccygeal region	324	1,410	30	—	30	—	1,310	360	930	—	
Multiple back regions	328	5,420	140	90	20	30	920	180	660	70	
Back, including spine, spinal cord, n.e.c.	329	250	—	—	—	—	20	—	—	—	
Abdomen	33	20,820	1,020	480	440	90	940	140	470	280	
Abdomen, except internal location of diseases or disorders	330	19,970	1,020	480	440	90	940	140	470	280	
Internal abdominal location, unspecified	331	410	—	—	—	—	—	—	—	—	
Stomach organ	332	50	—	—	—	—	—	—	—	—	
Intestines, peritoneum	335	380	—	—	—	—	—	—	—	—	
Intestines, peritoneum, unspecified	3350	360	—	—	—	—	—	—	—	—	
Pelvic region	34	16,920	1,440	830	230	80	6,440	1,450	4,160	750	
Pelvic region, unspecified	340	210	60	40	—	—	110	—	80	—	
Hip(s)	341	8,070	670	490	140	40	4,390	900	2,980	450	
Pelvis	342	1,150	380	80	—	—	610	230	370	—	
Buttock(s)	343	1,100	50	20	20	—	630	100	520	—	
Groin	344	5,910	210	140	50	—	550	150	120	270	
External reproductive tract structures	345	190	70	60	—	—	20	20	—	—	
External reproductive tract structures, unspecified ..	3450	20	—	—	—	—	—	—	—	—	
Scrotum	3451	90	50	40	—	—	—	—	—	—	
Penis	3452	20	—	—	—	—	—	—	—	—	
External reproductive tract structures, n.e.c.	3459	40	—	—	—	—	—	—	—	—	
Internal reproductive tract structures	346	20	—	—	—	—	—	—	—	—	
Multiple pelvic region locations	348	170	—	—	—	—	100	20	60	20	
Pelvic region, n.e.c.	349	110	—	—	—	—	50	—	20	—	
Multiple trunk locations	38	3,580	260	150	100	—	1,320	440	700	180	
Trunk, n.e.c.	39	200	—	—	—	—	100	—	100	—	
Upper extremities	4	286,320	118,480	63,390	22,700	28,460	45,070	8,400	32,940	3,210	
Upper extremities, unspecified	40	440	120	90	20	—	30	—	20	—	
Shoulder(s), including clavicle(s), scapula(e)	41	68,500	5,120	3,560	650	240	13,990	3,080	9,330	1,360	
Arm(s)	42	43,580	10,320	5,220	3,200	1,530	10,820	1,780	8,030	920	
Arm(s), unspecified	420	14,880	3,450	1,820	770	670	3,750	580	2,700	450	
Upper arm(s)	421	5,050	460	320	70	50	740	120	540	60	
Elbow(s)	422	14,220	2,890	710	1,850	250	4,710	790	3,550	330	
Forearm(s)	423	7,300	3,180	2,150	450	500	1,130	180	890	40	
Multiple arm locations	428	1,550	180	110	40	30	420	80	290	40	
Multiple arm locations, unspecified	4280	250	30	—	—	—	30	20	—	—	
Elbow(s) and arm(s)	4281	680	100	70	20	—	180	20	150	—	

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Lung(s), pleura	90	-	-	350	-	-	-	-	-	-	-	-
Back, including spine, spinal cord	127,310	54,780	1,850	170	6,450	4,910	50	3,010	850	1,760	400	930
Back, including spine, spinal cord, unspecified	49,540	21,360	780	110	3,330	2,520	-	1,020	400	570	50	430
Thoracic region	5,740	2,410	120	-	290	200	-	550	90	130	320	40
Lumbar region	67,960	29,650	870	30	2,310	1,740	-	1,240	310	910	20	440
Sacral region	160	50	-	-	20	-	-	-	-	-	-	-
Coccygeal region	40	-	-	-	-	-	-	-	-	-	-	20
Multiple back regions	3,750	1,260	70	-	440	400	-	160	40	120	-	-
Back, including spine, spinal cord, n.e.c.	120	30	-	-	50	50	-	40	-	30	-	-
Abdomen	17,120	10,730	200	510	190	60	-	770	560	170	50	270
Abdomen, except internal location of diseases or disorders	16,380	10,350	90	430	190	60	-	760	550	160	50	250
Internal abdominal location, unspecified	400	150	80	-	-	-	-	-	-	-	-	-
Stomach organ	30	-	-	-	-	-	-	-	-	-	-	-
Intestines, peritoneum	300	220	30	70	-	-	-	-	-	-	-	-
Intestines, peritoneum, unspecified	290	220	20	60	-	-	-	-	-	-	-	-
Pelvic region	7,800	3,840	250	170	270	120	20	690	120	470	100	90
Pelvic region, unspecified	20	-	-	-	-	-	-	-	-	-	-	-
Hip(s)	2,350	710	40	30	180	80	-	400	50	330	30	50
Pelvis	100	60	-	-	30	-	-	-	-	-	-	30
Buttock(s)	320	90	-	30	-	-	-	60	-	-	50	-
Groin	4,830	2,940	40	110	20	-	-	160	30	110	20	-
External reproductive tract structures	60	-	-	-	-	-	-	20	-	-	-	-
External reproductive tract structures, unspecified ..	-	-	-	-	-	-	-	-	-	-	-	-
Scrotum	20	-	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-	-	-
External reproductive tract structures, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Internal reproductive tract structures	-	-	-	-	-	-	-	-	-	-	-	-
Multiple pelvic region locations	50	-	-	-	-	-	-	20	-	-	-	-
Pelvic region, n.e.c.	60	-	-	-	-	-	-	-	-	-	-	-
Multiple trunk locations	1,400	360	-	40	320	250	-	210	70	30	100	-
Trunk, n.e.c.	50	-	-	-	-	-	-	40	30	-	-	-
Upper extremities	93,800	26,850	19,850	9,700	4,900	3,320	170	12,670	3,470	3,960	5,060	1,530
Upper extremities, unspecified	170	-	130	70	-	-	-	20	-	-	-	-
Shoulder(s), including clavicle(s), scapula(e)	45,730	16,750	2,740	80	1,540	1,050	-	1,660	670	820	160	360
Arm(s)	15,820	4,750	2,460	2,560	930	550	70	2,720	710	740	1,270	330
Arm(s), unspecified	4,210	1,260	540	1,440	430	240	40	1,470	330	430	700	100
Upper arm(s)	3,480	1,420	180	80	30	-	-	230	120	50	60	20
Elbow(s)	5,860	1,540	1,380	130	160	70	-	280	70	160	50	180
Forearm(s)	1,310	390	180	740	240	180	40	660	160	80	420	-
Multiple arm locations	720	110	180	120	60	50	-	50	20	-	30	-
Multiple arm locations, unspecified	110	20	50	70	-	-	-	-	-	-	-	-
Elbow(s) and arm(s)	370	60	50	-	-	-	-	20	-	-	-	-

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Multiple arm locations, n.e.c.	4289	620	60	30	—	30	210	50	140	30
Arm(s), n.e.c.	429	590	160	110	20	20	70	—	50	—
Wrist(s)	43	37,500	5,390	3,100	1,450	690	11,040	1,950	8,700	320
Hand(s)	44	121,500	95,400	50,260	17,010	25,430	5,550	1,020	4,270	210
Hand(s), unspecified	440	32,400	19,350	11,470	3,600	3,810	2,690	650	1,910	130
Hand(s), except finger(s)	441	4,380	3,140	1,840	810	320	440	50	370	—
Finger(s), fingernail(s)	442	80,110	70,110	35,480	12,130	20,500	2,280	310	1,860	70
Finger(s), fingernail(s), unspecified	4420	60,310	52,900	27,760	9,660	14,030	1,670	260	1,330	40
Fingernail(s), nailbed(s)	4421	870	790	300	160	310	—	—	—	—
Fingertip(s)	4422	7,640	7,340	3,130	660	3,310	60	—	50	—
Finger(s), fingernail(s), n.e.c.	4429	11,290	9,080	4,300	1,650	2,850	540	50	470	30
Hand(s) and finger(s)	448	2,810	1,510	730	140	620	90	—	80	—
Hand(s), n.e.c.	449	1,780	1,280	730	330	180	50	—	50	—
Multiple upper extremities locations	48	14,680	2,090	1,110	370	560	3,620	560	2,580	390
Multiple upper extremities locations, unspecified	480	340	120	50	30	40	70	—	60	—
Hand(s) and arms(s)	481	1,670	220	120	70	30	320	100	220	—
Hand(s) and arm(s), unspecified	4810	850	110	40	50	—	140	40	100	—
Hand(s) and elbow(s)	4811	190	40	30	20	—	70	20	50	—
Hand(s) and arm(s), n.e.c.	4819	630	70	50	—	20	110	30	70	—
Hand(s) and wrist(s)	482	3,210	800	390	110	280	620	60	550	—
Wrist(s) and arm(s)	483	1,230	280	170	30	70	350	30	290	30
Wrist(s) and arm(s), unspecified	4830	420	100	50	—	50	130	20	110	—
Wrist(s) and elbow(s)	4831	370	70	40	30	—	140	—	110	—
Wrist(s) and arm(s), n.e.c.	4839	440	100	80	—	20	80	—	60	—
Shoulder(s) and arm(s)	484	4,870	360	190	80	80	1,480	200	890	320
Multiple upper extremities locations, n.e.c.	489	3,360	310	180	50	70	780	170	570	30
Upper extremities, n.e.c.	49	140	50	50	—	—	20	—	—	—
Lower extremities	5	202,280	53,080	33,530	14,160	3,970	86,080	14,570	44,380	23,550
Lower extremities, unspecified	50	240	30	30	—	—	130	20	80	20
Leg(s)	51	106,030	17,870	9,140	6,390	1,300	47,330	7,390	28,160	10,370
Leg(s), unspecified	510	12,450	3,450	2,160	890	290	5,100	1,360	2,910	680
Thigh(s)	511	4,440	1,280	920	240	70	1,310	200	820	250
Knee(s)	512	77,490	9,670	3,760	4,390	690	36,840	4,760	22,120	8,940
Lower leg(s)	513	8,840	2,920	1,960	730	180	2,850	800	1,610	280
Multiple leg locations	518	2,450	460	300	120	50	1,060	230	570	220
Multiple leg locations, unspecified	5180	240	30	20	—	—	140	40	80	20
Knee(s) and leg(s)	5181	1,580	310	190	80	40	650	90	360	170
Multiple leg locations, n.e.c.	5189	630	130	80	30	—	260	100	130	30
Leg(s), n.e.c.	519	370	100	50	30	—	160	30	130	—
Ankle(s)	52	45,620	6,570	2,950	2,490	1,090	27,150	4,450	11,360	10,370
Foot (feet)	53	43,570	26,970	20,230	4,990	1,450	7,870	2,080	2,710	2,090
Foot (feet), unspecified	530	27,920	15,950	11,680	3,110	1,000	5,210	870	2,090	1,460
Sole(s)	531	2,570	980	300	620	30	1,110	680	200	40

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Multiple arm locations, n.e.c.	240	30	80	50	30	30	—	20	—	—	—	—
Arm(s), n.e.c.	240	30	—	50	—	—	—	30	20	—	—	30
Wrist(s)	18,660	3,160	9,590	240	400	210	—	1,560	620	640	300	210
Hand(s)	7,500	980	2,990	6,090	840	450	80	5,520	1,170	1,280	2,930	520
Hand(s), unspecified	3,210	430	1,150	3,970	340	230	20	2,700	320	320	1,980	120
Hand(s), except finger(s)	250	30	70	260	50	40	—	200	60	50	100	30
Finger(s), fingernail(s)	3,150	430	1,240	1,320	420	160	50	2,420	730	860	780	360
Finger(s), fingernail(s), unspecified	2,390	330	870	1,180	370	150	—	1,530	460	460	600	260
Fingernail(s), nailbed(s)	20	—	—	—	—	—	—	30	—	30	—	—
Fingertip(s)	100	30	40	30	20	—	—	50	—	40	—	—
Finger(s), fingernail(s), n.e.c.	640	60	320	90	30	—	—	800	240	330	180	90
Hand(s) and finger(s)	700	70	480	370	20	20	—	120	60	20	40	—
Hand(s), n.e.c.	190	—	50	190	—	—	—	80	—	30	40	—
Multiple upper extremities locations	5,870	1,190	1,940	640	1,170	1,040	—	1,170	290	470	390	90
Multiple upper extremities locations, unspecified	100	20	50	20	30	20	—	—	—	—	—	—
Hand(s) and arms(s)	500	40	290	370	50	50	—	190	20	40	120	—
Hand(s) and arm(s), unspecified	170	20	60	240	40	40	—	140	—	40	90	—
Hand(s) and elbow(s)	60	—	30	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	270	20	200	120	—	—	—	40	—	—	30	—
Hand(s) and wrist(s)	1,190	150	610	150	160	140	—	280	80	100	110	—
Wrist(s) and arm(s)	390	50	190	30	60	20	—	120	60	20	50	—
Wrist(s) and arm(s), unspecified	110	—	60	20	40	—	—	20	20	—	—	—
Wrist(s) and elbow(s)	150	—	90	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	130	30	50	—	20	20	—	100	40	—	50	—
Shoulder(s) and arm(s)	2,490	770	290	20	150	130	—	360	80	260	—	—
Multiple upper extremities locations, n.e.c.	1,210	160	490	60	720	680	—	210	60	50	110	60
Upper extremities, n.e.c.	40	—	—	—	—	—	—	—	—	—	—	—
Lower extremities	47,000	3,690	390	3,200	6,430	1,840	140	5,330	1,100	2,230	1,970	1,020
Lower extremities, unspecified	40	20	—	—	40	30	—	—	—	—	—	—
Leg(s)	32,170	3,280	280	870	3,020	1,320	140	3,920	870	1,570	1,470	700
Leg(s), unspecified	2,050	540	—	340	710	200	130	570	80	70	420	120
Thigh(s)	1,070	180	—	120	170	40	—	430	40	60	330	50
Knee(s)	26,530	2,320	250	140	1,490	830	—	2,320	670	1,320	320	480
Lower leg(s)	1,960	200	—	200	360	110	—	480	30	70	380	60
Multiple leg locations	500	60	—	60	250	150	—	110	40	60	—	—
Multiple leg locations, unspecified	40	—	—	20	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	410	20	—	30	90	20	—	90	30	50	—	—
Multiple leg locations, n.e.c.	50	20	—	—	160	—	—	—	—	—	—	—
Leg(s), n.e.c.	50	—	—	—	40	—	—	—	—	—	—	—
Ankle(s)	9,950	210	40	250	880	300	—	660	150	350	150	160
Foot (feet)	4,110	160	70	1,660	2,140	100	—	670	60	270	340	150
Foot (feet), unspecified	3,160	90	60	1,420	1,540	90	—	540	40	200	310	100
Sole(s)	390	30	—	—	60	—	—	20	—	20	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Sole(s), unspecified	5310	560	520	—	520	—	20	—	—	—
Ball(s) of the foot	5311	20	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	150	40	30	—	—	30	—	—	—
Heel(s)	5313	1,800	380	270	90	20	1,060	670	180	30
Multiple sole locations	5318	50	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	532	10,620	8,730	7,230	1,080	320	890	70	300	500
Multiple foot (feet) locations	538	1,260	650	550	20	80	370	310	40	20
Foot (feet), n.e.c.	539	1,200	660	470	150	30	280	140	70	70
Multiple lower extremities locations	58	6,760	1,590	1,170	270	130	3,590	630	2,070	710
Multiple lower extremities locations, unspecified	580	170	30	—	—	—	110	—	100	—
Foot (feet) and leg(s)	581	960	300	240	40	20	340	90	210	40
Foot(feet) and leg(s), unspecified	5810	270	60	50	—	—	70	20	40	—
Foot(feet) and knee(s)	5811	350	90	70	30	—	200	40	140	20
Foot(feet) and leg(s), n.e.c.	5819	330	150	120	20	—	70	30	30	—
Foot (feet) and ankle(s)	582	2,420	720	550	100	60	1,030	110	410	360
Ankle(s) and leg(s)	583	2,380	390	250	100	30	1,630	310	1,030	280
Ankle(s) and leg(s), unspecified	5830	480	180	130	30	—	270	100	130	30
Ankle(s) and knee(s)	5831	1,510	110	60	40	—	1,130	100	780	240
Ankle(s) and leg(s), n.e.c.	5839	390	100	60	30	—	230	100	130	—
Multiple lower extremities locations, n.e.c.	589	840	150	110	20	—	480	110	320	40
Lower extremities, n.e.c.	59	50	40	20	20	—	—	—	—	—
Body systems	6	18,570	90	40	40	—	460	80	380	—
Multiple body parts	8	89,870	7,850	5,760	1,340	520	40,920	11,030	27,640	1,870
Multiple body parts, unspecified	80	8,040	710	470	130	50	3,060	710	2,200	110
Head and neck	81	2,310	630	420	200	—	560	120	440	—
Head, neck, and trunk	82	520	120	70	50	—	70	20	50	—
Head and trunk	83	1,330	50	40	—	—	990	290	640	—
Neck and back	84	7,430	270	210	20	20	1,580	360	1,130	90
Shoulder(s) and back	85	3,750	510	370	130	—	870	150	620	90
Hip(s) and leg(s)	86	1,740	70	40	—	—	1,150	410	660	70
Upper and lower limb(s)	87	5,670	260	190	40	20	4,190	940	3,120	110
Other multiple body parts	89	59,080	5,230	3,940	750	410	28,440	8,030	18,780	1,390
Whole body	891	740	40	20	—	—	50	20	30	—
Multiple body parts, n.e.c.	899	58,340	5,190	3,920	740	400	28,400	8,010	18,760	1,390

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Sole(s), unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Ball(s) of the foot	-	-	-	-	-	-	-	-	-	-	-	-
Arch(es), instep(s)	60	-	-	-	-	-	-	-	-	-	-	-
Heel(s)	280	30	-	-	60	-	-	20	-	20	-	-
Multiple sole locations	20	-	-	-	-	-	-	-	-	-	-	-
Toes(s), toenail(s)	430	20	-	110	340	-	-	90	-	50	30	40
Multiple foot (feet) locations	60	30	-	70	100	-	-	-	-	-	-	-
Foot (feet), n.e.c.	70	-	-	50	110	-	-	-	-	-	-	-
Multiple lower extremities locations	730	20	-	410	350	80	-	80	30	40	-	-
Multiple lower extremities locations, unspecified	20	-	-	-	-	-	-	-	-	-	-	-
Foot (feet) and leg(s)	80	-	-	130	70	20	-	30	20	-	-	-
Foot(feet) and leg(s), unspecified	20	-	-	80	20	-	-	-	-	-	-	-
Foot(feet) and knee(s)	40	-	-	-	-	-	-	-	-	-	-	-
Foot(feet) and leg(s), n.e.c.	-	-	-	50	40	-	-	-	-	-	-	-
Foot (feet) and ankle(s)	280	-	-	230	140	-	-	20	-	-	-	-
Ankle(s) and leg(s)	230	-	-	20	90	-	-	20	-	-	-	-
Ankle(s) and leg(s), unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Ankle(s) and knee(s)	190	-	-	-	60	-	-	-	-	-	-	-
Ankle(s) and leg(s), n.e.c.	30	-	-	-	30	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c.	130	-	-	20	50	30	-	20	-	-	-	-
Lower extremities, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Body systems	2,580	20	-	14,010	180	120	40	920	420	60	360	290
Multiple body parts	14,660	4,080	1,400	3,660	16,160	12,980	520	5,870	2,670	1,250	1,460	230
Multiple body parts, unspecified	1,290	250	330	390	1,580	1,290	40	920	230	90	310	40
Head and neck	30	-	-	50	740	710	-	290	180	40	70	-
Head, neck, and trunk	-	-	-	20	250	180	-	50	40	-	-	-
Head and trunk	-	-	-	20	180	170	-	90	30	30	-	-
Neck and back	1,840	450	40	-	3,510	3,270	-	200	80	120	-	20
Shoulder(s) and back	1,970	710	220	-	280	250	-	120	40	70	-	-
Hip(s) and leg(s)	340	100	-	-	70	40	-	50	-	30	-	-
Upper and lower limb(s)	420	30	-	250	230	130	-	300	60	100	100	-
Other multiple body parts	8,760	2,530	780	2,900	9,330	6,950	390	3,860	2,000	760	940	160
Whole body	20	-	-	300	140	130	-	170	-	-	170	-
Multiple body parts, n.e.c.	8,740	2,530	780	2,610	9,190	6,830	380	3,690	1,990	760	770	150

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Other body parts	9	30	20	—	—	—	—	—	—	—
Prosthetic and orthopedic devices	91	30	20	—	—	—	—	—	—	—
Nonclassifiable	9999	10,270	740	490	100	—	1,810	520	1,060	170

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Other body parts	-	-	-	-	-	-	-	-	-	-	-	-
Prosthetic and orthopedic devices	-	-	-	-	-	-	-	-	-	-	-	-
Nonclassifiable	1,260	560	110	490	1,020	840	-	1,230	120	40	1,070	3,710

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.