

TABLE R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, private industry, 2013

| Part of body | Part of body code ³ | Private industry ⁴ | Source of injury or illness ⁵ | | | | |
|--|--------------------------------|-------------------------------|--|------------|------------------------|-----------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Total [917,090 cases] | | 99.9 | 1.3 | 11.7 | 4.5 | 5.5 | 8.3 |
| Head | 1 | 7.6 | .4 | .4 | .6 | .3 | .7 |
| Head, unspecified | 10 | 1.6 | (7) | .1 | .3 | .1 | .1 |
| Cranial region, including skull | 11 | 1.6 | — | .1 | .2 | .1 | .1 |
| Cranial region, unspecified | 110 | (7) | — | (7) | — | (7) | (7) |
| Brain | 111 | 1.3 | — | .1 | .2 | .1 | .1 |
| Scalp | 112 | .2 | — | (7) | (7) | (7) | (7) |
| Skull | 113 | .1 | — | (7) | (7) | — | (7) |
| Multiple cranial region locations | 118 | (7) | — | — | — | — | (7) |
| Cranial region, n.e.c. | 119 | (7) | — | — | (7) | — | — |
| Ear(s) | 12 | .1 | — | (7) | — | (7) | (7) |
| Face | 13 | 4.1 | .4 | .2 | .1 | .1 | .4 |
| Face, unspecified | 130 | .4 | (7) | (7) | (7) | (7) | (7) |
| Forehead | 131 | .3 | — | (7) | (7) | (7) | (7) |
| Eye(s) | 132 | 2.4 | .3 | .1 | (7) | (7) | .2 |
| Nose, nasal cavity | 133 | .2 | — | (7) | (7) | (7) | (7) |
| Nose, except internal location of diseases or disorders | 1330 | .2 | — | (7) | (7) | (7) | (7) |
| Cheek(s) | 134 | .1 | — | (7) | — | — | (7) |
| Jaw, chin | 135 | .1 | — | — | — | — | (7) |
| Mouth | 136 | .3 | — | (7) | (7) | (7) | (7) |
| Mouth, unspecified | 1360 | (7) | — | — | — | — | (7) |
| Lip(s) | 1361 | .1 | — | — | — | (7) | (7) |
| Tongue | 1362 | (7) | — | — | — | — | — |
| Tooth (teeth) | 1363 | .1 | — | (7) | (7) | (7) | (7) |
| Multiple mouth locations | 1368 | (7) | — | — | — | (7) | — |
| Multiple face locations | 138 | .2 | (7) | (7) | (7) | (7) | (7) |
| Face, n.e.c. | 139 | (7) | — | — | (7) | — | (7) |
| Multiple head locations | 18 | .1 | (7) | (7) | (7) | — | (7) |
| Head, n.e.c. | 19 | (7) | — | — | (7) | — | (7) |
| Neck, including throat | 2 | 1.5 | (7) | .2 | .1 | .1 | .1 |
| Neck, except internal location of diseases or disorders ... | 20 | 1.5 | — | .2 | .1 | .1 | .1 |
| Larynx | 23 | (7) | — | — | — | — | — |
| Trunk | 3 | 24.7 | (7) | 5.4 | 1.3 | .9 | 2.1 |
| Trunk, unspecified | 30 | .1 | — | (7) | (7) | (7) | (7) |
| Chest, including ribs, internal organs | 31 | 1.5 | (7) | .2 | .1 | (7) | .1 |
| Chest, except internal location of diseases or disorders | 310 | 1.4 | (7) | .2 | .1 | (7) | .1 |
| Internal chest location, unspecified | 311 | (7) | — | — | — | — | — |
| Heart | 313 | (7) | — | (7) | — | — | — |
| Bronchus | 314 | (7) | — | — | — | — | — |
| Lung(s), pleura | 315 | (7) | (7) | — | — | — | — |
| Back, including spine, spinal cord | 32 | 18.6 | (7) | 4.1 | 1.0 | .7 | 1.4 |
| Back, including spine, spinal cord, unspecified | 320 | 7.6 | (7) | 1.5 | .4 | .4 | .7 |

See footnotes at end of table.

TABLE R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Source of injury or illness ⁵ | | | | | | | All other sources ⁶ |
|--|--|-----------|----------|-------------------------------|---------------------------|--|---------|--------------------------------|
| | Floors, walkways or ground surfaces | Handtools | Vehicles | Person--injured or ill worker | | Person--other than injured or ill worker | | |
| | | | | Total | Worker motion or position | Total | Patient | |
| Total [917,090 cases] | 15.6 | 4.6 | 9.5 | 15.6 | 14.8 | 7.5 | 5.3 | 13.6 |
| Head | 1.0 | .2 | .7 | .1 | (7) | .5 | .2 | 2.5 |
| Head, unspecified | .3 | (7) | .2 | (7) | (7) | .1 | (7) | .3 |
| Cranial region, including skull | .4 | (7) | .3 | (7) | — | .1 | .1 | .2 |
| Cranial region, unspecified | (7) | — | (7) | — | — | — | — | (7) |
| Brain | .3 | (7) | .2 | (7) | — | .1 | .1 | .2 |
| Scalp | (7) | (7) | .1 | — | — | (7) | — | (7) |
| Skull | (7) | — | (7) | — | — | — | — | (7) |
| Multiple cranial region locations | — | — | — | — | — | (7) | — | (7) |
| Cranial region, n.e.c. | (7) | — | — | — | — | — | — | — |
| Ear(s) | (7) | — | (7) | (7) | (7) | (7) | (7) | .1 |
| Face | .2 | .2 | .1 | (7) | (7) | .3 | .1 | 2.0 |
| Face, unspecified | (7) | (7) | (7) | — | — | .1 | (7) | .1 |
| Forehead | (7) | (7) | .1 | — | — | (7) | (7) | .1 |
| Eye(s) | (7) | .1 | (7) | (7) | — | .1 | (7) | 1.5 |
| Nose, nasal cavity | (7) | (7) | (7) | — | — | (7) | (7) | .1 |
| Nose, except internal location of diseases or disorders | (7) | (7) | (7) | — | — | (7) | (7) | .1 |
| Cheek(s) | (7) | (7) | (7) | — | — | (7) | (7) | (7) |
| Jaw, chin | (7) | (7) | (7) | — | — | (7) | (7) | .1 |
| Mouth | (7) | (7) | (7) | — | — | .1 | (7) | .1 |
| Mouth, unspecified | (7) | (7) | — | — | — | (7) | — | (7) |
| Lip(s) | (7) | (7) | (7) | — | — | (7) | (7) | (7) |
| Tongue | — | — | — | — | — | — | — | — |
| Tooth (teeth) | (7) | (7) | (7) | — | — | (7) | (7) | (7) |
| Multiple mouth locations | — | (7) | — | — | — | (7) | — | — |
| Multiple face locations | (7) | (7) | (7) | — | — | (7) | (7) | (7) |
| Face, n.e.c. | (7) | — | — | — | — | (7) | — | (7) |
| Multiple head locations | (7) | — | (7) | — | — | (7) | (7) | (7) |
| Head, n.e.c. | (7) | — | — | — | — | (7) | — | (7) |
| Neck, including throat | .1 | (7) | .5 | .2 | .1 | .2 | .1 | .1 |
| Neck, except internal location of diseases or disorders ... | .1 | (7) | .5 | .2 | .1 | .2 | .1 | .1 |
| Larynx | — | — | — | — | — | — | — | — |
| Trunk | 2.6 | .4 | 1.9 | 4.2 | 4.1 | 3.2 | 2.6 | 2.3 |
| Trunk, unspecified | (7) | — | (7) | (7) | (7) | (7) | (7) | (7) |
| Chest, including ribs, internal organs | .3 | (7) | .3 | .1 | .1 | .1 | .1 | .2 |
| Chest, except internal location of diseases or disorders | .3 | (7) | .3 | .1 | .1 | .1 | .1 | .2 |
| Internal chest location, unspecified | — | — | — | (7) | — | — | — | (7) |
| Heart | — | — | — | (7) | — | (7) | — | (7) |
| Bronchus | — | — | — | — | — | — | — | (7) |
| Lung(s), pleura | — | — | — | (7) | — | — | — | (7) |
| Back, including spine, spinal cord | 1.7 | .3 | 1.3 | 3.5 | 3.5 | 2.7 | 2.2 | 1.4 |
| Back, including spine, spinal cord, unspecified | .8 | .1 | .6 | 1.4 | 1.4 | 1.0 | .7 | .6 |

See footnotes at end of table.

TABLE R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Part of body code ³ | Private industry ⁴ | Source of injury or illness ⁵ | | | | |
|--|--------------------------------|-------------------------------|--|------------|------------------------|------------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Thoracic region | 321 | 0.9 | — | 0.2 | (7) | (7) | 0.1 |
| Lumbar region | 322 | 9.3 | — | 2.3 | .6 | .3 | .7 |
| Sacral region | 323 | (7) | — | (7) | — | — | — |
| Coccygeal region | 324 | .2 | — | (7) | (7) | — | — |
| Multiple back regions | 328 | .6 | — | .1 | (7) | (7) | (7) |
| Back, including spine, spinal cord, n.e.c. | 329 | (7) | — | (7) | — | — | — |
| Abdomen | 33 | 2.3 | (7) | .8 | .1 | .1 | .4 |
| Abdomen, except internal location of diseases or disorders | 330 | 2.2 | (7) | .8 | .1 | .1 | .4 |
| Internal abdominal location, unspecified | 331 | (7) | — | (7) | — | — | (7) |
| Stomach organ | 332 | (7) | — | — | — | — | — |
| Intestines, peritoneum | 335 | (7) | — | (7) | — | — | — |
| Intestines, peritoneum, unspecified | 3350 | (7) | — | (7) | — | — | — |
| Pelvic region | 34 | 1.8 | (7) | .2 | .1 | (7) | .1 |
| Pelvic region, unspecified | 340 | (7) | — | — | — | — | — |
| Hip(s) | 341 | .9 | — | .1 | (7) | (7) | (7) |
| Pelvis | 342 | .1 | — | (7) | — | — | (7) |
| Buttock(s) | 343 | .1 | — | (7) | (7) | (7) | (7) |
| Groin | 344 | .6 | — | .2 | (7) | (7) | .1 |
| External reproductive tract structures | 345 | (7) | — | — | — | — | (7) |
| External reproductive tract structures, unspecified .. | 3450 | (7) | — | — | — | — | — |
| Scrotum | 3451 | (7) | — | — | — | — | (7) |
| Penis | 3452 | (7) | — | — | — | — | — |
| External reproductive tract structures, n.e.c. | 3459 | (7) | — | — | — | — | — |
| Internal reproductive tract structures | 346 | (7) | — | — | — | — | — |
| Multiple pelvic region locations | 348 | (7) | — | — | — | — | — |
| Pelvic region, n.e.c. | 349 | (7) | — | — | — | — | — |
| Multiple trunk locations | 38 | .4 | — | (7) | (7) | (7) | (7) |
| Trunk, n.e.c. | 39 | (7) | — | — | — | — | — |
| Upper extremities | 4 | 31.2 | .2 | 3.7 | 1.2 | 3.5 | 3.4 |
| Upper extremities, unspecified | 40 | (7) | — | (7) | (7) | — | (7) |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 7.5 | (7) | 1.5 | .3 | .3 | .8 |
| Arm(s) | 42 | 4.7 | (7) | .6 | .2 | .3 | .5 |
| Arm(s), unspecified | 420 | 1.6 | (7) | .2 | .1 | .1 | .2 |
| Upper arm(s) | 421 | .5 | — | .1 | (7) | (7) | .1 |
| Elbow(s) | 422 | 1.5 | — | .2 | .1 | .1 | .2 |
| Forearm(s) | 423 | .8 | (7) | .1 | (7) | .1 | .1 |
| Multiple arm locations | 428 | .2 | — | (7) | (7) | (7) | (7) |
| Multiple arm locations, unspecified | 4280 | (7) | — | (7) | — | — | — |
| Elbow(s) and arm(s) | 4281 | .1 | — | (7) | — | (7) | (7) |
| Multiple arm locations, n.e.c. | 4289 | .1 | — | (7) | (7) | (7) | (7) |
| Arm(s), n.e.c. | 429 | .1 | — | (7) | (7) | (7) | (7) |
| Wrist(s) | 43 | 4.1 | (7) | .4 | .2 | .1 | .2 |
| Hand(s) | 44 | 13.2 | .1 | 1.0 | .5 | 2.7 | 1.8 |
| Hand(s), unspecified | 440 | 3.5 | .1 | .3 | .2 | .5 | .4 |
| Hand(s), except finger(s) | 441 | .5 | (7) | (7) | (7) | .1 | .1 |

See footnotes at end of table.

TABLE R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Source of injury or illness ⁵ | | | | | | | All other sources ⁶ |
|--|--|------------|------------|-------------------------------|---------------------------|--|------------|--------------------------------|
| | Floors, walkways or ground surfaces | Handtools | Vehicles | Person--injured or ill worker | | Person--other than injured or ill worker | | |
| | | | | Total | Worker motion or position | Total | Patient | |
| Thoracic region | 0.1 | (7) | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 |
| Lumbar region | .7 | .2 | .6 | 1.9 | 1.9 | 1.4 | 1.2 | .7 |
| Sacral region | (7) | — | (7) | (7) | (7) | (7) | (7) | — |
| Coccygeal region | .1 | — | (7) | (7) | (7) | — | — | (7) |
| Multiple back regions | .1 | (7) | .1 | .1 | .1 | .2 | .1 | (7) |
| Back, including spine, spinal cord, n.e.c. | (7) | — | (7) | — | — | (7) | (7) | — |
| Abdomen | (7) | .1 | .1 | .2 | .2 | .1 | .1 | .3 |
| Abdomen, except internal location of diseases or disorders | (7) | .1 | .1 | .2 | .1 | .1 | .1 | .3 |
| Internal abdominal location, unspecified | — | — | — | (7) | (7) | — | — | (7) |
| Stomach organ | — | — | — | (7) | — | — | — | (7) |
| Intestines, peritoneum | — | — | — | (7) | (7) | (7) | — | (7) |
| Intestines, peritoneum, unspecified | — | — | — | (7) | (7) | (7) | — | (7) |
| Pelvic region | .5 | (7) | .1 | .3 | .3 | .1 | .1 | .3 |
| Pelvic region, unspecified | (7) | — | — | — | — | — | — | (7) |
| Hip(s) | .4 | (7) | .1 | .2 | .2 | .1 | .1 | .1 |
| Pelvis | (7) | — | (7) | (7) | (7) | — | — | (7) |
| Buttock(s) | .1 | — | (7) | (7) | (7) | (7) | (7) | (7) |
| Groin | (7) | (7) | (7) | .1 | .1 | (7) | (7) | .2 |
| External reproductive tract structures | — | (7) | (7) | — | — | (7) | (7) | (7) |
| External reproductive tract structures, unspecified .. | — | — | — | — | — | — | — | — |
| Scrotum | — | — | — | — | — | — | — | — |
| Penis | — | — | — | — | — | — | — | — |
| External reproductive tract structures, n.e.c. | — | — | — | — | — | — | — | — |
| Internal reproductive tract structures | — | — | — | — | — | — | — | — |
| Multiple pelvic region locations | (7) | — | — | (7) | (7) | (7) | (7) | — |
| Pelvic region, n.e.c. | (7) | — | — | (7) | (7) | — | — | — |
| Multiple trunk locations | .1 | — | (7) | .1 | (7) | (7) | (7) | (7) |
| Trunk, n.e.c. | (7) | — | — | — | — | (7) | (7) | (7) |
| Upper extremities | 3.4 | 3.6 | 1.9 | 3.5 | 3.5 | 1.8 | 1.4 | 4.4 |
| Upper extremities, unspecified | (7) | (7) | (7) | (7) | (7) | (7) | — | (7) |
| Shoulder(s), including clavicle(s), scapula(e) | 1.0 | .2 | .6 | 1.1 | 1.1 | .8 | .6 | .8 |
| Arm(s) | .8 | .3 | .3 | .5 | .5 | .3 | .2 | .8 |
| Arm(s), unspecified | .3 | .1 | .1 | .2 | .1 | .1 | .1 | .3 |
| Upper arm(s) | .1 | (7) | (7) | .1 | .1 | (7) | (7) | (7) |
| Elbow(s) | .4 | (7) | .1 | .2 | .2 | .1 | (7) | .2 |
| Forearm(s) | .1 | .1 | (7) | (7) | (7) | (7) | (7) | .2 |
| Multiple arm locations | (7) | (7) | (7) | (7) | (7) | (7) | (7) | (7) |
| Multiple arm locations, unspecified | (7) | (7) | (7) | (7) | (7) | — | — | (7) |
| Elbow(s) and arm(s) | (7) | (7) | (7) | (7) | (7) | (7) | (7) | (7) |
| Multiple arm locations, n.e.c. | (7) | — | (7) | (7) | (7) | (7) | (7) | (7) |
| Arm(s), n.e.c. | (7) | (7) | (7) | (7) | (7) | (7) | (7) | (7) |
| Wrist(s) | .9 | .2 | .2 | 1.2 | 1.2 | .3 | .2 | .3 |
| Hand(s) | .5 | 2.9 | .7 | .4 | .4 | .3 | .2 | 2.3 |
| Hand(s), unspecified | .2 | .6 | .2 | .2 | .2 | .1 | (7) | .9 |
| Hand(s), except finger(s) | (7) | .1 | (7) | (7) | (7) | (7) | (7) | .1 |

See footnotes at end of table.

TABLE R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Part of body code ³ | Private industry ⁴ | Source of injury or illness ⁵ | | | | |
|---|--------------------------------|-------------------------------|--|------------|------------------------|-----------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Finger(s), fingernail(s) | 442 | 8.7 | (7) | 0.7 | 0.3 | 2.0 | 1.2 |
| Finger(s), fingernail(s), unspecified | 4420 | 6.6 | (7) | .5 | .2 | 1.4 | .9 |
| Fingernail(s), nailbed(s) | 4421 | .1 | — | (7) | (7) | (7) | (7) |
| Fingertip(s) | 4422 | .8 | — | (7) | (7) | .3 | .1 |
| Finger(s), fingernail(s), n.e.c. | 4429 | 1.2 | — | .1 | .1 | .3 | .2 |
| Hand(s) and finger(s) | 448 | .3 | (7) | (7) | (7) | .1 | (7) |
| Hand(s), n.e.c. | 449 | .2 | (7) | (7) | (7) | (7) | (7) |
| Multiple upper extremities locations | 48 | 1.6 | (7) | .2 | .1 | .1 | .1 |
| Multiple upper extremities locations, unspecified | 480 | (7) | — | (7) | — | — | — |
| Hand(s) and arms(s) | 481 | .2 | (7) | (7) | (7) | (7) | (7) |
| Hand(s) and arm(s), unspecified | 4810 | .1 | (7) | — | — | (7) | (7) |
| Hand(s) and elbow(s) | 4811 | (7) | — | — | — | — | (7) |
| Hand(s) and arm(s), n.e.c. | 4819 | .1 | (7) | (7) | — | (7) | (7) |
| Hand(s) and wrist(s) | 482 | .4 | (7) | (7) | (7) | (7) | (7) |
| Wrist(s) and arm(s) | 483 | .1 | — | (7) | (7) | (7) | (7) |
| Wrist(s) and arm(s), unspecified | 4830 | (7) | — | (7) | — | (7) | — |
| Wrist(s) and elbow(s) | 4831 | (7) | — | (7) | — | (7) | — |
| Wrist(s) and arm(s), n.e.c. | 4839 | (7) | — | (7) | — | — | (7) |
| Shoulder(s) and arm(s) | 484 | .5 | — | .1 | (7) | (7) | (7) |
| Multiple upper extremities locations, n.e.c. | 489 | .4 | — | (7) | (7) | (7) | (7) |
| Upper extremities, n.e.c. | 49 | (7) | — | (7) | — | (7) | — |
| Lower extremities | 5 | 22.0 | .1 | 1.4 | 1.0 | .6 | 1.5 |
| Lower extremities, unspecified | 50 | (7) | — | — | — | — | (7) |
| Leg(s) | 51 | 11.5 | (7) | .6 | .4 | .3 | .5 |
| Leg(s), unspecified | 510 | 1.4 | (7) | .1 | .1 | .1 | .1 |
| Thigh(s) | 511 | .5 | — | (7) | (7) | (7) | (7) |
| Knee(s) | 512 | 8.4 | — | .4 | .3 | .1 | .3 |
| Lower leg(s) | 513 | 1.0 | (7) | .1 | (7) | .1 | .1 |
| Multiple leg locations | 518 | .3 | (7) | (7) | (7) | (7) | (7) |
| Multiple leg locations, unspecified | 5180 | (7) | — | — | — | — | (7) |
| Knee(s) and leg(s) | 5181 | .2 | (7) | (7) | (7) | (7) | (7) |
| Multiple leg locations, n.e.c. | 5189 | .1 | — | (7) | (7) | — | (7) |
| Leg(s), n.e.c. | 519 | (7) | — | (7) | — | (7) | (7) |
| Ankle(s) | 52 | 5.0 | (7) | .2 | .1 | .1 | .2 |
| Foot (feet) | 53 | 4.7 | (7) | .5 | .4 | .2 | .8 |
| Foot (feet), unspecified | 530 | 3.0 | (7) | .3 | .2 | .1 | .5 |
| Sole(s) | 531 | .3 | — | (7) | (7) | (7) | .1 |
| Sole(s), unspecified | 5310 | .1 | — | — | — | — | .1 |
| Ball(s) of the foot | 5311 | (7) | — | — | — | — | — |
| Arch(es), instep(s) | 5312 | (7) | — | — | — | — | — |
| Heel(s) | 5313 | .2 | — | (7) | (7) | (7) | (7) |
| Multiple sole locations | 5318 | (7) | — | — | — | — | — |
| Toes(s), toenail(s) | 532 | 1.2 | — | .2 | .1 | .1 | .2 |
| Multiple foot (feet) locations | 538 | .1 | — | (7) | (7) | (7) | (7) |
| Foot (feet), n.e.c. | 539 | .1 | — | (7) | (7) | (7) | (7) |
| Multiple lower extremities locations | 58 | .7 | (7) | (7) | (7) | (7) | .1 |

See footnotes at end of table.

TABLE R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Source of injury or illness ⁵ | | | | | | | All other sources ⁶ |
|---|--|-----------|----------|-------------------------------|---------------------------|--|---------|--------------------------------|
| | Floors, walkways or ground surfaces | Handtools | Vehicles | Person--injured or ill worker | | Person--other than injured or ill worker | | |
| | | | | Total | Worker motion or position | Total | Patient | |
| Finger(s), fingernail(s) | 0.2 | 2.2 | 0.4 | 0.2 | 0.2 | 0.2 | 0.1 | 1.3 |
| Finger(s), fingernail(s), unspecified | .1 | 1.7 | .4 | .1 | .1 | .1 | .1 | 1.0 |
| Fingernail(s), nailbed(s) | (7) | (7) | (7) | - | - | (7) | (7) | (7) |
| Fingertip(s) | (7) | .2 | (7) | (7) | (7) | (7) | - | .1 |
| Finger(s), fingernail(s), n.e.c. | (7) | .3 | (7) | (7) | (7) | .1 | (7) | .2 |
| Hand(s) and finger(s) | (7) | (7) | (7) | .1 | .1 | (7) | (7) | (7) |
| Hand(s), n.e.c. | (7) | (7) | (7) | (7) | (7) | (7) | (7) | (7) |
| Multiple upper extremities locations | .3 | (7) | .2 | .3 | .3 | .2 | .1 | .2 |
| Multiple upper extremities locations, unspecified | (7) | - | (7) | (7) | (7) | - | - | (7) |
| Hand(s) and arms(s) | (7) | (7) | (7) | (7) | (7) | (7) | (7) | .1 |
| Hand(s) and arm(s), unspecified | (7) | (7) | (7) | (7) | (7) | (7) | (7) | (7) |
| Hand(s) and elbow(s) | (7) | - | - | (7) | (7) | (7) | - | (7) |
| Hand(s) and arm(s), n.e.c. | (7) | - | - | (7) | (7) | (7) | (7) | (7) |
| Hand(s) and wrist(s) | .1 | (7) | (7) | .1 | .1 | (7) | (7) | (7) |
| Wrist(s) and arm(s) | (7) | (7) | (7) | (7) | (7) | (7) | (7) | (7) |
| Wrist(s) and arm(s), unspecified | (7) | - | (7) | (7) | (7) | (7) | (7) | (7) |
| Wrist(s) and elbow(s) | (7) | - | - | (7) | (7) | - | - | (7) |
| Wrist(s) and arm(s), n.e.c. | (7) | - | (7) | (7) | (7) | (7) | (7) | (7) |
| Shoulder(s) and arm(s) | .1 | (7) | (7) | .1 | .1 | .1 | .1 | (7) |
| Multiple upper extremities locations, n.e.c. | .1 | (7) | .1 | .1 | .1 | (7) | (7) | (7) |
| Upper extremities, n.e.c. | - | - | - | - | - | - | - | - |
| Lower extremities | 5.4 | .3 | 2.3 | 6.4 | 6.4 | .6 | .3 | 2.0 |
| Lower extremities, unspecified | (7) | - | (7) | (7) | (7) | - | - | (7) |
| Leg(s) | 3.1 | .2 | 1.0 | 3.6 | 3.6 | .4 | .2 | 1.0 |
| Leg(s), unspecified | .3 | (7) | .2 | .2 | .2 | (7) | (7) | .2 |
| Thigh(s) | .1 | (7) | .1 | .1 | .1 | (7) | (7) | .1 |
| Knee(s) | 2.4 | .1 | .6 | 3.1 | 3.1 | .4 | .2 | .6 |
| Lower leg(s) | .2 | (7) | .1 | .2 | .2 | (7) | (7) | .1 |
| Multiple leg locations | .1 | - | (7) | .1 | .1 | (7) | (7) | (7) |
| Multiple leg locations, unspecified | (7) | - | - | (7) | (7) | - | - | (7) |
| Knee(s) and leg(s) | (7) | - | (7) | (7) | (7) | (7) | (7) | (7) |
| Multiple leg locations, n.e.c. | (7) | - | (7) | (7) | (7) | (7) | - | (7) |
| Leg(s), n.e.c. | (7) | - | (7) | (7) | (7) | - | - | (7) |
| Ankle(s) | 1.5 | (7) | .4 | 2.1 | 2.1 | .1 | (7) | .3 |
| Foot (feet) | .5 | .1 | .8 | .6 | .6 | .1 | (7) | .7 |
| Foot (feet), unspecified | .3 | .1 | .5 | .4 | .4 | (7) | (7) | .5 |
| Sole(s) | .1 | (7) | (7) | (7) | (7) | (7) | - | (7) |
| Sole(s), unspecified | - | - | - | - | - | - | - | - |
| Ball(s) of the foot | - | - | - | - | - | - | - | - |
| Arch(es), instep(s) | (7) | - | - | (7) | (7) | - | - | (7) |
| Heel(s) | .1 | (7) | (7) | (7) | (7) | (7) | - | (7) |
| Multiple sole locations | - | - | - | - | - | - | - | - |
| Toes(s), toenail(s) | .1 | (7) | .2 | .1 | .1 | (7) | (7) | .1 |
| Multiple foot (feet) locations | (7) | - | (7) | (7) | (7) | - | - | (7) |
| Foot (feet), n.e.c. | (7) | (7) | (7) | (7) | (7) | (7) | - | (7) |
| Multiple lower extremities locations | .2 | (7) | .1 | .1 | .1 | (7) | (7) | .1 |

See footnotes at end of table.

TABLE R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Part of body code ³ | Private industry ⁴ | Source of injury or illness ⁵ | | | | |
|---|--------------------------------|-------------------------------|--|------------|------------------------|------------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Multiple lower extremities locations, unspecified | 580 | (7) | — | — | — | — | — |
| Foot (feet) and leg(s) | 581 | .1 | (7) | (7) | (7) | (7) | (7) |
| Foot(feet) and leg(s), unspecified | 5810 | (7) | (7) | — | — | — | (7) |
| Foot(feet) and knee(s) | 5811 | (7) | — | — | (7) | (7) | — |
| Foot(feet) and leg(s), n.e.c. | 5819 | (7) | — | — | (7) | — | (7) |
| Foot (feet) and ankle(s) | 582 | .3 | — | (7) | (7) | (7) | (7) |
| Ankle(s) and leg(s) | 583 | .3 | — | (7) | (7) | (7) | (7) |
| Ankle(s) and leg(s), unspecified | 5830 | .1 | — | — | — | (7) | (7) |
| Ankle(s) and knee(s) | 5831 | .2 | — | (7) | — | (7) | (7) |
| Ankle(s) and leg(s), n.e.c. | 5839 | (7) | — | (7) | — | — | (7) |
| Multiple lower extremities locations, n.e.c. | 589 | .1 | — | (7) | (7) | (7) | (7) |
| Lower extremities, n.e.c. | 59 | (7) | — | — | — | — | (7) |
| Body systems | 6 | 2.0 | .4 | (7) | (7) | (7) | .1 |
| Multiple body parts | 8 | 9.8 | .1 | .6 | .3 | .2 | .3 |
| Multiple body parts, unspecified | 80 | .9 | (7) | (7) | (7) | (7) | (7) |
| Head and neck | 81 | .3 | (7) | (7) | (7) | (7) | (7) |
| Head, neck, and trunk | 82 | .1 | — | (7) | — | (7) | (7) |
| Head and trunk | 83 | .1 | (7) | — | (7) | — | (7) |
| Neck and back | 84 | .8 | — | (7) | (7) | (7) | (7) |
| Shoulder(s) and back | 85 | .4 | — | .1 | (7) | (7) | (7) |
| Hip(s) and leg(s) | 86 | .2 | — | (7) | (7) | (7) | (7) |
| Upper and lower limb(s) | 87 | .6 | (7) | (7) | (7) | (7) | (7) |
| Other multiple body parts | 89 | 6.4 | .1 | .4 | .2 | .1 | .2 |
| Whole body | 891 | .1 | (7) | (7) | — | — | — |
| Multiple body parts, n.e.c. | 899 | 6.4 | .1 | .4 | .2 | .1 | .2 |

See footnotes at end of table.

TABLE R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Source of injury or illness ⁵ | | | | | | | All other sources ⁶ |
|---|--|-----------|----------|-------------------------------|---------------------------|--|---------|--------------------------------|
| | Floors, walkways or ground surfaces | Handtools | Vehicles | Person--injured or ill worker | | Person--other than injured or ill worker | | |
| | | | | Total | Worker motion or position | Total | Patient | |
| Multiple lower extremities locations, unspecified | (7) | - | - | - | - | - | - | (7) |
| Foot (feet) and leg(s) | (7) | - | (7) | (7) | (7) | (7) | (7) | (7) |
| Foot(feet) and leg(s), unspecified | (7) | - | (7) | (7) | (7) | - | - | (7) |
| Foot(feet) and knee(s) | (7) | - | - | (7) | (7) | - | - | (7) |
| Foot(feet) and leg(s), n.e.c. | (7) | - | (7) | - | - | - | - | (7) |
| Foot (feet) and ankle(s) | .1 | - | (7) | .1 | .1 | (7) | - | (7) |
| Ankle(s) and leg(s) | .1 | - | (7) | .1 | .1 | (7) | (7) | (7) |
| Ankle(s) and leg(s), unspecified | (7) | - | (7) | (7) | (7) | - | - | (7) |
| Ankle(s) and knee(s) | .1 | - | (7) | (7) | (7) | (7) | (7) | (7) |
| Ankle(s) and leg(s), n.e.c. | (7) | - | (7) | (7) | (7) | - | - | (7) |
| Multiple lower extremities locations, n.e.c. | (7) | - | (7) | (7) | (7) | (7) | (7) | (7) |
| Lower extremities, n.e.c. | - | - | - | - | - | - | - | - |
| Body systems | (7) | (7) | (7) | .5 | (7) | .2 | .1 | .7 |
| Multiple body parts | 3.0 | .1 | 2.1 | .7 | .7 | .9 | .6 | .9 |
| Multiple body parts, unspecified | .2 | (7) | .2 | .1 | .1 | .1 | (7) | .1 |
| Head and neck | (7) | (7) | .1 | (7) | (7) | (7) | (7) | (7) |
| Head, neck, and trunk | (7) | - | (7) | - | - | (7) | (7) | (7) |
| Head and trunk | .1 | - | (7) | - | - | (7) | (7) | (7) |
| Neck and back | .1 | (7) | .4 | .1 | .1 | .1 | .1 | (7) |
| Shoulder(s) and back | .1 | (7) | .1 | (7) | (7) | .1 | .1 | (7) |
| Hip(s) and leg(s) | .1 | - | (7) | (7) | (7) | (7) | (7) | (7) |
| Upper and lower limb(s) | .4 | (7) | .1 | .1 | .1 | (7) | (7) | .1 |
| Other multiple body parts | 2.1 | .1 | 1.3 | .4 | .4 | .6 | .4 | .6 |
| Whole body | (7) | - | (7) | - | - | (7) | (7) | (7) |
| Multiple body parts, n.e.c. | 2.1 | .1 | 1.3 | .4 | .4 | .6 | .4 | .6 |

See footnotes at end of table.

TABLE R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Part of body code ³ | Private industry ⁴ | Source of injury or illness ⁵ | | | | |
|---|--------------------------------|-------------------------------|--|------------|------------------------|-----------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Other body parts | 9 | (7) | — | (7) | — | — | — |
| Prosthetic and orthopedic devices | 91 | (7) | — | (7) | — | — | — |
| Nonclassifiable | 9999 | 1.1 | (7) | .1 | (7) | (7) | (7) |

See footnotes at end of table.

TABLE R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Source of injury or illness ⁵ | | | | | | | All other sources ⁶ |
|---|--|------------------|----------|-------------------------------|---------------------------|--|------------------|--------------------------------|
| | Floors, walkways or ground surfaces | Handtools | Vehicles | Person--injured or ill worker | | Person--other than injured or ill worker | | |
| | | | | Total | Worker motion or position | Total | Patient | |
| Other body parts | — | — | — | — | — | — | — | — |
| Prosthetic and orthopedic devices | — | — | — | — | — | — | — | — |
| Nonclassifiable | 0.1 | (⁷) | 0.1 | 0.1 | (⁷) | (⁷) | (⁷) | 0.6 |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: $(N/EH) \times 20,000,000$ where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

⁷ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals. Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.