

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2013

| Part of body | Part of body code ² | Private industry ³ | Race or ethnic origin ⁴ | | | | | | | | |
|--|--------------------------------|-------------------------------|------------------------------------|------------|-------------------------|------------|--|--|-----------------------------------|------------|--------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multi-race | Not reported |
| Total | | 917,090 | 363,220 | 70,500 | 124,330 | 12,500 | 2,690 | 4,850 | 940 | 1,270 | 336,830 |
| Head | 1 | 69,680 | 28,580 | 4,780 | 9,480 | 1,340 | 360 | 420 | 30 | 100 | 24,590 |
| Head, unspecified | 10 | 15,080 | 5,590 | 1,160 | 1,480 | 250 | 110 | 100 | - | 40 | 6,360 |
| Cranial region, including skull | 11 | 15,000 | 6,800 | 630 | 1,160 | 450 | 40 | 30 | - | 30 | 5,850 |
| Cranial region, unspecified | 110 | 250 | 70 | - | - | - | - | - | - | - | 160 |
| Brain | 111 | 11,880 | 5,810 | 520 | 590 | 410 | 40 | - | - | 30 | 4,460 |
| Scalp | 112 | 2,120 | 620 | 80 | 520 | 20 | - | 20 | - | - | 860 |
| Skull | 113 | 540 | 210 | - | 30 | - | - | - | - | - | 280 |
| Multiple cranial region locations | 118 | 100 | 50 | - | - | - | - | - | - | - | 30 |
| Cranial region, n.e.c. | 119 | 110 | 40 | - | - | - | - | - | - | - | 40 |
| Ear(s) | 12 | 1,330 | 590 | 100 | 180 | 30 | - | - | - | - | 430 |
| Face | 13 | 37,230 | 15,170 | 2,840 | 6,560 | 610 | 210 | 290 | - | 30 | 11,510 |
| Face, unspecified | 130 | 3,720 | 1,760 | 330 | 550 | 50 | - | - | - | - | 1,010 |
| Forehead | 131 | 2,790 | 1,140 | 210 | 310 | 220 | - | 20 | - | - | 870 |
| Eye(s) | 132 | 22,120 | 8,620 | 1,490 | 4,270 | 210 | 200 | 210 | - | - | 7,100 |
| Nose, nasal cavity | 133 | 2,190 | 750 | 100 | 150 | 40 | - | 30 | - | - | 1,120 |
| Nose, except internal location of diseases or disorders | 1330 | 2,180 | 750 | 100 | 150 | 40 | - | 30 | - | - | 1,110 |
| Cheek(s) | 134 | 570 | 230 | 70 | 40 | 20 | - | - | - | - | 210 |
| Jaw, chin | 135 | 1,130 | 710 | 60 | 110 | - | - | - | - | - | 240 |
| Mouth | 136 | 2,560 | 850 | 430 | 760 | 30 | - | 20 | - | - | 460 |
| Mouth, unspecified | 1360 | 410 | 280 | 20 | 30 | - | - | - | - | - | 70 |
| Lip(s) | 1361 | 720 | 130 | 20 | 380 | - | - | - | - | - | 160 |
| Tongue | 1362 | 20 | - | - | 20 | - | - | - | - | - | - |
| Tooth (teeth) | 1363 | 1,280 | 410 | 360 | 320 | - | - | - | - | - | 170 |
| Multiple mouth locations | 1368 | 110 | - | 20 | - | - | - | - | - | - | 50 |
| Multiple face locations | 138 | 1,900 | 1,010 | 110 | 320 | 20 | - | - | - | - | 420 |
| Face, n.e.c. | 139 | 250 | 90 | 40 | 40 | - | - | - | - | - | 80 |
| Multiple head locations | 18 | 830 | 360 | 50 | 90 | - | - | - | - | - | 320 |
| Head, n.e.c. | 19 | 210 | 70 | - | - | - | - | - | - | - | 120 |
| Neck, including throat | 2 | 13,430 | 5,510 | 900 | 1,430 | 160 | 30 | 30 | - | 50 | 5,320 |
| Neck, except internal location of diseases or disorders ... | 20 | 13,400 | 5,500 | 890 | 1,430 | 160 | 30 | 30 | - | 50 | 5,300 |
| Larynx | 23 | 20 | - | - | - | - | - | - | - | - | - |
| Trunk | 3 | 226,640 | 88,910 | 17,820 | 29,800 | 2,580 | 610 | 840 | 280 | 220 | 85,600 |
| Trunk, unspecified | 30 | 840 | 270 | 100 | 110 | - | - | - | - | - | 300 |
| Chest, including ribs, internal organs | 31 | 13,830 | 5,480 | 930 | 2,180 | 290 | 20 | 30 | - | 30 | 4,870 |
| Chest, except internal location of diseases or disorders | 310 | 13,000 | 5,270 | 790 | 2,140 | 270 | 20 | 30 | - | 30 | 4,450 |
| Internal chest location, unspecified | 311 | 100 | 30 | - | - | - | - | - | - | - | 70 |
| Heart | 313 | 210 | 80 | 30 | - | - | - | - | - | - | 90 |
| Bronchus | 314 | 70 | - | - | - | - | - | - | - | - | 50 |
| Lung(s), pleura | 315 | 440 | 90 | 100 | 30 | - | - | - | - | - | 210 |
| Back, including spine, spinal cord | 32 | 170,450 | 64,930 | 14,130 | 22,410 | 1,910 | 510 | 710 | 220 | 130 | 65,500 |

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2013 — Continued

| Part of body | Part of body code ² | Private industry ³ | Race or ethnic origin ⁴ | | | | | | | | |
|--|--------------------------------|-------------------------------|------------------------------------|---------------|-------------------------|--------------|--|--|-----------------------------------|------------|----------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multi-race | Not reported |
| Back, including spine, spinal cord, unspecified | 320 | 69,680 | 29,640 | 5,780 | 9,550 | 620 | 210 | 420 | 50 | 50 | 23,370 |
| Thoracic region | 321 | 8,360 | 3,150 | 630 | 920 | 70 | 20 | 20 | — | — | 3,550 |
| Lumbar region | 322 | 85,100 | 29,340 | 7,040 | 11,250 | 1,100 | 260 | 260 | 160 | 70 | 35,610 |
| Sacral region | 323 | 230 | 90 | — | 20 | — | — | — | — | — | 110 |
| Coccygeal region | 324 | 1,410 | 790 | 20 | 130 | 40 | — | — | — | — | 420 |
| Multiple back regions | 328 | 5,420 | 1,850 | 640 | 500 | 80 | 20 | — | — | — | 2,310 |
| Back, including spine, spinal cord, n.e.c. | 329 | 250 | 70 | — | 30 | — | — | — | — | — | 130 |
| Abdomen | 33 | 20,820 | 9,450 | 770 | 3,100 | 130 | 20 | 60 | — | — | 7,280 |
| Abdomen, except internal location of diseases or disorders | 330 | 19,970 | 9,030 | 740 | 2,980 | 130 | 20 | 20 | — | — | 7,030 |
| Internal abdominal location, unspecified | 331 | 410 | 150 | — | 100 | — | — | — | — | — | 160 |
| Stomach organ | 332 | 50 | — | 20 | — | — | — | — | — | — | — |
| Intestines, peritoneum | 335 | 380 | 250 | — | 20 | — | — | — | — | — | 80 |
| Intestines, peritoneum, unspecified | 3350 | 360 | 240 | — | 20 | — | — | — | — | — | 70 |
| Pelvic region | 34 | 16,920 | 7,240 | 1,520 | 1,570 | 210 | 40 | 40 | — | — | 6,290 |
| Pelvic region, unspecified | 340 | 210 | 80 | 50 | 20 | — | — | — | — | — | 50 |
| Hip(s) | 341 | 8,070 | 3,620 | 990 | 600 | 120 | — | 20 | — | — | 2,710 |
| Pelvis | 342 | 1,150 | 790 | 20 | 120 | — | — | — | — | — | 210 |
| Buttock(s) | 343 | 1,100 | 270 | 120 | 170 | 30 | — | — | — | — | 500 |
| Groin | 344 | 5,910 | 2,270 | 320 | 620 | 60 | 20 | — | — | — | 2,600 |
| External reproductive tract structures | 345 | 190 | 90 | — | 30 | — | — | — | — | — | 60 |
| External reproductive tract structures, unspecified .. | 3450 | 20 | — | — | — | — | — | — | — | — | 20 |
| Scrotum | 3451 | 90 | 50 | — | — | — | — | — | — | — | 20 |
| Penis | 3452 | 20 | — | — | — | — | — | — | — | — | — |
| External reproductive tract structures, n.e.c. | 3459 | 40 | 30 | — | — | — | — | — | — | — | — |
| Internal reproductive tract structures | 346 | 20 | — | — | — | — | — | — | — | — | — |
| Multiple pelvic region locations | 348 | 170 | 40 | — | — | — | — | — | — | — | 120 |
| Pelvic region, n.e.c. | 349 | 110 | 80 | — | — | — | — | — | — | — | 30 |
| Multiple trunk locations | 38 | 3,580 | 1,450 | 350 | 430 | 20 | 20 | — | — | — | 1,300 |
| Trunk, n.e.c. | 39 | 200 | 90 | 30 | — | — | — | — | — | — | 60 |
| Upper extremities | 4 | 286,320 | 115,660 | 20,230 | 41,450 | 4,350 | 730 | 1,260 | 430 | 280 | 101,940 |
| Upper extremities, unspecified | 40 | 440 | 70 | 60 | 50 | — | — | — | — | — | 240 |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 68,500 | 28,350 | 4,850 | 7,610 | 730 | 220 | 350 | 40 | 80 | 26,260 |
| Arm(s) | 42 | 43,580 | 18,310 | 2,630 | 5,180 | 680 | 120 | 160 | 20 | 40 | 16,450 |
| Arm(s), unspecified | 420 | 14,880 | 5,950 | 1,190 | 1,820 | 280 | 60 | 50 | — | 30 | 5,490 |
| Upper arm(s) | 421 | 5,050 | 2,460 | 250 | 310 | 60 | — | — | — | — | 1,950 |
| Elbow(s) | 422 | 14,220 | 5,940 | 690 | 1,630 | 230 | 40 | 70 | — | — | 5,610 |
| Forearm(s) | 423 | 7,300 | 3,170 | 370 | 1,130 | 100 | — | 30 | — | — | 2,500 |
| Multiple arm locations | 428 | 1,550 | 550 | 110 | 160 | — | — | — | — | — | 700 |
| Multiple arm locations, unspecified | 4280 | 250 | 110 | 30 | — | — | — | — | — | — | 100 |
| Elbow(s) and arm(s) | 4281 | 680 | 240 | 50 | 80 | — | — | — | — | — | 300 |
| Multiple arm locations, n.e.c. | 4289 | 620 | 200 | 30 | 70 | — | — | — | — | — | 300 |
| Arm(s), n.e.c. | 429 | 590 | 240 | 20 | 120 | — | — | — | — | — | 200 |
| Wrist(s) | 43 | 37,500 | 15,180 | 2,890 | 4,340 | 600 | 80 | 200 | 250 | 20 | 13,940 |
| Hand(s) | 44 | 121,500 | 48,480 | 8,570 | 21,850 | 2,130 | 290 | 490 | 110 | 130 | 39,450 |

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2013 — Continued

| Part of body | Part of body code ² | Private industry ³ | Race or ethnic origin ⁴ | | | | | | | | |
|---|--------------------------------|-------------------------------|------------------------------------|---------------|-------------------------|--------------|--|--|-----------------------------------|------------|---------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multi-race | Not reported |
| Hand(s), unspecified | 440 | 32,400 | 12,950 | 2,250 | 5,490 | 490 | 60 | 110 | 30 | 20 | 11,010 |
| Hand(s), except finger(s) | 441 | 4,380 | 1,570 | 340 | 510 | 100 | 20 | 60 | — | — | 1,790 |
| Finger(s), fingernail(s) | 442 | 80,110 | 32,150 | 5,710 | 14,680 | 1,480 | 180 | 320 | 80 | 120 | 25,400 |
| Finger(s), fingernail(s), unspecified | 4420 | 60,310 | 23,790 | 4,290 | 10,640 | 1,030 | 120 | 230 | 60 | 110 | 20,050 |
| Fingernail(s), nailbed(s) | 4421 | 870 | 320 | 140 | 180 | — | — | — | — | — | 220 |
| Fingertip(s) | 4422 | 7,640 | 3,410 | 470 | 1,850 | 160 | 20 | 40 | — | — | 1,680 |
| Finger(s), fingernail(s), n.e.c. | 4429 | 11,290 | 4,630 | 810 | 2,010 | 280 | 40 | 50 | 20 | — | 3,440 |
| Hand(s) and finger(s) | 448 | 2,810 | 1,120 | 170 | 690 | 30 | 20 | — | — | — | 780 |
| Hand(s), n.e.c. | 449 | 1,780 | 690 | 100 | 470 | 30 | — | — | — | — | 470 |
| Multiple upper extremities locations | 48 | 14,680 | 5,220 | 1,220 | 2,420 | 200 | — | 30 | — | 20 | 5,550 |
| Multiple upper extremities locations, unspecified | 480 | 340 | 60 | 60 | 60 | — | — | — | — | — | 160 |
| Hand(s) and arms(s) | 481 | 1,670 | 550 | 50 | 250 | 30 | — | — | — | — | 790 |
| Hand(s) and arm(s), unspecified | 4810 | 850 | 260 | 30 | 110 | — | — | — | — | — | 430 |
| Hand(s) and elbow(s) | 4811 | 190 | 90 | — | 30 | — | — | — | — | — | 60 |
| Hand(s) and arm(s), n.e.c. | 4819 | 630 | 190 | 20 | 110 | 20 | — | — | — | — | 300 |
| Hand(s) and wrist(s) | 482 | 3,210 | 790 | 300 | 680 | 70 | — | — | — | — | 1,350 |
| Wrist(s) and arm(s) | 483 | 1,230 | 500 | 110 | 140 | 20 | — | — | — | — | 460 |
| Wrist(s) and arm(s), unspecified | 4830 | 420 | 150 | 40 | 50 | — | — | — | — | — | 170 |
| Wrist(s) and elbow(s) | 4831 | 370 | 140 | 20 | 40 | — | — | — | — | — | 160 |
| Wrist(s) and arm(s), n.e.c. | 4839 | 440 | 210 | 40 | 50 | — | — | — | — | — | 130 |
| Shoulder(s) and arm(s) | 484 | 4,870 | 2,030 | 480 | 800 | 50 | — | — | — | — | 1,490 |
| Multiple upper extremities locations, n.e.c. | 489 | 3,360 | 1,310 | 220 | 500 | 30 | — | — | — | — | 1,300 |
| Upper extremities, n.e.c. | 49 | 140 | 40 | — | — | — | — | — | — | — | 50 |
| Lower extremities | 5 | 202,280 | 81,050 | 15,980 | 25,520 | 1,910 | 600 | 1,280 | 160 | 160 | 75,630 |
| Lower extremities, unspecified | 50 | 240 | 90 | 40 | 30 | — | — | — | — | — | 80 |
| Leg(s) | 51 | 106,030 | 43,230 | 8,070 | 13,390 | 810 | 380 | 840 | 50 | 120 | 39,140 |
| Leg(s), unspecified | 510 | 12,450 | 4,510 | 980 | 2,390 | 60 | 30 | 40 | — | 20 | 4,440 |
| Thigh(s) | 511 | 4,440 | 1,730 | 510 | 560 | 40 | 60 | 40 | — | — | 1,490 |
| Knee(s) | 512 | 77,490 | 32,550 | 5,890 | 8,900 | 560 | 290 | 730 | 50 | 90 | 28,420 |
| Lower leg(s) | 513 | 8,840 | 3,500 | 550 | 1,080 | 110 | — | 20 | — | — | 3,560 |
| Multiple leg locations | 518 | 2,450 | 850 | 140 | 360 | 30 | — | — | — | — | 1,060 |
| Multiple leg locations, unspecified | 5180 | 240 | 60 | — | 100 | — | — | — | — | — | 70 |
| Knee(s) and leg(s) | 5181 | 1,580 | 560 | 120 | 200 | 20 | — | — | — | — | 670 |
| Multiple leg locations, n.e.c. | 5189 | 630 | 240 | — | 50 | — | — | — | — | — | 320 |
| Leg(s), n.e.c. | 519 | 370 | 90 | — | 100 | — | — | — | — | — | 160 |
| Ankle(s) | 52 | 45,620 | 17,230 | 4,100 | 5,170 | 590 | 90 | 290 | 100 | — | 18,040 |
| Foot (feet) | 53 | 43,570 | 17,840 | 3,130 | 5,990 | 410 | 120 | 150 | — | 30 | 15,900 |
| Foot (feet), unspecified | 530 | 27,920 | 11,790 | 2,200 | 3,240 | 250 | 90 | 100 | — | 20 | 10,210 |
| Sole(s) | 531 | 2,570 | 910 | 130 | 790 | 30 | — | 20 | — | — | 680 |
| Sole(s), unspecified | 5310 | 560 | 110 | 20 | 220 | 20 | — | — | — | — | 190 |
| Ball(s) of the foot | 5311 | 20 | — | — | — | — | — | — | — | — | — |
| Arch(es), instep(s) | 5312 | 150 | 30 | — | 40 | — | — | — | — | — | 60 |
| Heel(s) | 5313 | 1,800 | 740 | 110 | 500 | — | — | 20 | — | — | 420 |
| Multiple sole locations | 5318 | 50 | 20 | — | — | — | — | — | — | — | — |
| Toes(s), toenail(s) | 532 | 10,620 | 4,270 | 720 | 1,080 | 100 | 20 | 30 | — | — | 4,390 |

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2013 — Continued

| Part of body | Part of body code ² | Private industry ³ | Race or ethnic origin ⁴ | | | | | | | | |
|---|--------------------------------|-------------------------------|------------------------------------|--------------|-------------------------|--------------|--|--|-----------------------------------|------------|---------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multi-race | Not reported |
| Multiple foot (feet) locations | 538 | 1,260 | 240 | 40 | 740 | — | — | — | — | — | 240 |
| Foot (feet), n.e.c. | 539 | 1,200 | 630 | 40 | 140 | 20 | — | — | — | — | 360 |
| Multiple lower extremities locations | 58 | 6,760 | 2,640 | 620 | 930 | 100 | — | — | — | — | 2,460 |
| Multiple lower extremities locations, unspecified | 580 | 170 | — | — | 20 | — | — | — | — | — | 120 |
| Foot (feet) and leg(s) | 581 | 960 | 360 | 90 | 130 | 30 | — | — | — | — | 350 |
| Foot(feet) and leg(s), unspecified | 5810 | 270 | 110 | 30 | 40 | — | — | — | — | — | 90 |
| Foot(feet) and knee(s) | 5811 | 350 | 150 | 30 | 50 | — | — | — | — | — | 110 |
| Foot(feet) and leg(s), n.e.c. | 5819 | 330 | 100 | 30 | 40 | 20 | — | — | — | — | 150 |
| Foot (feet) and ankle(s) | 582 | 2,420 | 1,060 | 230 | 270 | 30 | — | — | — | — | 820 |
| Ankle(s) and leg(s) | 583 | 2,380 | 900 | 200 | 400 | 20 | — | — | — | — | 850 |
| Ankle(s) and leg(s), unspecified | 5830 | 480 | 270 | 60 | 80 | — | — | — | — | — | 70 |
| Ankle(s) and knee(s) | 5831 | 1,510 | 490 | 130 | 200 | — | — | — | — | — | 660 |
| Ankle(s) and leg(s), n.e.c. | 5839 | 390 | 140 | — | 120 | — | — | — | — | — | 110 |
| Multiple lower extremities locations, n.e.c. | 589 | 840 | 300 | 90 | 110 | 20 | — | — | — | — | 320 |
| Lower extremities, n.e.c. | 59 | 50 | — | — | — | — | — | — | — | — | 20 |
| Body systems | 6 | 18,570 | 6,390 | 1,540 | 1,880 | 340 | 90 | 130 | — | — | 8,190 |
| Multiple body parts | 8 | 89,870 | 34,190 | 8,250 | 12,970 | 1,470 | 260 | 860 | 30 | 450 | 31,390 |
| Multiple body parts, unspecified | 80 | 8,040 | 2,130 | 480 | 1,090 | 300 | 20 | 30 | — | — | 3,970 |
| Head and neck | 81 | 2,310 | 830 | 230 | 300 | 60 | — | 390 | — | — | 500 |
| Head, neck, and trunk | 82 | 520 | 140 | 70 | 20 | — | — | — | — | — | 270 |
| Head and trunk | 83 | 1,330 | 800 | 60 | 170 | — | — | — | — | — | 290 |
| Neck and back | 84 | 7,430 | 2,720 | 900 | 860 | 150 | 20 | 50 | — | 20 | 2,710 |
| Shoulder(s) and back | 85 | 3,750 | 1,360 | 340 | 610 | 60 | — | — | — | — | 1,340 |
| Hip(s) and leg(s) | 86 | 1,740 | 590 | 210 | 120 | 20 | — | — | — | — | 800 |
| Upper and lower limb(s) | 87 | 5,670 | 2,470 | 490 | 680 | 80 | 20 | — | — | — | 1,920 |
| Other multiple body parts | 89 | 59,080 | 23,150 | 5,480 | 9,130 | 800 | 190 | 350 | 20 | 390 | 19,580 |
| Whole body | 891 | 740 | 420 | 100 | 60 | — | — | — | — | — | 150 |
| Multiple body parts, n.e.c. | 899 | 58,340 | 22,730 | 5,380 | 9,060 | 800 | 190 | 350 | 20 | 390 | 19,430 |
| Other body parts | 9 | 30 | — | — | — | — | — | — | — | — | 20 |
| Prosthetic and orthopedic devices | 91 | 30 | — | — | — | — | — | — | — | — | 20 |
| Nonclassifiable | 9999 | 10,270 | 2,940 | 1,000 | 1,800 | 340 | 20 | 20 | — | — | 4,150 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.