

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2013

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		917,090	562,790	350,510	3,790	96,620	170,020	301,180	333,110	16,170
Head	1	69,680	45,440	24,000	240	8,500	14,970	22,520	22,620	1,070
Head, unspecified	10	15,080	8,570	6,480	30	1,410	3,530	5,540	4,470	140
Cranial region, including skull	11	15,000	7,810	7,110	80	1,270	3,290	5,000	5,310	130
Cranial region, unspecified	110	250	150	60	40	—	60	70	70	40
Brain	111	11,880	6,010	5,830	40	1,050	2,780	3,830	4,130	90
Scalp	112	2,120	1,390	730	—	170	260	930	760	—
Skull	113	540	150	390	—	20	170	70	280	—
Multiple cranial region locations	118	100	70	30	—	—	—	60	20	—
Cranial region, n.e.c.	119	110	40	70	—	—	—	40	50	—
Ear(s)	12	1,330	890	430	—	220	480	180	430	—
Face	13	37,230	27,490	9,620	130	5,520	7,440	11,490	12,020	760
Face, unspecified	130	3,720	2,410	1,310	—	490	910	1,000	1,310	20
Forehead	131	2,790	1,950	820	20	330	420	790	1,140	100
Eye(s)	132	22,120	18,090	3,970	70	3,250	4,460	7,320	6,540	560
Nose, nasal cavity	133	2,190	1,230	940	20	120	230	810	1,000	20
Nose, except internal location of diseases or disorders	1330	2,180	1,230	930	20	120	230	810	990	20
Cheek(s)	134	570	310	260	—	190	90	170	110	—
Jaw, chin	135	1,130	570	560	—	320	440	210	140	20
Mouth	136	2,560	1,430	1,120	—	470	650	580	830	20
Mouth, unspecified	1360	410	300	90	—	20	230	80	60	—
Lip(s)	1361	720	270	450	—	320	170	140	90	—
Tongue	1362	20	20	—	—	—	—	20	—	—
Tooth (teeth)	1363	1,280	750	530	—	110	220	290	650	—
Multiple mouth locations	1368	110	70	40	—	20	20	50	—	—
Multiple face locations	138	1,900	1,350	550	—	290	230	540	830	—
Face, n.e.c.	139	250	150	100	—	50	—	60	120	—
Multiple head locations	18	830	550	280	—	80	210	260	280	—
Head, n.e.c.	19	210	130	80	—	—	20	50	110	20
Neck, including throat	2	13,430	7,610	5,690	130	950	2,090	4,000	5,530	860
Neck, except internal location of diseases or disorders ...	20	13,400	7,600	5,670	130	950	2,080	4,000	5,520	860
Larynx	23	20	—	—	—	—	—	—	—	—
Trunk	3	226,640	144,910	80,930	800	21,120	41,070	75,900	84,920	3,620
Trunk, unspecified	30	840	440	390	—	50	220	220	320	30
Chest, including ribs, internal organs	31	13,830	9,790	3,960	80	1,260	2,660	4,110	5,530	280
Chest, except internal location of diseases or disorders	310	13,000	9,230	3,700	80	1,180	2,450	3,850	5,330	200
Internal chest location, unspecified	311	100	30	70	—	—	—	60	20	—
Heart	313	210	170	40	—	—	50	80	70	—
Bronchus	314	70	60	—	—	—	—	—	—	50
Lung(s), pleura	315	440	300	140	—	60	150	110	90	30
Back, including spine, spinal cord	32	170,450	104,610	65,250	590	15,460	32,240	58,400	61,660	2,690
Back, including spine, spinal cord, unspecified	320	69,680	44,120	25,530	30	7,270	14,340	24,210	22,750	1,110
Thoracic region	321	8,360	4,530	3,790	40	540	1,870	3,150	2,720	90
Lumbar region	322	85,100	52,580	32,000	520	6,870	14,580	29,060	33,240	1,360

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Sacral region	323	230	80	150	-	-	50	60	100	-
Coccygeal region	324	1,410	700	710	-	130	210	390	580	90
Multiple back regions	328	5,420	2,410	3,010	-	630	1,140	1,460	2,160	40
Back, including spine, spinal cord, n.e.c.	329	250	190	60	-	-	60	80	100	-
Abdomen	33	20,820	17,960	2,810	50	1,660	3,010	6,880	8,910	350
Abdomen, except internal location of diseases or disorders	330	19,970	17,240	2,670	50	1,630	2,920	6,690	8,380	350
Internal abdominal location, unspecified	331	410	360	50	-	20	60	140	190	-
Stomach organ	332	50	30	20	-	-	20	-	-	-
Intestines, peritoneum	335	380	310	70	-	-	-	40	330	-
Intestines, peritoneum, unspecified	3350	360	300	60	-	-	-	20	330	-
Pelvic region	34	16,920	10,070	6,790	60	2,370	2,240	4,860	7,190	260
Pelvic region, unspecified	340	210	80	90	40	-	30	80	70	40
Hip(s)	341	8,070	3,700	4,370	-	1,170	1,100	2,370	3,380	50
Pelvis	342	1,150	860	300	-	510	70	160	410	-
Buttock(s)	343	1,100	340	760	-	70	120	370	530	-
Groin	344	5,910	4,850	1,050	-	550	820	1,780	2,620	140
External reproductive tract structures	345	190	160	-	20	50	50	60	-	20
External reproductive tract structures, unspecified ..	3450	20	-	-	20	-	-	-	-	20
Scrotum	3451	90	90	-	-	50	20	30	-	-
Penis	3452	20	20	-	-	-	-	20	-	-
External reproductive tract structures, n.e.c.	3459	40	40	-	-	-	30	-	-	-
Internal reproductive tract structures	346	20	-	-	-	-	-	-	-	-
Multiple pelvic region locations	348	170	80	90	-	-	40	20	110	-
Pelvic region, n.e.c.	349	110	20	100	-	-	20	-	70	-
Multiple trunk locations	38	3,580	2,020	1,560	-	320	670	1,340	1,230	-
Trunk, n.e.c.	39	200	30	170	-	-	20	90	80	-
Upper extremities	4	286,320	180,010	105,270	1,050	32,570	55,300	91,810	102,690	3,950
Upper extremities, unspecified	40	440	160	260	-	50	40	190	110	40
Shoulder(s), including clavicle(s), scapula(e)	41	68,500	41,640	26,530	330	5,730	11,200	21,840	28,760	970
Arm(s)	42	43,580	27,530	15,860	190	4,560	8,040	12,840	17,470	670
Arm(s), unspecified	420	14,880	9,130	5,750	-	1,450	3,320	4,840	5,180	100
Upper arm(s)	421	5,050	3,750	1,230	70	310	680	1,380	2,490	180
Elbow(s)	422	14,220	8,420	5,730	80	1,440	2,590	3,980	5,960	250
Forearm(s)	423	7,300	4,930	2,320	50	1,180	1,130	1,940	2,940	120
Multiple arm locations	428	1,550	880	670	-	80	230	520	720	-
Multiple arm locations, unspecified	4280	250	150	110	-	-	70	80	90	-
Elbow(s) and arm(s)	4281	680	370	300	-	20	70	230	350	-
Multiple arm locations, n.e.c.	4289	620	360	260	-	50	90	210	270	-
Arm(s), n.e.c.	429	590	420	170	-	100	90	190	190	30
Wrist(s)	43	37,500	16,840	20,550	110	3,050	6,560	12,430	15,100	360
Hand(s)	44	121,500	86,650	34,460	380	17,360	26,900	39,890	35,670	1,680
Hand(s), unspecified	440	32,400	21,500	10,830	70	4,840	7,020	10,190	9,970	380
Hand(s), except finger(s)	441	4,380	3,280	1,020	80	710	960	1,430	1,120	160
Finger(s), fingernail(s)	442	80,110	58,900	20,970	240	11,390	17,700	26,870	23,040	1,120
Finger(s), fingernail(s), unspecified	4420	60,310	43,980	16,110	220	8,650	14,040	19,940	16,910	780
Fingernail(s), nailbed(s)	4421	870	610	250	20	140	250	250	220	20
Fingertip(s)	4422	7,640	6,300	1,340	-	790	1,550	3,080	2,190	30

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Finger(s), fingernail(s), n.e.c.	4429	11,290	8,010	3,270	—	1,820	1,860	3,600	3,720	300
Hand(s) and finger(s)	448	2,810	1,570	1,240	—	240	640	860	1,060	—
Hand(s), n.e.c.	449	1,780	1,390	390	—	180	570	540	490	—
Multiple upper extremities locations	48	14,680	7,130	7,520	30	1,820	2,560	4,580	5,490	230
Multiple upper extremities locations, unspecified	480	340	140	200	—	20	70	110	140	—
Hand(s) and arms(s)	481	1,670	870	790	—	220	290	550	590	30
Hand(s) and arm(s), unspecified	4810	850	470	380	—	150	160	320	220	—
Hand(s) and elbow(s)	4811	190	100	80	—	20	30	40	100	—
Hand(s) and arm(s), n.e.c.	4819	630	290	330	—	60	100	180	270	—
Hand(s) and wrist(s)	482	3,210	1,500	1,710	—	300	580	1,110	1,160	60
Wrist(s) and arm(s)	483	1,230	540	690	—	190	210	370	460	—
Wrist(s) and arm(s), unspecified	4830	420	170	250	—	70	70	120	170	—
Wrist(s) and elbow(s)	4831	370	160	210	—	60	60	120	130	—
Wrist(s) and arm(s), n.e.c.	4839	440	200	230	—	60	90	120	160	—
Shoulder(s) and arm(s)	484	4,870	2,260	2,600	—	300	910	1,600	2,000	60
Multiple upper extremities locations, n.e.c.	489	3,360	1,830	1,530	—	800	490	850	1,150	70
Upper extremities, n.e.c.	49	140	50	80	—	—	—	50	80	—
Lower extremities	5	202,280	126,610	74,720	950	23,100	36,560	65,230	74,110	3,280
Lower extremities, unspecified	50	240	130	100	20	—	—	90	120	20
Leg(s)	51	106,030	68,320	37,150	550	9,910	17,020	34,330	43,030	1,750
Leg(s), unspecified	510	12,450	8,840	3,580	40	1,210	2,440	4,260	4,300	250
Thigh(s)	511	4,440	3,040	1,350	60	660	710	920	2,080	70
Knee(s)	512	77,490	48,700	28,430	360	6,850	12,090	25,500	31,900	1,150
Lower leg(s)	513	8,840	6,130	2,590	110	960	1,310	2,770	3,530	280
Multiple leg locations	518	2,450	1,410	1,030	—	210	430	760	1,040	—
Multiple leg locations, unspecified	5180	240	140	100	—	—	60	120	50	—
Knee(s) and leg(s)	5181	1,580	930	650	—	150	210	530	690	—
Multiple leg locations, n.e.c.	5189	630	340	290	—	40	160	120	300	—
Leg(s), n.e.c.	519	370	200	170	—	20	40	120	180	—
Ankle(s)	52	45,620	25,530	19,830	260	6,710	8,430	15,530	13,970	990
Foot (feet)	53	43,570	29,060	14,400	120	5,480	9,940	13,070	14,640	440
Foot (feet), unspecified	530	27,920	18,520	9,310	90	3,130	6,990	7,710	9,750	350
Sole(s)	531	2,570	2,060	510	—	400	350	690	1,120	20
Sole(s), unspecified	5310	560	490	60	—	220	140	70	120	—
Ball(s) of the foot	5311	20	—	20	—	—	—	—	20	—
Arch(es), instep(s)	5312	150	80	60	—	20	20	50	50	—
Heel(s)	5313	1,800	1,440	340	—	150	180	550	900	—
Multiple sole locations	5318	50	30	20	—	—	—	20	30	—
Toes(s), toenail(s)	532	10,620	6,660	3,950	—	1,110	2,270	4,120	3,050	70
Multiple foot (feet) locations	538	1,260	1,010	240	—	700	130	180	250	—
Foot (feet), n.e.c.	539	1,200	810	380	—	140	210	370	470	—
Multiple lower extremities locations	58	6,760	3,530	3,230	—	1,000	1,130	2,210	2,330	80
Multiple lower extremities locations, unspecified	580	170	50	120	—	—	20	40	100	—
Foot (feet) and leg(s)	581	960	450	500	—	110	130	360	360	—
Foot(feet) and leg(s), unspecified	5810	270	170	100	—	—	90	80	100	—
Foot(feet) and knee(s)	5811	350	120	230	—	40	20	170	120	—
Foot(feet) and leg(s), n.e.c.	5819	330	170	160	—	60	20	110	140	—
Foot (feet) and ankle(s)	582	2,420	1,320	1,100	—	540	570	670	630	—

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Ankle(s) and leg(s)	583	2,380	1,200	1,170	—	220	310	870	920	60
Ankle(s) and leg(s), unspecified	5830	480	290	190	—	60	30	150	210	—
Ankle(s) and knee(s)	5831	1,510	740	770	—	140	240	590	510	20
Ankle(s) and leg(s), n.e.c.	5839	390	180	210	—	—	40	120	210	—
Multiple lower extremities locations, n.e.c.	589	840	500	350	—	130	110	280	320	—
Lower extremities, n.e.c.	59	50	40	—	—	—	20	—	30	—
Body systems	6	18,570	9,120	9,370	90	2,250	2,950	6,830	5,940	610
Multiple body parts	8	89,870	42,940	46,830	110	7,430	15,230	31,770	34,280	1,160
Multiple body parts, unspecified	80	8,040	3,730	4,200	100	380	1,360	2,290	3,690	310
Head and neck	81	2,310	900	1,420	—	200	260	1,050	770	40
Head, neck, and trunk	82	520	260	260	—	90	80	130	210	—
Head and trunk	83	1,330	600	730	—	130	140	550	510	—
Neck and back	84	7,430	3,630	3,800	—	570	1,440	2,900	2,300	230
Shoulder(s) and back	85	3,750	1,760	1,990	—	350	630	1,270	1,430	80
Hip(s) and leg(s)	86	1,740	980	760	—	200	180	830	530	—
Upper and lower limb(s)	87	5,670	2,530	3,140	—	760	730	1,870	2,310	20
Other multiple body parts	89	59,080	28,550	30,530	—	4,760	10,410	20,870	22,550	480
Whole body	891	740	320	420	—	200	160	150	220	—
Multiple body parts, n.e.c.	899	58,340	28,230	30,110	—	4,560	10,250	20,730	22,330	470

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other body parts	9	30	—	20	—	—	—	—	20	—
Prosthetic and orthopedic devices	91	30	—	20	—	—	—	—	20	—
Nonclassifiable	9999	10,270	6,160	3,680	430	690	1,840	3,110	3,000	1,630

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.