

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013

Nature	Nature code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		917,090	129,780	14.2	101,560	11.1	155,650	17.0
Traumatic injuries and disorders	1	881,320	124,870	14.2	97,870	11.1	150,890	17.1
Traumatic injuries and disorders, unspecified	10	1,030	300	29.1	140	13.6	230	22.3
Traumatic injuries to bones, nerves, spinal cord	11	86,680	4,850	5.6	4,680	5.4	8,740	10.1
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	6,210	460	7.4	420	6.8	1,060	17.1
Fractures	111	77,990	4,100	5.3	4,170	5.3	7,410	9.5
Traumatic injuries to spinal cord	112	210	—	—	—	—	—	—
Paralysis, paraplegia, quadriplegia	1121	20	—	—	—	—	—	—
Traumatic injuries to spinal cord, n.e.c.	1129	180	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord ..	113	2,060	280	13.6	80	3.9	220	10.7
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	140	—	—	—	—	—	—
Pinched nerve	1131	1,820	280	15.4	80	4.4	210	11.5
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	100	—	—	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	118	110	—	—	—	—	20	18.2
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	100	—	—	—	—	20	20.0
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	358,410	36,460	10.2	32,950	9.2	62,200	17.4
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	2,650	350	13.2	180	6.8	340	12.8
Dislocations	121	8,070	350	4.3	310	3.8	740	9.2
Dislocations, unspecified	1210	790	30	3.8	—	—	70	8.9
Herniated discs	1211	2,630	40	1.5	20	.8	200	7.6
Dislocation of joints	1212	4,490	250	5.6	270	6.0	430	9.6
Dislocations, n.e.c.	1219	160	20	12.5	—	—	40	25.0
Cartilage fractures and tears	122	4,970	120	2.4	30	.6	320	6.4
Cartilage fractures and tears, unspecified	1220	410	—	—	—	—	100	24.4
Meniscus tears	1221	4,470	120	2.7	30	.7	220	4.9
Cartilage fractures and tears, n.e.c.	1229	100	—	—	—	—	—	—
Sprains, strains, tears	123	327,060	35,310	10.8	31,850	9.7	59,750	18.3
Sprains, strains, tears, unspecified	1230	27,910	1,920	6.9	2,120	7.6	4,820	17.3
Major tears to muscles, tendons, ligaments	1231	17,960	530	3.0	680	3.8	1,280	7.1
Sprains	1232	79,670	9,490	11.9	8,240	10.3	14,940	18.8
Strains	1233	196,990	23,050	11.7	20,470	10.4	38,180	19.4
Multiple sprains, strains, tears	1238	4,540	310	6.8	330	7.3	540	11.9
Hernias due to traumatic incidents	124	13,500	200	1.5	430	3.2	800	5.9
Whiplash	125	1,700	80	4.7	140	8.2	220	12.9
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	330	40	12.1	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	120	—	—	—	—	—	—
Open wounds	13	98,060	22,040	22.5	14,660	15.0	19,140	19.5
Open wounds, unspecified	130	1,720	160	9.3	230	13.4	170	9.9
Amputations, avulsions, enucleations	131	7,780	850	10.9	280	3.6	1,020	13.1
Amputations, avulsions, enucleations, unspecified	1310	60	—	—	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	109,690	12.0	99,140	10.8	58,260	6.4	263,010	28.7	8
Traumatic injuries and disorders	106,090	12.0	94,980	10.8	55,560	6.3	251,060	28.5	8
Traumatic injuries and disorders, unspecified	90	8.7	60	5.8	70	6.8	140	13.6	4
Traumatic injuries to bones, nerves, spinal cord	6,850	7.9	8,960	10.3	7,380	8.5	45,210	52.2	34
Traumatic injuries to bones, nerves, spinal cord, unspecified	450	7.2	400	6.4	190	3.1	3,230	52.0	35
Fractures	6,260	8.0	8,360	10.7	7,100	9.1	40,600	52.1	34
Traumatic injuries to spinal cord	—	—	—	—	50	23.8	120	57.1	36
Paralysis, paraplegia, quadriplegia	—	—	—	—	—	—	20	100.0	180
Traumatic injuries to spinal cord, n.e.c.	—	—	—	—	50	27.8	100	55.6	36
Traumatic injuries to nerves, except the spinal cord ..	110	5.3	160	7.8	40	1.9	1,180	57.3	42
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	—	—	120	85.7	48
Pinched nerve	110	6.0	140	7.7	30	1.6	970	53.3	36
Traumatic injuries to nerves, except the spinal cord, n.e.c.	—	—	—	—	—	—	90	90.0	93
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	30	27.3	—	—	60	54.5	16
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	40	40.0	12
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	44,970	12.5	43,010	12.0	25,160	7.0	113,660	31.7	11
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	280	10.6	200	7.5	180	6.8	1,120	42.3	19
Dislocations	900	11.2	910	11.3	630	7.8	4,230	52.4	38
Dislocations, unspecified	50	6.3	90	11.4	70	8.9	470	59.5	45
Herniated discs	310	11.8	120	4.6	220	8.4	1,730	65.8	55
Dislocation of joints	530	11.8	700	15.6	330	7.3	1,990	44.3	21
Dislocations, n.e.c.	—	—	—	—	20	12.5	40	25.0	6
Cartilage fractures and tears	370	7.4	540	10.9	460	9.3	3,130	63.0	59
Cartilage fractures and tears, unspecified	30	7.3	30	7.3	40	9.8	210	51.2	33
Meniscus tears	340	7.6	510	11.4	410	9.2	2,850	63.8	59
Cartilage fractures and tears, n.e.c.	—	—	—	—	—	—	80	80.0	50
Sprains, strains, tears	42,120	12.9	38,150	11.7	20,990	6.4	98,890	30.2	10
Sprains, strains, tears, unspecified	3,750	13.4	3,460	12.4	2,350	8.4	9,480	34.0	13
Major tears to muscles, tendons, ligaments	1,170	6.5	2,050	11.4	1,240	6.9	11,000	61.2	46
Sprains	10,700	13.4	9,990	12.5	5,000	6.3	21,310	26.7	8
Strains	25,800	13.1	22,110	11.2	12,130	6.2	55,240	28.0	8
Multiple sprains, strains, tears	700	15.4	540	11.9	270	5.9	1,860	41.0	18
Hernias due to traumatic incidents	1,170	8.7	3,150	23.3	2,140	15.9	5,600	41.5	25
Whiplash	50	2.9	20	1.2	740	43.5	440	25.9	29
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	40	12.1	—	—	—	—	220	66.7	52
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	20	16.7	20	16.7	—	—	30	25.0	20
Open wounds	12,840	13.1	9,640	9.8	4,290	4.4	15,460	15.8	4
Open wounds, unspecified	510	29.7	120	7.0	410	23.8	130	7.6	8
Amputations, avulsions, enucleations	940	12.1	970	12.5	410	5.3	3,300	42.4	18
Amputations, avulsions, enucleations, unspecified	—	—	—	—	—	—	30	50.0	51

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Amputations	1311	6,160	220	3.6	140	2.3	850	13.8
Avulsions, enucleations	1312	1,440	620	43.1	130	9.0	170	11.8
Amputations, avulsions, enucleations, n.e.c.	1319	110	—	—	—	—	—	—
Cuts, lacerations	132	71,150	16,800	23.6	11,230	15.8	14,770	20.8
Puncture wounds, except gunshot wounds	133	17,100	4,180	24.4	2,910	17.0	3,150	18.4
Gunshot wounds	134	120	—	—	—	—	—	—
Multiple types of open wounds	138	80	—	—	—	—	20	25.0
Open wounds, n.e.c.	139	110	30	27.3	—	—	—	—
Surface wounds and bruises	14	82,980	16,710	20.1	13,240	16.0	18,690	22.5
Surface wounds and bruises, unspecified	140	300	120	40.0	20	6.7	50	16.7
Abrasions, scratches	141	8,630	2,600	30.1	1,890	21.9	1,700	19.7
Blisters	142	60	—	—	—	—	—	—
Bruises, contusions	143	72,710	13,710	18.9	11,060	15.2	16,640	22.9
Multiple surface wounds and bruises	148	740	120	16.2	120	16.2	160	21.6
Surface wounds and bruises, n.e.c.	149	540	160	29.6	140	25.9	120	22.2
Burns and corrosions	15	18,660	3,770	20.2	3,110	16.7	3,760	20.2
Burns and corrosions, unspecified	150	480	110	22.9	80	16.7	50	10.4
Chemical burns and corrosions	151	2,790	610	21.9	400	14.3	700	25.1
Chemical burns and corrosions, unspecified	1510	2,460	580	23.6	390	15.9	670	27.2
First degree chemical burns and corrosions	1511	70	20	28.6	—	—	20	28.6
Second degree chemical burns and corrosions	1512	70	—	—	—	—	—	—
Third or fourth degree chemical burns and corrosions	1513	100	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	100	—	—	—	—	—	—
Heat (thermal) burns	152	13,780	2,610	18.9	2,350	17.1	2,650	19.2
Heat (thermal) burns, unspecified	1520	10,320	1,790	17.3	1,920	18.6	2,090	20.3
First degree heat (thermal) burns	1521	790	460	58.2	100	12.7	170	21.5
Second degree heat (thermal) burns	1522	2,090	310	14.8	170	8.1	340	16.3
Third or fourth degree heat (thermal) burns	1523	260	—	—	70	26.9	—	—
Heat (thermal) burns, n.e.c.	1529	320	50	15.6	100	31.2	40	12.5
Electrical burns	153	560	70	12.5	30	5.4	100	17.9
Electrical burns, unspecified	1530	400	60	15.0	—	—	80	20.0
First degree electrical burns	1531	50	—	—	—	—	—	—
Second degree electrical burns	1532	60	—	—	—	—	—	—
Electrical burns, n.e.c.	1539	40	—	—	—	—	—	—
Other burns	159	1,050	380	36.2	250	23.8	250	23.8
Other burns, unspecified	1590	250	40	16.0	60	24.0	110	44.0
Other burns, first degree	1591	720	340	47.2	190	26.4	130	18.1
Other burns, second degree	1592	60	—	—	—	—	—	—
Other burns, n.e.c.	1599	30	—	—	—	—	—	—
Intracranial injuries	16	11,520	1,650	14.3	1,860	16.1	2,070	18.0
Intracranial injuries, unspecified	160	750	80	10.7	60	8.0	140	18.7
Cerebral and other intracranial hemorrhages	161	30	—	—	—	—	—	—
Concussions	162	10,690	1,560	14.6	1,810	16.9	1,920	18.0
Multiple types of intracranial injuries	168	40	—	—	—	—	—	—
Multiple intracranial injuries, unspecified	1680	20	—	—	—	—	—	—
Multiple intracranial injuries, n.e.c.	1689	20	—	—	—	—	—	—
Effects of environmental conditions	17	2,590	960	37.1	590	22.8	470	18.1
Effects of reduced temperature	171	110	20	18.2	—	—	—	—
Frostbite	1711	100	20	20.0	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Amputations	800	13.0	780	12.7	350	5.7	3,010	48.9	30
Avulsions, enucleations	140	9.7	110	7.6	40	2.8	240	16.7	2
Amputations, avulsions, enucleations, n.e.c.	—	—	70	63.6	—	—	20	18.2	17
Cuts, lacerations	8,520	12.0	6,950	9.8	2,880	4.0	10,010	14.1	4
Puncture wounds, except gunshot wounds	2,850	16.7	1,570	9.2	570	3.3	1,890	11.1	3
Gunshot wounds	—	—	—	—	—	—	100	83.3	90
Multiple types of open wounds	—	—	30	37.5	—	—	20	25.0	13
Open wounds, n.e.c.	—	—	—	—	—	—	—	—	5
Surface wounds and bruises	10,590	12.8	7,360	8.9	3,760	4.5	12,630	15.2	4
Surface wounds and bruises, unspecified	20	6.7	40	13.3	—	—	50	16.7	3
Abrasions, scratches	1,100	12.7	650	7.5	150	1.7	540	6.3	2
Blisters	—	—	—	—	—	—	—	—	7
Bruises, contusions	9,330	12.8	6,500	8.9	3,580	4.9	11,890	16.4	4
Multiple surface wounds and bruises	100	13.5	100	13.5	20	2.7	110	14.9	4
Surface wounds and bruises, n.e.c.	40	7.4	50	9.3	—	—	30	5.6	2
Burns and corrosions	2,380	12.8	2,320	12.4	1,140	6.1	2,190	11.7	4
Burns and corrosions, unspecified	40	8.3	90	18.8	20	4.2	90	18.8	6
Chemical burns and corrosions	350	12.5	250	9.0	160	5.7	330	11.8	4
Chemical burns and corrosions, unspecified	280	11.4	230	9.3	110	4.5	200	8.1	4
First degree chemical burns and corrosions	—	—	—	—	30	42.9	—	—	4
Second degree chemical burns and corrosions	30	42.9	—	—	20	28.6	20	28.6	10
Third or fourth degree chemical burns and corrosions	—	—	—	—	—	—	80	80.0	55
Chemical burns and corrosions, n.e.c.	40	40.0	—	—	—	—	30	30.0	8
Heat (thermal) burns	1,850	13.4	1,900	13.8	860	6.2	1,550	11.2	4
Heat (thermal) burns, unspecified	1,470	14.2	1,420	13.8	430	4.2	1,190	11.5	4
First degree heat (thermal) burns	30	3.8	20	2.5	—	—	20	2.5	1
Second degree heat (thermal) burns	300	14.4	360	17.2	410	19.6	190	9.1	9
Third or fourth degree heat (thermal) burns	—	—	40	15.4	20	7.7	110	42.3	21
Heat (thermal) burns, n.e.c.	30	9.4	60	18.8	—	—	40	12.5	4
Electrical burns	50	8.9	50	8.9	80	14.3	180	32.1	15
Electrical burns, unspecified	30	7.5	20	5.0	40	10.0	160	40.0	19
First degree electrical burns	—	—	—	—	20	40.0	—	—	13
Second degree electrical burns	20	33.3	—	—	—	—	—	—	18
Electrical burns, n.e.c.	—	—	20	50.0	—	—	—	—	15
Other burns	90	8.6	40	3.8	—	—	30	2.9	2
Other burns, unspecified	—	—	20	8.0	—	—	—	—	3
Other burns, first degree	50	6.9	—	—	—	—	—	—	2
Other burns, second degree	30	50.0	—	—	—	—	—	—	7
Other burns, n.e.c.	—	—	—	—	—	—	—	—	13
Intracranial injuries	1,550	13.5	1,040	9.0	770	6.7	2,580	22.4	6
Intracranial injuries, unspecified	120	16.0	130	17.3	20	2.7	210	28.0	7
Cerebral and other intracranial hemorrhages	—	—	—	—	—	—	20	66.7	74
Concussions	1,430	13.4	900	8.4	740	6.9	2,330	21.8	6
Multiple types of intracranial injuries	—	—	—	—	—	—	—	—	9
Multiple intracranial injuries, unspecified	—	—	—	—	—	—	—	—	4
Multiple intracranial injuries, n.e.c.	—	—	—	—	—	—	—	—	50
Effects of environmental conditions	300	11.6	100	3.9	50	1.9	110	4.2	2
Effects of reduced temperature	—	—	20	18.2	—	—	30	27.3	16
Frostbite	—	—	20	20.0	—	—	30	30.0	16

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Effects of heat and light	172	2,360	930	39.4	580	24.6	440	18.6
Effects of heat and light, unspecified	1720	210	70	33.3	50	23.8	60	28.6
Heat stroke	1721	150	—	—	70	46.7	30	20.0
Heat syncope	1722	110	40	36.4	30	27.3	—	—
Heat fatigue	1723	250	100	40.0	50	20.0	—	—
Heat exhaustion, prostration	1725	1,230	560	45.5	270	22.0	270	22.0
Effects of heat and light, n.e.c.	1729	400	150	37.5	120	30.0	50	12.5
Effects of air or water pressure	173	90	—	—	—	—	20	22.2
Effects of air or water pressure, unspecified	1730	20	—	—	—	—	—	—
Aero-otitis media	1731	40	—	—	—	—	20	50.0
Effects of air or water pressure, n.e.c.	1739	30	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	23,700	2,550	10.8	2,730	11.5	3,690	15.6
Multiple traumatic injuries and disorders, unspecified	180	1,270	90	7.1	80	6.3	110	8.7
Cuts and abrasions or bruises	181	4,030	990	24.6	720	17.9	790	19.6
Sprains and other injuries	182	10,070	1,020	10.1	1,050	10.4	1,690	16.8
Sprains and other injuries, unspecified	1820	210	20	9.5	20	9.5	20	9.5
Sprains and bruises	1821	7,810	860	11.0	930	11.9	1,380	17.7
Sprains and cuts	1822	720	40	5.6	40	5.6	120	16.7
Sprains and other injuries, n.e.c.	1829	1,330	90	6.8	60	4.5	170	12.8
Fractures and other injuries	183	5,300	260	4.9	510	9.6	430	8.1
Fractures and other injuries, unspecified	1830	660	60	9.1	50	7.6	30	4.5
Fractures (except skull fractures) and concussions	1831	200	—	—	—	—	—	—
Fractures (except rib, trunk fractures) and internal injuries	1832	130	—	—	—	—	—	—
Fractures and burns	1833	40	—	—	—	—	—	—
Fractures and dislocations	1834	360	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	3,910	190	4.9	440	11.3	390	10.0
Burns and other injuries, except fractures	184	170	—	—	40	23.5	20	11.8
Burns and other injuries, except fractures, unspecified	1840	30	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	140	—	—	40	28.6	—	—
Intracranial injuries and injuries to internal organs	185	70	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	2,790	180	6.5	330	11.8	650	23.3
Other traumatic injuries and disorders	19	197,690	35,570	18.0	23,910	12.1	31,900	16.1
Other traumatic injuries and disorders, unspecified	190	330	120	36.4	30	9.1	40	12.1
Asphyxiations, strangulations, suffocations	191	80	20	25.0	30	37.5	—	—
Electrocutions, electric shocks	193	1,530	220	14.4	350	22.9	90	5.9
Internal injuries to organs and blood vessels of the trunk	194	450	310	68.9	—	—	50	11.1
Dermatitis and reactions affecting the skin—acute	195	2,950	1,080	36.6	480	16.3	470	15.9
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,370	400	29.2	290	21.2	210	15.3
Allergic dermatitis—acute	1951	1,010	420	41.6	100	9.9	160	15.8
Irritant dermatitis—acute	1952	430	180	41.9	70	16.3	80	18.6
Hives, urticaria—acute	1953	50	20	40.0	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	80	50	62.5	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	7,080	2,210	31.2	1,700	24.0	970	13.7
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,220	760	34.2	300	13.5	240	10.8

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Effects of heat and light	250	10.6	60	2.5	40	1.7	60	2.5	2
Effects of heat and light, unspecified	—	—	—	—	—	—	30	14.3	2
Heat stroke	20	13.3	—	—	—	—	20	13.3	2
Heat syncope	—	—	—	—	—	—	—	—	2
Heat fatigue	60	24.0	—	—	—	—	—	—	2
Heat exhaustion, prostration	90	7.3	30	2.4	—	—	—	—	2
Effects of heat and light, n.e.c.	70	17.5	—	—	—	—	—	—	2
Effects of air or water pressure	30	33.3	30	33.3	—	—	—	—	7
Effects of air or water pressure, unspecified	—	—	—	—	—	—	—	—	7
Aero-otitis media	—	—	—	—	—	—	—	—	3
Effects of air or water pressure, n.e.c.	—	—	20	66.7	—	—	—	—	18
Multiple traumatic injuries and disorders	2,470	10.4	2,590	10.9	1,340	5.7	8,330	35.1	12
Multiple traumatic injuries and disorders, unspecified	120	9.4	100	7.9	160	12.6	600	47.2	28
Cuts and abrasions or bruises	350	8.7	400	9.9	250	6.2	520	12.9	3
Sprains and other injuries	1,040	10.3	1,130	11.2	490	4.9	3,660	36.3	12
Sprains and other injuries, unspecified	—	—	—	—	—	—	120	57.1	45
Sprains and bruises	840	10.8	910	11.7	370	4.7	2,520	32.3	10
Sprains and cuts	100	13.9	100	13.9	40	5.6	280	38.9	12
Sprains and other injuries, n.e.c.	90	6.8	110	8.3	70	5.3	730	54.9	34
Fractures and other injuries	630	11.9	580	10.9	340	6.4	2,550	48.1	29
Fractures and other injuries, unspecified	20	3.0	120	18.2	50	7.6	340	51.5	34
Fractures (except skull fractures) and concussions	40	20.0	—	—	30	15.0	100	50.0	30
Fractures (except rib, trunk fractures) and internal injuries	—	—	—	—	—	—	120	92.3	60
Fractures and burns	—	—	—	—	—	—	40	100.0	180
Fractures and dislocations	—	—	40	11.1	30	8.3	260	72.2	84
Fractures and other injuries, n.e.c.	560	14.3	410	10.5	220	5.6	1,690	43.2	18
Burns and other injuries, except fractures	—	—	—	—	20	11.8	50	29.4	18
Burns and other injuries, except fractures, unspecified	—	—	—	—	—	—	—	—	18
Burns and other injuries, n.e.c.	—	—	—	—	20	14.3	50	35.7	21
Intracranial injuries and injuries to internal organs	—	—	—	—	—	—	—	—	20
Multiple traumatic injuries and disorders, n.e.c.	310	11.1	280	10.0	90	3.2	950	34.1	9
Other traumatic injuries and disorders	24,050	12.2	19,900	10.1	11,600	5.9	50,760	25.7	7
Other traumatic injuries and disorders, unspecified	—	—	30	9.1	20	6.1	80	24.2	3
Asphyxiations, strangulations, suffocations	—	—	—	—	—	—	—	—	2
Electrocutions, electric shocks	70	4.6	70	4.6	20	1.3	720	47.1	16
Internal injuries to organs and blood vessels of the trunk	—	—	—	—	20	4.4	60	13.3	1
Dermatitis and reactions affecting the skin—acute	280	9.5	350	11.9	80	2.7	210	7.1	2
Dermatitis and reactions affecting the skin—acute, unspecified	120	8.8	190	13.9	20	1.5	150	10.9	2
Allergic dermatitis—acute	90	8.9	130	12.9	60	5.9	40	4.0	2
Irritant dermatitis—acute	50	11.6	20	4.7	—	—	20	4.7	2
Hives, urticaria—acute	—	—	—	—	—	—	—	—	2
Dermatitis and reactions affecting the skin—acute, n.e.c.	20	25.0	—	—	—	—	—	—	1
Other poisoning, toxic, noxious, or allergenic effects	1,080	15.3	450	6.4	140	2.0	540	7.6	2
Poisoning, toxic, noxious, or allergenic effect, unspecified	630	28.4	90	4.1	30	1.4	170	7.7	3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Poisoning, including poisoning-related asphyxia ...	1961	660	290	43.9	60	9.1	150	22.7
Anaphylactic shock, anaphylaxis	1962	50	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,700	390	22.9	520	30.6	280	16.5
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	70	30	42.9	20	28.6	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	540	160	29.6	50	9.3	60	11.1
Other or unspecified allergic reactions	1966	980	470	48.0	250	25.5	140	14.3
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	100	40	40.0	30	30.0	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	360	20	5.6	220	61.1	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	380	50	13.2	240	63.2	70	18.4
Nonspecified injuries and disorders	197	184,760	31,310	16.9	21,300	11.5	30,230	16.4
Crushing injuries	1971	9,820	1,390	14.2	1,130	11.5	1,420	14.5
Soreness, pain, hurt—nonspecified injury	1972	153,970	24,660	16.0	16,950	11.0	25,250	16.4
Swelling, inflammation, irritation—nonspecified injury	1973	17,180	4,550	26.5	2,700	15.7	2,980	17.3
Numbness—nonspecified injury	1974	750	160	21.3	60	8.0	80	10.7
Multiple nonspecified injuries and disorders	1978	1,890	360	19.0	270	14.3	340	18.0
Nonspecified injuries and disorders, n.e.c.	1979	1,150	190	16.5	200	17.4	170	14.8
Other traumatic injuries and disorders, n.e.c.	199	520	300	57.7	20	3.8	40	7.7
Traumatic injuries and disorders, n.e.c.	1999	510	300	58.8	20	3.9	40	7.8
Diseases and disorders of body systems	2	20,470	1,620	7.9	1,640	8.0	2,640	12.9
Systemic diseases and disorders, unspecified	20	30	—	—	—	—	—	—
Nervous system and sense organs diseases	22	8,360	710	8.5	770	9.2	810	9.7
Degenerative diseases of the central nervous system	222	20	—	—	—	—	—	—
Other disorders of the central nervous system	223	490	30	6.1	190	38.8	40	8.2
Seizure disorder, epilepsy	2231	440	20	4.5	190	43.2	20	4.5
Migraine	2232	50	—	—	—	—	20	40.0
Disorders of the peripheral nervous system	224	6,720	340	5.1	370	5.5	540	8.0
Disorders of the peripheral nervous system, unspecified	2240	200	—	—	—	—	—	—
Carpal tunnel syndrome	2241	6,440	340	5.3	360	5.6	520	8.1
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	20	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	60	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	930	310	33.3	190	20.4	220	23.7
Disorders of the eye, adnexa, vision, unspecified ..	2250	170	60	35.3	—	—	90	52.9
Conjunctivitis—non-viral	2251	390	120	30.8	100	25.6	60	15.4
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	50	20	40.0	20	40.0	20	40.0
Cataracts	2253	20	—	—	—	—	—	—
Blindness, low vision	2254	30	—	—	—	—	—	—
Visual disturbances	2256	20	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	240	100	41.7	40	16.7	30	12.5
Disorders of the ear, mastoid process, hearing	226	190	20	10.5	20	10.5	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Poisoning, including poisoning-related asphyxia	50	7.6	50	7.6	20	3.0	40	6.1	2
Anaphylactic shock, anaphylaxis	—	—	—	—	—	—	—	—	21
Other respiratory system symptoms—toxic, noxious, or allergenic effect	80	4.7	250	14.7	20	1.2	180	10.6	2
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	2
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	260	48.1	—	—	—	—	—	—	6
Other or unspecified allergic reactions	40	4.1	20	2.0	30	3.1	30	3.1	2
Nausea, vomiting— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	2
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—	100	27.8	2
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	—	—	20	5.3	—	—	—	—	2
Nonspecified injuries and disorders	22,560	12.2	18,960	10.3	11,320	6.1	49,080	26.6	7
Crushing injuries	1,300	13.2	990	10.1	780	7.9	2,820	28.7	9
Soreness, pain, hurt—nonspecified injury	18,520	12.0	16,200	10.5	9,670	6.3	42,730	27.8	7
Swelling, inflammation, irritation—nonspecified injury	2,400	14.0	1,360	7.9	670	3.9	2,510	14.6	4
Numbness—nonspecified injury	50	6.7	140	18.7	30	4.0	220	29.3	13
Multiple nonspecified injuries and disorders	170	9.0	120	6.3	130	6.9	510	27.0	5
Nonspecified injuries and disorders, n.e.c.	120	10.4	150	13.0	30	2.6	300	26.1	6
Other traumatic injuries and disorders, n.e.c.	40	7.7	50	9.6	—	—	60	11.5	1
Traumatic injuries and disorders, n.e.c.	40	7.8	50	9.8	—	—	60	11.8	1
Diseases and disorders of body systems	2,230	10.9	2,710	13.2	2,000	9.8	7,640	37.3	17
Systemic diseases and disorders, unspecified	—	—	—	—	—	—	—	—	14
Nervous system and sense organs diseases	710	8.5	1,020	12.2	830	9.9	3,520	42.1	21
Degenerative diseases of the central nervous system	—	—	—	—	—	—	—	—	18
Other disorders of the central nervous system	—	—	20	4.1	180	36.7	—	—	4
Seizure disorder, epilepsy	—	—	20	4.5	180	40.9	—	—	3
Migraine	—	—	—	—	—	—	—	—	5
Disorders of the peripheral nervous system	640	9.5	900	13.4	600	8.9	3,340	49.7	30
Disorders of the peripheral nervous system, unspecified	20	10.0	—	—	—	—	170	85.0	39
Carpal tunnel syndrome	620	9.6	880	13.7	600	9.3	3,120	48.4	30
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	—	—	—	—	—	—	119
Disorders of the peripheral nervous system, n.e.c.	—	—	—	—	—	—	30	50.0	60
Disorders of the eye, adnexa, vision	50	5.4	60	6.5	40	4.3	50	5.4	2
Disorders of the eye, adnexa, vision, unspecified ..	—	—	—	—	—	—	—	—	3
Conjunctivitis—non-viral	30	7.7	30	7.7	40	10.3	—	—	2
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	—	—	—	—	—	2
Cataracts	—	—	—	—	—	—	—	—	4
Blindness, low vision	—	—	—	—	—	—	—	—	6
Visual disturbances	—	—	—	—	—	—	—	—	3
Disorders of the eye, adnexa, vision, n.e.c.	—	—	30	12.5	—	—	20	8.3	2
Disorders of the ear, mastoid process, hearing	—	—	30	15.8	—	—	90	47.4	41

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Deafness, hearing loss and impairment	2261	120	20	16.7	20	16.7	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	50	—	—	—	—	—	—
Circulatory system diseases	23	430	—	—	20	4.7	90	20.9
Circulatory system diseases, unspecified	230	20	—	—	—	—	—	—
Hypertensive disease	232	30	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	170	—	—	—	—	40	23.5
Myocardial infarction (heart attack)	2331	160	—	—	—	—	40	25.0
Diseases of pulmonary circulation	234	20	—	—	—	—	—	—
Pulmonary embolism	2342	20	—	—	—	—	—	—
Cerebrovascular disease	236	130	—	—	—	—	—	—
Stroke	2361	100	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	30	—	—	—	—	—	—
Phlebitis, thrombosis	2383	20	—	—	—	—	—	—
Respiratory system diseases	24	920	230	25.0	180	19.6	190	20.7
Respiratory system diseases, unspecified	240	110	—	—	90	81.8	—	—
Acute respiratory infections (including common cold)	241	330	180	54.5	50	15.2	30	9.1
Other diseases of upper respiratory tract	242	50	—	—	—	—	—	—
Allergic rhinitis	2421	20	—	—	—	—	—	—
Pneumonia, influenza	243	170	—	—	—	—	90	52.9
Pneumonia	2431	40	—	—	—	—	20	50.0
Influenza—common	2432	80	—	—	—	—	50	62.5
Influenza—novel	2433	50	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	140	—	—	30	21.4	60	42.9
Chronic bronchitis	2441	20	—	—	—	—	—	—
Asthma, except intrinsic	2443	50	—	—	—	—	—	—
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	2449	60	—	—	—	—	50	83.3
Pneumoconioses	245	40	—	—	—	—	—	—
Coal workers pneumoconiosis	2451	40	—	—	—	—	—	—
Other respiratory system diseases	249	90	—	—	—	—	—	—
Atelectasis, collapsed lung	2494	70	—	—	—	—	—	—
Digestive system diseases and disorders	25	710	—	—	—	—	50	7.0
Hernia—nontraumatic	253	700	—	—	—	—	50	7.1
Genitourinary system diseases and disorders	26	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	8,670	520	6.0	520	6.0	1,160	13.4
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	140	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	271	490	—	—	—	—	30	6.1
Dorsopathies	272	670	—	—	50	7.5	50	7.5
Sciatica	2721	230	—	—	20	8.7	20	8.7
Lumbago	2722	100	—	—	20	20.0	20	20.0
Disc disorders, except dislocation	2723	30	—	—	—	—	—	—
Dorsopathies, n.e.c.	2729	290	—	—	20	6.9	20	6.9
Soft tissue disorders, except the back	273	7,240	500	6.9	440	6.1	1,070	14.8
Soft tissue disorder, except the back, unspecified	2730	750	20	2.7	—	—	20	2.7
Bursitis	2731	660	90	13.6	70	10.6	40	6.1
Stenosing tenosynovitis	2732	1,000	90	9.0	30	3.0	200	20.0

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Deafness, hearing loss and impairment	—	—	—	—	—	—	80	66.7	124
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	30	60.0	—	—	—	—	17
Circulatory system diseases	50	11.6	50	11.6	30	7.0	190	44.2	21
Circulatory system diseases, unspecified	—	—	—	—	—	—	—	—	31
Hypertensive disease	—	—	—	—	—	—	—	—	3
Ischemic heart disease, including heart attack	—	—	20	11.8	20	11.8	80	47.1	30
Myocardial infarction (heart attack)	—	—	20	12.5	20	12.5	80	50.0	33
Diseases of pulmonary circulation	—	—	—	—	—	—	20	100.0	97
Pulmonary embolism	—	—	—	—	—	—	20	100.0	97
Cerebrovascular disease	30	23.1	20	15.4	—	—	60	46.2	30
Stroke	20	20.0	—	—	—	—	60	60.0	62
Diseases of the veins, lymphatics	—	—	—	—	—	—	—	—	6
Phlebitis, thrombosis	—	—	—	—	—	—	—	—	19
Respiratory system diseases	90	9.8	40	4.3	100	10.9	90	9.8	3
Respiratory system diseases, unspecified	—	—	—	—	—	—	—	—	2
Acute respiratory infections (including common cold)	—	—	—	—	20	6.1	20	6.1	1
Other diseases of upper respiratory tract	—	—	—	—	—	—	—	—	2
Allergic rhinitis	—	—	—	—	—	—	—	—	1
Pneumonia, influenza	40	23.5	20	11.8	—	—	—	—	5
Pneumonia	—	—	—	—	—	—	—	—	4
Influenza—common	—	—	20	25.0	—	—	—	—	5
Influenza—novel	—	—	—	—	—	—	—	—	10
Chronic obstructive pulmonary disease and allied conditions	30	21.4	—	—	—	—	—	—	3
Chronic bronchitis	—	—	—	—	—	—	—	—	2
Asthma, except intrinsic	20	40.0	—	—	—	—	—	—	10
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	—	—	—	—	—	—	—	—	3
Pneumoconioses	—	—	—	—	—	—	40	100.0	148
Coal workers pneumoconiosis	—	—	—	—	—	—	40	100.0	157
Other respiratory system diseases	—	—	—	—	70	77.8	—	—	28
Atelectasis, collapsed lung	—	—	—	—	70	100.0	—	—	28
Digestive system diseases and disorders	60	8.5	300	42.3	50	7.0	250	35.2	15
Hernia—nontraumatic	60	8.6	300	42.9	50	7.1	240	34.3	15
Genitourinary system diseases and disorders	—	—	—	—	—	—	—	—	5
Musculoskeletal system and connective tissue diseases and disorders	1,030	11.9	1,090	12.6	940	10.8	3,410	39.3	21
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	20	14.3	—	—	90	64.3	49
Arthropathies and related disorders (arthritis)	—	—	20	4.1	360	73.5	80	16.3	27
Dorsopathies	80	11.9	60	9.0	—	—	400	59.7	47
Sciatica	50	21.7	30	13.0	—	—	110	47.8	19
Lumbago	20	20.0	20	20.0	—	—	20	20.0	6
Disc disorders, except dislocation	—	—	—	—	—	—	20	66.7	106
Dorsopathies, n.e.c.	—	—	—	—	—	—	240	82.8	49
Soft tissue disorders, except the back	940	13.0	990	13.7	560	7.7	2,740	37.8	16
Soft tissue disorder, except the back, unspecified	190	25.3	50	6.7	20	2.7	460	61.3	49
Bursitis	160	24.2	80	12.1	20	3.0	190	28.8	9
Stenosing tenosynovitis	80	8.0	190	19.0	80	8.0	330	33.0	14

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Other tenosynovitis, synovitis	2733	510	30	5.9	90	17.6	90	17.6
Epicondylitis	2734	1,310	40	3.1	40	3.1	320	24.4
Other or unspecified tendonitis (tendinitis)	2735	2,290	180	7.9	180	7.9	330	14.4
Ganglion or cystic tumor	2736	310	30	9.7	30	9.7	20	6.5
Multiple soft tissue disorders	2738	70	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	350	30	8.6	—	—	40	11.4
Osteopathies, chondropathies, and acquired deformities	274	20	—	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	110	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	1,190	130	10.9	110	9.2	310	26.1
Disorders of the skin and subcutaneous tissue, unspecified	280	20	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	1,120	110	9.8	110	9.8	310	27.7
Infections of the skin and subcutaneous tissue, unspecified	2810	200	50	25.0	30	15.0	60	30.0
Cellulitis and abscess	2811	550	50	9.1	50	9.1	180	32.7
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	240	20	8.3	20	8.3	40	16.7
Other staphylococcus skin infection	2814	60	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	70	—	—	—	—	20	28.6
Other diseases and disorders of the skin and subcutaneous tissue	289	40	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	30	—	—	—	—	—	—
Other systemic diseases and disorders	29	130	—	—	30	23.1	20	15.4
Endocrine, nutritional, metabolic, and immunity disorders	291	120	—	—	30	25.0	20	16.7
Diseases and disorders of other endocrine glands	2912	20	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	100	—	—	30	30.0	—	—
Infectious and parasitic diseases	3	2,250	720	32.0	490	21.8	370	16.4
Infectious and parasitic diseases, unspecified	30	30	—	—	—	—	—	—
Bacterial diseases	31	230	—	—	—	—	70	30.4
Tuberculosis	311	60	—	—	—	—	—	—
Other bacterial diseases	319	170	—	—	—	—	70	41.2
Diphtheria, whooping cough	3192	70	—	—	—	—	50	71.4
Septicemia	3197	20	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	3199	70	—	—	—	—	20	28.6
Viral diseases	32	300	70	23.3	20	6.7	60	20.0
Viral diseases, unspecified	320	20	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	100	—	—	—	—	40	40.0
Chickenpox, varicella	3233	70	—	—	—	—	40	57.1
Herpes zoster, shingles	3234	30	—	—	—	—	—	—
Viral diseases of the conjunctiva	326	90	—	—	20	22.2	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Other tenosynovitis, synovitis	80	15.7	40	7.8	20	3.9	170	33.3	8
Epicondylitis	140	10.7	120	9.2	130	9.9	520	39.7	19
Other or unspecified tendonitis (tendinitis)	250	10.9	390	17.0	230	10.0	740	32.3	15
Ganglion or cystic tumor	20	6.5	60	19.4	20	6.5	140	45.2	21
Multiple soft tissue disorders	—	—	—	—	—	—	40	57.1	45
Soft tissue disorder, except the back, n.e.c.	30	8.6	50	14.3	40	11.4	160	45.7	25
Osteopathies, chondropathies, and acquired deformities	—	—	—	—	—	—	—	—	14
Osteopathies, chondropathies, and acquired deformities, n.e.c.	—	—	—	—	—	—	—	—	14
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	—	—	—	—	100	90.9	77
Disorders of the skin and subcutaneous tissue	280	23.5	150	12.6	30	2.5	160	13.4	6
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—	—	—	1
Infections of the skin and subcutaneous tissue	280	25.0	150	13.4	30	2.7	130	11.6	6
Infections of the skin and subcutaneous tissue, unspecified	20	10.0	—	—	—	—	—	—	3
Cellulitis and abscess	110	20.0	100	18.2	20	3.6	50	9.1	6
Methicillin-resistant staphylococcus aureus (MRSA) infection	120	50.0	40	16.7	—	—	—	—	10
Other staphylococcus skin infection	20	33.3	—	—	—	—	30	50.0	58
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—	40	57.1	54
Other diseases and disorders of the skin and subcutaneous tissue	—	—	—	—	—	—	20	50.0	114
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—	20	66.7	114
Other systemic diseases and disorders	—	—	50	38.5	—	—	—	—	6
Endocrine, nutritional, metabolic, and immunity disorders	—	—	50	41.7	—	—	—	—	4
Diseases and disorders of other endocrine glands	—	—	—	—	—	—	—	—	13
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	40	40.0	—	—	—	—	4
Infectious and parasitic diseases	250	11.1	230	10.2	70	3.1	130	5.8	2
Infectious and parasitic diseases, unspecified	—	—	—	—	—	—	—	—	2
Bacterial diseases	40	17.4	20	8.7	—	—	70	30.4	8
Tuberculosis	—	—	—	—	—	—	60	100.0	50
Other bacterial diseases	40	23.5	20	11.8	—	—	—	—	5
Diphtheria, whooping cough	—	—	—	—	—	—	—	—	5
Septicemia	—	—	20	100.0	—	—	—	—	15
Other bacterial diseases, n.e.c.	30	42.9	—	—	—	—	—	—	8
Viral diseases	40	13.3	70	23.3	—	—	30	10.0	5
Viral diseases, unspecified	—	—	—	—	—	—	—	—	10
Viral diseases accompanied by exanthem (eruptive fever)	—	—	40	40.0	—	—	—	—	7
Chickenpox, varicella	—	—	20	28.6	—	—	—	—	5
Herpes zoster, shingles	—	—	20	66.7	—	—	—	—	12
Viral diseases of the conjunctiva	20	22.2	20	22.2	—	—	20	22.2	6

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Viral conjunctivitis (ophthalmia)	3261	90	—	—	—	—	—	—
Other diseases due to viruses	329	80	—	—	—	—	—	—
Other arthropod-borne diseases	33	70	—	—	—	—	—	—
Mycoses (fungal infections)	34	80	—	—	—	—	20	25.0
Dermatophytosis (including athletes foot, tinea)	341	50	—	—	—	—	—	—
Coccidioidomycosis	342	20	—	—	—	—	—	—
Helminthiasis (worm infections)	35	20	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	170	—	—	60	35.3	30	17.6
Other salmonella infections	363	50	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	40	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	369	70	—	—	40	57.1	20	28.6
Other infectious and parasitic diseases	39	1,360	600	44.1	370	27.2	140	10.3
Scabies and other acariases	392	1,320	590	44.7	350	26.5	130	9.8
Symptoms, signs, and ill-defined conditions	5	4,590	1,120	24.4	1,080	23.5	1,070	23.3
Symptoms, signs, and ill-defined conditions, unspecified	50	90	30	33.3	20	22.2	—	—
Symptoms	51	4,350	1,010	23.2	1,060	24.4	1,030	23.7
Symptoms, unspecified	510	270	—	—	210	77.8	30	11.1
General symptoms	511	2,680	590	22.0	660	24.6	690	25.7
General symptoms, unspecified	5110	70	20	28.6	—	—	40	57.1
Loss of consciousness—not heat related	5111	1,260	300	23.8	270	21.4	310	24.6
Convulsions, seizures	5112	110	20	18.2	20	18.2	20	18.2
Dizziness—general	5114	590	180	30.5	80	13.6	250	42.4
Inflammation, swelling—general	5115	110	20	18.2	—	—	—	—
Numbness—general	5116	80	—	—	—	—	—	—
Multiple general symptoms	5118	130	20	15.4	—	—	30	23.1
General symptoms, n.e.c.	5119	320	20	6.2	260	81.2	30	9.4
Symptoms involving nervous and musculoskeletal systems	512	70	—	—	—	—	—	—
Earache	5122	70	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	50	—	—	—	—	40	80.0
Symptoms involving skin and other integumentary tissue, n.e.c.	5139	50	—	—	—	—	40	80.0
Symptoms involving head and neck	514	310	160	51.6	40	12.9	40	12.9
Headache, except migraine	5141	250	130	52.0	40	16.0	40	16.0
Multiple symptoms involving head and neck	5148	20	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	5149	30	30	100.0	—	—	—	—
Symptoms involving cardiovascular system	515	40	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	580	140	24.1	80	13.8	140	24.1
Symptoms involving respiratory system and chest, unspecified	5160	250	50	20.0	40	16.0	70	28.0
Chest pain	5164	120	50	41.7	—	—	30	25.0
Multiple symptoms involving respiratory system and chest	5168	80	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	120	40	33.3	20	16.7	30	25.0

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Viral conjunctivitis (ophthalmia)	20	22.2	20	22.2	—	—	20	22.2	6
Other diseases due to viruses	—	—	—	—	—	—	—	—	1
Other arthropod-borne diseases	—	—	—	—	—	—	—	—	5
Mycoses (fungal infections)	—	—	—	—	30	37.5	—	—	4
Dermatophytosis (including athlete's foot, tinea)	—	—	—	—	—	—	—	—	2
Coccidioidomycosis	—	—	—	—	—	—	—	—	30
Helminthiasis (worm infections)	—	—	20	100.0	—	—	—	—	14
Infectious diseases peculiar to the intestines	—	—	50	29.4	—	—	—	—	3
Other salmonella infections	—	—	—	—	—	—	—	—	14
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	—	—	—	—	—	—	—	—	2
Infectious diseases peculiar to the intestines, n.e.c. ..	—	—	—	—	—	—	—	—	2
Other infectious and parasitic diseases	150	11.0	60	4.4	20	1.5	—	—	2
Scabies and other acarases	150	11.4	60	4.5	20	1.5	—	—	2
Symptoms, signs, and ill-defined conditions	490	10.7	300	6.5	110	2.4	420	9.2	3
Symptoms, signs, and ill-defined conditions, unspecified	—	—	—	—	—	—	20	22.2	3
Symptoms	480	11.0	280	6.4	110	2.5	380	8.7	3
Symptoms, unspecified	—	—	—	—	—	—	—	—	2
General symptoms	270	10.1	180	6.7	80	3.0	210	7.8	3
General symptoms, unspecified	—	—	—	—	—	—	—	—	4
Loss of consciousness—not heat related	130	10.3	100	7.9	40	3.2	110	8.7	3
Convulsions, seizures	30	27.3	20	18.2	—	—	—	—	4
Dizziness—general	20	3.4	—	—	—	—	50	8.5	3
Inflammation, swelling—general	—	—	50	45.5	—	—	—	—	16
Numbness—general	20	25.0	—	—	—	—	30	37.5	15
Multiple general symptoms	50	38.5	—	—	—	—	—	—	6
General symptoms, n.e.c.	—	—	—	—	—	—	—	—	2
Symptoms involving nervous and musculoskeletal systems	—	—	—	—	—	—	—	—	5
Earache	—	—	—	—	—	—	—	—	5
Symptoms involving skin and other integumentary tissue	—	—	—	—	—	—	—	—	5
Symptoms involving skin and other integumentary tissue, n.e.c.	—	—	—	—	—	—	—	—	5
Symptoms involving head and neck	—	—	20	6.5	—	—	30	9.7	1
Headache, except migraine	—	—	—	—	—	—	20	8.0	1
Multiple symptoms involving head and neck	—	—	—	—	—	—	—	—	13
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—	—	—	1
Symptoms involving cardiovascular system	—	—	—	—	—	—	—	—	2
Symptoms involving cardiovascular system, n.e.c.	—	—	—	—	—	—	—	—	1
Symptoms involving respiratory system and chest	120	20.7	40	6.9	—	—	60	10.3	4
Symptoms involving respiratory system and chest, unspecified	40	16.0	20	8.0	—	—	30	12.0	3
Chest pain	—	—	—	—	—	—	—	—	3
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—	—	—	8
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	—	—	—	—	—	2

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms involving digestive and urinary system	517	180	70	38.9	60	33.3	20	11.1
Nausea and vomiting—general	5171	40	20	50.0	—	—	—	—
Multiple symptoms involving digestive or urinary system	5178	20	20	100.0	—	—	—	—
Symptoms involving digestive and urinary system, n.e.c.	5179	100	—	—	60	60.0	—	—
Multiple symptoms	518	160	20	12.5	—	—	30	18.8
Abnormal findings	52	30	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	100	80	80.0	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	20	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	4,060	380	9.4	130	3.2	160	3.9
Other diseases, conditions, and disorders, unspecified	60	100	60	60.0	30	30.0	—	—
Damage to prosthetic and orthopedic devices	61	30	—	—	—	—	—	—
Damage to prosthetic devices and aids	611	30	—	—	—	—	—	—
Mental disorders and syndromes	62	3,920	310	7.9	100	2.6	160	4.1
Mental disorders and syndromes, unspecified	620	150	30	20.0	—	—	—	—
Anxiety, stress	621	3,690	280	7.6	100	2.7	150	4.1
Anxiety, stress, unspecified	6210	2,750	220	8.0	40	1.5	90	3.3
Post-traumatic stress disorder	6211	550	—	—	50	9.1	30	5.5
Adjustment disorder	6212	40	—	—	—	—	—	—
Anxiety or panic disorder	6213	160	30	18.8	—	—	—	—
Anxiety, stress, n.e.c.	6219	200	30	15.0	—	—	—	—
Depression or depressive episode	622	70	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	350	90	25.7	100	28.6	60	17.1
Multiple diseases, conditions, and disorders	8	430	60	14.0	—	—	40	9.3
Nonclassifiable	9999	3,630	920	25.3	250	6.9	420	11.6

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Symptoms involving digestive and urinary system	20	11.1	—	—	—	—	—	—	2
Nausea and vomiting—general	—	—	—	—	—	—	—	—	1
Multiple symptoms involving digestive or urinary system	—	—	—	—	—	—	—	—	1
Symptoms involving digestive and urinary system, n.e.c.	—	—	—	—	—	—	—	—	2
Multiple symptoms	30	18.8	—	—	—	—	50	31.2	8
Abnormal findings	—	—	—	—	—	—	—	—	5
Other abnormal findings	—	—	—	—	—	—	—	—	4
Multiple symptoms, signs, and ill-defined conditions	—	—	—	—	—	—	—	—	1
Symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	—	—	—	6
Other diseases, conditions, and disorders	190	4.7	490	12.1	270	6.7	2,440	60.1	34
Other diseases, conditions, and disorders, unspecified	—	—	—	—	—	—	—	—	1
Damage to prosthetic and orthopedic devices	—	—	—	—	—	—	20	66.7	35
Damage to prosthetic devices and aids	—	—	—	—	—	—	20	66.7	35
Mental disorders and syndromes	190	4.8	480	12.2	270	6.9	2,410	61.5	37
Mental disorders and syndromes, unspecified	20	13.3	30	20.0	—	—	70	46.7	20
Anxiety, stress	170	4.6	450	12.2	260	7.0	2,280	61.8	36
Anxiety, stress, unspecified	120	4.4	220	8.0	210	7.6	1,850	67.3	43
Post-traumatic stress disorder	20	3.6	150	27.3	30	5.5	250	45.5	27
Adjustment disorder	—	—	—	—	—	—	20	50.0	46
Anxiety or panic disorder	—	—	50	31.2	—	—	50	31.2	11
Anxiety, stress, n.e.c.	20	10.0	30	15.0	—	—	100	50.0	35
Depression or depressive episode	—	—	—	—	—	—	60	85.7	180
Exposures to disease—no illness incurred	50	14.3	20	5.7	—	—	—	—	2
Multiple diseases, conditions, and disorders	70	16.3	20	4.7	20	4.7	210	48.8	24
Nonclassifiable	320	8.8	390	10.7	220	6.1	1,110	30.6	8

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.