

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2013

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total .....		917,090	5,870	70,510	82,850	185,200	141,610	121,080	60,040	18,510	9,450	720	221,250
<b>Head</b> .....	1	69,680	430	5,210	6,390	13,490	12,280	9,930	4,620	1,350	820	70	15,100
Head, unspecified .....	10	15,080	120	1,030	1,550	2,770	2,630	1,680	910	260	120	20	3,980
Cranial region, including skull .....	11	15,000	130	1,250	1,280	3,540	2,770	2,260	890	260	190	-	2,420
Cranial region, unspecified .....	110	250	-	-	20	20	40	-	-	-	-	-	110
Brain .....	111	11,880	120	1,110	1,060	2,720	2,220	1,760	650	120	160	-	1,940
Scalp .....	112	2,120	-	110	160	580	280	360	200	90	-	-	310
Skull .....	113	540	-	-	30	160	150	110	20	20	-	-	40
Multiple cranial region locations .....	118	100	-	-	-	30	50	-	-	-	-	-	-
Cranial region, n.e.c. ....	119	110	-	-	-	30	30	-	20	-	-	-	-
Ear(s) .....	12	1,330	-	90	210	170	450	110	20	20	-	-	230
Face .....	13	37,230	170	2,710	3,180	6,840	6,300	5,800	2,730	750	470	40	8,230
Face, unspecified .....	130	3,720	20	270	390	730	650	690	260	60	20	-	620
Forehead .....	131	2,790	-	300	210	700	530	330	150	80	20	-	450
Eye(s) .....	132	22,120	60	1,250	1,930	3,400	3,390	3,470	1,790	450	380	40	5,960
Nose, nasal cavity .....	133	2,190	-	260	230	280	460	330	160	50	-	-	410
Nose, except internal location of diseases or disorders .....	1330	2,180	-	260	230	280	460	330	160	50	-	-	410
Cheek(s) .....	134	570	-	200	50	130	30	40	20	20	-	-	70
Jaw, chin .....	135	1,130	-	100	30	460	310	90	30	-	-	-	100
Mouth .....	136	2,560	30	130	200	640	540	420	110	70	-	-	420
Mouth, unspecified .....	1360	410	-	-	80	50	-	190	-	-	-	-	40
Lip(s) .....	1361	720	-	-	20	60	300	90	20	40	-	-	180
Tongue .....	1362	20	-	-	-	-	-	-	-	-	-	-	-
Tooth (teeth) .....	1363	1,280	-	100	100	490	210	110	60	20	-	-	180
Multiple mouth locations .....	1368	110	-	-	-	30	20	30	-	-	-	-	-
Multiple face locations .....	138	1,900	40	190	130	420	360	390	160	20	-	-	180
Face, n.e.c. ....	139	250	-	-	20	70	20	30	60	-	-	-	20
Multiple head locations .....	18	830	-	90	110	130	120	60	50	40	-	-	220
Head, n.e.c. ....	19	210	-	40	60	50	-	30	-	-	-	-	-
<b>Neck, including throat</b> .....	2	13,430	30	930	1,580	2,450	2,130	1,640	770	190	220	-	3,480
Neck, except internal location of diseases or disorders .....	20	13,400	30	930	1,560	2,440	2,130	1,630	770	190	220	-	3,480
Larynx .....	23	20	-	-	-	-	-	-	-	-	-	-	-
<b>Trunk</b> .....	3	226,640	940	18,440	20,450	47,940	34,100	28,300	12,150	4,340	2,210	140	57,620
Trunk, unspecified .....	30	840	20	50	70	170	70	100	70	30	-	-	240
Chest, including ribs, internal organs .....	31	13,830	140	1,130	1,230	2,720	2,590	1,830	1,080	330	230	20	2,530
Chest, except internal location of diseases or disorders .....	310	13,000	140	1,070	1,200	2,600	2,450	1,760	1,010	330	160	20	2,270
Internal chest location, unspecified .....	311	100	-	-	-	60	-	-	-	-	-	-	30
Heart .....	313	210	-	20	-	40	70	-	40	-	-	-	20
Bronchus .....	314	70	-	-	-	-	-	-	-	-	-	-	60
Lung(s), pleura .....	315	440	-	30	20	20	70	60	30	-	-	-	160
Back, including spine, spinal cord .....	32	170,450	590	14,260	16,280	36,060	24,520	20,610	8,710	3,340	1,690	100	44,290

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Back, including spine, spinal cord, unspecified .....	320	69,680	270	5,320	6,210	13,800	8,430	8,230	3,100	1,210	530	30	22,550
Thoracic region .....	321	8,360	20	640	840	2,100	1,420	980	380	140	—	—	1,700
Lumbar region .....	322	85,100	230	7,580	8,530	18,920	13,240	10,210	4,810	1,840	770	40	18,920
Sacral region .....	323	230	—	20	20	40	40	30	20	—	—	—	50
Coccygeal region .....	324	1,410	50	120	240	170	410	90	90	—	—	—	230
Multiple back regions .....	328	5,420	20	570	410	1,020	940	1,020	310	120	270	—	720
Back, including spine, spinal cord, n.e.c. ....	329	250	—	20	30	—	20	30	—	—	—	—	130
Abdomen .....	33	20,820	—	1,210	1,430	4,340	3,260	2,900	1,080	290	60	—	6,210
Abdomen, except internal location of diseases or disorders .....	330	19,970	—	1,160	1,390	4,280	3,190	2,850	1,040	280	60	—	5,710
Internal abdominal location, unspecified .....	331	410	—	—	—	40	60	30	30	—	—	—	230
Stomach organ .....	332	50	—	—	—	—	—	—	—	—	—	—	20
Intestines, peritoneum .....	335	380	—	40	30	20	—	—	—	—	—	—	260
Intestines, peritoneum, unspecified .....	3350	360	—	40	30	—	—	—	—	—	—	—	260
Pelvic region .....	34	16,920	140	1,410	1,110	3,840	3,050	2,470	970	290	140	—	3,500
Pelvic region, unspecified .....	340	210	—	20	110	—	—	—	—	—	—	—	60
Hip(s) .....	341	8,070	90	830	460	1,780	1,240	1,260	390	170	70	—	1,770
Pelvis .....	342	1,150	—	50	90	240	130	390	120	—	—	—	110
Buttock(s) .....	343	1,100	30	100	30	230	340	140	50	—	—	—	160
Groin .....	344	5,910	—	400	400	1,470	1,230	640	350	80	60	—	1,280
External reproductive tract structures ..	345	190	—	—	—	70	50	—	—	—	—	—	30
External reproductive tract structures, unspecified .....	3450	20	—	—	—	—	—	—	—	—	—	—	20
Scrotum .....	3451	90	—	—	—	40	30	—	—	—	—	—	—
Penis .....	3452	20	—	—	—	—	20	—	—	—	—	—	—
External reproductive tract structures, n.e.c. ....	3459	40	—	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures ...	346	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	348	170	—	—	—	40	—	20	—	—	—	—	40
Pelvic region, n.e.c. ....	349	110	—	—	—	—	20	—	40	—	—	—	30
Multiple trunk locations .....	38	3,580	40	370	320	710	590	340	230	60	80	—	840
Trunk, n.e.c. ....	39	200	—	—	—	110	—	40	—	—	—	—	20
<b>Upper extremities</b> .....	4	286,320	1,340	20,870	26,660	56,740	44,970	37,360	19,520	5,480	2,390	170	70,820
Upper extremities, unspecified .....	40	440	—	60	20	50	30	30	20	—	—	—	210
Shoulder(s), including clavicle(s), scapula(e) .....	41	68,500	420	5,170	5,900	13,460	10,960	8,120	4,170	1,480	750	60	17,990
Arm(s) .....	42	43,580	300	3,640	3,730	9,130	6,940	6,080	2,740	700	300	20	10,000
Arm(s), unspecified .....	420	14,880	50	1,150	1,240	3,030	2,330	2,000	1,150	230	100	—	3,590
Upper arm(s) .....	421	5,050	—	350	440	990	770	760	460	110	20	—	1,130
Elbow(s) .....	422	14,220	170	1,110	1,130	3,240	1,910	1,990	740	220	80	—	3,620
Forearm(s) .....	423	7,300	30	770	680	1,400	1,690	1,030	310	110	100	—	1,190
Multiple arm locations .....	428	1,550	—	170	190	320	180	240	70	—	—	—	340
Multiple arm locations, unspecified ..	4280	250	—	—	—	40	40	70	—	—	—	—	60
Elbow(s) and arm(s) .....	4281	680	—	120	100	130	70	90	30	—	—	—	120

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Multiple arm locations, n.e.c. ....	4289	620	—	40	70	150	60	80	30	—	—	—	160
Arm(s), n.e.c. ....	429	590	20	80	50	150	60	60	20	—	—	—	140
Wrist(s) ....	43	37,500	310	2,300	3,020	5,880	4,910	4,080	2,170	830	430	20	13,540
Hand(s) ....	44	121,500	210	8,540	12,790	25,820	19,740	16,620	9,150	2,190	840	30	25,560
Hand(s), unspecified ....	440	32,400	40	2,300	2,160	7,090	6,080	4,080	2,100	560	190	20	7,780
Hand(s), except finger(s) ....	441	4,380	20	380	390	860	560	760	390	100	90	—	850
Finger(s), fingernail(s) ....	442	80,110	140	5,520	9,880	17,080	12,270	11,150	6,310	1,440	550	—	15,770
Finger(s), fingernail(s), unspecified ..	4420	60,310	110	4,090	7,360	12,310	9,500	8,310	4,760	870	430	—	12,560
Fingernail(s), nailbed(s) ....	4421	870	—	70	80	160	130	230	40	20	—	—	140
Fingertip(s) ....	4422	7,640	—	460	1,360	1,790	970	1,010	540	460	30	—	1,020
Finger(s), fingernail(s), n.e.c. ....	4429	11,290	20	890	1,080	2,830	1,670	1,600	970	80	80	—	2,060
Hand(s) and finger(s) ....	448	2,810	—	270	230	550	380	390	120	50	—	—	820
Hand(s), n.e.c. ....	449	1,780	—	70	140	240	440	260	230	30	—	—	350
Multiple upper extremities locations ....	48	14,680	90	1,150	1,190	2,330	2,370	2,430	1,260	260	60	40	3,490
Multiple upper extremities locations, unspecified ....	480	340	—	—	30	90	30	50	30	—	—	—	80
Hand(s) and arms(s) ....	481	1,670	—	170	90	280	540	150	50	30	—	—	360
Hand(s) and arm(s), unspecified ....	4810	850	—	40	50	150	330	60	20	20	—	—	170
Hand(s) and elbow(s) ....	4811	190	—	40	—	50	30	—	—	—	—	—	40
Hand(s) and arm(s), n.e.c. ....	4819	630	—	90	30	80	180	90	—	—	—	—	140
Hand(s) and wrist(s) ....	482	3,210	30	210	370	560	370	510	170	40	20	—	930
Wrist(s) and arm(s) ....	483	1,230	—	110	160	150	130	220	120	20	—	—	310
Wrist(s) and arm(s), unspecified ....	4830	420	—	30	60	50	30	80	60	—	—	—	90
Wrist(s) and elbow(s) ....	4831	370	—	30	30	50	40	60	—	—	—	—	120
Wrist(s) and arm(s), n.e.c. ....	4839	440	—	40	60	50	50	80	40	—	—	—	100
Shoulder(s) and arm(s) ....	484	4,870	30	480	320	790	800	620	570	120	20	40	1,060
Multiple upper extremities locations, n.e.c. ....	489	3,360	20	170	220	460	500	870	320	40	—	—	740
Upper extremities, n.e.c. ....	49	140	—	—	—	70	20	—	—	—	—	—	30
<b>Lower extremities</b> .....	<b>5</b>	<b>202,280</b>	<b>1,830</b>	<b>15,510</b>	<b>17,470</b>	<b>42,090</b>	<b>31,300</b>	<b>28,660</b>	<b>14,520</b>	<b>4,670</b>	<b>2,270</b>	<b>200</b>	<b>43,770</b>
Lower extremities, unspecified .....	50	240	—	20	30	90	—	20	—	—	—	—	70
Leg(s) .....	51	106,030	920	7,960	9,010	20,900	16,400	15,180	7,260	2,660	1,180	140	24,410
Leg(s), unspecified .....	510	12,450	80	1,000	830	2,110	1,820	1,790	880	240	100	—	3,600
Thigh(s) .....	511	4,440	30	380	250	710	870	590	320	180	70	—	1,020
Knee(s) .....	512	77,490	750	5,820	6,590	15,870	11,910	11,180	5,060	1,780	790	110	17,620
Lower leg(s) .....	513	8,840	40	560	1,020	1,670	1,370	1,280	800	230	190	—	1,680
Multiple leg locations .....	518	2,450	—	170	300	430	400	290	160	230	30	—	420
Multiple leg locations, unspecified ...	5180	240	—	—	—	30	50	60	—	—	—	—	80
Knee(s) and leg(s) .....	5181	1,580	—	110	260	270	300	190	80	60	20	—	260
Multiple leg locations, n.e.c. ....	5189	630	—	40	30	130	60	40	80	160	—	—	80
Leg(s), n.e.c. ....	519	370	—	40	20	110	30	50	50	—	—	—	60
Ankle(s) .....	52	45,620	610	3,580	4,150	9,690	7,010	5,920	3,720	910	620	30	9,380
Foot (feet) .....	53	43,570	190	3,270	3,730	10,130	6,820	6,600	2,940	970	400	30	8,500
Foot (feet), unspecified .....	530	27,920	110	1,880	2,310	6,230	4,500	4,650	2,040	700	240	20	5,250
Sole(s) .....	531	2,570	—	150	190	670	310	240	140	30	—	—	830
Sole(s), unspecified .....	5310	560	—	30	20	150	40	120	30	—	—	—	160
Ball(s) of the foot .....	5311	20	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Arch(es), instep(s) .....	5312	150	—	—	—	20	30	—	—	—	—	—	—	50
Heel(s) .....	5313	1,800	—	120	160	480	230	100	80	20	—	—	—	590
Multiple sole locations .....	5318	50	—	—	—	—	—	—	—	—	—	—	—	—
Toes(s), toenail(s) .....	532	10,620	60	860	790	2,520	1,750	1,510	640	150	140	—	—	2,200
Multiple foot (feet) locations .....	538	1,260	—	80	370	500	90	70	30	70	—	—	—	40
Foot (feet), n.e.c. ....	539	1,200	—	300	70	210	180	120	100	—	—	—	—	180
Multiple lower extremities locations .....	58	6,760	110	660	550	1,280	1,070	920	590	120	60	—	—	1,390
Multiple lower extremities locations, unspecified .....	580	170	—	—	—	20	50	—	—	—	—	—	—	70
Foot (feet) and leg(s) .....	581	960	—	60	50	190	180	80	60	—	—	—	—	300
Foot(feet) and leg(s), unspecified ....	5810	270	—	—	—	40	100	30	30	—	—	—	—	50
Foot(feet) and knee(s) .....	5811	350	—	30	40	60	30	—	20	—	—	—	—	140
Foot(feet) and leg(s), n.e.c. ....	5819	330	—	20	—	90	50	40	—	—	—	—	—	100
Foot (feet) and ankle(s) .....	582	2,420	20	200	220	380	290	380	270	60	—	—	—	590
Ankle(s) and leg(s) .....	583	2,380	50	360	180	480	410	340	160	40	—	—	—	330
Ankle(s) and leg(s), unspecified .....	5830	480	—	70	40	50	130	100	—	—	—	—	—	60
Ankle(s) and knee(s) .....	5831	1,510	50	210	100	370	230	200	110	30	—	—	—	220
Ankle(s) and leg(s), n.e.c. ....	5839	390	—	90	40	60	50	50	50	—	—	—	—	50
Multiple lower extremities locations, n.e.c. ....	589	840	20	40	90	210	130	120	80	—	40	—	—	100
Lower extremities, n.e.c. ....	59	50	—	—	—	—	—	20	—	—	—	—	—	—
<b>Body systems</b> .....	<b>6</b>	<b>18,570</b>	<b>20</b>	<b>1,360</b>	<b>1,190</b>	<b>3,060</b>	<b>2,690</b>	<b>2,020</b>	<b>1,030</b>	<b>360</b>	<b>150</b>	<b>20</b>	<b>—</b>	<b>6,680</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>89,870</b>	<b>1,230</b>	<b>7,630</b>	<b>8,480</b>	<b>18,270</b>	<b>13,460</b>	<b>12,130</b>	<b>7,180</b>	<b>2,010</b>	<b>1,320</b>	<b>120</b>	<b>—</b>	<b>18,040</b>
Multiple body parts, unspecified .....	80	8,040	70	540	620	1,210	1,030	770	410	150	80	30	—	3,140
Head and neck .....	81	2,310	20	160	180	240	410	350	230	140	—	—	—	580
Head, neck, and trunk .....	82	520	—	60	80	80	70	50	20	—	60	—	—	90
Head and trunk .....	83	1,330	20	140	70	210	160	360	110	20	60	—	—	180
Neck and back .....	84	7,430	50	480	480	1,630	930	1,090	550	180	140	20	—	1,880
Shoulder(s) and back .....	85	3,750	20	210	510	690	480	610	320	50	30	—	—	850
Hip(s) and leg(s) .....	86	1,740	20	140	110	540	140	410	110	—	—	—	—	250
Upper and lower limb(s) .....	87	5,670	120	490	540	1,220	830	730	660	100	100	—	—	880
Other multiple body parts .....	89	59,080	910	5,430	5,890	12,460	9,410	7,750	4,770	1,360	840	60	—	10,190
Whole body .....	891	740	—	130	70	150	150	40	30	—	—	—	—	160
Multiple body parts, n.e.c. ....	899	58,340	910	5,300	5,820	12,320	9,260	7,710	4,740	1,360	830	60	—	10,030

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
<b>Other body parts</b> .....	9	30	—	—	—	—	—	—	—	—	—	—	—
Prosthetic and orthopedic devices .....	91	30	—	—	—	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	10,270	40	550	640	1,140	690	1,050	260	120	50	—	5,730

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.