

TABLE R101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, private industry, 2013

| Nature | Nature code ³ | Private industry ⁴ | Age | | | | | | | | |
|--|--------------------------|-------------------------------|----------|---------|---------|------------------|------------------|------------------|------------------|------------------|-------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Total | 99.9 | — | — | — | 109.6 | 102.4 | 94.2 | 96.5 | 105.8 | 103.9 | 90.0 |
| Traumatic injuries and disorders | 1 | 96.0 | — | — | 107.1 | 99.6 | 90.4 | 92.8 | 101.4 | 100.0 | 87.5 |
| Traumatic injuries and disorders, unspecified | 10 | .1 | — | — | — | .1 | .2 | .1 | (⁵) | (⁵) | .1 |
| Traumatic injuries to bones, nerves, spinal cord | 11 | 9.4 | — | — | 5.6 | 8.0 | 7.7 | 7.6 | 10.2 | 12.8 | 17.2 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | 110 | .7 | — | — | .1 | .7 | .9 | .4 | .6 | .7 | .4 |
| Fractures | 111 | 8.5 | — | — | 5.3 | 7.1 | 6.5 | 6.9 | 9.4 | 11.9 | 16.5 |
| Traumatic injuries to spinal cord | 112 | (⁵) | — | — | — | (⁵) | — | (⁵) | (⁵) | (⁵) | — |
| Paralysis, paraplegia, quadriplegia | 1121 | (⁵) | — | — | — | — | — | — | — | — | — |
| Traumatic injuries to spinal cord, n.e.c. | 1129 | (⁵) | — | — | — | (⁵) | — | (⁵) | (⁵) | (⁵) | — |
| Traumatic injuries to nerves, except the spinal cord | 113 | .2 | — | — | .1 | .1 | .3 | .3 | .2 | .2 | .3 |
| Traumatic injuries to nerves, except the spinal cord, unspecified | 1130 | (⁵) | — | — | — | — | — | (⁵) | (⁵) | — | — |
| Pinched nerve | 1131 | .2 | — | — | — | .1 | .3 | .2 | .2 | .2 | .2 |
| Traumatic injuries to nerves, except the spinal cord, n.e.c. | 1139 | (⁵) | — | — | — | — | (⁵) | (⁵) | — | — | — |
| Multiple traumatic injuries to bones, nerves, spinal cord | 118 | (⁵) | — | — | — | — | (⁵) | — | (⁵) | (⁵) | — |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | 119 | (⁵) | — | — | — | — | — | — | (⁵) | (⁵) | — |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 12 | 39.0 | — | — | 26.4 | 34.6 | 36.0 | 40.6 | 44.2 | 41.8 | 27.2 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 120 | .3 | — | — | — | .2 | .2 | .3 | .3 | .5 | .1 |
| Dislocations | 121 | .9 | — | — | 1.0 | 1.2 | .9 | .7 | .9 | .9 | .5 |
| Dislocations, unspecified | 1210 | .1 | — | — | .2 | .1 | .1 | .1 | .1 | .1 | .1 |
| Herniated discs | 1211 | .3 | — | — | — | .1 | .4 | .3 | .3 | .2 | .1 |
| Dislocation of joints | 1212 | .5 | — | — | .9 | 1.0 | .4 | .4 | .5 | .6 | .4 |
| Dislocations, n.e.c. | 1219 | (⁵) | — | — | — | (⁵) | — |
| Cartilage fractures and tears | 122 | .5 | — | — | — | .3 | .4 | .6 | .7 | .8 | .4 |
| Cartilage fractures and tears, unspecified | 1220 | (⁵) | — | — | — | — | (⁵) | (⁵) | .1 | .1 | .1 |
| Meniscus tears | 1221 | .5 | — | — | — | .3 | .3 | .5 | .6 | .7 | .4 |
| Cartilage fractures and tears, n.e.c. | 1229 | (⁵) | — | — | — | (⁵) | — |
| Sprains, strains, tears | 123 | 35.6 | — | — | 24.9 | 32.2 | 33.1 | 37.7 | 40.1 | 36.7 | 24.2 |
| Sprains, strains, tears, unspecified | 1230 | 3.0 | — | — | 1.4 | 2.0 | 2.6 | 3.3 | 3.5 | 3.7 | 2.6 |
| Major tears to muscles, tendons, ligaments | 1231 | 2.0 | — | — | .9 | .5 | 1.0 | 1.8 | 3.2 | 3.1 | 1.7 |
| Sprains | 1232 | 8.7 | — | — | 10.2 | 9.0 | 8.8 | 9.2 | 8.8 | 7.9 | 6.0 |
| Strains | 1233 | 21.5 | — | — | 12.3 | 20.2 | 20.3 | 22.9 | 24.0 | 21.6 | 13.5 |
| Multiple sprains, strains, tears | 1238 | .5 | — | — | .2 | .4 | .5 | .5 | .6 | .4 | .4 |
| Hernias due to traumatic incidents | 124 | 1.5 | — | — | .3 | .6 | 1.2 | 1.2 | 1.8 | 2.6 | .8 |
| Whiplash | 125 | .2 | — | — | — | .1 | .2 | .1 | .2 | .2 | 1.1 |
| Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc. | 128 | (⁵) | — | — | — | (⁵) | .1 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | 129 | (⁵) | — | — | — | (⁵) | — | (⁵) | (⁵) | (⁵) | — |
| Open wounds | 13 | 10.7 | — | — | 23.2 | 17.8 | 12.2 | 9.7 | 9.1 | 7.2 | 7.1 |
| Open wounds, unspecified | 130 | .2 | — | — | 1.7 | .1 | .2 | .2 | .1 | .1 | — |
| Amputations, avulsions, enucleations | 131 | .8 | — | — | .9 | 1.6 | .6 | 1.0 | .9 | .6 | .7 |
| Amputations, avulsions, enucleations, unspecified | 1310 | (⁵) | — | — | — | — | — | (⁵) | (⁵) | — | — |

See footnotes at end of table.

TABLE R101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, private industry, 2013 — Continued

| Nature | Nature code ³ | Private industry ⁴ | Age | | | | | | | | |
|--|--------------------------|-------------------------------|----------|---------|---------|---------|---------|---------|---------|---------|-------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Amputations | 1311 | 0.7 | — | — | 0.7 | 1.4 | 0.4 | 0.7 | 0.7 | 0.5 | 0.5 |
| Avulsions, enucleations | 1312 | .2 | — | — | .2 | .2 | .1 | .2 | .2 | .1 | .2 |
| Amputations, avulsions, enucleations, n.e.c. | 1319 | (5) | — | — | — | — | (5) | (5) | (5) | — | — |
| Cuts, lacerations | 132 | 7.7 | — | — | 18.4 | 13.6 | 8.6 | 6.7 | 6.6 | 5.4 | 5.5 |
| Puncture wounds, except gunshot wounds | 133 | 1.9 | — | — | 2.1 | 2.4 | 2.8 | 1.8 | 1.5 | 1.0 | .9 |
| Gunshot wounds | 134 | (5) | — | — | — | — | (5) | — | — | (5) | — |
| Multiple types of open wounds | 138 | (5) | — | — | — | (5) | — | (5) | (5) | (5) | — |
| Open wounds, n.e.c. | 139 | (5) | — | — | — | — | (5) | — | — | (5) | — |
| Surface wounds and bruises | 14 | 9.0 | — | — | 13.4 | 10.7 | 8.7 | 8.6 | 8.0 | 9.5 | 11.4 |
| Surface wounds and bruises, unspecified | 140 | (5) | — | — | — | (5) | (5) | (5) | (5) | (5) | — |
| Abrasions, scratches | 141 | .9 | — | — | .8 | 1.5 | 1.1 | .8 | .7 | 1.0 | 1.0 |
| Blisters | 142 | (5) | — | — | — | — | — | — | (5) | — | — |
| Bruises, contusions | 143 | 7.9 | — | — | 12.5 | 9.0 | 7.4 | 7.7 | 7.2 | 8.3 | 10.2 |
| Multiple surface wounds and bruises | 148 | .1 | — | — | — | .1 | .1 | .1 | .1 | .1 | .1 |
| Surface wounds and bruises, n.e.c. | 149 | .1 | — | — | — | (5) | .1 | .1 | (5) | (5) | — |
| Burns and corrosions | 15 | 2.0 | — | — | 9.4 | 3.4 | 2.3 | 1.7 | 1.6 | 1.3 | .8 |
| Burns and corrosions, unspecified | 150 | .1 | — | — | .1 | .1 | (5) | (5) | (5) | (5) | — |
| Chemical burns and corrosions | 151 | .3 | — | — | .5 | .4 | .3 | .3 | .3 | .3 | (5) |
| Chemical burns and corrosions, unspecified | 1510 | .3 | — | — | .4 | .2 | .3 | .3 | .3 | .3 | (5) |
| First degree chemical burns and corrosions | 1511 | (5) | — | — | — | (5) | — | (5) | — | — | — |
| Second degree chemical burns and corrosions | 1512 | (5) | — | — | — | (5) | — | — | — | — | — |
| Third or fourth degree chemical burns and corrosions | 1513 | (5) | — | — | — | — | (5) | — | — | — | — |
| Chemical burns and corrosions, n.e.c. | 1519 | (5) | — | — | — | (5) | (5) | — | — | (5) | — |
| Heat (thermal) burns | 152 | 1.5 | — | — | 8.5 | 2.7 | 1.6 | 1.2 | 1.1 | .8 | .8 |
| Heat (thermal) burns, unspecified | 1520 | 1.1 | — | — | 7.2 | 2.2 | 1.4 | .7 | .7 | .6 | .5 |
| First degree heat (thermal) burns | 1521 | .1 | — | — | .2 | .1 | (5) | .2 | .1 | (5) | — |
| Second degree heat (thermal) burns | 1522 | .2 | — | — | 1.0 | .4 | .2 | .2 | .3 | .2 | — |
| Third or fourth degree heat (thermal) burns | 1523 | (5) | — | — | — | — | (5) | (5) | (5) | (5) | .2 |
| Heat (thermal) burns, n.e.c. | 1529 | (5) | — | — | .1 | — | (5) | .1 | (5) | (5) | — |
| Electrical burns | 153 | .1 | — | — | .1 | .1 | .1 | (5) | .1 | (5) | — |
| Electrical burns, unspecified | 1530 | (5) | — | — | — | .1 | (5) | (5) | .1 | (5) | — |
| First degree electrical burns | 1531 | (5) | — | — | — | — | (5) | — | — | — | — |
| Second degree electrical burns | 1532 | (5) | — | — | — | — | — | — | (5) | (5) | — |
| Electrical burns, n.e.c. | 1539 | (5) | — | — | — | — | — | (5) | (5) | — | — |
| Other burns | 159 | .1 | — | — | .1 | .2 | .2 | .1 | .1 | .1 | — |
| Other burns, unspecified | 1590 | (5) | — | — | — | (5) | .1 | (5) | (5) | — | — |
| Other burns, first degree | 1591 | .1 | — | — | .1 | .1 | .1 | .1 | .1 | (5) | — |
| Other burns, second degree | 1592 | (5) | — | — | — | — | — | (5) | — | (5) | — |
| Other burns, n.e.c. | 1599 | (5) | — | — | — | — | — | — | — | — | — |
| Intracranial injuries | 16 | 1.3 | — | — | 2.5 | 2.0 | 1.3 | 1.0 | 1.3 | 1.1 | 1.0 |
| Intracranial injuries, unspecified | 160 | .1 | — | — | .3 | (5) | .1 | (5) | .1 | .1 | .1 |
| Cerebral and other intracranial hemorrhages | 161 | (5) | — | — | — | — | — | — | (5) | — | — |
| Concussions | 162 | 1.2 | — | — | 2.2 | 1.9 | 1.2 | .9 | 1.2 | .9 | .9 |
| Multiple types of intracranial injuries | 168 | (5) | — | — | — | — | — | — | — | (5) | — |
| Multiple intracranial injuries, unspecified | 1680 | (5) | — | — | — | — | — | — | — | — | — |
| Multiple intracranial injuries, n.e.c. | 1689 | (5) | — | — | — | — | — | — | — | — | — |
| Effects of environmental conditions | 17 | .3 | — | — | .3 | .4 | .4 | .2 | .3 | .2 | .1 |
| Effects of reduced temperature | 171 | (5) | — | — | — | (5) | — | — | (5) | (5) | — |
| Frostbite | 1711 | (5) | — | — | — | (5) | — | — | (5) | (5) | — |

See footnotes at end of table.

TABLE R101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, private industry, 2013 — Continued

| Nature | Nature code ³ | Private industry ⁴ | Age | | | | | | | | |
|--|--------------------------|-------------------------------|----------|---------|---------|---------|---------|---------|---------|---------|-------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Effects of heat and light | 172 | 0.3 | — | — | 0.3 | 0.3 | 0.4 | 0.2 | 0.3 | 0.2 | 0.1 |
| Effects of heat and light, unspecified | 1720 | (5) | — | — | — | (5) | (5) | (5) | (5) | (5) | — |
| Heat stroke | 1721 | (5) | — | — | — | — | (5) | — | — | — | — |
| Heat syncope | 1722 | (5) | — | — | — | — | (5) | (5) | (5) | — | — |
| Heat fatigue | 1723 | (5) | — | — | — | .1 | (5) | — | .1 | — | — |
| Heat exhaustion, prostration | 1725 | .1 | — | — | .1 | .1 | .2 | .1 | .2 | .1 | — |
| Effects of heat and light, n.e.c. | 1729 | (5) | — | — | — | .1 | .1 | .1 | (5) | (5) | — |
| Effects of air or water pressure | 173 | (5) | — | — | — | — | (5) | (5) | — | — | — |
| Effects of air or water pressure, unspecified | 1730 | (5) | — | — | — | — | — | — | — | — | — |
| Aero-otitis media | 1731 | (5) | — | — | — | — | — | — | — | — | — |
| Effects of air or water pressure, n.e.c. | 1739 | (5) | — | — | — | — | — | (5) | — | — | — |
| Multiple traumatic injuries and disorders | 18 | 2.6 | — | — | 1.9 | 1.8 | 2.2 | 2.3 | 3.0 | 3.0 | 3.8 |
| Multiple traumatic injuries and disorders, unspecified | 180 | .1 | — | — | — | 2 | .1 | .1 | .2 | .1 | .1 |
| Cuts and abrasions or bruises | 181 | .4 | — | — | .4 | .4 | .4 | .3 | .5 | .5 | .8 |
| Sprains and other injuries | 182 | 1.1 | — | — | .9 | .6 | 1.0 | 1.0 | 1.3 | 1.2 | 1.6 |
| Sprains and other injuries, unspecified | 1820 | (5) | — | — | — | (5) | (5) | (5) | (5) | (5) | — |
| Sprains and bruises | 1821 | .9 | — | — | .7 | .5 | .6 | .8 | 1.1 | 1.0 | 1.1 |
| Sprains and cuts | 1822 | .1 | — | — | .1 | (5) | .1 | .1 | .1 | .1 | .4 |
| Sprains and other injuries, n.e.c. | 1829 | .1 | — | — | — | (5) | .3 | .1 | .1 | .1 | .1 |
| Fractures and other injuries | 183 | .6 | — | — | .3 | .3 | .4 | .6 | .8 | .8 | .9 |
| Fractures and other injuries, unspecified | 1830 | .1 | — | — | — | (5) | .1 | .1 | (5) | .1 | .1 |
| Fractures (except skull fractures) and concussions | 1831 | (5) | — | — | — | (5) | — | (5) | (5) | .1 | — |
| Fractures (except rib, trunk fractures) and internal injuries | 1832 | (5) | — | — | — | — | — | — | (5) | .1 | — |
| Fractures and burns | 1833 | (5) | — | — | — | — | — | — | — | — | — |
| Fractures and dislocations | 1834 | (5) | — | — | — | (5) | (5) | (5) | .1 | .1 | .1 |
| Fractures and other injuries, n.e.c. | 1839 | .4 | — | — | .3 | .2 | .3 | .4 | .6 | .5 | .7 |
| Burns and other injuries, except fractures | 184 | (5) | — | — | — | (5) | (5) | (5) | — | — | — |
| Burns and other injuries, except fractures, unspecified | 1840 | (5) | — | — | — | — | — | — | — | — | — |
| Burns and other injuries, n.e.c. | 1849 | (5) | — | — | — | — | (5) | (5) | — | — | — |
| Intracranial injuries and injuries to internal organs | 185 | (5) | — | — | — | — | — | — | — | — | — |
| Multiple traumatic injuries and disorders, n.e.c. | 189 | .3 | — | — | .2 | .2 | .3 | .3 | .3 | .4 | .4 |
| Other traumatic injuries and disorders | 19 | 21.5 | — | — | 24.4 | 21.0 | 19.5 | 21.0 | 23.6 | 23.2 | 18.7 |
| Other traumatic injuries and disorders, unspecified | 190 | (5) | — | — | — | (5) | (5) | (5) | .1 | (5) | — |
| Asphyxiations, strangulations, suffocations | 191 | (5) | — | — | — | — | (5) | — | (5) | — | — |
| Electrocutions, electric shocks | 193 | .2 | — | — | .1 | .2 | .2 | .3 | .2 | .1 | — |
| Internal injuries to organs and blood vessels of the trunk | 194 | (5) | — | — | — | .4 | (5) | (5) | (5) | — | — |
| Dermatitis and reactions affecting the skin—acute | 195 | .3 | — | — | .8 | .4 | .3 | .2 | .3 | .3 | .1 |
| Dermatitis and reactions affecting the skin—acute, unspecified | 1950 | .1 | — | — | .5 | .1 | .2 | .1 | .2 | .1 | (5) |
| Allergic dermatitis—acute | 1951 | .1 | — | — | .1 | .2 | .1 | .1 | .1 | .2 | — |
| Irritant dermatitis—acute | 1952 | (5) | — | — | .1 | .1 | (5) | (5) | .1 | (5) | — |
| Hives, urticaria—acute | 1953 | (5) | — | — | — | — | (5) | (5) | — | — | — |
| Dermatitis and reactions affecting the skin—acute, n.e.c. | 1959 | (5) | — | — | — | — | (5) | — | — | (5) | — |
| Other poisoning, toxic, noxious, or allergenic effects | 196 | .8 | — | — | 3.0 | .7 | .6 | .7 | 1.0 | .7 | .4 |
| Poisoning, toxic, noxious, or allergenic effect, unspecified | 1960 | .2 | — | — | .4 | .4 | .2 | .3 | .3 | .1 | .1 |

See footnotes at end of table.

TABLE R101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, private industry, 2013 — Continued

| Nature | Nature code ³ | Private industry ⁴ | Age | | | | | | | | |
|--|--------------------------|-------------------------------|----------|---------|---------|---------|---------|---------|---------|---------|-------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Poisoning, including poisoning-related asphyxia ... | 1961 | 0.1 | — | — | — | 0.1 | (5) | 0.1 | 0.1 | 0.1 | 0.1 |
| Anaphylactic shock, anaphylaxis | 1962 | (5) | — | — | — | — | — | — | (5) | — | — |
| Other respiratory system symptoms—toxic, noxious, or allergenic effect | 1963 | .2 | — | — | 0.8 | .2 | .1 | .2 | .2 | .2 | .1 |
| Coughing and throat irritation—toxic, noxious, or allergenic effect | 1964 | (5) | — | — | — | — | (5) | — | (5) | — | — |
| Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect | 1965 | .1 | — | — | — | — | .1 | (5) | (5) | .2 | (5) |
| Other or unspecified allergic reactions | 1966 | .1 | — | — | — | (5) | .1 | (5) | .1 | (5) | .1 |
| Nausea, vomiting—toxic, noxious, or allergenic effect | 1967 | (5) | — | — | — | — | (5) | (5) | (5) | — | — |
| Multiple poisoning, toxic, noxious, or allergenic effects | 1968 | (5) | — | — | — | — | (5) | (5) | .1 | (5) | — |
| Other poisoning, toxic, noxious, or allergenic effects, n.e.c. | 1969 | (5) | — | — | — | — | (5) | (5) | .1 | (5) | — |
| Nonspecified injuries and disorders | 197 | 20.1 | — | — | 20.3 | 19.3 | 18.3 | 19.6 | 22.0 | 22.0 | 18.3 |
| Crushing injuries | 1971 | 1.1 | — | — | 2.4 | 1.5 | 1.0 | 1.1 | 1.2 | .7 | .4 |
| Soreness, pain, hurt—nonspecified injury | 1972 | 16.8 | — | — | 14.5 | 15.3 | 15.0 | 16.4 | 18.4 | 18.9 | 16.6 |
| Swelling, inflammation, irritation—nonspecified injury | 1973 | 1.9 | — | — | 3.1 | 2.0 | 1.9 | 1.7 | 2.0 | 2.0 | .9 |
| Numbness—nonspecified injury | 1974 | .1 | — | — | — | .1 | .1 | .1 | .1 | .1 | — |
| Multiple nonspecified injuries and disorders | 1978 | .2 | — | — | .2 | .3 | .2 | .2 | .2 | .2 | .1 |
| Nonspecified injuries and disorders, n.e.c. | 1979 | .1 | — | — | — | .1 | .1 | .1 | .1 | .2 | .2 |
| Other traumatic injuries and disorders, n.e.c. | 199 | .1 | — | — | .1 | — | (5) | .2 | (5) | (5) | — |
| Traumatic injuries and disorders, n.e.c. | 1999 | .1 | — | — | .1 | — | (5) | .2 | (5) | (5) | — |
| Diseases and disorders of body systems | 2 | 2.2 | — | — | .8 | 1.2 | 2.0 | 2.1 | 3.0 | 2.6 | 1.7 |
| Systemic diseases and disorders, unspecified | 20 | (5) | — | — | — | — | — | — | — | — | — |
| Nervous system and sense organs diseases | 22 | .9 | — | — | .4 | .5 | .8 | .8 | 1.3 | 1.1 | .5 |
| Degenerative diseases of the central nervous system | 222 | (5) | — | — | — | — | — | — | — | — | — |
| Other disorders of the central nervous system | 223 | .1 | — | — | — | (5) | .1 | (5) | .1 | (5) | — |
| Seizure disorder, epilepsy | 2231 | (5) | — | — | — | — | .1 | (5) | .1 | — | — |
| Migraine | 2232 | (5) | — | — | — | — | (5) | (5) | — | — | — |
| Disorders of the peripheral nervous system | 224 | .7 | — | — | — | .2 | .5 | .7 | 1.1 | 1.0 | .4 |
| Disorders of the peripheral nervous system, unspecified | 2240 | (5) | — | — | — | — | (5) | — | (5) | (5) | .1 |
| Carpal tunnel syndrome | 2241 | .7 | — | — | — | .2 | .5 | .7 | 1.1 | .9 | .2 |
| Inflammatory and toxic neuropathy, toxic polyneuropathy | 2242 | (5) | — | — | — | — | — | — | — | — | — |
| Disorders of the peripheral nervous system, n.e.c. | 2249 | (5) | — | — | — | — | (5) | — | — | — | — |
| Disorders of the eye, adnexa, vision | 225 | .1 | — | — | — | .2 | .1 | .1 | .1 | .1 | .1 |
| Disorders of the eye, adnexa, vision, unspecified | 2250 | (5) | — | — | — | — | (5) | (5) | (5) | — | — |
| Conjunctivitis—non-viral | 2251 | (5) | — | — | — | .1 | .1 | (5) | (5) | (5) | — |
| Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion) | 2252 | (5) | — | — | — | — | — | (5) | — | (5) | — |
| Cataracts | 2253 | (5) | — | — | — | — | — | — | — | — | — |
| Blindness, low vision | 2254 | (5) | — | — | — | — | — | — | — | — | — |
| Visual disturbances | 2256 | (5) | — | — | — | — | — | — | — | — | — |
| Disorders of the eye, adnexa, vision, n.e.c. | 2259 | (5) | — | — | — | .1 | (5) | — | (5) | (5) | — |
| Disorders of the ear, mastoid process, hearing | 226 | (5) | — | — | — | .1 | (5) | (5) | (5) | (5) | — |

See footnotes at end of table.

TABLE R101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, private industry, 2013 — Continued

| Nature | Nature code ³ | Private industry ⁴ | Age | | | | | | | | |
|--|--------------------------|-------------------------------|----------|---------|---------|---------|---------|---------|---------|---------|-------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Deafness, hearing loss and impairment | 2261 | (5) | — | — | — | (5) | — | — | (5) | (5) | — |
| Disorders of the ear, mastoid process, and hearing, n.e.c. | 2269 | (5) | — | — | — | (5) | — | — | — | — | — |
| Circulatory system diseases | 23 | (5) | — | — | — | — | (5) | (5) | .1 | .1 | 0.1 |
| Circulatory system diseases, unspecified | 230 | (5) | — | — | — | — | — | — | — | — | — |
| Hypertensive disease | 232 | (5) | — | — | — | — | (5) | — | — | — | — |
| Ischemic heart disease, including heart attack | 233 | (5) | — | — | — | — | — | (5) | (5) | .1 | — |
| Myocardial infarction (heart attack) | 2331 | (5) | — | — | — | — | — | (5) | (5) | (5) | — |
| Diseases of pulmonary circulation | 234 | (5) | — | — | — | — | — | — | — | — | — |
| Pulmonary embolism | 2342 | (5) | — | — | — | — | — | — | — | — | — |
| Cerebrovascular disease | 236 | (5) | — | — | — | — | — | — | (5) | .1 | .1 |
| Stroke | 2361 | (5) | — | — | — | — | — | — | (5) | (5) | .1 |
| Diseases of the veins, lymphatics | 238 | (5) | — | — | — | — | — | — | — | — | — |
| Phlebitis, thrombosis | 2383 | (5) | — | — | — | — | — | — | — | — | — |
| Respiratory system diseases | 24 | .1 | — | — | — | — | .1 | .1 | .1 | .1 | .2 |
| Respiratory system diseases, unspecified | 240 | (5) | — | — | — | — | (5) | — | (5) | — | — |
| Acute respiratory infections (including common cold) | 241 | (5) | — | — | — | — | (5) | (5) | (5) | .1 | — |
| Other diseases of upper respiratory tract | 242 | (5) | — | — | — | — | — | — | (5) | — | — |
| Allergic rhinitis | 2421 | (5) | — | — | — | — | — | — | (5) | — | — |
| Pneumonia, influenza | 243 | (5) | — | — | — | (5) | (5) | (5) | (5) | — | — |
| Pneumonia | 2431 | (5) | — | — | — | — | — | — | — | — | — |
| Influenza—common | 2432 | (5) | — | — | — | (5) | (5) | — | — | — | — |
| Influenza—novel | 2433 | (5) | — | — | — | — | — | (5) | (5) | — | — |
| Chronic obstructive pulmonary disease and allied conditions | 244 | (5) | — | — | — | (5) | (5) | (5) | (5) | — | — |
| Chronic bronchitis | 2441 | (5) | — | — | — | — | — | — | — | — | — |
| Asthma, except intrinsic | 2443 | (5) | — | — | — | — | — | (5) | (5) | — | — |
| Chronic obstructive pulmonary diseases and allied conditions, n.e.c. | 2449 | (5) | — | — | — | — | — | — | — | — | — |
| Pneumoconioses | 245 | (5) | — | — | — | — | — | — | — | (5) | — |
| Coal workers pneumoconiosis | 2451 | (5) | — | — | — | — | — | — | — | (5) | — |
| Other respiratory system diseases | 249 | (5) | — | — | — | — | (5) | — | — | — | — |
| Atelectasis, collapsed lung | 2494 | (5) | — | — | — | — | (5) | — | — | — | — |
| Digestive system diseases and disorders | 25 | .1 | — | — | — | (5) | (5) | .1 | .1 | .1 | .6 |
| Hernia—nontraumatic | 253 | .1 | — | — | — | (5) | (5) | .1 | .1 | .1 | .6 |
| Genitourinary system diseases and disorders | 26 | (5) | — | — | — | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders | 27 | .9 | — | — | 0.2 | .5 | .9 | 1.0 | 1.4 | .9 | .3 |
| Musculoskeletal system and connective tissue diseases and disorders, unspecified | 270 | (5) | — | — | — | — | (5) | (5) | (5) | (5) | — |
| Arthropathies and related disorders (arthritis) | 271 | .1 | — | — | — | — | .2 | — | (5) | .1 | — |
| Dorsopathies | 272 | .1 | — | — | — | (5) | (5) | .1 | .2 | .1 | .1 |
| Sciatica | 2721 | (5) | — | — | — | — | (5) | (5) | (5) | (5) | — |
| Lumbago | 2722 | (5) | — | — | — | (5) | — | (5) | (5) | (5) | — |
| Disc disorders, except dislocation | 2723 | (5) | — | — | — | — | — | — | — | — | — |
| Dorsopathies, n.e.c. | 2729 | (5) | — | — | — | — | — | (5) | .1 | (5) | — |
| Soft tissue disorders, except the back | 273 | .8 | — | — | .2 | .5 | .7 | .9 | 1.1 | .8 | .2 |
| Soft tissue disorder, except the back, unspecified | 2730 | .1 | — | — | — | — | .1 | (5) | .2 | .1 | — |
| Bursitis | 2731 | .1 | — | — | — | (5) | .1 | (5) | .1 | .1 | — |
| Stenosing tenosynovitis | 2732 | .1 | — | — | — | (5) | .1 | .1 | .2 | .2 | — |

See footnotes at end of table.

TABLE R101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, private industry, 2013 — Continued

| Nature | Nature code ³ | Private industry ⁴ | Age | | | | | | | | |
|--|--------------------------|-------------------------------|----------|---------|---------|---------|---------|---------|---------|---------|-------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Other tenosynovitis, synovitis | 2733 | 0.1 | — | — | — | 0.1 | 0.1 | 0.1 | (5) | (5) | — |
| Epicondylitis | 2734 | .1 | — | — | — | — | .1 | .2 | .2 | .1 | — |
| Other or unspecified tendonitis (tendinitis) | 2735 | .2 | — | — | 0.1 | .3 | .2 | .3 | .3 | .2 | 0.1 |
| Ganglion or cystic tumor | 2736 | (5) | — | — | — | — | (5) | (5) | (5) | (5) | — |
| Multiple soft tissue disorders | 2738 | (5) | — | — | — | — | — | (5) | (5) | (5) | — |
| Soft tissue disorder, except the back, n.e.c. | 2739 | (5) | — | — | — | — | (5) | (5) | (5) | .1 | — |
| Osteopathies, chondropathies, and acquired deformities | 274 | (5) | — | — | — | — | — | — | — | — | — |
| Osteopathies, chondropathies, and acquired deformities, n.e.c. | 2749 | (5) | — | — | — | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders, n.e.c. | 279 | (5) | — | — | — | — | — | — | .1 | — | — |
| Disorders of the skin and subcutaneous tissue | 28 | .1 | — | — | .1 | .1 | .1 | .1 | .2 | .1 | .2 |
| Disorders of the skin and subcutaneous tissue, unspecified | 280 | (5) | — | — | — | — | — | — | — | — | — |
| Infections of the skin and subcutaneous tissue | 281 | .1 | — | — | .1 | .1 | .1 | .1 | .2 | .1 | .2 |
| Infections of the skin and subcutaneous tissue, unspecified | 2810 | (5) | — | — | — | (5) | (5) | (5) | (5) | (5) | — |
| Cellulitis and abscess | 2811 | .1 | — | — | — | (5) | (5) | .1 | .1 | .1 | — |
| Methicillin-resistant staphylococcus aureus (MRSA) infection | 2813 | (5) | — | — | .1 | — | (5) | — | .1 | — | .2 |
| Other staphylococcus skin infection | 2814 | (5) | — | — | — | — | (5) | — | — | (5) | — |
| Infections of the skin and subcutaneous tissue, n.e.c. | 2819 | (5) | — | — | — | — | (5) | — | (5) | — | — |
| Other diseases and disorders of the skin and subcutaneous tissue | 289 | (5) | — | — | — | — | (5) | — | — | — | — |
| Other diseases and disorders of the skin and subcutaneous tissue, n.e.c. | 2899 | (5) | — | — | — | — | — | — | — | — | — |
| Other systemic diseases and disorders | 29 | (5) | — | — | — | — | (5) | (5) | (5) | (5) | — |
| Endocrine, nutritional, metabolic, and immunity disorders | 291 | (5) | — | — | — | — | (5) | — | — | (5) | — |
| Diseases and disorders of other endocrine glands | 2912 | (5) | — | — | — | — | — | — | — | — | — |
| Endocrine, nutritional, metabolic, and immunity disorders, n.e.c. | 2919 | (5) | — | — | — | — | — | — | — | (5) | — |
| Infectious and parasitic diseases | 3 | .2 | — | — | .2 | .3 | .3 | .3 | .2 | .1 | .1 |
| Infectious and parasitic diseases, unspecified | 30 | (5) | — | — | — | — | — | — | — | — | — |
| Bacterial diseases | 31 | (5) | — | — | — | (5) | (5) | (5) | (5) | (5) | — |
| Tuberculosis | 311 | (5) | — | — | — | — | — | — | (5) | — | — |
| Other bacterial diseases | 319 | (5) | — | — | — | — | (5) | (5) | (5) | (5) | — |
| Diphtheria, whooping cough | 3192 | (5) | — | — | — | — | (5) | (5) | (5) | — | — |
| Septicemia | 3197 | (5) | — | — | — | — | — | — | — | — | — |
| Other bacterial diseases, n.e.c. | 3199 | (5) | — | — | — | — | (5) | — | — | — | — |
| Viral diseases | 32 | (5) | — | — | — | (5) | (5) | (5) | .1 | (5) | — |
| Viral diseases, unspecified | 320 | (5) | — | — | — | — | — | — | — | — | — |
| Viral diseases accompanied by exanthem (eruptive fever) | 323 | (5) | — | — | — | — | (5) | (5) | — | — | — |
| Chickenpox, varicella | 3233 | (5) | — | — | — | — | (5) | — | — | — | — |
| Herpes zoster, shingles | 3234 | (5) | — | — | — | — | — | — | — | — | — |
| Viral diseases of the conjunctiva | 326 | (5) | — | — | — | — | — | (5) | (5) | — | — |

See footnotes at end of table.

TABLE R101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, private industry, 2013 — Continued

| Nature | Nature code ³ | Private industry ⁴ | Age | | | | | | | | |
|---|--------------------------|-------------------------------|----------|---------|---------|---------|---------|---------|---------|---------|-------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Viral conjunctivitis (ophthalmia) | 3261 | (5) | — | — | — | — | — | (5) | (5) | — | — |
| Other diseases due to viruses | 329 | (5) | — | — | — | — | — | — | — | — | — |
| Other arthropod-borne diseases | 33 | (5) | — | — | — | — | (5) | — | — | — | — |
| Mycoses (fungal infections) | 34 | (5) | — | — | — | — | — | — | (5) | — | — |
| Dermatophytosis (including athletes foot, tinea) | 341 | (5) | — | — | — | — | — | — | — | — | — |
| Coccidioidomycosis | 342 | (5) | — | — | — | — | — | — | — | — | — |
| Helminthiases (worm infections) | 35 | (5) | — | — | — | — | — | — | — | — | — |
| Infectious diseases peculiar to the intestines | 36 | (5) | — | — | — | — | (5) | (5) | (5) | — | — |
| Other salmonella infections | 363 | (5) | — | — | — | — | (5) | — | — | — | — |
| Other bacterial food poisoning (including botulism and staphylococcal food poisoning) | 364 | (5) | — | — | — | — | (5) | — | — | — | — |
| Infectious diseases peculiar to the intestines, n.e.c. .. | 369 | (5) | — | — | — | — | — | — | (5) | — | — |
| Other infectious and parasitic diseases | 39 | .1 | — | — | — | 0.2 | .2 | .2 | .1 | 0.1 | 0.1 |
| Scabies and other acariases | 392 | .1 | — | — | — | .2 | .2 | .2 | .1 | .1 | .1 |
| Symptoms, signs, and ill-defined conditions | 5 | .5 | — | — | 1.2 | .6 | .5 | .5 | .4 | .4 | .4 |
| Symptoms, signs, and ill-defined conditions, unspecified | 50 | (5) | — | — | — | — | — | (5) | (5) | — | — |
| Symptoms | 51 | .5 | — | — | 1.2 | .6 | .4 | .5 | .4 | .4 | .4 |
| Symptoms, unspecified | 510 | (5) | — | — | — | — | — | — | — | — | — |
| General symptoms | 511 | .3 | — | — | .7 | .4 | .3 | .3 | .2 | .2 | .2 |
| General symptoms, unspecified | 5110 | (5) | — | — | — | — | — | — | — | (5) | — |
| Loss of consciousness—not heat related | 5111 | .1 | — | — | .5 | .3 | .1 | .1 | .1 | .1 | .2 |
| Convulsions, seizures | 5112 | (5) | — | — | — | (5) | (5) | — | (5) | — | — |
| Dizziness—general | 5114 | .1 | — | — | .1 | .1 | .1 | (5) | (5) | (5) | — |
| Inflammation, swelling—general | 5115 | (5) | — | — | — | — | (5) | (5) | (5) | — | — |
| Numbness—general | 5116 | (5) | — | — | — | — | — | (5) | (5) | — | — |
| Multiple general symptoms | 5118 | (5) | — | — | — | — | (5) | (5) | (5) | (5) | — |
| General symptoms, n.e.c. | 5119 | (5) | — | — | — | (5) | (5) | .1 | — | — | — |
| Symptoms involving nervous and musculoskeletal systems | 512 | (5) | — | — | — | — | — | — | — | (5) | — |
| Earcache | 5122 | (5) | — | — | — | — | — | — | — | (5) | — |
| Symptoms involving skin and other integumentary tissue | 513 | (5) | — | — | — | — | — | (5) | — | — | — |
| Symptoms involving skin and other integumentary tissue, n.e.c. | 5139 | (5) | — | — | — | — | — | — | — | — | — |
| Symptoms involving head and neck | 514 | (5) | — | — | .4 | (5) | (5) | (5) | (5) | (5) | — |
| Headache, except migraine | 5141 | (5) | — | — | .4 | (5) | (5) | (5) | (5) | (5) | — |
| Multiple symptoms involving head and neck | 5148 | (5) | — | — | — | — | — | — | — | (5) | — |
| Symptoms involving head and neck, n.e.c. | 5149 | (5) | — | — | — | — | — | — | — | — | — |
| Symptoms involving cardiovascular system | 515 | (5) | — | — | — | — | (5) | — | — | — | — |
| Symptoms involving cardiovascular system, n.e.c. | 5159 | (5) | — | — | — | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest | 516 | .1 | — | — | — | (5) | (5) | .1 | .1 | (5) | — |
| Symptoms involving respiratory system and chest, unspecified | 5160 | (5) | — | — | — | — | (5) | (5) | (5) | (5) | — |
| Chest pain | 5164 | (5) | — | — | — | — | (5) | (5) | (5) | — | — |
| Multiple symptoms involving respiratory system and chest | 5168 | (5) | — | — | — | — | — | — | (5) | — | — |
| Symptoms involving respiratory system and chest, n.e.c. | 5169 | (5) | — | — | — | — | (5) | (5) | (5) | — | — |

See footnotes at end of table.

TABLE R101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, private industry, 2013 — Continued

| Nature | Nature code ³ | Private industry ⁴ | Age | | | | | | | | |
|---|--------------------------|-------------------------------|----------|---------|---------|---------|---------|---------|---------|---------|-------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Symptoms involving digestive and urinary system | 517 | (5) | — | — | 0.1 | 0.1 | (5) | — | — | — | — |
| Nausea and vomiting—general | 5171 | (5) | — | — | — | — | — | — | — | — | — |
| Multiple symptoms involving digestive or urinary system | 5178 | (5) | — | — | — | — | (5) | — | — | — | — |
| Symptoms involving digestive and urinary system, n.e.c. | 5179 | (5) | — | — | — | .1 | (5) | — | — | — | — |
| Multiple symptoms | 518 | (5) | — | — | — | — | (5) | (5) | (5) | (5) | 0.1 |
| Abnormal findings | 52 | (5) | — | — | — | — | — | — | — | — | — |
| Other abnormal findings | 529 | (5) | — | — | — | — | — | — | — | — | — |
| Multiple symptoms, signs, and ill-defined conditions | 58 | (5) | — | — | — | — | (5) | — | — | — | — |
| Symptoms, signs, and ill-defined conditions, n.e.c. | 59 | (5) | — | — | — | — | — | — | — | — | — |
| Other diseases, conditions, and disorders | 6 | .4 | — | — | .1 | .2 | .7 | .4 | .4 | .2 | .1 |
| Other diseases, conditions, and disorders, unspecified | 60 | (5) | — | — | — | — | — | (5) | — | (5) | — |
| Damage to prosthetic and orthopedic devices | 61 | (5) | — | — | — | — | — | — | (5) | — | — |
| Damage to prosthetic devices and aids | 611 | (5) | — | — | — | — | — | — | (5) | — | — |
| Mental disorders and syndromes | 62 | .4 | — | — | .1 | .2 | .7 | .4 | .4 | .2 | .1 |
| Mental disorders and syndromes, unspecified | 620 | (5) | — | — | — | .1 | (5) | (5) | (5) | (5) | — |
| Anxiety, stress | 621 | .4 | — | — | .1 | .2 | .7 | .4 | .4 | .2 | .1 |
| Anxiety, stress, unspecified | 6210 | .3 | — | — | — | .1 | .5 | .3 | .3 | .1 | .1 |
| Post-traumatic stress disorder | 6211 | .1 | — | — | — | — | .1 | .1 | (5) | (5) | — |
| Adjustment disorder | 6212 | (5) | — | — | — | — | — | — | — | — | — |
| Anxiety or panic disorder | 6213 | (5) | — | — | — | — | (5) | (5) | (5) | — | — |
| Anxiety, stress, n.e.c. | 6219 | (5) | — | — | — | — | (5) | (5) | (5) | (5) | — |
| Depression or depressive episode | 622 | (5) | — | — | — | — | (5) | — | — | — | — |
| Exposures to disease—no illness incurred | 7 | (5) | — | — | — | (5) | .1 | (5) | (5) | (5) | — |
| Multiple diseases, conditions, and disorders | 8 | (5) | — | — | — | — | — | (5) | .1 | .1 | — |
| Nonclassifiable | 9999 | .4 | — | — | .2 | .3 | .2 | .3 | .2 | .3 | .1 |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.