

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, private industry, 2013

| Part of body | Part of body code ³ | Private industry ⁴ | Age | | | | | | | | |
|--|--------------------------------|-------------------------------|----------|---------|---------|------------------|------------------|------------------|------------------|------------------|-------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Total | | 99.9 | - | - | 109.6 | 102.4 | 94.2 | 96.5 | 105.8 | 103.9 | 90.0 |
| Head | 1 | 7.6 | - | - | 13.4 | 10.7 | 7.6 | 6.9 | 7.1 | 6.9 | 7.9 |
| Head, unspecified | 10 | 1.6 | - | - | 4.6 | 2.1 | 1.5 | 1.4 | 1.3 | 1.7 | 3.0 |
| Cranial region, including skull | 11 | 1.6 | - | - | 2.8 | 2.5 | 1.5 | 1.3 | 1.8 | 1.5 | 1.4 |
| Cranial region, unspecified | 110 | (⁵) | - | - | - | .1 | (⁵) | (⁵) | (⁵) | (⁵) | - |
| Brain | 111 | 1.3 | - | - | 2.6 | 2.0 | 1.3 | 1.0 | 1.3 | 1.1 | 1.1 |
| Scalp | 112 | .2 | - | - | .2 | .2 | .2 | .2 | .4 | .2 | .2 |
| Skull | 113 | .1 | - | - | - | .2 | (⁵) | (⁵) | (⁵) | .1 | .1 |
| Multiple cranial region locations | 118 | (⁵) | - | - | - | - | (⁵) | (⁵) | - | (⁵) | - |
| Cranial region, n.e.c. | 119 | (⁵) | - | - | - | (⁵) | (⁵) | - | (⁵) | (⁵) | - |
| Ear(s) | 12 | .1 | - | - | - | .5 | .1 | .1 | .1 | .1 | .1 |
| Face | 13 | 4.1 | - | - | 5.8 | 5.5 | 4.4 | 4.0 | 3.7 | 3.4 | 3.2 |
| Face, unspecified | 130 | .4 | - | - | .6 | .4 | .3 | .6 | .4 | .3 | .5 |
| Forehead | 131 | .3 | - | - | .3 | .3 | .2 | .2 | .5 | .3 | .5 |
| Eye(s) | 132 | 2.4 | - | - | 3.9 | 3.1 | 3.1 | 2.3 | 2.0 | 1.9 | 1.2 |
| Nose, nasal cavity | 133 | .2 | - | - | - | .3 | .3 | .1 | .2 | .4 | .2 |
| Nose, except internal location of diseases or disorders | 1330 | .2 | - | - | - | .3 | .3 | .1 | .2 | .4 | .2 |
| Cheek(s) | 134 | .1 | - | - | .1 | .3 | .1 | (⁵) | (⁵) | (⁵) | .2 |
| Jaw, chin | 135 | .1 | - | - | .6 | .4 | .1 | .1 | .1 | (⁵) | .1 |
| Mouth | 136 | .3 | - | - | .2 | .5 | .2 | .5 | .2 | .1 | .2 |
| Mouth, unspecified | 1360 | (⁵) | - | - | - | .1 | (⁵) | .1 | (⁵) | (⁵) | - |
| Lip(s) | 1361 | .1 | - | - | - | .2 | .1 | .1 | (⁵) | (⁵) | - |
| Tongue | 1362 | (⁵) | - | - | - | - | - | - | - | - | - |
| Tooth (teeth) | 1363 | .1 | - | - | .1 | .2 | .1 | .2 | .2 | .1 | .1 |
| Multiple mouth locations | 1368 | (⁵) | - | - | - | (⁵) | (⁵) | (⁵) | - | - | - |
| Multiple face locations | 138 | .2 | - | - | - | .2 | .2 | .1 | .3 | .2 | .3 |
| Face, n.e.c. | 139 | (⁵) | - | - | - | .1 | (⁵) | (⁵) | (⁵) | (⁵) | - |
| Multiple head locations | 18 | .1 | - | - | .2 | .2 | (⁵) | .1 | .1 | .1 | .1 |
| Head, n.e.c. | 19 | (⁵) | - | - | - | - | (⁵) | (⁵) | (⁵) | .1 | - |
| Neck, including throat | 2 | 1.5 | - | - | .4 | 1.1 | 1.5 | 1.4 | 1.8 | 1.1 | 2.6 |
| Neck, except internal location of diseases or disorders ... | 20 | 1.5 | - | - | .4 | 1.1 | 1.5 | 1.4 | 1.8 | 1.1 | 2.6 |
| Larynx | 23 | (⁵) | - | - | - | - | - | - | - | - | - |
| Trunk | 3 | 24.7 | - | - | 17.5 | 22.4 | 24.2 | 25.7 | 25.9 | 25.6 | 21.3 |
| Trunk, unspecified | 30 | .1 | - | - | .1 | (⁵) | .1 | .1 | .1 | .1 | .1 |
| Chest, including ribs, internal organs | 31 | 1.5 | - | - | .9 | 1.1 | 1.2 | 1.3 | 1.7 | 2.0 | 2.8 |
| Chest, except internal location of diseases or disorders | 310 | 1.4 | - | - | .8 | 1.0 | 1.1 | 1.2 | 1.6 | 1.9 | 2.8 |
| Internal chest location, unspecified | 311 | (⁵) | - | - | - | - | - | - | (⁵) | - | - |
| Heart | 313 | (⁵) | - | - | - | - | (⁵) | (⁵) | (⁵) | .1 | - |
| Bronchus | 314 | (⁵) | - | - | - | - | - | - | - | - | - |
| Lung(s), pleura | 315 | (⁵) | - | - | - | .1 | .1 | .1 | (⁵) | (⁵) | - |
| Back, including spine, spinal cord | 32 | 18.6 | - | - | 13.4 | 18.0 | 19.2 | 20.5 | 19.3 | 16.8 | 11.5 |
| Back, including spine, spinal cord, unspecified | 320 | 7.6 | - | - | 7.2 | 7.5 | 7.9 | 8.2 | 7.4 | 7.2 | 4.9 |
| Thoracic region | 321 | .9 | - | - | .7 | 1.2 | 1.0 | 1.1 | .9 | .6 | .3 |
| Lumbar region | 322 | 9.3 | - | - | 5.1 | 8.5 | 9.6 | 10.2 | 10.1 | 8.2 | 5.9 |
| Sacral region | 323 | (⁵) | - | - | - | - | (⁵) | (⁵) | (⁵) | (⁵) | - |

See footnotes at end of table.

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, private industry, 2013 — Continued

| Part of body | Part of body code ³ | Private industry ⁴ | Age | | | | | | | | |
|--|--------------------------------|-------------------------------|----------|---------|-------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Coccygeal region | 324 | 0.2 | — | — | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | — |
| Multiple back regions | 328 | .6 | — | — | .3 | .6 | .5 | .7 | .7 | .5 | 0.2 |
| Back, including spine, spinal cord, n.e.c. | 329 | (⁵) | — | — | — | — | (⁵) | (⁵) | .1 | (⁵) | — |
| Abdomen | 33 | 2.3 | — | — | 1.8 | 1.7 | 2.1 | 1.8 | 2.5 | 3.5 | 1.7 |
| Abdomen, except internal location of diseases or disorders | 330 | 2.2 | — | — | 1.7 | 1.7 | 2.1 | 1.7 | 2.4 | 3.4 | 1.1 |
| Internal abdominal location, unspecified | 331 | (⁵) | — | — | — | — | (⁵) | .1 | (⁵) | .1 | .1 |
| Stomach organ | 332 | (⁵) | — | — | — | — | — | — | — | — | — |
| Intestines, peritoneum | 335 | (⁵) | — | — | — | (⁵) | (⁵) | (⁵) | (⁵) | (⁵) | .6 |
| Intestines, peritoneum, unspecified | 3350 | (⁵) | — | — | — | (⁵) | — | (⁵) | (⁵) | (⁵) | .6 |
| Pelvic region | 34 | 1.8 | — | — | 1.0 | 1.3 | 1.4 | 1.5 | 1.8 | 2.8 | 4.7 |
| Pelvic region, unspecified | 340 | (⁵) | — | — | — | — | (⁵) | (⁵) | (⁵) | (⁵) | — |
| Hip(s) | 341 | .9 | — | — | .2 | .3 | .6 | .5 | 1.0 | 1.4 | 3.9 |
| Pelvis | 342 | .1 | — | — | — | .4 | .1 | .1 | .1 | .1 | .2 |
| Buttock(s) | 343 | .1 | — | — | .1 | (⁵) | .1 | .2 | .1 | .1 | .1 |
| Groin | 344 | .6 | — | — | .2 | .4 | .5 | .6 | .6 | 1.1 | .4 |
| External reproductive tract structures | 345 | (⁵) | — | — | — | .1 | (⁵) | (⁵) | (⁵) | — | — |
| External reproductive tract structures, unspecified .. | 3450 | (⁵) | — | — | — | — | — | — | — | — | — |
| Scrotum | 3451 | (⁵) | — | — | — | (⁵) | (⁵) | — | — | — | — |
| Penis | 3452 | (⁵) | — | — | — | — | — | — | — | — | — |
| External reproductive tract structures, n.e.c. | 3459 | (⁵) | — | — | — | — | (⁵) | — | — | — | — |
| Internal reproductive tract structures | 346 | (⁵) | — | — | — | — | — | — | — | — | — |
| Multiple pelvic region locations | 348 | (⁵) | — | — | — | — | (⁵) | (⁵) | (⁵) | (⁵) | .1 |
| Pelvic region, n.e.c. | 349 | (⁵) | — | — | — | — | — | (⁵) | (⁵) | — | — |
| Multiple trunk locations | 38 | .4 | — | — | .4 | .2 | .4 | .5 | .4 | .4 | .4 |
| Trunk, n.e.c. | 39 | (⁵) | — | — | — | (⁵) | — | (⁵) | (⁵) | (⁵) | — |
| Upper extremities | 4 | 31.2 | — | — | 42.4 | 35.5 | 29.3 | 29.8 | 32.8 | 31.9 | 23.6 |
| Upper extremities, unspecified | 40 | (⁵) | — | — | — | (⁵) | (⁵) | .1 | .1 | (⁵) | — |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 7.5 | — | — | 4.0 | 5.3 | 5.5 | 7.3 | 9.2 | 9.8 | 8.0 |
| Arm(s) | 42 | 4.7 | — | — | 4.1 | 3.7 | 3.8 | 5.2 | 5.5 | 5.0 | 5.6 |
| Arm(s), unspecified | 420 | 1.6 | — | — | 1.7 | 1.7 | 1.3 | 1.6 | 1.8 | 1.8 | 1.5 |
| Upper arm(s) | 421 | .5 | — | — | .2 | .2 | .3 | .5 | .7 | .9 | .8 |
| Elbow(s) | 422 | 1.5 | — | — | 1.4 | 1.0 | 1.1 | 2.0 | 1.9 | 1.4 | 1.7 |
| Forearm(s) | 423 | .8 | — | — | .8 | .6 | .9 | .8 | .7 | .7 | 1.5 |
| Multiple arm locations | 428 | .2 | — | — | — | .1 | .1 | .2 | .2 | .2 | .1 |
| Multiple arm locations, unspecified | 4280 | (⁵) | — | — | — | — | .1 | (⁵) | (⁵) | (⁵) | — |
| Elbow(s) and arm(s) | 4281 | .1 | — | — | — | (⁵) | (⁵) | .1 | .1 | .1 | (⁵) |
| Multiple arm locations, n.e.c. | 4289 | .1 | — | — | — | (⁵) | (⁵) | .1 | .1 | .1 | — |
| Arm(s), n.e.c. | 429 | .1 | — | — | — | .1 | .1 | .1 | .1 | (⁵) | — |
| Wrist(s) | 43 | 4.1 | — | — | 3.5 | 3.8 | 3.9 | 3.7 | 4.5 | 5.0 | 3.0 |
| Hand(s) | 44 | 13.2 | — | — | 29.3 | 21.6 | 14.7 | 12.0 | 11.6 | 10.0 | 5.8 |
| Hand(s), unspecified | 440 | 3.5 | — | — | 9.2 | 5.2 | 3.9 | 3.3 | 2.9 | 2.8 | 1.6 |
| Hand(s), except finger(s) | 441 | .5 | — | — | 1.0 | 1.1 | .6 | .3 | .4 | .3 | .1 |
| Finger(s), fingernail(s) | 442 | 8.7 | — | — | 18.1 | 14.5 | 9.7 | 7.8 | 7.8 | 6.5 | 3.8 |
| Finger(s), fingernail(s), unspecified | 4420 | 6.6 | — | — | 13.6 | 11.2 | 7.7 | 5.6 | 5.6 | 4.9 | 2.9 |
| Fingernail(s), nailbed(s) | 4421 | .1 | — | — | .2 | .2 | .1 | .1 | .1 | .1 | — |
| Fingertip(s) | 4422 | .8 | — | — | 1.0 | 1.2 | .8 | .9 | .8 | .6 | .4 |
| Finger(s), fingernail(s), n.e.c. | 4429 | 1.2 | — | — | 3.3 | 1.8 | 1.1 | 1.2 | 1.3 | .9 | .5 |
| Hand(s) and finger(s) | 448 | .3 | — | — | .5 | .5 | .3 | .4 | .2 | .2 | .1 |

See footnotes at end of table.

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, private industry, 2013 — Continued

| Part of body | Part of body code ³ | Private industry ⁴ | Age | | | | | | | | |
|---|--------------------------------|-------------------------------|----------|---------|-------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Hand(s), n.e.c. | 449 | 0.2 | — | — | 0.6 | 0.3 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 |
| Multiple upper extremities locations | 48 | 1.6 | — | — | 1.4 | 1.1 | 1.3 | 1.5 | 1.9 | 2.1 | 1.2 |
| Multiple upper extremities locations, unspecified | 480 | (⁵) | — | — | — | — | (⁵) | (⁵) | .1 | .1 | — |
| Hand(s) and arms(s) | 481 | .2 | — | — | .2 | .3 | .1 | .1 | .3 | .2 | .1 |
| Hand(s) and arm(s), unspecified | 4810 | .1 | — | — | .2 | .2 | .1 | (⁵) | .1 | .1 | — |
| Hand(s) and elbow(s) | 4811 | (⁵) | — | — | — | — | (⁵) | (⁵) | (⁵) | (⁵) | — |
| Hand(s) and arm(s), n.e.c. | 4819 | .1 | — | — | — | .1 | .1 | (⁵) | .1 | .1 | — |
| Hand(s) and wrist(s) | 482 | .4 | — | — | .5 | .2 | .4 | .4 | .3 | .4 | .3 |
| Wrist(s) and arm(s) | 483 | .1 | — | — | .4 | .1 | .1 | .1 | .2 | .1 | .2 |
| Wrist(s) and arm(s), unspecified | 4830 | (⁵) | — | — | .2 | (⁵) | (⁵) | (⁵) | .1 | (⁵) | .1 |
| Wrist(s) and elbow(s) | 4831 | (⁵) | — | — | — | (⁵) | (⁵) | (⁵) | .1 | .1 | .1 |
| Wrist(s) and arm(s), n.e.c. | 4839 | (⁵) | — | — | .1 | (⁵) | .1 | (⁵) | (⁵) | (⁵) | (⁵) |
| Shoulder(s) and arm(s) | 484 | .5 | — | — | .1 | .2 | .3 | .5 | .7 | .9 | .5 |
| Multiple upper extremities locations, n.e.c. | 489 | .4 | — | — | .2 | .3 | .4 | .4 | .4 | .4 | .1 |
| Upper extremities, n.e.c. | 49 | (⁵) | — | — | — | — | (⁵) | — | (⁵) | (⁵) | — |
| Lower extremities | 5 | 22.0 | — | — | 26.6 | 22.8 | 20.6 | 20.6 | 23.4 | 23.5 | 21.5 |
| Lower extremities, unspecified | 50 | (⁵) | — | — | — | (⁵) | (⁵) | (⁵) | (⁵) | (⁵) | .1 |
| Leg(s) | 51 | 11.5 | — | — | 9.3 | 9.5 | 9.1 | 10.7 | 13.5 | 14.8 | 13.6 |
| Leg(s), unspecified | 510 | 1.4 | — | — | 1.8 | .9 | 1.1 | 1.5 | 1.4 | 1.4 | 2.2 |
| Thigh(s) | 511 | .5 | — | — | .2 | .8 | .4 | .4 | .4 | .6 | .7 |
| Knee(s) | 512 | 8.4 | — | — | 6.3 | 7.1 | 6.6 | 7.6 | 10.2 | 11.1 | 8.9 |
| Lower leg(s) | 513 | 1.0 | — | — | .8 | .5 | .8 | 1.0 | 1.2 | 1.0 | 1.3 |
| Multiple leg locations | 518 | .3 | — | — | .1 | .2 | .2 | .3 | .3 | .5 | .3 |
| Multiple leg locations, unspecified | 5180 | (⁵) | — | — | — | (⁵) | .1 | (⁵) | (⁵) | (⁵) | — |
| Knee(s) and leg(s) | 5181 | .2 | — | — | — | .1 | .1 | .1 | .2 | .3 | .3 |
| Multiple leg locations, n.e.c. | 5189 | .1 | — | — | — | .1 | (⁵) | (⁵) | .1 | .2 | — |
| Leg(s), n.e.c. | 519 | (⁵) | — | — | — | (⁵) | (⁵) | (⁵) | .1 | (⁵) | .1 |
| Ankle(s) | 52 | 5.0 | — | — | 8.6 | 6.6 | 5.7 | 4.7 | 4.4 | 3.9 | 3.4 |
| Foot (feet) | 53 | 4.7 | — | — | 7.9 | 5.7 | 5.0 | 4.5 | 4.7 | 4.0 | 3.8 |
| Foot (feet), unspecified | 530 | 3.0 | — | — | 5.3 | 3.7 | 3.0 | 3.1 | 2.9 | 2.6 | 2.5 |
| Sole(s) | 531 | .3 | — | — | .6 | .2 | .3 | .2 | .3 | .4 | .5 |
| Sole(s), unspecified | 5310 | .1 | — | — | .4 | .1 | .1 | (⁵) | (⁵) | (⁵) | — |
| Ball(s) of the foot | 5311 | (⁵) | — | — | — | — | — | — | — | — | — |
| Arch(es), instep(s) | 5312 | (⁵) | — | — | — | — | (⁵) | (⁵) | (⁵) | (⁵) | — |
| Heel(s) | 5313 | .2 | — | — | .2 | .1 | .2 | .1 | .2 | .3 | .5 |
| Multiple sole locations | 5318 | (⁵) | — | — | — | — | — | — | — | (⁵) | — |
| Toes(s), toenail(s) | 532 | 1.2 | — | — | 1.1 | 1.7 | 1.6 | .9 | 1.1 | .8 | .7 |
| Multiple foot (feet) locations | 538 | .1 | — | — | .2 | .1 | (⁵) | .2 | .3 | (⁵) | — |
| Foot (feet), n.e.c. | 539 | .1 | — | — | .6 | .1 | .1 | .1 | .2 | .1 | .1 |
| Multiple lower extremities locations | 58 | .7 | — | — | .8 | 1.0 | .8 | .6 | .7 | .8 | .5 |
| Multiple lower extremities locations, unspecified | 580 | (⁵) | — | — | — | — | (⁵) | (⁵) | (⁵) | (⁵) | — |
| Foot (feet) and leg(s) | 581 | .1 | — | — | .1 | .1 | .1 | .1 | .1 | .1 | .1 |
| Foot(feet) and leg(s), unspecified | 5810 | (⁵) | — | — | .1 | (⁵) | (⁵) | (⁵) | (⁵) | (⁵) | — |
| Foot(feet) and knee(s) | 5811 | (⁵) | — | — | — | — | .1 | (⁵) | (⁵) | (⁵) | (⁵) |
| Foot(feet) and leg(s), n.e.c. | 5819 | (⁵) | — | — | — | (⁵) | (⁵) | (⁵) | .1 | (⁵) | .1 |
| Foot (feet) and ankle(s) | 582 | .3 | — | — | .4 | .6 | .3 | .2 | .2 | .2 | .2 |
| Ankle(s) and leg(s) | 583 | .3 | — | — | .1 | .2 | .3 | .2 | .3 | .3 | .1 |
| Ankle(s) and leg(s), unspecified | 5830 | .1 | — | — | — | .1 | (⁵) | .1 | (⁵) | .1 | — |
| Ankle(s) and knee(s) | 5831 | .2 | — | — | .1 | .1 | .2 | .1 | .2 | .2 | .1 |

See footnotes at end of table.

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, private industry, 2013 — Continued

| Part of body | Part of body code ³ | Private industry ⁴ | Age | | | | | | | | |
|---|--------------------------------|-------------------------------|----------|---------|---------|------------------|------------------|------------------|------------------|------------------|-------------|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Ankle(s) and leg(s), n.e.c. | 5839 | (⁵) | — | — | — | (⁵) | (⁵) | (⁵) | 0.1 | (⁵) | — |
| Multiple lower extremities locations, n.e.c. | 589 | .1 | — | — | — | .1 | .1 | .1 | .1 | .2 | 0.1 |
| Lower extremities, n.e.c. | 59 | (⁵) | — | — | — | — | — | — | (⁵) | — | — |
| Body systems | 6 | 2.0 | — | — | 4.3 | 1.8 | 2.4 | 1.9 | 2.0 | 1.8 | .9 |
| Multiple body parts | 8 | 9.8 | — | — | 4.4 | 7.0 | 7.6 | 9.2 | 12.3 | 12.4 | 11.0 |
| Multiple body parts, unspecified | 80 | .9 | — | — | .4 | .4 | .8 | .9 | 1.0 | 1.1 | .6 |
| Head and neck | 81 | .3 | — | — | .2 | .6 | .2 | .2 | .3 | .2 | .1 |
| Head, neck, and trunk | 82 | .1 | — | — | — | (⁵) | (⁵) | (⁵) | .1 | (⁵) | .1 |
| Head and trunk | 83 | .1 | — | — | .2 | .1 | .1 | .1 | .3 | .1 | .1 |
| Neck and back | 84 | .8 | — | — | .1 | .5 | .9 | .9 | .8 | .8 | .4 |
| Shoulder(s) and back | 85 | .4 | — | — | .2 | .4 | .4 | .4 | .5 | .4 | .2 |
| Hip(s) and leg(s) | 86 | .2 | — | — | — | .2 | .1 | .1 | .4 | .2 | .2 |
| Upper and lower limb(s) | 87 | .6 | — | — | .3 | .2 | .3 | .4 | 1.1 | .9 | .8 |
| Other multiple body parts | 89 | 6.4 | — | — | 2.9 | 4.5 | 4.7 | 6.2 | 7.9 | 8.6 | 8.5 |
| Whole body | 891 | .1 | — | — | .1 | .1 | (⁵) | .1 | .1 | (⁵) | — |
| Multiple body parts, n.e.c. | 899 | 6.4 | — | — | 2.8 | 4.4 | 4.7 | 6.1 | 7.7 | 8.5 | 8.5 |

See footnotes at end of table.

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, private industry, 2013 — Continued

| Part of body | Part of body code ³ | Private industry ⁴ | Age | | | | | | | | | |
|---|--------------------------------|-------------------------------|----------|---------|---------|---------|---------|---------|---------|------------------|-------------|---|
| | | | Under 14 | 14 - 15 | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over | |
| Other body parts | 9 | (⁵) | — | — | — | — | — | — | — | (⁵) | — | — |
| Prosthetic and orthopedic devices | 91 | (⁵) | — | — | — | — | — | — | — | (⁵) | — | — |
| Nonclassifiable | 9999 | 1.1 | — | — | 0.5 | 1.1 | 1.1 | 1.2 | .6 | 0.8 | 1.3 | |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: $(N/EH) \times 20,000,000$ where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.