

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2015

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		902,160	23,560	86,590	190,500	187,950	210,200	152,590	33,850	16,810
Traumatic injuries and disorders	1	874,250	23,150	83,330	185,760	182,910	202,390	147,720	33,290	15,570
Traumatic injuries and disorders, unspecified	10	770	—	30	150	110	140	80	—	240
Traumatic injuries to bones, nerves, spinal cord	11	90,440	2,010	6,440	16,600	16,000	21,920	18,510	7,390	1,560
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	6,530	160	710	1,370	1,050	1,280	770	550	640
Fractures	111	81,180	1,470	5,590	14,980	14,300	19,700	17,470	6,750	920
Traumatic injuries to spinal cord	112	140	—	—	20	60	—	50	—	—
Traumatic injuries to spinal cord, unspecified	1120	40	—	—	—	20	—	—	—	—
Traumatic injuries to spinal cord, n.e.c.	1129	100	—	—	—	30	—	50	—	—
Traumatic injuries to nerves, except the spinal cord ..	113	2,410	380	130	220	510	900	190	80	—
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	340	—	—	—	70	240	—	—	—
Pinched nerve	1131	2,030	380	120	210	420	640	170	80	—
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	40	—	—	—	—	20	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	118	110	—	—	—	70	20	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	70	—	—	—	20	—	20	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	353,940	5,060	28,080	72,140	82,590	88,630	61,710	10,400	5,290
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,730	40	150	220	390	500	240	100	100
Dislocations	121	8,920	150	1,050	1,870	1,990	1,690	1,620	330	230
Dislocations, unspecified	1210	780	20	60	120	320	70	100	50	50
Herniated discs	1211	3,460	—	400	620	850	820	700	60	—
Dislocation of joints	1212	4,300	130	570	1,080	720	790	740	220	60
Multiple types of dislocations	1218	30	—	—	—	—	—	—	—	—
Dislocations, n.e.c.	1219	350	—	—	60	70	20	80	—	110
Cartilage fractures and tears	122	5,460	30	240	640	950	1,630	1,810	120	30
Cartilage fractures and tears, unspecified	1220	270	—	—	30	—	210	20	—	—
Meniscus tears	1221	4,920	30	120	600	900	1,350	1,780	120	30
Cartilage fractures and tears, n.e.c.	1229	270	—	130	—	40	80	—	—	—
Sprains, strains, tears	123	324,700	4,810	26,160	67,610	75,700	81,040	55,220	9,530	4,580
Sprains, strains, tears, unspecified	1230	28,510	360	1,850	5,920	6,630	7,440	5,330	820	150
Major tears to muscles, tendons, ligaments	1231	18,600	100	380	1,910	3,810	5,360	5,900	930	210
Sprains	1232	82,920	1,630	8,580	18,830	18,980	19,390	12,010	2,300	1,190
Strains	1233	189,760	2,690	14,890	40,100	45,280	47,300	31,250	5,340	2,890
Multiple sprains, strains, tears	1238	4,910	30	460	860	1,000	1,560	730	140	140
Hernias due to traumatic incidents	124	11,310	20	440	1,530	2,570	3,440	2,650	310	350
Whiplash	125	1,290	—	30	190	820	160	70	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	300	—	—	40	100	110	30	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	230	—	—	30	80	50	60	—	—
Open wounds	13	102,420	5,370	14,780	26,060	18,690	20,580	12,350	2,240	2,350
Open wounds, unspecified	130	1,380	30	110	370	460	170	200	20	—
Amputations, avulsions, enucleations	131	7,540	450	810	1,920	1,240	1,790	1,150	120	50

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Amputations, avulsions, enucleations, unspecified	1310	360	—	—	50	70	80	30	—	—
Amputations	1311	5,360	150	610	1,410	880	1,360	830	100	40
Avulsions, enucleations	1312	1,690	170	180	440	260	350	280	20	—
Amputations, avulsions, enucleations, n.e.c.	1319	130	20	—	40	40	—	—	—	—
Cuts, lacerations	132	78,790	4,500	12,070	19,290	14,460	15,500	9,040	1,950	1,980
Puncture wounds, except gunshot wounds	133	14,300	370	1,690	4,340	2,500	3,080	1,920	140	260
Gunshot wounds	134	150	—	50	40	—	—	—	—	—
Multiple types of open wounds	138	200	—	40	80	—	—	30	—	—
Open wounds, n.e.c.	139	60	—	—	—	—	20	—	—	—
Surface wounds and bruises	14	86,650	2,610	10,110	19,270	15,720	18,350	14,620	4,310	1,640
Surface wounds and bruises, unspecified	140	670	—	40	70	90	70	360	30	—
Abrasions, scratches	141	7,980	100	1,130	2,120	1,280	1,700	1,300	200	150
Blisters	142	240	—	—	30	50	150	—	—	—
Bruises, contusions	143	76,290	2,420	8,830	16,870	14,020	16,060	12,580	3,970	1,490
Multiple surface wounds and bruises	148	1,030	—	50	120	190	280	300	70	—
Surface wounds and bruises, n.e.c.	149	430	70	50	60	80	80	60	30	—
Burns and corrosions	15	20,630	1,880	3,840	5,520	4,300	2,660	1,900	220	300
Burns and corrosions, unspecified	150	750	20	40	210	230	190	40	—	20
Chemical burns and corrosions	151	3,200	130	370	790	780	590	480	40	—
Chemical burns and corrosions, unspecified	1510	2,760	120	330	620	690	530	420	30	—
First degree chemical burns and corrosions	1511	60	—	—	20	—	—	20	—	—
Second degree chemical burns and corrosions	1512	210	—	—	90	40	40	—	—	—
Third or fourth degree chemical burns and corrosions	1513	20	—	—	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	140	—	—	60	30	—	30	—	—
Heat (thermal) burns	152	15,010	1,650	3,200	4,170	2,770	1,640	1,170	150	270
Heat (thermal) burns, unspecified	1520	10,370	1,280	2,450	2,510	1,850	1,230	740	90	210
First degree heat (thermal) burns	1521	910	100	200	170	340	80	—	—	—
Second degree heat (thermal) burns	1522	2,850	240	430	1,180	400	220	330	30	30
Third or fourth degree heat (thermal) burns	1523	560	—	80	210	150	60	30	—	—
Heat (thermal) burns, n.e.c.	1529	320	—	30	110	30	50	60	—	30
Electrical burns	153	580	—	90	90	190	80	120	—	—
Electrical burns, unspecified	1530	450	—	70	60	150	70	90	—	—
Second degree electrical burns	1532	100	—	20	—	40	—	20	—	—
Other burns	159	1,090	80	140	270	330	150	90	20	—
Other burns, unspecified	1590	280	40	50	60	50	20	50	—	—
Other burns, first degree	1591	710	—	100	180	270	120	—	—	—
Other burns, second degree	1592	60	30	—	—	—	—	20	—	—
Other burns, n.e.c.	1599	30	—	—	20	—	—	—	—	—
Intracranial injuries	16	14,810	760	2,420	3,140	3,200	2,750	1,880	440	210
Intracranial injuries, unspecified	160	1,000	20	230	200	180	210	120	50	—
Cerebral and other intracranial hemorrhages	161	100	—	—	—	—	—	60	—	—
Concussions	162	13,660	740	2,180	2,920	3,000	2,540	1,690	380	210
Multiple types of intracranial injuries	168	20	—	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	50	—	—	30	—	—	—	—	—
Effects of environmental conditions	17	2,200	100	190	480	570	370	230	20	240
Effects of environmental conditions, unspecified	170	20	—	—	—	—	—	—	—	—
Effects of reduced temperature	171	220	—	20	40	40	70	20	—	—
Effects of reduced temperature, unspecified	1710	30	—	—	—	—	—	—	—	—
Frostbite	1711	170	—	20	30	30	50	20	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Age							65 and over	Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64			
Effects of heat and light	172	1,920	100	160	430	500	280	190	20	220	
Effects of heat and light, unspecified	1720	360	—	20	50	50	40	—	—	190	
Heat stroke	1721	150	—	—	20	30	30	70	—	—	
Heat syncope	1722	280	—	30	20	170	—	—	—	20	
Heat fatigue	1723	70	—	—	20	—	30	—	—	—	
Heat exhaustion, prostration	1725	840	70	100	230	190	140	90	—	—	
Multiple effects of heat and light	1728	30	—	—	—	20	—	—	—	—	
Effects of heat and light, n.e.c.	1729	190	—	—	90	40	30	—	—	—	
Effects of air or water pressure	173	30	—	—	—	—	—	20	—	—	
Effects of air or water pressure, unspecified	1730	20	—	—	—	—	—	20	—	—	
Multiple traumatic injuries and disorders	18	22,800	330	1,410	3,930	4,320	5,870	4,990	1,750	210	
Multiple traumatic injuries and disorders, unspecified	180	970	—	70	150	190	270	210	70	—	
Cuts and abrasions or bruises	181	3,540	150	340	760	530	940	500	280	40	
Sprains and other injuries	182	10,110	100	610	1,960	2,060	2,660	2,070	550	100	
Sprains and other injuries, unspecified	1820	370	—	—	60	60	160	40	—	40	
Sprains and bruises	1821	8,070	70	510	1,710	1,670	1,940	1,660	460	50	
Sprains and cuts	1822	680	—	70	40	120	150	210	70	—	
Sprains and other injuries, n.e.c.	1829	990	—	30	150	210	410	160	20	—	
Fractures and other injuries	183	3,970	30	230	530	1,010	820	1,160	170	20	
Fractures and other injuries, unspecified	1830	570	—	70	60	100	210	110	20	—	
Fractures (except skull fractures) and concussions	1831	280	—	—	80	—	80	100	—	—	
Fractures (except rib, trunk fractures) and internal injuries	1832	90	—	—	40	—	20	—	—	—	
Fractures and burns	1833	50	—	—	—	20	—	—	—	—	
Fractures and dislocations	1834	340	—	—	30	160	50	80	—	—	
Fractures and other injuries, n.e.c.	1839	2,640	20	140	320	710	440	860	130	20	
Burns and other injuries, except fractures	184	110	—	—	20	20	40	—	—	—	
Burns and other injuries, except fractures, unspecified	1840	20	—	—	—	—	—	—	—	—	
Burns and other injuries, n.e.c.	1849	80	—	—	20	20	30	—	—	—	
Multiple traumatic injuries and disorders, n.e.c.	189	4,090	50	160	500	510	1,120	1,040	680	40	
Other traumatic injuries and disorders	19	179,580	5,030	16,030	38,470	37,390	41,130	31,460	6,520	3,520	
Other traumatic injuries and disorders, unspecified ...	190	520	—	40	100	160	70	80	40	—	
Asphyxiations, strangulations, suffocations	191	40	—	—	—	—	—	—	—	—	
Electrocutions, electric shocks	193	1,910	20	180	500	400	460	330	—	20	
Internal injuries to organs and blood vessels of the trunk	194	220	—	—	60	90	30	20	—	—	
Dermatitis and reactions affecting the skin—acute ...	195	2,930	120	340	930	510	570	360	30	70	
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,290	60	160	340	280	240	150	20	50	
Allergic dermatitis—acute	1951	880	—	80	270	150	250	100	—	—	
Irritant dermatitis—acute	1952	470	40	50	200	50	40	90	—	—	
Hives, urticaria—acute	1953	180	—	50	90	20	—	—	—	—	
Multiple types of dermatitis and skin reactions—acute	1958	60	—	—	20	—	—	—	—	—	
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	50	—	—	20	—	—	—	—	—	
Other poisoning, toxic, noxious, or allergenic effects	196	6,330	460	840	1,180	1,220	1,610	820	150	50	
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	1,850	330	200	310	370	380	200	50	20	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Poisoning, including poisoning-related asphyxia ...	1961	420	—	60	110	80	140	30	—	—
Anaphylactic shock, anaphylaxis	1962	40	—	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,540	30	240	290	260	390	270	40	20
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	240	—	—	70	110	20	30	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	450	—	—	70	120	210	50	—	—
Other or unspecified allergic reactions	1966	790	70	70	200	170	100	160	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	190	—	20	30	60	40	30	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	630	—	230	30	20	290	—	40	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	170	—	20	70	20	20	30	—	—
Nonspecified injuries and disorders	197	167,220	4,380	14,570	35,600	34,920	38,350	29,820	6,190	3,360
Crushing injuries	1971	8,570	480	1,410	1,900	1,780	1,590	1,090	130	200
Soreness, pain, hurt—nonspecified injury	1972	136,300	3,210	10,600	29,400	29,130	30,860	24,980	5,130	2,950
Swelling, inflammation, irritation—nonspecified injury	1973	18,030	440	2,120	3,390	3,330	4,800	3,020	800	130
Numbness—nonspecified injury	1974	730	—	140	120	170	220	60	20	—
Multiple nonspecified injuries and disorders	1978	2,020	150	150	390	280	580	350	60	60
Nonspecified injuries and disorders, n.e.c.	1979	1,570	100	150	410	240	300	320	40	—
Other traumatic injuries and disorders, n.e.c.	199	400	—	40	70	90	40	40	100	—
Traumatic injuries and disorders, n.e.c.	1999	380	—	—	70	90	40	40	100	—
Diseases and disorders of body systems	2	17,690	130	2,150	2,540	3,460	5,530	3,290	330	260
Systemic diseases and disorders, unspecified	20	50	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	22	6,480	70	180	900	1,270	2,510	1,320	130	100
Inflammatory diseases of the central nervous system	221	20	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	222	30	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	223	240	—	—	130	40	20	40	—	—
Other disorders of the central nervous system, unspecified	2230	30	—	—	—	—	—	—	—	—
Seizure disorder, epilepsy	2231	60	—	—	—	30	—	—	—	—
Migraine	2232	130	—	—	100	—	—	—	—	—
Disorders of the peripheral nervous system	224	5,230	30	90	570	950	2,250	1,160	110	90
Disorders of the peripheral nervous system, unspecified	2240	180	—	—	20	20	60	60	—	—
Carpal tunnel syndrome	2241	4,920	20	90	520	920	2,110	1,080	100	70
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	30	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	100	—	—	—	—	70	—	—	—
Disorders of the eye, adnexa, vision	225	650	30	60	170	170	160	40	20	—
Disorders of the eye, adnexa, vision, unspecified ..	2250	40	—	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	420	20	30	120	70	140	30	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	110	—	—	20	70	—	—	—	—
Blindness, low vision	2254	20	—	—	—	—	—	—	—	—
Visual disturbances	2256	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Age								
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Disorders of the eye, adnexa, vision, n.e.c.	2259	30	-	-	-	-	-	-	-	-	-
Disorders of the ear, mastoid process, hearing	226	320	-	40	-	110	70	70	-	-	-
Disorders of the ear, mastoid process, hearing, unspecified	2260	150	-	-	-	90	50	-	-	-	-
Deafness, hearing loss and impairment	2261	90	-	-	-	-	-	40	-	-	-
Tinnitus	2262	50	-	-	-	-	-	30	-	-	-
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	30	-	-	-	-	-	-	-	-	-
Circulatory system diseases	23	790	-	-	-	90	260	370	40	-	-
Circulatory system diseases, unspecified	230	20	-	-	-	-	-	-	-	-	-
Ischemic heart disease, including heart attack	233	650	-	-	-	80	210	350	20	-	-
Ischemic heart disease, unspecified	2330	20	-	-	-	-	-	-	-	-	-
Myocardial infarction (heart attack)	2331	630	-	-	-	80	200	340	20	-	-
Cerebrovascular disease	236	80	-	-	-	-	40	-	20	-	-
Stroke	2361	50	-	-	-	-	20	-	20	-	-
Transient ischemia attacks	2362	20	-	-	-	-	-	-	-	-	-
Diseases of the veins, lymphatics	238	30	-	-	-	-	20	-	-	-	-
Respiratory system diseases	24	2,210	-	1,690	60	270	100	80	-	-	-
Respiratory system diseases, unspecified	240	20	-	-	-	-	-	-	-	-	-
Acute respiratory infections (including common cold)	241	1,410	-	1,110	-	250	20	20	-	-	-
Other diseases of upper respiratory tract	242	280	-	220	-	-	40	-	-	-	-
Allergic rhinitis	2421	50	-	-	-	-	-	-	-	-	-
Pneumonia, influenza	243	390	-	-	-	-	-	20	-	-	-
Influenza—common	2432	370	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions	244	70	-	-	30	-	20	20	-	-	-
Chronic bronchitis	2441	30	-	-	20	-	-	-	-	-	-
Asthma, except intrinsic	2443	30	-	-	-	-	-	-	-	-	-
Other respiratory system diseases	249	30	-	-	-	-	-	-	-	-	-
Digestive system diseases and disorders	25	300	-	-	30	40	90	100	-	30	-
Hernia—nontraumatic	253	290	-	-	30	40	80	100	-	30	-
Musculoskeletal system and connective tissue diseases and disorders	27	6,960	30	180	1,350	1,630	2,260	1,270	140	100	-
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	130	-	-	40	-	-	60	-	-	-
Arthropathies and related disorders (arthritis)	271	110	-	-	-	-	70	-	-	-	-
Dorsopathies	272	590	-	20	110	140	240	70	-	-	-
Sciatica	2721	190	-	20	40	60	40	30	-	-	-
Lumbago	2722	80	-	-	-	50	20	-	-	-	-
Disc disorders, except dislocation	2723	250	-	-	60	-	150	30	-	-	-
Dorsopathies, n.e.c.	2729	60	-	-	-	20	30	-	-	-	-
Soft tissue disorders, except the back	273	6,130	-	150	1,190	1,480	1,950	1,120	120	100	-
Soft tissue disorder, except the back, unspecified	2730	290	-	-	30	60	90	100	-	-	-
Bursitis	2731	600	-	20	70	90	280	100	40	-	-
Stenosing tenosynovitis	2732	1,010	-	20	110	170	370	310	-	20	-
Other tenosynovitis, synovitis	2733	340	-	-	80	80	110	50	-	-	-
Epicondylitis	2734	760	-	-	60	240	300	130	-	30	-
Other or unspecified tendonitis (tendinitis)	2735	2,470	-	70	730	630	630	320	40	40	-
Ganglion or cystic tumor	2736	290	-	-	50	80	50	80	-	-	-
Multiple soft tissue disorders	2738	140	-	-	50	-	50	20	-	-	-

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Soft tissue disorder, except the back, n.e.c.	2739	230	—	—	—	120	80	20	—	—
Disorders of the skin and subcutaneous tissue	28	840	30	70	170	130	270	150	—	20
Infections of the skin and subcutaneous tissue	281	780	30	70	160	110	240	150	—	20
Infections of the skin and subcutaneous tissue, unspecified	2810	80	—	20	—	20	20	—	—	—
Cellulitis and abscess	2811	390	—	50	80	50	130	60	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	90	—	—	—	30	40	—	—	—
Other staphylococcus skin infection	2814	50	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	160	—	—	70	—	40	30	—	—
Diseases of sebaceous glands	283	20	—	—	—	—	—	—	—	—
Sebaceous cyst	2832	20	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	30	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	29	40	—	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	291	30	—	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	2,100	80	200	490	270	410	420	30	210
Infectious and parasitic diseases, unspecified	30	30	—	—	—	—	—	—	—	—
Bacterial diseases	31	80	—	—	40	—	20	—	—	—
Bacterial diseases, unspecified	310	20	—	—	—	—	—	—	—	—
Other bacterial diseases	319	50	—	—	20	—	—	—	—	—
Diphtheria, whooping cough	3192	20	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c	3199	20	—	—	—	—	—	—	—	—
Viral diseases	32	370	—	100	90	70	80	20	—	—
Viral diseases, unspecified	320	100	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	210	—	90	30	30	40	—	—	—
Chickenpox, varicella	3233	160	—	90	30	—	40	—	—	—
Herpes zoster, shingles	3234	40	—	—	—	20	—	—	—	—
Viral hepatitis	325	30	—	—	—	—	—	—	—	—
Type C viral hepatitis	3253	20	—	—	—	—	—	—	—	—
Other diseases due to viruses	329	20	—	—	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	20	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	33	280	—	—	—	—	—	—	—	—
Lyme disease	333	270	—	—	—	—	—	—	—	—
Mycoses (fungal infections)	34	40	—	—	—	—	30	—	—	—
Dermatophytosis (including athletes foot, tinea)	341	40	—	—	—	—	30	—	—	—
Infectious diseases peculiar to the intestines	36	410	60	—	50	70	—	—	—	200
Infectious diseases peculiar to the intestines, unspecified	360	50	—	—	40	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	210	—	—	—	—	—	—	—	200
Infectious diseases peculiar to the intestines, n.e.c. ..	369	120	50	—	—	60	—	—	—	—
Other infectious and parasitic diseases	39	890	—	80	300	120	250	120	—	—
Other infectious and parasitic diseases, unspecified	390	30	—	—	—	—	20	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Age								
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Pediculosis and phthirus infestation (lice)	391	40	—	20	—	—	—	—	—	—	—
Scabies and other acariases	392	820	—	60	280	110	230	120	—	—	—
Symptoms, signs, and ill-defined conditions	5	3,930	170	470	680	650	1,250	510	130	70	
Symptoms, signs, and ill-defined conditions, unspecified											
.....	50	200	—	60	50	20	30	20	—	—	—
Symptoms	51	3,670	160	400	610	620	1,220	480	110	70	
Symptoms, unspecified	510	30	—	—	—	—	—	—	—	—	—
General symptoms	511	2,550	140	270	460	450	710	370	90	60	
General symptoms, unspecified	5110	70	—	—	—	20	20	—	—	—	—
Loss of consciousness—not heat related	5111	1,470	100	140	220	270	480	160	50	50	
Convulsions, seizures	5112	340	—	70	90	60	70	40	—	—	—
Dizziness—general	5114	360	—	30	100	30	70	90	30	—	—
Inflammation, swelling—general	5115	40	—	—	—	—	20	—	—	—	—
Numbness—general	5116	40	—	—	—	—	—	20	—	—	—
Multiple general symptoms	5118	140	—	—	40	40	30	20	—	—	—
General symptoms, n.e.c.	5119	80	—	—	—	40	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems	512	230	—	—	—	—	210	—	—	—	—
Earache	5122	20	—	—	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	5129	200	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	290	—	60	80	30	80	30	—	—	—
Headache, except migraine	5141	250	—	60	60	20	70	20	—	—	—
Symptoms involving head and neck, n.e.c.	5149	30	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	90	—	—	—	—	30	—	—	—	—
Symptoms involving cardiovascular system, unspecified	5150	30	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	40	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	380	—	50	30	50	170	50	—	—	—
Symptoms involving respiratory system and chest, unspecified	5160	100	—	30	20	—	30	—	—	—	—
Hyperventilation	5161	40	—	—	—	—	30	—	—	—	—
Chest pain	5164	90	—	—	—	30	30	—	—	—	—
Multiple symptoms involving respiratory system and chest	5168	40	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	110	—	—	—	20	50	30	—	—	—
Symptoms involving digestive and urinary system	517	40	—	—	—	20	—	—	—	—	—
Multiple symptoms	518	50	—	—	—	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	20	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	20	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	2,570	—	340	760	470	440	350	40	160	
Damage to prosthetic and orthopedic devices	61	30	—	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	2,530	—	330	750	460	430	340	40	160	
Mental disorders and syndromes, unspecified	620	80	—	—	20	30	30	—	—	—	—
Anxiety, stress	621	2,430	—	330	730	440	400	330	40	150	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Anxiety, stress, unspecified	6210	1,710	—	240	580	230	300	260	30	60
Post-traumatic stress disorder	6211	430	—	40	70	140	50	50	—	80
Anxiety or panic disorder	6213	100	—	—	40	30	—	20	—	—
Anxiety, stress, n.e.c.	6219	180	—	50	50	30	30	—	—	—
Depression or depressive episode	622	20	—	—	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	270	—	20	90	70	40	50	—	—
Multiple diseases, conditions, and disorders	8	70	—	—	—	—	30	20	—	—
Nonclassifiable	9999	1,270	20	80	160	120	110	220	30	540

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.