

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		902,160	29,730	6,530	21,820	48,510	215,320	58,740
Traumatic injuries and disorders	1	874,250	28,410	5,990	20,860	46,660	209,120	56,480
Traumatic injuries and disorders, unspecified	10	770	60	—	—	—	160	230
Traumatic injuries to bones, nerves, spinal cord	11	90,440	4,810	790	2,660	3,480	16,640	6,060
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	6,530	360	20	370	310	2,100	270
Fractures	111	81,180	4,310	760	2,220	3,080	14,090	5,740
Traumatic injuries to spinal cord	112	140	—	—	—	—	30	—
Traumatic injuries to spinal cord, unspecified	1120	40	—	—	—	—	—	—
Traumatic injuries to spinal cord, n.e.c.	1129	100	—	—	—	—	20	—
Traumatic injuries to nerves, except the spinal cord	113	2,410	100	—	50	70	330	40
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	340	60	—	—	—	120	—
Pinched nerve	1131	2,030	40	—	50	70	210	40
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	40	—	—	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	118	110	—	—	—	—	60	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	70	—	—	—	—	30	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	353,940	10,970	2,350	7,500	23,650	78,490	24,340
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,730	40	—	60	90	420	100
Dislocations	121	8,920	450	170	250	690	1,370	410
Dislocations, unspecified	1210	780	—	—	—	20	100	—
Herniated discs	1211	3,460	310	30	60	460	300	150
Dislocation of joints	1212	4,300	130	140	150	200	910	230
Multiple types of dislocations	1218	30	—	—	—	—	—	—
Dislocations, n.e.c.	1219	350	—	—	30	—	60	20
Cartilage fractures and tears	122	5,460	580	30	60	230	690	710
Cartilage fractures and tears, unspecified	1220	270	190	—	—	—	20	20
Meniscus tears	1221	4,920	400	30	60	220	660	590

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	64,250	15,740	72,070	84,720	106,900	177,030
Traumatic injuries and disorders	60,440	15,420	71,300	83,020	101,900	173,950
Traumatic injuries and disorders, unspecified	80	40	20	40	30	100
Traumatic injuries to bones, nerves, spinal cord	5,390	2,050	12,190	9,290	10,290	16,780
Traumatic injuries to bones, nerves, spinal cord, unspecified	560	650	470	400	360	670
Fractures	4,710	1,330	10,800	8,780	9,560	15,770
Traumatic injuries to spinal cord	—	—	—	—	—	40
Traumatic injuries to spinal cord, unspecified	—	—	—	—	—	20
Traumatic injuries to spinal cord, n.e.c.	—	—	—	—	—	20
Traumatic injuries to nerves, except the spinal cord	120	60	890	100	340	290
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	—	—
Pinched nerve	100	—	880	60	320	250
Traumatic injuries to nerves, except the spinal cord, n.e.c.	—	—	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	20	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	28,010	4,550	23,480	33,600	34,490	82,280
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	60	30	180	180	250	310
Dislocations	530	80	1,280	1,050	1,000	1,650
Dislocations, unspecified	40	20	60	90	120	310
Herniated discs	140	20	750	540	260	440
Dislocation of joints	330	40	470	370	600	750
Multiple types of dislocations	—	—	—	—	—	—
Dislocations, n.e.c.	20	—	—	30	20	160
Cartilage fractures and tears	280	60	350	480	600	1,370
Cartilage fractures and tears, unspecified	—	—	—	—	—	20
Meniscus tears	250	30	340	440	580	1,330

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Cartilage fractures and tears, n.e.c.	1229	270	—	—	—	—	—	100
Sprains, strains, tears	123	324,700	9,570	2,070	7,030	22,410	74,520	21,910
Sprains, strains, tears, unspecified	1230	28,510	470	140	540	2,170	4,800	2,710
Major tears to muscles, tendons, ligaments	1231	18,600	1,500	140	440	800	2,570	820
Sprains	1232	82,920	2,320	530	2,890	4,650	20,810	4,980
Strains	1233	189,760	5,190	1,260	3,010	14,430	45,140	12,920
Multiple sprains, strains, tears	1238	4,910	90	—	150	350	1,210	480
Hernias due to traumatic incidents	124	11,310	240	70	20	140	1,150	730
Whiplash	125	1,290	90	—	60	40	260	470
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	300	—	—	—	30	20	20
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	230	—	—	—	20	50	—
Open wounds	13	102,420	2,320	390	840	2,160	29,300	4,120
Open wounds, unspecified	130	1,380	40	—	40	100	200	20
Amputations, avulsions, enucleations	131	7,540	150	20	110	30	1,070	210
Amputations, avulsions, enucleations, unspecified ...	1310	360	—	—	—	—	150	—
Amputations	1311	5,360	120	20	—	—	500	120
Avulsions, enucleations	1312	1,690	20	—	100	30	390	80
Amputations, avulsions, enucleations, n.e.c.	1319	130	—	—	—	—	30	—
Cuts, lacerations	132	78,790	1,170	280	370	790	24,670	3,390
Puncture wounds, except gunshot wounds	133	14,300	950	80	320	1,220	3,220	410
Gunshot wounds	134	150	—	—	—	—	40	80
Multiple types of open wounds	138	200	—	—	—	—	80	—
Open wounds, n.e.c.	139	60	—	—	—	—	—	—
Surface wounds and bruises	14	86,650	2,190	400	2,810	5,200	19,750	7,180
Surface wounds and bruises, unspecified	140	670	—	—	30	—	60	30
Abrasions, scratches	141	7,980	360	40	260	310	1,410	250
Blisters	142	240	—	—	—	—	180	—
Bruises, contusions	143	76,290	1,810	340	2,410	4,800	17,710	6,830
Multiple surface wounds and bruises	148	1,030	20	20	90	60	230	50

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Cartilage fractures and tears, n.e.c.	30	30	—	30	20	20
Sprains, strains, tears	26,530	4,280	20,320	29,840	30,530	75,470
Sprains, strains, tears, unspecified	3,140	210	2,050	2,560	2,900	6,780
Major tears to muscles, tendons, ligaments	800	80	2,100	2,370	2,410	4,570
Sprains	6,880	1,390	5,560	7,660	6,690	18,490
Strains	15,090	2,570	10,540	16,910	18,250	44,340
Multiple sprains, strains, tears	600	40	70	340	280	1,280
Hernias due to traumatic incidents	550	100	1,270	1,960	2,020	3,070
Whiplash	40	—	40	60	30	190
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	20	—	20	—	30	150
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	30	20	20	70
Open wounds	3,710	1,570	12,710	11,610	20,170	13,510
Open wounds, unspecified	20	40	230	120	270	290
Amputations, avulsions, enucleations	190	110	730	1,060	2,580	1,290
Amputations, avulsions, enucleations, unspecified ...	—	—	20	30	80	60
Amputations	70	80	550	900	2,010	980
Avulsions, enucleations	100	20	160	100	430	250
Amputations, avulsions, enucleations, n.e.c.	20	—	—	20	60	—
Cuts, lacerations	2,960	1,220	9,340	9,130	14,760	10,690
Puncture wounds, except gunshot wounds	530	210	2,390	1,250	2,500	1,230
Gunshot wounds	—	—	—	—	—	—
Multiple types of open wounds	—	—	20	30	50	—
Open wounds, n.e.c.	—	—	—	20	—	—
Surface wounds and bruises	8,150	2,080	4,830	6,590	9,210	17,910
Surface wounds and bruises, unspecified	20	—	—	400	80	30
Abrasions, scratches	480	270	860	750	1,210	1,450
Blisters	—	—	—	20	30	—
Bruises, contusions	7,440	1,770	3,830	5,320	7,770	16,220
Multiple surface wounds and bruises	140	30	130	70	70	110

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Surface wounds and bruises, n.e.c.	149	430	—	—	—	—	140	—
Burns and corrosions	15	20,630	270	120	50	350	10,360	640
Burns and corrosions, unspecified	150	750	—	—	—	20	210	—
Chemical burns and corrosions	151	3,200	30	30	—	80	670	150
Chemical burns and corrosions, unspecified	1510	2,760	30	20	—	70	590	140
First degree chemical burns and corrosions	1511	60	—	—	—	—	20	—
Second degree chemical burns and corrosions	1512	210	—	—	—	—	40	—
Third or fourth degree chemical burns and corrosions	1513	20	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	140	—	—	—	—	20	—
Heat (thermal) burns	152	15,010	240	70	30	240	9,290	470
Heat (thermal) burns, unspecified	1520	10,370	130	30	20	160	6,620	340
First degree heat (thermal) burns	1521	910	—	—	—	—	410	30
Second degree heat (thermal) burns	1522	2,850	—	40	—	50	1,760	100
Third or fourth degree heat (thermal) burns	1523	560	90	—	—	—	300	—
Heat (thermal) burns, n.e.c.	1529	320	—	—	—	—	190	—
Electrical burns	153	580	—	—	—	—	30	—
Electrical burns, unspecified	1530	450	—	—	—	—	30	—
Second degree electrical burns	1532	100	—	—	—	—	—	—
Other burns	159	1,090	—	—	—	—	160	—
Other burns, unspecified	1590	280	—	—	—	—	80	—
Other burns, first degree	1591	710	—	—	—	—	20	—
Other burns, second degree	1592	60	—	—	—	—	40	—
Other burns, n.e.c.	1599	30	—	—	—	—	20	—
Intracranial injuries	16	14,810	730	130	950	1,020	3,440	1,920
Intracranial injuries, unspecified	160	1,000	—	—	40	90	320	60
Cerebral and other intracranial hemorrhages	161	100	—	—	40	—	20	—
Concussions	162	13,660	720	120	860	930	3,060	1,850
Multiple types of intracranial injuries	168	20	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	50	—	—	—	—	30	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Surface wounds and bruises, n.e.c.	60	20	—	40	50	80
Burns and corrosions	220	160	1,140	2,260	3,670	1,380
Burns and corrosions, unspecified	—	—	240	90	80	50
Chemical burns and corrosions	30	90	360	450	850	460
Chemical burns and corrosions, unspecified	30	90	230	420	780	380
First degree chemical burns and corrosions	—	—	—	—	—	—
Second degree chemical burns and corrosions	—	—	110	—	40	—
Third or fourth degree chemical burns and corrosions	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	—	—	20	20	20	50
Heat (thermal) burns	150	70	270	1,180	2,200	810
Heat (thermal) burns, unspecified	130	40	210	950	1,190	550
First degree heat (thermal) burns	20	—	—	20	350	50
Second degree heat (thermal) burns	—	—	40	150	510	170
Third or fourth degree heat (thermal) burns	—	—	—	30	100	30
Heat (thermal) burns, n.e.c.	—	—	—	20	50	—
Electrical burns	—	—	190	250	70	—
Electrical burns, unspecified	—	—	150	190	60	—
Second degree electrical burns	—	—	30	60	—	—
Other burns	—	—	70	290	480	60
Other burns, unspecified	—	—	30	40	100	—
Other burns, first degree	—	—	40	250	350	40
Other burns, second degree	—	—	—	—	20	—
Other burns, n.e.c.	—	—	—	—	—	—
Intracranial injuries	1,400	40	500	690	1,080	2,910
Intracranial injuries, unspecified	70	—	50	20	110	240
Cerebral and other intracranial hemorrhages	—	—	—	—	—	—
Concussions	1,330	40	440	670	960	2,660
Multiple types of intracranial injuries	—	—	—	—	—	—
Intracranial injuries, n.e.c.	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Effects of environmental conditions	17	2,200	220	—	20	20	250	100
Effects of environmental conditions, unspecified	170	20	—	—	—	—	—	—
Effects of reduced temperature	171	220	—	—	—	—	40	40
Effects of reduced temperature, unspecified	1710	30	—	—	—	—	—	—
Frostbite	1711	170	—	—	—	—	—	40
Effects of heat and light	172	1,920	210	—	—	—	200	70
Effects of heat and light, unspecified	1720	360	—	—	—	—	50	—
Heat stroke	1721	150	—	—	—	—	—	—
Heat syncope	1722	280	—	—	—	—	40	—
Heat fatigue	1723	70	—	—	—	—	—	—
Heat exhaustion, prostration	1725	840	—	—	—	—	80	50
Multiple effects of heat and light	1728	30	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	190	—	—	—	—	—	—
Effects of air or water pressure	173	30	—	—	—	—	—	—
Effects of air or water pressure, unspecified	1730	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	22,800	1,030	150	750	1,130	5,010	1,140
Multiple traumatic injuries and disorders, unspecified	180	970	60	—	40	60	150	50
Cuts and abrasions or bruises	181	3,540	90	—	140	160	670	230
Sprains and other injuries	182	10,110	470	60	290	590	2,610	590
Sprains and other injuries, unspecified	1820	370	—	—	—	40	120	—
Sprains and bruises	1821	8,070	390	50	260	480	2,060	490
Sprains and cuts	1822	680	—	—	—	20	130	40
Sprains and other injuries, n.e.c.	1829	990	60	—	20	40	300	50
Fractures and other injuries	183	3,970	190	30	80	120	730	160
Fractures and other injuries, unspecified	1830	570	20	—	—	20	20	—
Fractures (except skull fractures) and concussions	1831	280	20	—	30	—	40	—
Fractures (except rib, trunk fractures) and internal injuries	1832	90	—	—	—	—	30	—
Fractures and burns	1833	50	—	—	—	—	—	—
Fractures and dislocations ...	1834	340	40	—	—	—	30	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Effects of environmental conditions	70	120	230	210	260	700
Effects of environmental conditions, unspecified	—	—	—	—	—	—
Effects of reduced temperature	30	—	—	20	20	40
Effects of reduced temperature, unspecified	—	—	—	—	—	—
Frostbite	30	—	—	20	—	40
Effects of heat and light	40	110	210	190	230	640
Effects of heat and light, unspecified	—	20	—	20	40	30
Heat stroke	—	—	30	50	—	40
Heat syncope	20	20	—	—	—	170
Heat fatigue	—	—	20	—	—	—
Heat exhaustion, prostration	—	50	120	70	130	300
Multiple effects of heat and light	—	—	—	—	—	20
Effects of heat and light, n.e.c.	—	—	20	40	20	80
Effects of air or water pressure	—	—	—	—	—	20
Effects of air or water pressure, unspecified	—	—	—	—	—	20
Multiple traumatic injuries and disorders	1,870	810	1,490	1,650	2,450	5,320
Multiple traumatic injuries and disorders, unspecified	60	—	90	170	60	230
Cuts and abrasions or bruises	290	30	120	240	620	930
Sprains and other injuries	830	300	410	640	760	2,590
Sprains and other injuries, unspecified	20	—	—	40	20	100
Sprains and bruises	710	280	330	380	610	2,020
Sprains and cuts	20	—	60	160	20	210
Sprains and other injuries, n.e.c.	80	—	20	50	110	250
Fractures and other injuries	160	120	530	400	700	730
Fractures and other injuries, unspecified	70	—	70	170	110	90
Fractures (except skull fractures) and concussions	—	30	30	20	40	30
Fractures (except rib, trunk fractures) and internal injuries	—	—	40	—	—	—
Fractures and burns	—	—	—	—	20	20
Fractures and dislocations	—	—	110	30	40	70

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Fractures and other injuries, n.e.c.	1839	2,640	120	30	40	90	610	130
Burns and other injuries, except fractures	184	110	—	—	—	—	—	—
Burns and other injuries, except fractures, unspecified	1840	20	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	80	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	4,090	230	50	200	190	840	110
Other traumatic injuries and disorders	19	179,580	5,820	1,650	5,280	9,650	45,730	10,750
Other traumatic injuries and disorders, unspecified	190	520	30	—	—	30	130	20
Asphyxiations, strangulations, suffocations	191	40	—	—	—	—	—	—
Electrocutions, electric shocks	193	1,910	40	20	—	30	730	50
Internal injuries to organs and blood vessels of the trunk	194	220	—	—	—	—	40	—
Dermatitis and reactions affecting the skin—acute	195	2,930	40	30	50	250	1,200	110
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,290	20	—	30	150	420	70
Allergic dermatitis—acute	1951	880	—	30	—	60	510	20
Irritant dermatitis—acute	1952	470	—	—	—	—	180	20
Hives, urticaria—acute	1953	180	—	—	—	—	30	—
Multiple types of dermatitis and skin reactions—acute ..	1958	60	—	—	—	20	30	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	50	—	—	—	—	30	—
Other poisoning, toxic, noxious, or allergenic effects	196	6,330	200	410	100	470	1,650	460
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	1,850	50	80	50	80	640	40
Poisoning, including poisoning-related asphyxia	1961	420	—	—	—	20	120	—
Anaphylactic shock, anaphylaxis	1962	40	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,540	20	30	20	120	500	60

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Fractures and other injuries, n.e.c.	90	80	270	180	490	520
Burns and other injuries, except fractures	—	—	—	20	50	—
Burns and other injuries, except fractures, unspecified	—	—	—	—	—	—
Burns and other injuries, n.e.c.	—	—	—	20	40	—
Multiple traumatic injuries and disorders, n.e.c.	530	360	340	180	250	810
Other traumatic injuries and disorders	11,530	3,990	14,720	17,080	20,270	33,050
Other traumatic injuries and disorders, unspecified	20	40	—	20	90	110
Asphyxiations, strangulations, suffocations	—	—	—	—	—	—
Electrocutions, electric shocks	70	—	370	330	230	30
Internal injuries to organs and blood vessels of the trunk	—	—	40	—	30	80
Dermatitis and reactions affecting the skin—acute	130	130	150	190	440	200
Dermatitis and reactions affecting the skin—acute, unspecified	—	80	70	100	230	90
Allergic dermatitis—acute	20	50	20	40	70	50
Irritant dermatitis—acute	20	—	60	50	100	20
Hives, urticaria—acute	80	—	—	—	20	40
Multiple types of dermatitis and skin reactions—acute	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	690	280	190	590	610	690
Poisoning, toxic, noxious, or allergenic effect, unspecified	180	60	60	160	210	250
Poisoning, including poisoning-related asphyxia	20	30	60	40	40	80
Anaphylactic shock, anaphylaxis	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	340	110	30	80	160	70

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	240	—	—	—	80	20	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	450	—	—	—	30	90	40
Other or unspecified allergic reactions	1966	790	50	20	20	80	160	50
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	190	—	—	—	—	40	30
Multiple poisoning, toxic, noxious, or allergenic effects	1968	630	—	270	—	20	40	230
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	170	20	—	—	—	20	—
Nonspecified injuries and disorders	197	167,220	5,480	1,180	5,090	8,830	41,940	9,990
Crushing injuries	1971	8,570	80	40	30	130	860	240
Soreness, pain, hurt—nonspecified injury	1972	136,300	4,720	1,070	4,600	7,990	36,140	8,520
Swelling, inflammation, irritation—nonspecified injury	1973	18,030	520	50	230	440	3,940	840
Numbness—nonspecified injury	1974	730	40	—	20	20	160	—
Multiple nonspecified injuries and disorders	1978	2,020	60	—	160	190	490	240
Nonspecified injuries and disorders, n.e.c.	1979	1,570	60	—	40	50	360	140
Other traumatic injuries and disorders, n.e.c.	199	400	30	—	20	20	40	100
Traumatic injuries and disorders, n.e.c.	1999	380	30	—	20	20	40	100
Diseases and disorders of body systems	2	17,690	640	260	280	770	3,450	1,130
Systemic diseases and disorders, unspecified	20	50	—	—	—	—	—	—
Nervous system and sense organs diseases	22	6,480	260	180	150	260	750	490
Inflammatory diseases of the central nervous system	221	20	—	—	—	—	—	—
Degenerative diseases of the central nervous system	222	30	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	20	—	—	60	20
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	40	20	—	150	20	50
Other or unspecified allergic reactions	60	40	30	100	60	130
Nausea, vomiting— toxic, noxious, or allergenic effect	20	—	—	20	—	20
Multiple poisoning, toxic, noxious, or allergenic effects	20	—	—	—	—	40
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	—	—	—	30	50	30
Nonspecified injuries and disorders	10,600	3,500	13,910	15,900	18,850	31,900
Crushing injuries	540	180	1,010	950	2,330	2,180
Soreness, pain, hurt—nonspecified injury	8,550	2,910	10,570	11,600	13,180	26,400
Swelling, inflammation, irritation—nonspecified injury	1,080	380	1,910	3,120	2,890	2,610
Numbness—nonspecified injury	110	—	—	80	130	150
Multiple nonspecified injuries and disorders	190	30	150	60	220	230
Nonspecified injuries and disorders, n.e.c.	140	—	270	80	110	310
Other traumatic injuries and disorders, n.e.c.	20	20	50	40	—	40
Traumatic injuries and disorders, n.e.c.	20	20	50	40	—	20
Diseases and disorders of body systems	2,720	200	540	1,250	4,310	2,120
Systemic diseases and disorders, unspecified	—	—	—	—	—	—
Nervous system and sense organs diseases	1,000	70	180	470	2,110	550
Inflammatory diseases of the central nervous system	—	—	—	—	—	—
Degenerative diseases of the central nervous system	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Other disorders of the central nervous system	223	240	20	—	—	—	30	40
Other disorders of the central nervous system, unspecified	2230	30	—	—	—	—	—	—
Seizure disorder, epilepsy	2231	60	—	—	—	—	20	—
Migraine	2232	130	—	—	—	—	—	30
Disorders of the peripheral nervous system	224	5,230	220	140	90	230	510	440
Disorders of the peripheral nervous system, unspecified	2240	180	—	—	—	20	20	—
Carpal tunnel syndrome	2241	4,920	220	140	70	200	490	440
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	30	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	100	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	650	20	—	—	30	160	—
Disorders of the eye, adnexa, vision, unspecified	2250	40	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	420	—	—	—	20	150	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	110	—	—	—	—	—	—
Blindness, low vision	2254	20	—	—	—	—	—	—
Visual disturbances	2256	20	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	30	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	320	—	—	40	—	30	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	150	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	90	—	—	—	—	30	—
Tinnitus	2262	50	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	30	—	—	—	—	—	—
Circulatory system diseases	23	790	—	—	40	—	240	30
Circulatory system diseases, unspecified	230	20	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	650	—	—	40	—	190	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other disorders of the central nervous system	80	—	—	—	40	—
Other disorders of the central nervous system, unspecified	—	—	—	—	—	—
Seizure disorder, epilepsy	—	—	—	—	—	—
Migraine	80	—	—	—	—	—
Disorders of the peripheral nervous system	840	30	140	300	1,930	350
Disorders of the peripheral nervous system, unspecified	60	—	—	30	30	20
Carpal tunnel syndrome	770	30	130	250	1,860	330
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	—	—	—	30	30	—
Disorders of the eye, adnexa, vision	20	40	20	160	110	70
Disorders of the eye, adnexa, vision, unspecified	—	—	—	—	—	—
Conjunctivitis—non-viral	—	30	—	80	50	50
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	70	30	—
Blindness, low vision	—	—	—	—	—	—
Visual disturbances	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	40	—	20	—	30	110
Disorders of the ear, mastoid process, hearing, unspecified	—	—	—	—	—	100
Deafness, hearing loss and impairment	—	—	—	—	30	—
Tinnitus	30	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	—	—	—	—
Circulatory system diseases	20	—	—	20	80	330
Circulatory system diseases, unspecified	—	—	—	—	—	—
Ischemic heart disease, including heart attack	—	—	—	—	80	300

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Ischemic heart disease, unspecified	2330	20	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	630	—	—	40	—	190	—
Cerebrovascular disease	236	80	—	—	—	—	30	20
Stroke	2361	50	—	—	—	—	30	—
Transient ischemia attacks ..	2362	20	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	30	—	—	—	—	—	—
Respiratory system diseases	24	2,210	20	—	—	30	1,060	—
Respiratory system diseases, unspecified	240	20	—	—	—	—	—	—
Acute respiratory infections (including common cold)	241	1,410	—	—	—	—	670	—
Other diseases of upper respiratory tract	242	280	—	—	—	—	—	—
Allergic rhinitis	2421	50	—	—	—	—	—	—
Pneumonia, influenza	243	390	—	—	—	—	350	—
Influenza—common	2432	370	—	—	—	—	350	—
Chronic obstructive pulmonary disease and allied conditions ..	244	70	—	—	—	—	20	—
Chronic bronchitis	2441	30	—	—	—	—	—	—
Asthma, except intrinsic	2443	30	—	—	—	—	—	—
Other respiratory system diseases	249	30	—	—	—	—	—	—
Digestive system diseases and disorders	25	300	—	—	—	—	40	50
Hernia—nontraumatic	253	290	—	—	—	—	40	50
Musculoskeletal system and connective tissue diseases and disorders	27	6,960	300	40	80	370	1,190	520
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	130	—	—	—	—	20	—
Arthropathies and related disorders (arthritis)	271	110	—	—	—	—	—	—
Dorsopathies	272	590	—	—	—	30	80	—
Sciatica	2721	190	—	—	—	—	40	—
Lumbago	2722	80	—	—	—	—	—	—
Disc disorders, except dislocation	2723	250	—	—	—	—	—	—
Dorsopathies, n.e.c.	2729	60	—	—	—	—	—	—
Soft tissue disorders, except the back	273	6,130	240	40	70	330	1,080	520

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Ischemic heart disease, unspecified	—	—	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	—	70	290
Cerebrovascular disease	—	—	—	—	—	—
Stroke	—	—	—	—	—	—
Transient ischemia attacks ..	—	—	—	—	—	—
Diseases of the veins, lymphatics	—	—	—	—	—	—
Respiratory system diseases	900	—	40	20	90	20
Respiratory system diseases, unspecified	—	—	—	—	—	—
Acute respiratory infections (including common cold)	670	—	—	—	20	—
Other diseases of upper respiratory tract	220	—	—	—	—	—
Allergic rhinitis	—	—	—	—	—	—
Pneumonia, influenza	—	—	—	—	—	—
Influenza—common	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ..	—	—	—	—	20	—
Chronic bronchitis	—	—	—	—	—	—
Asthma, except intrinsic	—	—	—	—	—	—
Other respiratory system diseases	—	—	—	—	—	—
Digestive system diseases and disorders	—	—	40	—	70	70
Hernia—nontraumatic	—	—	40	—	70	70
Musculoskeletal system and connective tissue diseases and disorders	740	80	230	640	1,780	980
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	50	20	—	30
Arthropathies and related disorders (arthritis)	—	—	—	20	40	20
Dorsopathies	60	—	40	160	90	70
Sciatica	—	—	40	—	60	30
Lumbago	20	—	—	—	—	—
Disc disorders, except dislocation	—	—	—	—	—	—
Dorsopathies, n.e.c.	—	—	—	—	—	20
Soft tissue disorders, except the back	670	80	140	440	1,640	860

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Soft tissue disorder, except the back, unspecified	2730	290	—	—	—	20	80	30
Bursitis	2731	600	—	—	—	20	110	—
Stenosing tenosynovitis	2732	1,010	—	20	—	20	240	30
Other tenosynovitis, synovitis	2733	340	—	—	—	—	60	50
Epicondylitis	2734	760	—	—	—	50	110	—
Other or unspecified tendonitis (tendinitis)	2735	2,470	200	—	40	180	400	390
Ganglion or cystic tumor	2736	290	—	—	—	—	40	—
Multiple soft tissue disorders	2738	140	—	—	—	20	—	—
Soft tissue disorder, except the back, n.e.c.	2739	230	—	—	—	—	50	—
Disorders of the skin and subcutaneous tissue	28	840	40	—	—	80	170	20
Infections of the skin and subcutaneous tissue	281	780	40	—	—	80	160	20
Infections of the skin and subcutaneous tissue, unspecified	2810	80	—	—	—	—	—	—
Cellulitis and abscess	2811	390	—	—	—	30	60	20
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	90	—	—	—	30	20	—
Other staphylococcus skin infection	2814	50	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	160	40	—	—	—	70	—
Diseases of sebaceous glands	283	20	—	—	—	—	—	—
Sebaceous cyst	2832	20	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	30	—	—	—	—	—	—
Other systemic diseases and disorders	29	40	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	291	30	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	—	—	—	—
Infectious and parasitic diseases	3	2,100	320	—	330	500	800	—
Infectious and parasitic diseases, unspecified	30	30	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Soft tissue disorder, except the back, unspecified	30	—	—	20	70	30
Bursitis	30	—	60	210	80	60
Stenosing tenosynovitis	160	—	—	30	350	130
Other tenosynovitis, synovitis	50	—	—	—	110	50
Epicondylitis	140	20	30	80	200	110
Other or unspecified tendonitis (tendinitis)	240	40	40	60	570	300
Ganglion or cystic tumor	—	—	—	—	130	80
Multiple soft tissue disorders	—	—	—	—	80	—
Soft tissue disorder, except the back, n.e.c.	—	20	—	—	40	80
Disorders of the skin and subcutaneous tissue	40	30	50	90	160	150
Infections of the skin and subcutaneous tissue	40	30	50	80	160	130
Infections of the skin and subcutaneous tissue, unspecified	—	—	—	—	30	20
Cellulitis and abscess	30	20	30	40	100	60
Methicillin-resistant <i>staphylococcus aureus</i> (MRSA) infection	—	—	—	—	—	—
Other <i>staphylococcus</i> skin infection	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	30	—
Diseases of sebaceous glands	—	—	—	—	—	—
Sebaceous cyst	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	—	—	—	—	—	—
Other systemic diseases and disorders	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	—	—	—
Infectious and parasitic diseases	40	20	—	—	20	60
Infectious and parasitic diseases, unspecified	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Bacterial diseases	31	80	—	—	—	—	40	—
Bacterial diseases, unspecified	310	20	—	—	—	—	20	—
Other bacterial diseases	319	50	—	—	—	—	20	—
Diphtheria, whooping cough	3192	20	—	—	—	—	—	—
Other bacterial diseases, n.e.c	3199	20	—	—	—	—	—	—
Viral diseases	32	370	—	—	—	190	140	—
Viral diseases, unspecified	320	100	—	—	—	100	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	210	—	—	—	70	120	—
Chickenpox, varicella	3233	160	—	—	—	40	110	—
Herpes zoster, shingles	3234	40	—	—	—	30	—	—
Viral hepatitis	325	30	—	—	—	—	20	—
Type C viral hepatitis	3253	20	—	—	—	—	—	—
Other diseases due to viruses	329	20	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	20	—	—	—	—	—	—
Other arthropod-borne diseases ..	33	280	—	—	—	—	—	—
Lyme disease	333	270	—	—	—	—	—	—
Mycoses (fungal infections)	34	40	—	—	—	—	20	—
Dermatophytosis (including athletes foot, tinea)	341	40	—	—	—	—	20	—
Infectious diseases peculiar to the intestines	36	410	30	—	200	70	70	—
Infectious diseases peculiar to the intestines, unspecified	360	50	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	210	—	—	150	50	—	—
Infectious diseases peculiar to the intestines, n.e.c.	369	120	—	—	50	20	30	—
Other infectious and parasitic diseases	39	890	—	—	110	220	520	—
Other infectious and parasitic diseases, unspecified	390	30	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	391	40	—	—	20	—	—	—
Scabies and other acariases ...	392	820	—	—	90	200	500	—
Symptoms, signs, and ill-defined conditions	5	3,930	120	230	160	200	1,060	490
Symptoms, signs, and ill-defined conditions, unspecified	50	200	20	—	—	—	70	—
Symptoms	51	3,670	110	230	150	180	960	480
Symptoms, unspecified	510	30	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Bacterial diseases	—	—	—	—	—	—
Bacterial diseases, unspecified	—	—	—	—	—	—
Other bacterial diseases	—	—	—	—	—	—
Diphtheria, whooping cough	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	—	—	—	—	—	—
Viral diseases	—	—	—	—	—	—
Viral diseases, unspecified	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	—	—	—	—	—	—
Chickenpox, varicella	—	—	—	—	—	—
Herpes zoster, shingles	—	—	—	—	—	—
Viral hepatitis	—	—	—	—	—	—
Type C viral hepatitis	—	—	—	—	—	—
Other diseases due to viruses	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	—	—	—	—	—	—
Other arthropod-borne diseases	—	—	—	—	—	—
Lyme disease	—	—	—	—	—	—
Mycoses (fungal infections)	—	—	—	—	—	—
Dermatophytosis (including athletes foot, tinea)	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	—	—	—	—	—	—
Other infectious and parasitic diseases	20	—	—	—	—	—
Other infectious and parasitic diseases, unspecified	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	—	—	—	—	—	—
Scabies and other acariases ...	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	460	70	40	210	510	360
Symptoms, signs, and ill-defined conditions, unspecified	—	—	—	40	20	—
Symptoms	450	70	40	160	490	350
Symptoms, unspecified	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
General symptoms	511	2,550	70	—	110	110	630	380
General symptoms, unspecified	5110	70	—	—	—	20	20	—
Loss of consciousness—not heat related	5111	1,470	40	—	50	40	370	260
Convulsions, seizures	5112	340	—	—	—	—	120	40
Dizziness—general	5114	360	—	—	—	20	80	40
Inflammation, swelling—general	5115	40	—	—	—	—	—	—
Numbness—general	5116	40	—	—	—	—	—	—
Multiple general symptoms ..	5118	140	—	—	—	—	30	—
General symptoms, n.e.c.	5119	80	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems	512	230	—	210	—	—	—	—
Earache	5122	20	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	5129	200	—	—	—	—	—	—
Symptoms involving head and neck	514	290	—	—	40	—	140	—
Headache, except migraine	5141	250	—	—	40	—	120	—
Symptoms involving head and neck, n.e.c.	5149	30	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	90	—	—	—	—	30	—
Symptoms involving cardiovascular system, unspecified	5150	30	—	—	—	—	20	—
Symptoms involving cardiovascular system, n.e.c.	5159	40	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	380	—	—	—	20	120	60
Symptoms involving respiratory system and chest, unspecified	5160	100	—	—	—	—	40	—
Hyperventilation	5161	40	—	—	—	—	20	—
Chest pain	5164	90	—	—	—	—	20	—
Multiple symptoms involving respiratory system and chest	5168	40	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	110	—	—	—	—	30	30

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
General symptoms	360	40	40	130	420	240
General symptoms, unspecified	—	—	—	—	—	—
Loss of consciousness—not heat related	180	—	—	40	310	140
Convulsions, seizures	60	—	—	—	30	20
Dizziness—general	60	—	—	70	—	50
Inflammation, swelling—general	—	—	—	—	—	20
Numbness—general	—	—	—	—	20	—
Multiple general symptoms	20	—	30	—	40	—
General symptoms, n.e.c.	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems	—	—	—	—	—	—
Earache	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	—	—	—	—	—	—
Symptoms involving head and neck	40	—	—	—	—	30
Headache, except migraine	30	—	—	—	—	30
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—
Symptoms involving cardiovascular system	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	—	—	—	—	—	—
Symptoms involving respiratory system and chest	40	—	—	—	30	50
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—
Hyperventilation	—	—	—	—	—	—
Chest pain	—	—	—	—	—	20
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	20
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	—	20	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Symptoms involving digestive and urinary system	517	40	—	—	—	—	—	—
Multiple symptoms	518	50	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	20	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	2,570	200	50	150	180	460	540
Damage to prosthetic and orthopedic devices	61	30	—	—	—	—	—	—
Mental disorders and syndromes	62	2,530	200	50	150	180	440	540
Mental disorders and syndromes, unspecified	620	80	—	—	—	—	20	—
Anxiety, stress	621	2,430	180	50	150	180	410	540
Anxiety, stress, unspecified	6210	1,710	140	50	140	140	230	390
Post-traumatic stress disorder	6211	430	20	—	—	20	40	90
Anxiety or panic disorder	6213	100	—	—	—	—	60	20
Anxiety, stress, n.e.c.	6219	180	—	—	—	—	80	40
Depression or depressive episode	622	20	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	270	—	—	30	140	70	—
Multiple diseases, conditions, and disorders	8	70	—	—	—	—	—	—
Nonclassifiable	9999	1,270	20	—	20	50	340	80

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2015 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Symptoms involving digestive and urinary system	—	—	—	—	—	—
Multiple symptoms	—	—	—	20	—	—
Abnormal findings	—	—	—	—	—	—
Other abnormal findings	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	—
Other diseases, conditions, and disorders	450	—	20	100	80	340
Damage to prosthetic and orthopedic devices	—	—	—	—	—	—
Mental disorders and syndromes	440	—	—	90	80	340
Mental disorders and syndromes, unspecified	—	—	—	—	—	30
Anxiety, stress	440	—	—	90	80	310
Anxiety, stress, unspecified	380	—	—	60	40	130
Post-traumatic stress disorder	40	—	—	30	30	160
Anxiety or panic disorder	—	—	—	—	—	—
Anxiety, stress, n.e.c.	—	—	—	—	—	20
Depression or depressive episode	—	—	—	—	—	—
Exposures to disease—no illness incurred	20	—	—	—	—	—
Multiple diseases, conditions, and disorders	—	—	—	—	—	20
Nonclassifiable	130	30	170	130	60	180

1 Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

2 Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

3 Excludes farms with fewer than 11 employees.

4 *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.