

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2015

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		902,160	28,220	87,270	251,130	195,910	101,440	55,260	182,930
Head	1	74,180	2,230	6,730	20,990	16,360	9,060	5,020	13,790
Head, unspecified	10	18,710	410	2,190	5,510	4,080	2,200	1,050	3,270
Cranial region, including skull	11	18,060	440	1,710	5,350	4,350	2,520	1,260	2,430
Cranial region, unspecified	110	320	20	30	110	50	20	20	80
Brain	111	15,040	330	1,380	4,360	3,640	2,090	1,100	2,130
Scalp	112	2,140	70	270	670	490	360	130	140
Skull	113	430	—	30	150	150	40	—	40
Multiple cranial region locations	118	40	—	—	—	—	—	—	—
Cranial region, n.e.c.	119	90	—	—	50	—	—	—	20
Ear(s)	12	930	20	150	240	140	100	60	220
Face	13	35,450	1,310	2,550	9,640	7,490	4,090	2,580	7,790
Face, unspecified	130	3,720	170	260	610	680	540	470	990
Forehead	131	3,050	70	250	1,040	830	410	200	250
Eye(s)	132	20,600	790	1,280	5,970	4,040	2,170	1,420	4,940
Nose, nasal cavity	133	2,730	70	310	590	740	340	120	560
Nose, except internal location of diseases or disorders	1330	2,470	70	310	590	740	340	120	300
Sinus(es)	1334	260	—	—	—	—	—	—	260
Cheek(s)	134	390	—	50	80	120	30	30	70
Jaw, chin	135	730	20	140	220	110	110	40	90
Mouth	136	2,430	130	130	510	620	180	140	720
Mouth, unspecified	1360	690	—	—	120	40	—	30	480
Lip(s)	1361	670	70	40	80	310	70	50	40
Tooth (teeth)	1363	970	50	80	260	230	90	60	200
Multiple mouth locations	1368	80	—	20	30	20	—	—	—
Multiple face locations	138	1,580	50	130	540	290	280	140	160
Face, n.e.c.	139	210	—	—	100	50	20	20	—
Multiple head locations	18	760	30	100	180	250	100	50	50
Head, n.e.c.	19	270	20	40	80	60	60	—	20
Neck, including throat	2	12,430	400	860	3,210	3,550	1,210	500	2,700
Neck, except internal location of diseases or disorders	20	12,420	400	860	3,210	3,540	1,210	500	2,700
Trunk	3	209,360	7,380	22,110	60,440	40,030	21,270	12,230	45,900
Trunk, unspecified	30	1,320	60	130	330	470	100	70	170
Chest, including ribs, internal organs	31	15,790	450	1,260	4,740	3,250	1,360	660	4,070
Chest, except internal location of diseases or disorders	310	13,550	440	1,210	4,310	3,170	1,300	650	2,460
Internal chest location, unspecified	311	50	—	—	—	—	—	—	20
Heart	313	710	—	20	400	50	40	—	190
Bronchus	314	30	—	—	—	—	—	—	20
Lung(s), pleura	315	1,450	—	20	20	—	20	—	1,380
Back, including spine, spinal cord	32	155,740	5,700	17,130	45,070	28,630	16,310	9,200	33,690
Back, including spine, spinal cord, unspecified	320	59,360	1,510	5,540	15,730	10,220	5,910	3,230	17,230
Thoracic region	321	8,160	420	970	2,680	1,500	1,220	460	920
Lumbar region	322	81,970	3,560	9,930	24,440	15,810	8,530	4,920	14,780

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Sacral region	323	270	—	40	60	50	30	—	60
Coccygeal region	324	1,300	50	160	390	210	100	210	180
Multiple back regions	328	4,450	170	480	1,720	750	480	340	500
Back, including spine, spinal cord, n.e.c.	329	220	—	—	60	90	30	—	20
Abdomen	33	18,290	460	1,630	5,190	3,430	1,540	1,100	4,930
Abdomen, except internal location of diseases or disorders	330	17,620	450	1,610	5,090	3,400	1,520	1,090	4,470
Internal abdominal location, unspecified	331	360	—	20	80	—	—	—	240
Stomach organ	332	20	—	—	—	—	—	—	—
Intestines, peritoneum	335	260	—	—	20	—	—	—	210
Intestines, peritoneum, unspecified	3350	230	—	—	20	—	—	—	190
Large intestine, colon, rectum	3353	30	—	—	—	—	—	—	20
Other digestive structures	336	30	—	—	—	—	—	—	—
Liver	3361	30	—	—	—	—	—	—	—
Pelvic region	34	14,770	580	1,600	4,130	3,330	1,610	1,000	2,530
Pelvic region, unspecified	340	200	—	40	60	70	20	—	—
Hip(s)	341	7,370	300	790	2,070	1,600	870	570	1,170
Pelvis	342	940	30	130	350	260	80	20	80
Buttock(s)	343	1,320	20	160	220	350	150	100	310
Groin	344	4,360	220	350	1,220	990	450	270	880
External reproductive tract structures ..	345	200	—	—	60	20	30	—	70
External reproductive tract structures, unspecified	3450	30	—	—	—	—	—	—	—
Scrotum	3451	100	—	—	20	—	—	—	60
Penis	3452	20	—	—	—	—	—	—	—
External female genital region	3453	20	—	—	—	—	—	—	—
Multiple external reproductive tract structures	3458	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	320	—	120	110	30	20	20	—
Pelvic region, n.e.c.	349	50	—	—	30	—	—	—	—
Multiple trunk locations	38	3,280	120	350	930	850	350	180	510
Trunk, n.e.c.	39	170	—	—	50	70	—	—	—
Upper extremities	4	294,420	9,160	25,630	79,210	66,520	33,380	19,220	61,310
Upper extremities, unspecified	40	590	—	70	80	160	60	—	190
Shoulder(s), including clavicle(s), scapula(e)	41	72,270	2,590	7,580	18,330	16,760	7,670	4,280	15,070
Arm(s)	42	45,760	1,560	3,690	12,680	10,230	4,860	3,500	9,250
Arm(s), unspecified	420	14,060	460	950	3,450	3,870	1,460	770	3,110
Upper arm(s)	421	6,170	300	450	1,990	1,190	600	410	1,240
Elbow(s)	422	14,360	410	1,460	4,340	2,400	1,390	1,360	2,980
Forearm(s)	423	8,640	340	670	2,140	2,370	890	850	1,370
Multiple arm locations	428	2,110	50	130	530	330	470	90	510
Multiple arm locations, unspecified ..	4280	190	—	—	90	40	40	—	—
Elbow(s) and arm(s)	4281	1,460	30	90	320	240	410	60	310
Multiple arm locations, n.e.c.	4289	470	—	40	120	60	20	20	180
Arm(s), n.e.c.	429	420	—	30	210	70	50	20	30
Wrist(s)	43	34,210	910	3,000	8,210	6,820	3,600	2,040	9,640

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Hand(s)	44	124,540	3,600	9,610	35,150	28,920	15,520	8,190	23,560
Hand(s), unspecified	440	33,630	1,000	2,590	7,740	7,450	3,410	2,440	9,000
Hand(s), except finger(s)	441	4,380	110	230	1,710	1,130	590	250	360
Finger(s), fingernail(s)	442	81,520	2,310	6,420	24,400	19,040	11,010	5,180	13,170
Finger(s), fingernail(s), unspecified ..	4420	62,660	1,750	4,990	18,410	14,420	8,480	4,190	10,410
Fingernail(s), nailbed(s)	4421	930	—	80	270	310	100	50	120
Fingertip(s)	4422	7,380	160	560	2,600	1,640	1,100	240	1,080
Finger(s), fingernail(s), n.e.c.	4429	10,550	390	800	3,120	2,660	1,330	700	1,550
Hand(s) and finger(s)	448	3,650	140	290	950	910	360	230	780
Hand(s), n.e.c.	449	1,360	30	90	350	400	150	90	250
Multiple upper extremities locations	48	16,800	490	1,640	4,700	3,590	1,620	1,190	3,580
Multiple upper extremities locations, unspecified	480	160	—	—	70	—	30	—	30
Hand(s) and arms(s)	481	1,880	—	210	540	340	260	130	380
Hand(s) and arm(s), unspecified	4810	800	—	120	160	160	110	40	200
Hand(s) and elbow(s)	4811	360	—	30	180	80	—	—	70
Hand(s) and arm(s), n.e.c.	4819	710	—	60	210	90	140	90	110
Hand(s) and wrist(s)	482	3,770	130	280	1,120	670	240	310	1,020
Wrist(s) and arm(s)	483	2,240	100	200	380	630	250	160	520
Wrist(s) and arm(s), unspecified	4830	700	—	130	110	80	40	30	300
Wrist(s) and elbow(s)	4831	620	—	60	150	130	140	30	100
Wrist(s) and arm(s), n.e.c.	4839	920	80	20	110	420	70	100	120
Shoulder(s) and arm(s)	484	5,890	180	570	1,840	1,290	580	390	1,040
Multiple upper extremities locations, n.e.c.	489	2,860	50	370	750	660	250	190	580
Upper extremities, n.e.c.	49	240	—	40	60	30	50	20	40
Lower extremities	5	202,460	6,020	19,630	57,360	45,320	24,730	12,540	36,860
Lower extremities, unspecified	50	370	—	50	90	30	50	—	130
Leg(s)	51	103,770	3,290	9,860	30,300	23,140	11,790	5,860	19,530
Leg(s), unspecified	510	11,990	240	920	3,770	2,120	1,010	650	3,270
Thigh(s)	511	4,610	160	450	1,140	1,340	560	260	700
Knee(s)	512	73,810	2,480	7,110	21,250	16,750	8,690	4,010	13,510
Lower leg(s)	513	10,520	340	1,010	3,230	2,340	1,170	690	1,730
Multiple leg locations	518	2,470	70	320	750	520	310	210	290
Multiple leg locations, unspecified ...	5180	80	—	20	—	—	20	—	20
Knee(s) and leg(s)	5181	1,940	50	260	620	440	220	110	230
Multiple leg locations, n.e.c.	5189	450	—	40	120	70	70	100	40
Leg(s), n.e.c.	519	370	—	40	150	50	60	40	30
Ankle(s)	52	45,780	1,310	5,300	12,150	10,640	5,790	2,780	7,810
Foot (feet)	53	43,310	1,190	3,480	11,750	9,390	6,080	3,310	8,100
Foot (feet), unspecified	530	28,130	850	2,290	7,020	6,250	3,750	2,360	5,610
Sole(s)	531	2,840	50	210	930	540	370	90	650
Sole(s), unspecified	5310	310	—	—	130	90	—	—	70
Ball(s) of the foot	5311	30	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	170	—	20	50	40	—	20	—
Heel(s)	5313	2,320	40	170	740	410	360	60	540
Toes(s), toenail(s)	532	10,240	240	750	3,010	2,110	1,760	740	1,630
Multiple foot (feet) locations	538	1,110	—	110	580	190	90	50	80
Foot (feet), n.e.c.	539	990	30	130	220	300	120	70	130

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple lower extremities locations	58	9,140	210	920	3,060	2,070	1,020	580	1,270
Multiple lower extremities locations, unspecified	580	450	—	—	40	270	30	—	80
Foot (feet) and leg(s)	581	1,690	30	130	930	180	70	140	200
Foot(feet) and leg(s), unspecified	5810	730	—	30	430	60	20	70	120
Foot(feet) and knee(s)	5811	360	—	30	90	90	40	60	50
Foot(feet) and leg(s), n.e.c.	5819	590	—	80	410	40	20	—	30
Foot (feet) and ankle(s)	582	2,880	90	340	870	670	460	240	210
Ankle(s) and leg(s)	583	3,060	60	290	980	700	330	140	570
Ankle(s) and leg(s), unspecified	5830	550	—	30	110	130	40	30	210
Ankle(s) and knee(s)	5831	1,710	40	220	450	390	230	100	280
Ankle(s) and leg(s), n.e.c.	5839	800	—	30	420	190	60	20	80
Multiple lower extremities locations, n.e.c.	589	1,050	30	150	240	240	130	50	210
Lower extremities, n.e.c.	59	100	—	—	—	40	—	—	20
Body systems	6	16,560	390	1,300	4,170	3,040	1,690	780	5,190
Multiple body parts	8	86,410	2,550	10,690	24,590	20,140	9,270	4,740	14,440
Multiple body parts, unspecified	80	6,720	150	1,010	1,520	1,490	600	420	1,530
Head and neck	81	2,330	50	180	820	560	260	150	300
Head, neck, and trunk	82	580	20	80	180	90	100	—	100
Head and trunk	83	1,150	70	90	290	390	110	60	130
Neck and back	84	7,970	240	760	2,590	1,570	1,050	370	1,390
Shoulder(s) and back	85	3,200	110	360	1,060	630	370	160	510
Hip(s) and leg(s)	86	1,530	30	250	460	370	140	90	200
Upper and lower limb(s)	87	4,720	140	590	1,110	1,080	670	380	740
Other multiple body parts	89	58,210	1,730	7,370	16,560	13,950	5,970	3,110	9,530
Whole body	891	560	20	80	130	170	20	—	110
Multiple body parts, n.e.c.	899	57,650	1,710	7,290	16,420	13,770	5,940	3,100	9,420

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Nonclassifiable	9999	6,330	90	330	1,160	960	830	240	2,730

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.