

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2012²

Part of body	Part of body code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		181,060	1,580	11,050	8,800	4,750	7,080
Head	1	11,330	480	250	1,090	260	920
Head, unspecified	10	1,990	—	20	310	100	170
Cranial region, including skull	11	2,760	—	70	240	60	90
Cranial region, unspecified	110	410	—	—	—	—	—
Brain	111	1,810	—	60	120	30	70
Scalp	112	380	—	—	70	—	20
Skull	113	100	—	—	—	—	—
Cranial region, n.e.c.	119	50	—	—	50	—	—
Ear(s)	12	190	—	—	—	—	—
Face	13	6,040	480	150	530	110	610
Face, unspecified	130	1,230	—	60	470	40	50
Forehead	131	390	—	20	20	50	30
Eye(s)	132	2,700	430	30	20	—	440
Nose, nasal cavity	133	320	—	—	—	—	20
Nose, except internal location of diseases or disorders	1330	320	—	—	—	—	20
Cheek(s)	134	60	—	—	—	—	—
Jaw, chin	135	90	—	—	—	—	—
Mouth	136	460	—	—	—	—	—
Lip(s)	1361	320	—	—	—	—	—
Tooth (teeth)	1363	110	—	—	—	—	—
Multiple face locations	138	690	30	—	—	—	60
Face, n.e.c.	139	100	—	—	—	—	—
Multiple head locations	18	340	—	—	—	—	30
Neck, including throat	2	2,660	—	170	100	40	110
Neck, except internal location of diseases or disorders ...	20	2,620	—	170	100	40	110
Trunk	3	39,120	50	4,450	2,500	1,220	1,440
Trunk, unspecified	30	210	—	—	—	—	20
Chest, including ribs, internal organs	31	2,890	40	120	150	70	60
Chest, except internal location of diseases or disorders	310	2,290	—	120	150	70	60
Internal chest location, unspecified	311	100	—	—	—	—	—
Heart	313	360	—	—	—	—	—
Lung(s), pleura	315	110	30	—	—	—	—
Back, including spine, spinal cord	32	29,790	—	3,530	1,890	990	1,050
Back, including spine, spinal cord, unspecified	320	11,780	—	1,580	890	450	240
Thoracic region	321	1,530	—	210	170	40	—
Lumbar region	322	15,210	—	1,600	720	490	780
Sacral region	323	130	—	—	—	—	—
Coccygeal region	324	220	—	—	50	—	—
Multiple back regions	328	860	—	140	50	—	30
Back, including spine, spinal cord, n.e.c.	329	60	—	—	—	—	—
Abdomen	33	2,440	—	300	180	80	180

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2012² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	33,910	4,600	19,770	32,170	29,860	29,080	7,050	26,430
Head	1,990	460	880	100	—	2,010	300	2,860
Head, unspecified	450	—	250	50	—	210	20	400
Cranial region, including skull	920	—	500	30	—	370	20	450
Cranial region, unspecified	340	—	—	—	—	30	—	—
Brain	390	—	450	20	—	280	—	370
Scalp	120	—	30	—	—	50	—	70
Skull	60	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	20	—	160
Face	470	440	120	20	—	1,310	220	1,790
Face, unspecified	40	20	20	—	—	440	40	90
Forehead	40	20	30	—	—	80	50	110
Eye(s)	20	80	40	—	—	310	40	1,310
Nose, nasal cavity	30	30	—	—	—	180	30	40
Nose, except internal location of diseases or disorders	30	30	—	—	—	180	30	40
Cheek(s)	—	—	—	—	—	20	—	20
Jaw, chin	—	—	—	—	—	50	—	—
Mouth	30	250	—	—	—	70	—	70
Lip(s)	—	250	—	—	—	30	—	40
Tooth (teeth)	20	—	—	—	—	30	—	30
Multiple face locations	280	30	20	—	—	110	—	120
Face, n.e.c.	—	—	—	—	—	50	40	30
Multiple head locations	160	—	—	—	—	90	20	40
Neck, including throat	190	70	940	390	350	330	100	330
Neck, except internal location of diseases or disorders ...	190	70	940	340	340	330	100	330
Trunk	4,160	1,190	3,590	7,830	7,290	7,720	3,500	4,440
Trunk, unspecified	50	—	80	—	—	30	—	30
Chest, including ribs, internal organs	360	30	300	650	180	540	100	560
Chest, except internal location of diseases or disorders	360	30	300	240	110	520	100	430
Internal chest location, unspecified	—	—	—	90	—	—	—	—
Heart	—	—	—	310	60	—	—	20
Lung(s), pleura	—	—	—	—	—	—	—	60
Back, including spine, spinal cord	2,810	920	2,630	6,350	6,330	6,240	3,090	2,900
Back, including spine, spinal cord, unspecified	1,130	290	1,290	2,300	2,290	2,310	1,060	1,040
Thoracic region	140	60	220	150	150	260	190	260
Lumbar region	1,260	560	940	3,700	3,700	3,430	1,670	1,510
Sacral region	40	—	—	60	60	20	—	—
Coccygeal region	130	—	—	—	—	30	—	—
Multiple back regions	110	—	110	130	130	190	160	70
Back, including spine, spinal cord, n.e.c.	—	—	60	—	—	—	—	—
Abdomen	130	200	50	350	300	340	90	610

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Abdomen, except internal location of diseases or disorders	330	2,100	—	300	170	80	180
Internal abdominal location, unspecified	331	250	—	—	—	—	—
Intestines, peritoneum	335	70	—	—	—	—	—
Large intestine, colon, rectum	3353	60	—	—	—	—	—
Pelvic region	34	2,890	—	340	240	70	70
Pelvic region, unspecified	340	40	—	—	—	—	—
Hip(s)	341	1,070	—	40	30	50	20
Pelvis	342	60	—	—	—	—	—
Buttock(s)	343	300	—	—	—	—	—
Groin	344	1,320	—	300	190	—	50
External reproductive tract structures	345	30	—	—	—	—	—
Scrotum	3451	20	—	—	—	—	—
Multiple pelvic region locations	348	60	—	—	—	—	—
Pelvic region, n.e.c.	349	20	—	—	—	—	—
Multiple trunk locations	38	860	—	150	30	20	60
Trunk, n.e.c.	39	40	—	—	—	—	—
Upper extremities	4	45,190	90	4,060	2,420	2,220	2,780
Upper extremities, unspecified	40	30	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	14,580	—	2,120	950	480	820
Arm(s)	42	8,020	60	390	260	440	420
Arm(s), unspecified	420	2,700	—	130	40	60	150
Upper arm(s)	421	930	—	60	30	50	50
Elbow(s)	422	2,140	—	70	160	60	150
Forearm(s)	423	1,390	20	60	—	270	40
Multiple arm locations	428	740	—	70	30	—	30
Multiple arm locations, unspecified	4280	100	—	—	—	—	—
Elbow(s) and arm(s)	4281	550	—	—	20	—	—
Multiple arm locations, n.e.c.	4289	90	—	—	—	—	20
Arm(s), n.e.c.	429	130	—	—	—	—	—
Wrist(s)	43	6,490	—	630	250	60	120
Hand(s)	44	12,940	30	690	840	1,100	1,250
Hand(s), unspecified	440	3,520	—	200	240	190	220
Hand(s), except finger(s)	441	780	—	—	—	—	40
Finger(s), fingernail(s)	442	7,500	—	390	570	860	850
Finger(s), fingernail(s), unspecified	4420	5,350	—	260	410	750	640
Fingernail(s), nailbed(s)	4421	120	—	40	—	—	—
Fingertip(s)	4422	420	—	—	90	30	30
Finger(s), fingernail(s), n.e.c.	4429	1,610	—	80	60	70	160
Hand(s) and finger(s)	448	660	—	80	—	20	50
Hand(s), n.e.c.	449	480	—	—	—	—	90
Multiple upper extremities locations	48	3,090	—	240	120	130	170
Multiple upper extremities locations, unspecified	480	80	—	—	—	—	—
Hand(s) and arms(s)	481	220	—	—	20	20	50
Hand(s) and arm(s), unspecified	4810	70	—	—	—	—	—
Hand(s) and elbow(s)	4811	40	—	—	20	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2012² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Abdomen, except internal location of diseases or disorders	130	200	50	190	180	340	90	460
Internal abdominal location, unspecified	—	—	—	150	120	—	—	90
Intestines, peritoneum	—	—	—	—	—	—	—	50
Large intestine, colon, rectum	—	—	—	—	—	—	—	50
Pelvic region	670	20	390	370	370	400	100	310
Pelvic region, unspecified	—	—	—	—	—	—	—	—
Hip(s)	460	—	80	190	190	90	—	90
Pelvis	30	—	—	—	—	—	—	—
Buttock(s)	100	—	40	—	—	140	—	—
Groin	20	—	260	130	130	160	80	200
External reproductive tract structures	—	—	—	—	—	20	—	—
Scrotum	—	—	—	—	—	20	—	—
Multiple pelvic region locations	—	—	—	50	50	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—
Multiple trunk locations	130	—	150	110	110	160	110	40
Trunk, n.e.c.	—	—	—	—	—	20	—	—
Upper extremities	5,890	2,360	3,480	4,520	4,510	8,670	1,780	8,190
Upper extremities, unspecified	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	1,890	350	1,150	1,570	1,560	3,040	730	1,970
Arm(s)	1,450	370	580	930	920	1,900	430	1,140
Arm(s), unspecified	540	40	250	120	120	910	250	420
Upper arm(s)	200	120	50	100	100	130	20	100
Elbow(s)	450	130	200	130	120	450	100	320
Forearm(s)	220	40	80	40	40	370	60	240
Multiple arm locations	40	—	—	490	490	30	—	20
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	30	—	—	440	440	—	—	20
Multiple arm locations, n.e.c.	—	—	—	50	50	20	—	—
Arm(s), n.e.c.	—	40	—	—	—	—	—	30
Wrist(s)	1,210	140	380	1,190	1,180	1,170	120	1,230
Hand(s)	870	1,430	930	470	470	2,080	390	3,220
Hand(s), unspecified	310	210	380	90	90	680	110	980
Hand(s), except finger(s)	30	190	80	40	40	170	—	170
Finger(s), fingernail(s)	230	940	430	330	330	1,180	260	1,700
Finger(s), fingernail(s), unspecified	190	550	290	190	190	680	120	1,360
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	30
Fingertip(s)	—	90	40	40	40	70	20	20
Finger(s), fingernail(s), n.e.c.	40	290	100	100	100	420	120	290
Hand(s) and finger(s)	—	90	40	—	—	40	—	320
Hand(s), n.e.c.	300	—	—	—	—	—	—	40
Multiple upper extremities locations	450	70	420	370	370	450	90	640
Multiple upper extremities locations, unspecified	50	—	—	—	—	—	—	—
Hand(s) and arms(s)	20	—	—	20	20	20	—	40
Hand(s) and arm(s), unspecified	—	—	—	—	—	20	—	—
Hand(s) and elbow(s)	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Hand(s) and arm(s), n.e.c.	4819	110	—	—	—	—	—
Hand(s) and wrist(s)	482	580	—	60	—	—	60
Wrist(s) and arm(s)	483	270	—	20	—	20	20
Wrist(s) and arm(s), unspecified	4830	80	—	—	—	20	—
Wrist(s) and elbow(s)	4831	40	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	150	—	—	—	—	20
Shoulder(s) and arm(s)	484	980	—	60	60	90	20
Multiple upper extremities locations, n.e.c.	489	960	—	90	20	—	20
Upper extremities, n.e.c.	49	40	—	—	—	—	—
Lower extremities	5	44,000	90	810	1,660	550	1,170
Leg(s)	51	25,390	20	460	790	200	340
Leg(s), unspecified	510	1,770	20	70	70	30	70
Thigh(s)	511	790	—	20	—	—	—
Knee(s)	512	20,360	—	310	590	140	240
Lower leg(s)	513	1,960	—	50	70	20	—
Multiple leg locations	518	420	—	—	50	—	—
Multiple leg locations, unspecified	5180	20	—	—	—	—	—
Knee(s) and leg(s)	5181	320	—	—	50	—	—
Multiple leg locations, n.e.c.	5189	70	—	—	—	—	—
Leg(s), n.e.c.	519	110	—	—	—	—	—
Ankle(s)	52	10,130	—	190	80	70	170
Foot (feet)	53	6,070	70	170	770	230	400
Foot (feet), unspecified	530	4,130	70	90	380	140	260
Sole(s)	531	380	—	—	—	—	20
Sole(s), unspecified	5310	40	—	—	—	—	20
Heel(s)	5313	310	—	—	—	—	—
Toes(s), toenail(s)	532	1,030	—	60	220	70	80
Multiple foot (feet) locations	538	320	—	—	140	—	40
Foot (feet), n.e.c.	539	210	—	20	20	—	—
Multiple lower extremities locations	58	2,400	—	—	20	40	260
Multiple lower extremities locations, unspecified	580	40	—	—	—	—	—
Foot (feet) and leg(s)	581	350	—	—	—	—	—
Foot(feet) and leg(s), unspecified	5810	80	—	—	—	—	—
Foot(feet) and knee(s)	5811	230	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	40	—	—	—	—	—
Foot (feet) and ankle(s)	582	760	—	—	—	—	230
Ankle(s) and leg(s)	583	880	—	—	—	—	—
Ankle(s) and leg(s), unspecified	5830	150	—	—	—	—	—
Ankle(s) and knee(s)	5831	630	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	100	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	370	—	—	—	—	—
Body systems	6	5,810	760	20	—	170	120
Multiple body parts	8	31,130	110	1,280	970	290	540
Multiple body parts, unspecified	80	3,070	—	70	90	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2012² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—	—	30
Hand(s) and wrist(s)	70	—	100	120	120	80	20	60
Wrist(s) and arm(s)	60	—	50	30	30	20	—	30
Wrist(s) and arm(s), unspecified	20	—	—	—	—	—	—	—
Wrist(s) and elbow(s)	20	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	20	—	40	30	30	—	—	—
Shoulder(s) and arm(s)	90	20	210	90	90	200	40	140
Multiple upper extremities locations, n.e.c.	170	20	50	100	100	120	30	370
Upper extremities, n.e.c.	—	—	—	—	—	20	—	—
Lower extremities	11,630	370	3,020	15,770	15,740	4,280	270	4,250
Leg(s)	6,220	180	1,690	9,420	9,400	3,360	230	2,440
Leg(s), unspecified	350	30	250	340	340	230	20	300
Thigh(s)	80	30	40	310	300	100	—	170
Knee(s)	5,080	90	1,160	8,100	8,100	2,780	180	1,630
Lower leg(s)	580	20	150	560	560	200	20	290
Multiple leg locations	120	—	40	60	60	50	—	50
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	110	—	40	30	30	50	—	20
Multiple leg locations, n.e.c.	—	—	—	30	30	—	—	—
Leg(s), n.e.c.	—	—	40	50	40	—	—	—
Ankle(s)	3,130	—	740	4,620	4,620	530	20	570
Foot (feet)	1,190	130	530	1,160	1,160	280	20	1,050
Foot (feet), unspecified	980	100	400	830	830	170	20	650
Sole(s)	50	—	50	200	200	—	—	20
Sole(s), unspecified	—	—	—	—	—	—	—	—
Heel(s)	30	—	50	190	190	—	—	—
Toes(s), toenail(s)	60	20	40	50	50	90	—	340
Multiple foot (feet) locations	50	—	30	—	—	—	—	20
Foot (feet), n.e.c.	50	—	—	70	70	—	—	20
Multiple lower extremities locations	1,090	50	60	570	570	100	—	190
Multiple lower extremities locations, unspecified	30	—	—	—	—	—	—	—
Foot (feet) and leg(s)	180	—	20	30	30	—	—	50
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—	—	40
Foot(feet) and knee(s)	170	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	150	—	20	180	180	60	—	80
Ankle(s) and leg(s)	500	—	20	270	270	—	—	50
Ankle(s) and leg(s), unspecified	40	—	—	80	80	—	—	—
Ankle(s) and knee(s)	430	—	—	160	160	—	—	20
Ankle(s) and leg(s), n.e.c.	20	—	—	30	30	—	—	30
Multiple lower extremities locations, n.e.c.	230	—	—	70	70	30	—	—
Body systems	30	—	250	1,600	50	570	90	2,290
Multiple body parts	9,870	140	7,510	1,880	1,840	5,060	820	3,180
Multiple body parts, unspecified	840	—	1,430	130	130	350	30	140

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Head and neck	81	500	30	—	—	—	20
Head, neck, and trunk	82	230	—	30	—	—	—
Head and trunk	83	400	—	—	30	—	—
Neck and back	84	2,890	—	200	70	—	120
Shoulder(s) and back	85	830	—	180	90	—	—
Hip(s) and leg(s)	86	410	—	40	40	—	—
Upper and lower limb(s)	87	2,820	—	—	30	—	—
Other multiple body parts	89	19,970	80	750	600	270	370
Whole body	891	60	—	—	—	—	—
Multiple body parts, n.e.c.	899	19,910	70	750	600	270	370
Nonclassifiable	9999	1,810	—	—	60	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2012² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Head and neck	50	—	110	40	—	160	—	70
Head, neck, and trunk	—	—	160	—	—	—	—	—
Head and trunk	170	—	50	—	—	130	80	—
Neck and back	340	—	1,000	310	310	710	190	120
Shoulder(s) and back	130	—	110	40	40	170	50	50
Hip(s) and leg(s)	160	—	60	70	70	20	—	—
Upper and lower limb(s)	1,790	—	440	60	60	320	—	130
Other multiple body parts	6,380	90	4,150	1,240	1,230	3,190	450	2,650
Whole body	—	—	20	—	—	—	—	30
Multiple body parts, n.e.c.	6,380	90	4,130	1,240	1,230	3,190	450	2,630
Nonclassifiable	160	—	110	70	70	450	190	890

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.