

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2012<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total .....		181,060	25,960	14,550	7,550	2,120	49,550	7,280	31,760	8,940
<b>Head</b> .....	1	11,330	4,480	2,810	1,060	–	2,860	750	2,090	–
Head, unspecified .....	10	1,990	880	480	400	–	630	90	530	–
Cranial region, including skull .....	11	2,760	840	450	390	–	1,080	150	920	–
Cranial region, unspecified .....	110	410	40	20	20	–	350	–	350	–
Brain .....	111	1,810	550	330	220	–	530	130	390	–
Scalp .....	112	380	180	80	100	–	140	20	120	–
Skull .....	113	100	30	20	–	–	60	–	60	–
Cranial region, n.e.c. ....	119	50	40	–	40	–	–	–	–	–
Ear(s) .....	12	190	–	–	–	–	–	–	–	–
Face .....	13	6,040	2,700	1,840	250	–	990	510	480	–
Face, unspecified .....	130	1,230	180	180	–	–	510	490	20	–
Forehead .....	131	390	260	130	130	–	40	–	40	–
Eye(s) .....	132	2,700	1,660	980	70	–	30	–	20	–
Nose, nasal cavity .....	133	320	100	100	–	–	40	–	40	–
Nose, except internal location of diseases or disorders .....	1330	320	100	100	–	–	40	–	40	–
Cheek(s) .....	134	60	–	–	–	–	–	–	–	–
Jaw, chin .....	135	90	–	–	–	–	–	–	–	–
Mouth .....	136	460	300	300	–	–	40	–	30	–
Lip(s) .....	1361	320	250	250	–	–	–	–	–	–
Tooth (teeth) .....	1363	110	50	50	–	–	30	–	20	–
Multiple face locations .....	138	690	130	120	20	–	300	–	300	–
Face, n.e.c. ....	139	100	40	20	–	–	–	–	–	–
Multiple head locations .....	18	340	60	40	20	–	160	–	160	–
<b>Neck, including throat</b> .....	2	2,660	260	170	80	–	270	90	140	30
Neck, except internal location of diseases or disorders ...	20	2,620	260	170	80	–	270	90	140	30
<b>Trunk</b> .....	3	39,120	1,210	610	380	30	6,850	920	4,280	1,440
Trunk, unspecified .....	30	210	20	20	–	–	60	–	50	–
Chest, including ribs, internal organs .....	31	2,890	250	110	130	–	790	130	630	30
Chest, except internal location of diseases or disorders .....	310	2,290	250	110	130	–	780	130	620	30
Internal chest location, unspecified .....	311	100	–	–	–	–	–	–	–	–
Heart .....	313	360	–	–	–	–	–	–	–	–
Lung(s), pleura .....	315	110	–	–	–	–	–	–	–	–
Back, including spine, spinal cord .....	32	29,790	660	310	160	30	4,590	650	2,530	1,210
Back, including spine, spinal cord, unspecified .....	320	11,780	110	60	–	–	2,140	390	1,110	580
Thoracic region .....	321	1,530	140	50	90	–	70	20	40	–
Lumbar region .....	322	15,210	360	180	30	20	2,000	200	1,070	600
Sacral region .....	323	130	–	–	–	–	40	–	40	–
Coccygeal region .....	324	220	20	–	20	–	170	–	160	–

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Total</b> .....	57,840	16,820	3,110	9,040	13,260	10,420	420	23,720	10,060	11,340	2,200	1,270
<b>Head</b> .....	80	—	—	1,200	700	410	60	1,910	1,120	690	90	40
Head, unspecified .....	40	—	—	30	210	90	—	210	80	130	—	—
Cranial region, including skull .....	20	—	—	30	410	270	—	370	230	140	—	—
Cranial region, unspecified .....	—	—	—	—	—	—	—	30	—	20	—	—
Brain .....	20	—	—	30	400	270	—	270	170	100	—	—
Scalp .....	—	—	—	—	—	—	—	50	50	—	—	—
Skull .....	—	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	160	—	—	—	30	20	—	—	—
Face .....	20	—	—	970	80	40	50	1,200	740	390	70	40
Face, unspecified .....	—	—	—	150	20	20	40	330	200	120	—	—
Forehead .....	—	—	—	—	—	—	—	80	60	20	—	—
Eye(s) .....	—	—	—	670	40	—	—	270	120	140	—	40
Nose, nasal cavity .....	—	—	—	—	—	—	—	180	120	50	—	—
Nose, except internal location of diseases or disorders .....	—	—	—	—	—	—	—	180	120	50	—	—
Cheek(s) .....	—	—	—	—	—	—	—	20	20	—	—	—
Jaw, chin .....	—	—	—	—	—	—	—	50	40	—	—	—
Mouth .....	—	—	—	—	—	—	—	110	50	20	40	—
Lip(s) .....	—	—	—	—	—	—	—	70	20	—	40	—
Tooth (teeth) .....	—	—	—	—	—	—	—	30	20	20	—	—
Multiple face locations .....	—	—	—	130	—	—	—	110	90	—	—	—
Face, n.e.c. ....	—	—	—	—	—	—	—	50	50	—	—	—
Multiple head locations .....	—	—	—	—	—	—	—	100	50	40	—	—
<b>Neck, including throat</b> .....	1,050	310	30	90	710	690	—	270	120	130	20	—
Neck, except internal location of diseases or disorders ...	1,040	310	30	50	710	690	—	270	120	130	20	—
<b>Trunk</b> .....	24,490	9,930	240	460	2,400	2,050	—	3,390	1,320	2,000	60	310
Trunk, unspecified .....	40	—	—	—	60	60	—	30	—	20	—	—
Chest, including ribs, internal organs .....	1,040	200	—	190	140	130	—	450	100	340	—	40
Chest, except internal location of diseases or disorders .....	640	200	—	20	140	120	—	440	100	330	—	20
Internal chest location, unspecified .....	90	—	—	—	—	—	—	—	—	—	—	—
Heart .....	310	—	—	—	—	—	—	—	—	—	—	20
Lung(s), pleura .....	—	—	—	110	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	19,860	8,010	190	120	2,050	1,790	—	2,290	980	1,290	20	190
Back, including spine, spinal cord, unspecified .....	7,380	2,970	40	—	1,010	940	—	1,090	380	700	—	40
Thoracic region .....	870	290	—	—	200	160	—	70	40	30	—	60
Lumbar region .....	11,000	4,510	140	—	670	530	—	1,080	530	540	—	100
Sacral region .....	90	—	—	—	—	—	—	—	—	—	—	—
Coccygeal region .....	—	—	—	—	—	—	—	30	30	—	—	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Multiple back regions .....	328	860	20	20	—	—	170	30	110	30
Back, including spine, spinal cord, n.e.c. ....	329	60	—	—	—	—	—	—	—	—
Abdomen .....	33	2,440	100	80	—	—	30	—	20	—
Abdomen, except internal location of diseases or disorders .....	330	2,100	100	80	—	—	30	—	20	—
Internal abdominal location, unspecified .....	331	250	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	335	70	—	—	—	—	—	—	—	—
Large intestine, colon, rectum .....	3353	60	—	—	—	—	—	—	—	—
Pelvic region .....	34	2,890	160	60	70	—	1,180	80	910	180
Pelvic region, unspecified .....	340	40	—	—	—	—	—	—	—	—
Hip(s) .....	341	1,070	100	30	60	—	640	70	470	100
Pelvis .....	342	60	—	—	—	—	40	—	40	—
Buttock(s) .....	343	300	20	—	—	—	130	—	130	—
Groin .....	344	1,320	30	20	—	—	260	—	220	30
External reproductive tract structures .....	345	30	—	—	—	—	—	—	—	—
Scrotum .....	3451	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	348	60	—	—	—	—	50	—	—	40
Pelvic region, n.e.c. ....	349	20	—	—	—	—	—	—	—	—
Multiple trunk locations .....	38	860	30	20	—	—	200	40	140	20
Trunk, n.e.c. ....	39	40	—	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	<b>4</b>	<b>45,190</b>	<b>11,230</b>	<b>5,910</b>	<b>3,130</b>	<b>1,590</b>	<b>7,770</b>	<b>1,140</b>	<b>5,920</b>	<b>560</b>
Upper extremities, unspecified .....	40	30	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	41	14,580	930	630	140	90	2,520	290	1,920	280
Arm(s) .....	42	8,020	1,010	390	520	30	1,860	360	1,390	110
Arm(s), unspecified .....	420	2,700	380	110	260	20	790	200	560	30
Upper arm(s) .....	421	930	110	110	—	—	230	20	200	—
Elbow(s) .....	422	2,140	330	80	210	—	520	100	400	—
Forearm(s) .....	423	1,390	130	60	40	—	220	20	200	—
Multiple arm locations .....	428	740	20	—	—	—	90	—	30	60
Multiple arm locations, unspecified .....	4280	100	—	—	—	—	—	—	—	—
Elbow(s) and arm(s) .....	4281	550	—	—	—	—	80	—	20	—
Multiple arm locations, n.e.c. ....	4289	90	—	—	—	—	—	—	—	—
Arm(s), n.e.c. ....	429	130	30	30	—	—	—	—	—	—
Wrist(s) .....	43	6,490	830	260	540	20	1,670	340	1,210	20
Hand(s) .....	44	12,940	8,050	4,320	1,870	1,430	1,110	60	910	140
Hand(s), unspecified .....	440	3,520	1,640	820	370	300	350	40	310	—
Hand(s), except finger(s) .....	441	780	370	230	90	50	60	—	40	—
Finger(s), fingernail(s) .....	442	7,500	5,430	2,830	1,280	1,050	360	—	230	120
Finger(s), fingernail(s), unspecified .....	4420	5,350	4,080	2,030	1,070	720	310	—	180	120
Fingernail(s), nailbed(s) .....	4421	120	100	40	—	60	—	—	—	—
Fingertip(s) .....	4422	420	300	110	—	180	—	—	—	—
Finger(s), fingernail(s), n.e.c. ....	4429	1,610	940	650	190	90	50	—	40	—
Hand(s) and finger(s) .....	448	660	480	420	40	20	70	—	70	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Multiple back regions .....	530	240	—	—	110	100	—	30	—	20	—	—
Back, including spine, spinal cord, n.e.c. ....	—	—	—	—	60	—	—	—	—	—	—	—
Abdomen .....	1,820	780	40	140	20	—	—	250	100	120	20	70
Abdomen, except internal location of diseases or disorders .....	1,570	760	—	70	20	—	—	250	100	120	20	60
Internal abdominal location, unspecified .....	200	—	40	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	40	—	—	30	—	—	—	—	—	—	—	—
Large intestine, colon, rectum .....	30	—	—	30	—	—	—	—	—	—	—	—
Pelvic region .....	1,210	670	—	—	30	—	—	310	100	210	—	—
Pelvic region, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Hip(s) .....	230	50	—	—	20	—	—	70	40	30	—	—
Pelvis .....	—	—	—	—	—	—	—	—	—	—	—	—
Buttock(s) .....	—	—	—	—	—	—	—	150	20	130	—	—
Groin .....	960	600	—	—	—	—	—	70	30	40	—	—
External reproductive tract structures .....	—	—	—	—	—	—	—	20	—	—	—	—
Scrotum .....	—	—	—	—	—	—	—	20	—	—	—	—
Multiple pelvic region locations .....	—	—	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	480	230	—	—	100	60	—	50	30	20	—	—
Trunk, n.e.c. ....	30	30	—	—	—	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	<b>14,750</b>	<b>4,610</b>	<b>2,540</b>	<b>1,330</b>	<b>1,220</b>	<b>760</b>	<b>140</b>	<b>8,620</b>	<b>2,990</b>	<b>4,130</b>	<b>1,430</b>	<b>120</b>
Upper extremities, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	8,150	3,050	430	—	560	370	50	2,340	820	1,410	70	20
Arm(s) .....	2,570	770	580	480	220	110	—	1,810	700	780	330	—
Arm(s), unspecified .....	480	200	60	90	90	80	—	790	240	360	200	—
Upper arm(s) .....	440	160	—	—	—	—	—	120	60	60	—	—
Elbow(s) .....	840	300	50	—	60	20	—	390	150	230	—	—
Forearm(s) .....	170	70	20	320	60	—	—	480	260	100	120	—
Multiple arm locations .....	560	50	440	40	—	—	—	20	—	20	—	—
Multiple arm locations, unspecified .....	60	—	—	—	—	—	—	—	—	—	—	—
Elbow(s) and arm(s) .....	450	50	—	—	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c. ....	50	—	50	—	—	—	—	20	—	20	—	—
Arm(s), n.e.c. ....	80	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) .....	2,110	300	1,060	20	80	30	—	1,750	180	870	700	20
Hand(s) .....	780	120	240	520	140	120	20	2,270	1,060	920	260	50
Hand(s), unspecified .....	260	80	70	350	40	30	—	840	340	320	180	20
Hand(s), except finger(s) .....	90	—	40	80	30	30	—	150	110	30	—	—
Finger(s), fingernail(s) .....	380	20	130	40	60	50	—	1,200	590	550	40	30
Finger(s), fingernail(s), unspecified .....	180	20	50	20	30	30	—	700	260	380	40	30
Fingernail(s), nailbed(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Fingertip(s) .....	40	—	40	—	—	—	—	70	—	70	—	—
Finger(s), fingernail(s), n.e.c. ....	170	—	40	—	—	—	—	420	320	90	—	—
Hand(s) and finger(s) .....	20	—	—	20	—	—	—	50	20	20	—	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Hand(s), n.e.c. ....	449	480	120	20	90	—	270	—	260	—
Multiple upper extremities locations .....	48	3,090	410	310	60	20	590	90	490	—
Multiple upper extremities locations, unspecified .....	480	80	—	—	—	—	50	—	50	—
Hand(s) and arms(s) .....	481	220	60	60	—	—	50	—	40	—
Hand(s) and arm(s), unspecified .....	4810	70	—	—	—	—	20	—	—	—
Hand(s) and elbow(s) .....	4811	40	—	—	—	—	30	—	30	—
Hand(s) and arm(s), n.e.c. ....	4819	110	50	—	—	—	—	—	—	—
Hand(s) and wrist(s) .....	482	580	110	80	30	—	80	—	70	—
Wrist(s) and arm(s) .....	483	270	30	20	—	—	80	20	60	—
Wrist(s) and arm(s), unspecified .....	4830	80	—	—	—	—	30	—	20	—
Wrist(s) and elbow(s) .....	4831	40	—	—	—	—	20	—	20	—
Wrist(s) and arm(s), n.e.c. ....	4839	150	20	20	—	—	20	—	20	—
Shoulder(s) and arm(s) .....	484	980	100	90	—	—	140	30	100	—
Multiple upper extremities locations, n.e.c. ....	489	960	100	60	—	—	190	30	160	—
Upper extremities, n.e.c. ....	49	40	—	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>5</b>	<b>44,000</b>	<b>6,720</b>	<b>3,410</b>	<b>2,680</b>	<b>420</b>	<b>18,670</b>	<b>2,040</b>	<b>9,370</b>	<b>6,190</b>
Leg(s) .....	51	25,390	2,710	870	1,520	210	9,760	1,020	5,480	2,570
Leg(s), unspecified .....	510	1,770	360	120	210	40	470	80	260	130
Thigh(s) .....	511	790	80	70	—	—	180	30	50	100
Knee(s) .....	512	20,360	1,920	460	1,220	150	8,270	780	4,530	2,270
Lower leg(s) .....	513	1,960	270	160	80	20	670	100	520	40
Multiple leg locations .....	518	420	70	50	—	—	160	30	100	30
Multiple leg locations, unspecified .....	5180	20	—	—	—	—	—	—	—	—
Knee(s) and leg(s) .....	5181	320	60	50	—	—	140	20	90	20
Multiple leg locations, n.e.c. ....	5189	70	—	—	—	—	20	—	—	—
Leg(s), n.e.c. ....	519	110	—	—	—	—	20	—	20	—
Ankle(s) .....	52	10,130	930	310	530	90	5,870	680	2,030	2,880
Foot (feet) .....	53	6,070	2,660	1,930	520	100	1,570	180	920	410
Foot (feet), unspecified .....	530	4,130	1,520	1,080	300	50	1,300	130	780	350
Sole(s) .....	531	380	80	30	60	—	80	20	30	20
Sole(s), unspecified .....	5310	40	30	—	30	—	—	—	—	—
Heel(s) .....	5313	310	50	20	30	—	60	20	20	20
Toes(s), toenail(s) .....	532	1,030	750	560	150	40	60	—	30	20
Multiple foot (feet) locations .....	538	320	220	220	—	—	70	—	40	—
Foot (feet), n.e.c. ....	539	210	80	60	20	—	50	20	30	—
Multiple lower extremities locations .....	58	2,400	430	300	100	20	1,470	160	940	340
Multiple lower extremities locations, unspecified .....	580	40	—	—	—	—	30	—	20	—
Foot (feet) and leg(s) .....	581	350	70	—	60	—	210	—	170	20
Foot(feet) and leg(s), unspecified .....	5810	80	—	—	—	—	20	—	—	—
Foot(feet) and knee(s) .....	5811	230	50	—	50	—	170	—	160	—
Foot(feet) and leg(s), n.e.c. ....	5819	40	—	—	—	—	20	—	—	—
Foot (feet) and ankle(s) .....	582	760	300	270	30	—	220	70	70	70
Ankle(s) and leg(s) .....	583	880	40	20	—	—	730	40	460	210

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Hand(s), n.e.c. ....	30	—	—	40	—	—	—	20	—	—	—	—
Multiple upper extremities locations .....	1,140	360	230	300	210	110	—	420	200	150	60	20
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s) .....	50	—	20	20	—	—	—	30	—	—	20	—
Hand(s) and arm(s), unspecified .....	20	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and elbow(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	20	—	—	—	—	—	—	20	—	—	—	—
Hand(s) and wrist(s) .....	260	20	80	—	40	30	—	60	30	30	—	—
Wrist(s) and arm(s) .....	90	—	30	—	50	40	—	30	—	—	—	—
Wrist(s) and arm(s), unspecified .....	40	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) and elbow(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	50	—	30	—	40	—	—	20	—	—	—	—
Shoulder(s) and arm(s) .....	470	250	20	—	100	20	—	150	80	70	—	—
Multiple upper extremities locations, n.e.c. ....	250	70	80	250	—	—	—	140	70	30	40	—
Upper extremities, n.e.c. ....	—	—	—	—	—	—	—	20	20	—	—	—
<b>Lower extremities</b> .....	<b>12,210</b>	<b>430</b>	<b>50</b>	<b>410</b>	<b>1,520</b>	<b>600</b>	<b>20</b>	<b>4,360</b>	<b>1,820</b>	<b>2,200</b>	<b>340</b>	<b>90</b>
Leg(s) .....	8,700	420	40	120	630	390	—	3,420	1,480	1,660	280	40
Leg(s), unspecified .....	390	80	—	70	140	80	—	310	130	80	100	—
Thigh(s) .....	360	30	—	—	40	—	—	130	—	80	50	—
Knee(s) .....	7,150	290	40	—	320	200	—	2,640	1,270	1,330	50	30
Lower leg(s) .....	680	30	—	—	30	20	—	270	50	140	80	—
Multiple leg locations .....	80	—	—	—	50	30	—	60	20	30	—	—
Multiple leg locations, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s) .....	50	—	—	—	30	20	—	50	20	30	—	—
Multiple leg locations, n.e.c. ....	30	—	—	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c. ....	40	—	—	—	—	—	—	—	—	—	—	—
Ankle(s) .....	2,310	—	—	—	490	140	—	530	200	310	20	—
Foot (feet) .....	930	—	—	200	370	50	—	310	100	170	30	30
Foot (feet), unspecified .....	620	—	—	150	320	40	—	180	70	90	20	30
Sole(s) .....	190	—	—	—	20	—	—	—	—	—	—	—
Sole(s), unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Heel(s) .....	180	—	—	—	20	—	—	—	—	—	—	—
Toes(s), toenail(s) .....	40	—	—	—	—	—	—	110	20	70	—	—
Multiple foot (feet) locations .....	—	—	—	—	20	—	—	—	—	—	—	—
Foot (feet), n.e.c. ....	70	—	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations .....	260	—	—	90	30	—	—	110	40	60	—	—
Multiple lower extremities locations, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and leg(s) .....	20	—	—	40	—	—	—	—	—	—	—	—
Foot(feet) and leg(s), unspecified .....	—	—	—	40	—	—	—	—	—	—	—	—
Foot(feet) and knee(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s) .....	120	—	—	40	—	—	—	60	—	50	—	—
Ankle(s) and leg(s) .....	80	—	—	—	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Ankle(s) and leg(s), unspecified .....	5830	150	—	—	—	—	130	—	40	80
Ankle(s) and knee(s) .....	5831	630	—	—	—	—	550	30	400	110
Ankle(s) and leg(s), n.e.c. ....	5839	100	30	—	—	—	40	—	20	—
Multiple lower extremities locations, n.e.c. ....	589	370	20	—	—	—	280	30	220	40
<b>Body systems</b> .....	<b>6</b>	<b>5,810</b>	<b>60</b>	<b>60</b>	<b>—</b>	<b>—</b>	<b>70</b>	<b>—</b>	<b>70</b>	<b>—</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>31,130</b>	<b>1,970</b>	<b>1,570</b>	<b>220</b>	<b>70</b>	<b>12,660</b>	<b>2,220</b>	<b>9,660</b>	<b>670</b>
Multiple body parts, unspecified .....	80	3,070	70	60	—	—	960	90	840	20
Head and neck .....	81	500	110	60	20	—	60	—	50	—
Head, neck, and trunk .....	82	230	—	—	—	—	—	—	—	—
Head and trunk .....	83	400	20	—	—	—	220	30	200	—
Neck and back .....	84	2,890	80	60	—	—	430	30	350	50
Shoulder(s) and back .....	85	830	20	—	—	—	240	80	160	—
Hip(s) and leg(s) .....	86	410	80	30	—	50	220	—	160	60
Upper and lower limb(s) .....	87	2,820	70	60	—	—	2,140	380	1,700	30
Other multiple body parts .....	89	19,970	1,520	1,260	170	20	8,360	1,600	6,200	500
Whole body .....	891	60	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c. ....	899	19,910	1,520	1,260	170	—	8,350	1,600	6,190	500

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Ankle(s) and leg(s), unspecified .....	-	-	-	-	-	-	-	-	-	-	-	-
Ankle(s) and knee(s) .....	60	-	-	-	-	-	-	-	-	-	-	-
Ankle(s) and leg(s), n.e.c. ....	20	-	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c. ....	30	-	-	-	-	-	-	30	30	-	-	-
<b>Body systems</b> .....	400	-	-	4,600	130	50	90	390	190	80	120	80
<b>Multiple body parts</b> .....	4,600	1,520	230	870	6,460	5,760	100	4,430	2,280	2,050	70	30
Multiple body parts, unspecified .....	280	60	60	60	1,350	1,220	-	340	160	160	20	-
Head and neck .....	40	-	-	30	100	90	-	170	60	90	-	-
Head, neck, and trunk .....	-	-	-	-	160	160	-	-	-	-	-	-
Head and trunk .....	-	-	-	-	20	-	-	130	130	-	-	-
Neck and back .....	890	380	-	-	970	940	-	530	360	160	-	-
Shoulder(s) and back .....	360	190	-	-	90	90	-	100	40	70	-	-
Hip(s) and leg(s) .....	80	40	-	-	-	-	-	-	-	-	-	-
Upper and lower limb(s) .....	40	-	-	60	190	110	-	320	100	220	-	-
Other multiple body parts .....	2,880	820	170	720	3,560	3,140	90	2,820	1,420	1,330	40	30
Whole body .....	-	-	-	30	-	-	-	-	-	-	-	-
Multiple body parts, n.e.c. ....	2,880	820	170	690	3,550	3,130	90	2,810	1,420	1,330	40	30

See footnotes at end of table.



TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
<b>Nonclassifiable .....</b>	9999	1,810	20	–	–	–	400	120	230	40

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Nonclassifiable</b> .....	270	–	–	80	110	100	–	350	220	70	60	590

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

<sup>5</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>6</sup> Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.  
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.