

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2012²

Nature	Nature code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		181,060	-	50	1,050	5,030	31,180	45,370	53,720	36,370	5,430	2,870
Traumatic injuries and disorders	1	173,830	-	50	1,040	4,820	30,160	43,320	51,550	35,020	5,300	2,570
Traumatic injuries and disorders, unspecified	10	3,680	-	-	-	40	680	580	1,040	860	250	230
Traumatic injuries to bones, nerves, spinal cord	11	10,050	-	-	40	280	1,060	1,910	2,800	3,200	640	120
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	-	-	-	-	-	20	40	-	-	-
Fractures	111	9,720	-	-	40	270	1,050	1,800	2,650	3,160	620	120
Traumatic injuries to spinal cord	112	40	-	-	-	-	-	20	20	-	-	-
Traumatic injuries to spinal cord, unspecified	1120	20	-	-	-	-	-	-	-	-	-	-
Traumatic injuries to spinal cord, n.e.c.	1129	20	-	-	-	-	-	-	-	-	-	-
Traumatic injuries to nerves, except the spinal cord	113	200	-	-	-	-	-	70	90	20	20	-
Pinched nerve	1131	200	-	-	-	-	-	70	90	20	20	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	80,130	-	30	370	2,100	13,540	21,660	23,970	15,570	1,690	1,200
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	650	-	-	-	-	120	50	60	370	-	-
Dislocations	121	1,580	-	-	20	200	280	530	240	220	60	20
Dislocations, unspecified	1210	140	-	-	-	-	-	50	60	20	-	-
Herniated discs	1211	360	-	-	-	-	90	90	80	90	-	-
Dislocation of joints	1212	1,020	-	-	20	200	170	380	90	110	50	-
Dislocations, n.e.c.	1219	50	-	-	-	-	-	-	-	-	-	-
Cartilage fractures and tears	122	860	-	-	-	-	60	200	240	330	-	20
Cartilage fractures and tears, unspecified	1220	20	-	-	-	-	-	-	-	-	-	-
Meniscus tears	1221	760	-	-	-	-	50	190	230	260	-	20
Cartilage fractures and tears, n.e.c.	1229	90	-	-	-	-	-	-	-	70	-	-
Sprains, strains, tears	123	75,740	-	30	340	1,830	13,000	20,550	23,000	14,260	1,600	1,130
Sprains, strains, tears, unspecified	1230	5,450	-	-	70	200	950	1,440	1,640	1,050	60	60
Major tears to muscles, tendons, ligaments	1231	3,020	-	-	-	-	340	880	1,140	560	70	20
Sprains	1232	19,890	-	30	60	610	3,800	5,310	5,210	4,140	470	260
Strains	1233	45,210	-	-	210	1,010	7,610	12,340	14,120	8,150	980	770
Multiple sprains, strains, tears	1238	2,170	-	-	-	-	300	590	880	360	20	20
Hernias due to traumatic incidents	124	1,040	-	-	-	30	60	230	340	330	20	20
Whiplash	125	120	-	-	-	-	-	60	20	30	-	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	120	-	-	-	-	-	20	70	20	-	-
Open wounds	13	11,130	-	20	130	490	2,050	2,780	3,450	1,710	320	190
Open wounds, unspecified	130	130	-	-	-	-	40	30	-	60	-	-
Amputations, avulsions, enucleations	131	270	-	-	20	-	40	80	40	70	20	-
Amputations	1311	150	-	-	-	-	-	60	-	40	-	-
Avulsions, enucleations	1312	110	-	-	-	-	30	-	30	30	-	-
Cuts, lacerations	132	7,590	-	20	110	300	1,350	1,890	2,090	1,370	280	180
Puncture wounds, except gunshot wounds	133	2,910	-	-	-	170	600	720	1,190	200	-	-
Gunshot wounds	134	230	-	-	-	-	20	60	130	-	-	-
Surface wounds and bruises	14	19,100	-	-	50	530	3,770	5,060	4,640	3,890	900	260
Surface wounds and bruises, unspecified	140	190	-	-	-	-	60	30	-	80	-	-
Abrasions, scratches	141	1,490	-	-	-	100	210	560	280	160	50	130
Blisters	142	100	-	-	-	-	-	-	-	-	-	-
Bruises, contusions	143	16,420	-	-	40	420	3,240	4,340	4,120	3,310	830	120
Multiple surface wounds and bruises	148	650	-	-	-	-	100	40	190	290	20	-

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Surface wounds and bruises, n.e.c.	149	250	—	—	—	—	70	100	30	50	—	—
Burns and corrosions	15	2,760	—	—	—	270	270	770	650	680	90	—
Burns and corrosions, unspecified	150	90	—	—	—	—	—	—	—	—	—	—
Chemical burns and corrosions	151	240	—	—	—	—	40	20	80	80	—	—
Chemical burns and corrosions, unspecified	1510	220	—	—	—	—	40	20	70	80	—	—
Heat (thermal) burns	152	2,300	—	—	—	200	210	650	550	580	90	—
Heat (thermal) burns, unspecified	1520	1,670	—	—	—	70	180	480	420	440	60	—
First degree heat (thermal) burns	1521	180	—	—	—	—	—	40	—	90	20	—
Second degree heat (thermal) burns	1522	310	—	—	—	130	—	50	90	40	—	—
Third or fourth degree heat (thermal) burns	1523	20	—	—	—	—	—	—	—	—	—	—
Heat (thermal) burns, n.e.c.	1529	130	—	—	—	—	—	80	40	—	—	—
Electrical burns	153	110	—	—	—	—	20	80	—	—	—	—
Electrical burns, unspecified	1530	100	—	—	—	—	—	80	—	—	—	—
Other burns	159	20	—	—	—	—	—	—	—	—	—	—
Intracranial injuries	16	1,720	—	—	80	70	310	470	540	190	50	—
Intracranial injuries, unspecified	160	170	—	—	—	40	20	30	40	40	—	—
Concussions	162	1,520	—	—	80	30	290	440	490	150	50	—
Effects of environmental conditions	17	690	—	—	—	—	170	200	120	180	—	—
Effects of heat and light	172	680	—	—	—	—	170	190	110	180	—	—
Effects of heat and light, unspecified	1720	30	—	—	—	—	—	—	—	—	—	—
Heat stroke	1721	40	—	—	—	—	—	—	20	—	—	—
Heat syncope	1722	20	—	—	—	—	—	—	—	—	—	—
Heat fatigue	1723	50	—	—	—	—	—	—	—	40	—	—
Heat exhaustion, prostration	1725	320	—	—	—	—	100	150	20	20	—	—
Effects of heat and light, n.e.c.	1729	210	—	—	—	—	40	20	60	90	—	—
Multiple traumatic injuries and disorders	18	7,260	—	—	40	170	1,320	1,360	2,450	1,550	340	40
Multiple traumatic injuries and disorders, unspecified	180	650	—	—	—	—	60	170	290	60	50	—
Cuts and abrasions or bruises	181	1,560	—	—	—	—	490	260	370	330	100	—
Sprains and other injuries	182	3,440	—	—	—	80	370	670	1,310	840	120	30
Sprains and other injuries, unspecified	1820	240	—	—	—	—	—	—	170	50	—	—
Sprains and bruises	1821	2,480	—	—	—	70	300	470	840	690	110	—
Sprains and cuts	1822	220	—	—	—	—	30	80	50	30	—	—
Sprains and other injuries, n.e.c.	1829	500	—	—	—	—	20	110	240	70	—	—
Fractures and other injuries	183	840	—	—	—	—	30	80	140	350	200	30
Fractures and other injuries, unspecified	1830	90	—	—	—	—	—	—	20	20	—	—
Fractures (except skull fractures) and concussions	1831	70	—	—	—	—	—	40	—	20	—	—
Fractures and dislocations	1834	30	—	—	—	—	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	640	—	—	—	30	60	60	300	150	30	—
Burns and other injuries, except fractures	184	90	—	—	—	—	60	20	—	—	—	—
Burns and other injuries, n.e.c.	1849	40	—	—	—	—	—	20	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	680	—	—	—	30	260	100	140	120	40	—
Other traumatic injuries and disorders	19	37,310	—	—	320	860	6,980	8,530	11,900	7,200	1,020	500
Other traumatic injuries and disorders, unspecified	190	50	—	—	—	—	—	—	40	—	—	—
Asphyxiations, strangulations, suffocations	191	30	—	—	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	780	—	—	—	—	80	—	650	—	20	—
Dermatitis and reactions affecting the skin—acute	195	470	—	—	—	20	110	150	130	20	—	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	90	—	—	—	—	30	—	40	—	—	—
Allergic dermatitis—acute	1951	320	—	—	—	20	80	140	50	—	—	—
Irritant dermatitis—acute	1952	50	—	—	—	—	—	—	40	—	—	—

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Other poisoning, toxic, noxious, or allergenic effects	196	1,840	—	—	70	50	460	310	560	360	—	20
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	620	—	—	60	20	110	90	180	140	—	—
Poisoning, including poisoning-related asphyxia	1961	190	—	—	—	—	30	20	30	100	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	590	—	—	—	—	170	70	260	70	—	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	80	—	—	—	—	30	20	—	20	—	—
Other or unspecified allergic reactions	1966	130	—	—	—	—	70	20	—	20	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	30	—	—	—	—	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	80	—	—	—	—	—	30	40	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	100	—	—	—	—	40	60	—	—	—	—
Nonspecified injuries and disorders	197	34,110	—	—	240	790	6,320	8,030	10,490	6,790	980	470
Crushing injuries	1971	1,090	—	—	—	—	210	200	470	170	—	—
Soreness, pain, hurt—nonspecified injury	1972	29,250	—	—	230	580	5,360	6,910	8,870	6,100	890	300
Swelling, inflammation, irritation—nonspecified injury	1973	2,710	—	—	—	150	570	480	950	400	70	80
Numbness—nonspecified injury	1974	150	—	—	—	—	—	30	30	20	—	60
Multiple nonspecified injuries and disorders	1978	730	—	—	—	20	130	350	120	70	—	—
Nonspecified injuries and disorders, n.e.c.	1979	180	—	—	—	—	30	50	50	30	—	—
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	2	2,920	—	—	—	110	240	940	950	600	40	40
Nervous system and sense organs diseases	22	1,030	—	—	—	50	50	280	350	250	—	30
Disorders of the peripheral nervous system	224	750	—	—	—	—	20	230	260	200	—	30
Carpal tunnel syndrome	2241	720	—	—	—	—	20	230	240	190	—	30
Disorders of the peripheral nervous system, n.e.c.	2249	20	—	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	160	—	—	—	—	50	30	—	40	40	—
Disorders of the eye, adnexa, vision, unspecified	2250	20	—	—	—	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	120	—	—	—	50	—	—	20	30	—	—
Disorders of the ear, mastoid process, hearing	226	100	—	—	—	—	—	—	40	50	—	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	20	—	—	—	—
Deafness, hearing loss and impairment	2261	80	—	—	—	—	—	20	—	—	—	—
Circulatory system diseases	23	330	—	—	—	—	—	170	120	20	—	—
Ischemic heart disease, including heart attack	233	270	—	—	—	—	—	140	90	20	—	—
Ischemic heart disease, unspecified	2330	20	—	—	—	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	240	—	—	—	—	—	140	90	20	—	—
Diseases of the veins, lymphatics	238	30	—	—	—	—	—	—	—	—	—	—
Hemorrhoids	2382	30	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	24	270	—	—	—	—	—	160	110	—	—	—
Acute respiratory infections (including common cold)	241	60	—	—	—	—	—	50	—	—	—	—
Pneumonia, influenza	243	140	—	—	—	—	—	50	80	—	—	—
Pneumonia, influenza, unspecified	2430	40	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Pneumonia	2431	20	—	—	—	—	—	—	—	—	—	—
Influenza—common	2432	40	—	—	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	60	—	—	—	—	—	50	—	—	—	—
Asthma, except intrinsic	2443	60	—	—	—	—	—	50	—	—	—	—
Digestive system diseases and disorders	25	220	—	—	—	—	70	80	30	50	—	—
Hernia—nontraumatic	253	220	—	—	—	—	70	80	30	50	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	860	—	—	—	60	80	190	260	260	—	—
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	20	—	—	—	—	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	271	40	—	—	—	—	—	—	—	40	—	—
Dorsopathies	272	40	—	—	—	—	—	—	—	—	—	—
Sciatica	2721	30	—	—	—	—	—	—	—	—	—	—
Soft tissue disorders, except the back	273	760	—	—	—	60	70	170	230	210	—	—
Soft tissue disorder, except the back, unspecified	2730	20	—	—	—	—	—	—	—	—	—	—
Bursitis	2731	100	—	—	—	—	—	—	30	20	—	—
Stenosing tenosynovitis	2732	110	—	—	—	—	—	—	20	70	—	—
Other tenosynovitis, synovitis	2733	20	—	—	—	—	—	—	—	—	—	—
Epicondylitis	2734	100	—	—	—	—	—	30	60	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	250	—	—	—	—	40	40	90	70	—	—
Ganglion or cystic tumor	2736	40	—	—	—	—	30	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	120	—	—	—	—	—	80	20	30	—	—
Disorders of the skin and subcutaneous tissue	28	180	—	—	—	—	20	60	80	20	—	—
Infections of the skin and subcutaneous tissue	281	160	—	—	—	—	—	60	70	—	—	—
Infections of the skin and subcutaneous tissue, unspecified	2810	60	—	—	—	—	—	—	50	—	—	—
Cellulitis and abscess	2811	40	—	—	—	—	—	20	—	—	—	—
Methicillin-resistant <i>staphylococcus aureus</i> (MRSA) infection	2813	40	—	—	—	—	—	40	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	20	—	—	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	20	—	—	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	29	20	—	—	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	230	—	—	—	50	50	70	40	—	—	—
Bacterial diseases	31	120	—	—	—	40	—	40	30	—	—	—
Other bacterial diseases	319	80	—	—	—	—	—	—	30	—	—	—
Diphtheria, whooping cough	3192	30	—	—	—	—	—	—	20	—	—	—
Viral diseases	32	50	—	—	—	—	30	—	—	—	—	—
Other infectious and parasitic diseases	39	40	—	—	—	—	—	—	—	—	—	—
Scabies and other acariases	392	30	—	—	—	—	—	—	—	—	—	—
Neoplasms, tumors, and cancers	4	60	—	—	—	—	—	40	20	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	60	—	—	—	—	—	40	20	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified	410	20	—	—	—	—	—	—	20	—	—	—

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Symptoms, signs, and ill-defined conditions	5	1,250	—	—	—	40	280	330	400	170	—	—
Symptoms, signs, and ill-defined conditions, unspecified	50	50	—	—	—	—	—	—	—	—	—	—
Symptoms	51	1,180	—	—	—	40	280	290	400	150	—	—
Symptoms, unspecified	510	50	—	—	—	—	—	—	—	—	—	—
General symptoms	511	500	—	—	—	40	120	90	150	90	—	—
Loss of consciousness—not heat related	5111	280	—	—	—	30	20	70	80	80	—	—
Dizziness—general	5114	80	—	—	—	—	30	—	30	—	—	—
Multiple general symptoms	5118	120	—	—	—	—	70	—	30	—	—	—
Symptoms involving head and neck	514	110	—	—	—	—	—	70	—	30	—	—
Headache, except migraine	5141	90	—	—	—	—	—	60	—	30	—	—
Symptoms involving cardiovascular system	515	100	—	—	—	—	20	20	70	—	—	—
Symptoms involving cardiovascular system, unspecified	5150	40	—	—	—	—	—	—	30	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	30	—	—	—	—	—	—	30	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	30	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	290	—	—	—	—	70	100	90	20	—	—
Symptoms involving respiratory system and chest, unspecified	5160	50	—	—	—	—	—	30	—	—	—	—
Chest pain	5164	170	—	—	—	—	60	50	60	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	60	—	—	—	—	—	30	—	—	—	—
Symptoms involving digestive and urinary system	517	80	—	—	—	—	—	—	60	—	—	—
Multiple symptoms	518	40	—	—	—	—	30	—	—	—	—	—
Other diseases, conditions, and disorders	6	1,800	—	—	—	—	340	360	550	470	70	—
Mental disorders and syndromes	62	1,800	—	—	—	—	340	360	550	470	70	—
Mental disorders and syndromes, unspecified	620	150	—	—	—	—	—	60	—	50	—	—
Anxiety, stress	621	1,620	—	—	—	—	310	290	550	410	40	—
Anxiety, stress, unspecified	6210	790	—	—	—	—	130	170	330	110	40	—
Post-traumatic stress disorder	6211	490	—	—	—	—	170	60	150	100	—	—
Anxiety, stress, n.e.c.	6219	330	—	—	—	—	—	60	60	200	—	—
Depression or depressive episode	622	30	—	—	—	—	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	200	—	—	—	—	40	150	—	—	—	—
Multiple diseases, conditions, and disorders	8	140	—	—	—	—	—	40	20	70	—	—
Nonclassifiable	9999	630	—	—	—	—	70	120	180	—	—	230

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.