

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2012²

Part of body	Part of body code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		181,060	106,120	74,760	180	5,050	10,030	40,840	122,470	2,670
Head	1	11,330	6,380	4,960	—	440	740	2,550	7,430	170
Head, unspecified	10	1,990	900	1,100	—	80	130	500	1,210	80
Cranial region, including skull	11	2,760	1,120	1,630	—	110	160	710	1,770	—
Cranial region, unspecified	110	410	30	380	—	—	—	20	380	—
Brain	111	1,810	710	1,100	—	90	100	600	1,010	—
Scalp	112	380	280	100	—	—	40	70	260	—
Skull	113	100	60	30	—	—	—	—	80	—
Cranial region, n.e.c.	119	50	40	—	—	—	—	—	50	—
Ear(s)	12	190	160	30	—	—	20	20	160	—
Face	13	6,040	4,070	1,970	—	260	400	1,250	4,050	80
Face, unspecified	130	1,230	860	370	—	—	50	260	910	—
Forehead	131	390	220	170	—	20	80	60	230	—
Eye(s)	132	2,700	1,890	810	—	150	200	650	1,640	60
Nose, nasal cavity	133	320	130	190	—	20	—	120	180	—
Nose, except internal location of diseases or disorders	1330	320	130	190	—	20	—	120	170	—
Cheek(s)	134	60	30	20	—	—	—	—	40	—
Jaw, chin	135	90	60	40	—	—	—	—	50	—
Mouth	136	460	380	80	—	—	—	30	410	—
Lip(s)	1361	320	300	—	—	—	—	—	310	—
Tooth (teeth)	1363	110	60	50	—	—	—	20	80	—
Multiple face locations	138	690	450	240	—	20	20	110	540	—
Face, n.e.c.	139	100	40	60	—	20	—	—	50	—
Multiple head locations	18	340	130	210	—	—	30	60	240	—
Neck, including throat	2	2,660	1,520	1,150	—	60	140	540	1,920	—
Neck, except internal location of diseases or disorders ...	20	2,620	1,510	1,100	—	60	140	540	1,870	—
Trunk	3	39,120	25,020	13,960	130	1,330	2,160	8,910	26,070	640
Trunk, unspecified	30	210	110	100	—	—	20	40	160	—
Chest, including ribs, internal organs	31	2,890	2,130	770	—	420	130	440	1,870	40
Chest, except internal location of diseases or disorders	310	2,290	1,570	720	—	410	120	340	1,390	30
Internal chest location, unspecified	311	100	80	20	—	—	—	—	90	—
Heart	313	360	350	—	—	—	—	80	250	—
Lung(s), pleura	315	110	90	—	—	—	—	—	100	—
Back, including spine, spinal cord	32	29,790	18,500	11,160	130	770	1,650	7,400	19,380	580
Back, including spine, spinal cord, unspecified	320	11,780	7,010	4,630	130	270	800	2,910	7,470	320
Thoracic region	321	1,530	1,030	500	—	30	50	390	1,050	—
Lumbar region	322	15,210	9,940	5,270	—	470	730	3,840	9,920	250
Sacral region	323	130	40	90	—	—	—	40	80	—
Coccygeal region	324	220	30	190	—	—	—	50	160	—
Multiple back regions	328	860	450	400	—	—	50	170	630	—
Back, including spine, spinal cord, n.e.c.	329	60	—	60	—	—	—	—	60	—
Abdomen	33	2,440	1,850	580	—	40	240	380	1,750	20
Abdomen, except internal location of diseases or disorders	330	2,100	1,510	580	—	40	240	350	1,450	20

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Internal abdominal location, unspecified	331	250	250	—	—	—	—	—	250	—
Intestines, peritoneum	335	70	70	—	—	—	—	—	40	—
Large intestine, colon, rectum	3353	60	60	—	—	—	—	—	30	—
Pelvic region	34	2,890	1,910	980	—	80	50	480	2,280	—
Pelvic region, unspecified	340	40	—	—	—	—	—	—	40	—
Hip(s)	341	1,070	490	580	—	50	20	290	710	—
Pelvis	342	60	—	40	—	—	—	—	50	—
Buttock(s)	343	300	60	240	—	—	—	20	270	—
Groin	344	1,320	1,270	50	—	20	20	150	1,120	—
External reproductive tract structures	345	30	30	—	—	—	—	—	—	—
Scrotum	3451	20	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	60	—	50	—	—	—	—	50	—
Pelvic region, n.e.c.	349	20	—	—	—	—	—	—	20	—
Multiple trunk locations	38	860	500	360	—	—	70	180	600	—
Trunk, n.e.c.	39	40	30	—	—	—	—	—	30	—
Upper extremities	4	45,190	27,350	17,830	—	1,010	2,400	10,050	31,030	700
Upper extremities, unspecified	40	30	—	20	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	14,580	9,500	5,080	—	190	780	3,170	10,280	160
Arm(s)	42	8,020	4,940	3,090	—	160	440	2,210	4,970	240
Arm(s), unspecified	420	2,700	1,400	1,300	—	30	170	800	1,560	140
Upper arm(s)	421	930	660	270	—	—	40	140	740	—
Elbow(s)	422	2,140	1,430	710	—	90	120	520	1,400	—
Forearm(s)	423	1,390	670	720	—	40	50	270	990	30
Multiple arm locations	428	740	650	90	—	—	60	460	220	—
Multiple arm locations, unspecified	4280	100	90	—	—	—	40	—	—	—
Elbow(s) and arm(s)	4281	550	520	20	—	—	—	450	90	—
Multiple arm locations, n.e.c.	4289	90	30	60	—	—	—	—	70	—
Arm(s), n.e.c.	429	130	120	—	—	—	—	20	60	—
Wrist(s)	43	6,490	3,350	3,140	—	110	270	1,000	4,960	150
Hand(s)	44	12,940	8,110	4,820	—	430	820	2,940	8,610	140
Hand(s), unspecified	440	3,520	2,100	1,410	—	70	240	920	2,240	50
Hand(s), except finger(s)	441	780	640	140	—	50	60	180	490	—
Finger(s), fingernail(s)	442	7,500	4,670	2,830	—	300	510	1,740	4,880	60
Finger(s), fingernail(s), unspecified	4420	5,350	3,280	2,080	—	200	390	1,110	3,620	40
Fingernail(s), nailbed(s)	4421	120	60	50	—	40	—	30	40	—
Fingertip(s)	4422	420	260	160	—	20	50	60	290	—
Finger(s), fingernail(s), n.e.c.	4429	1,610	1,060	550	—	40	80	550	920	20
Hand(s) and finger(s)	448	660	260	390	—	—	—	60	580	—
Hand(s), n.e.c.	449	480	440	40	—	—	—	50	420	—
Multiple upper extremities locations	48	3,090	1,410	1,680	—	120	80	720	2,160	20
Multiple upper extremities locations, unspecified	480	80	20	60	—	—	—	—	80	—
Hand(s) and arms(s)	481	220	120	100	—	—	—	20	190	—
Hand(s) and arm(s), unspecified	4810	70	20	50	—	—	—	—	60	—
Hand(s) and elbow(s)	4811	40	—	30	—	—	—	—	30	—
Hand(s) and arm(s), n.e.c.	4819	110	90	20	—	—	—	—	90	—
Hand(s) and wrist(s)	482	580	260	310	—	—	30	170	360	—
Wrist(s) and arm(s)	483	270	150	120	—	20	—	60	190	—
Wrist(s) and arm(s), unspecified	4830	80	50	40	—	—	—	20	60	—

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Wrist(s) and elbow(s)	4831	40	20	20	—	—	—	20	20	—
Wrist(s) and arm(s), n.e.c.	4839	150	90	60	—	—	—	30	110	—
Shoulder(s) and arm(s)	484	980	540	440	—	70	20	300	590	—
Multiple upper extremities locations, n.e.c.	489	960	320	650	—	20	—	150	760	20
Upper extremities, n.e.c.	49	40	30	—	—	—	—	—	40	—
Lower extremities	5	44,000	25,840	18,160	—	1,560	2,780	10,980	28,360	320
Leg(s)	51	25,390	16,150	9,240	—	830	1,460	6,050	16,850	210
Leg(s), unspecified	510	1,770	1,140	630	—	30	100	460	1,180	—
Thigh(s)	511	790	590	200	—	70	20	260	430	—
Knee(s)	512	20,360	12,610	7,750	—	630	1,250	4,560	13,730	190
Lower leg(s)	513	1,960	1,490	470	—	100	80	690	1,080	—
Multiple leg locations	518	420	280	140	—	—	—	30	370	—
Multiple leg locations, unspecified	5180	20	—	—	—	—	—	—	20	—
Knee(s) and leg(s)	5181	320	200	120	—	—	—	30	280	—
Multiple leg locations, n.e.c.	5189	70	50	20	—	—	—	—	60	—
Leg(s), n.e.c.	519	110	50	60	—	—	—	50	60	—
Ankle(s)	52	10,130	5,660	4,480	—	350	820	3,050	5,840	70
Foot (feet)	53	6,070	3,030	3,040	—	350	420	1,270	4,000	30
Foot (feet), unspecified	530	4,130	2,090	2,040	—	180	330	890	2,700	20
Sole(s)	531	380	300	80	—	—	20	130	220	—
Sole(s), unspecified	5310	40	30	—	—	—	—	—	30	—
Heel(s)	5313	310	250	50	—	—	20	130	160	—
Toes(s), toenail(s)	532	1,030	430	600	—	40	20	190	790	—
Multiple foot (feet) locations	538	320	110	210	—	—	—	20	170	—
Foot (feet), n.e.c.	539	210	100	110	—	—	50	30	120	—
Multiple lower extremities locations	58	2,400	1,000	1,400	—	30	80	610	1,660	—
Multiple lower extremities locations, unspecified	580	40	—	30	—	—	—	—	30	—
Foot (feet) and leg(s)	581	350	80	260	—	—	—	40	290	—
Foot(feet) and leg(s), unspecified	5810	80	—	70	—	—	—	—	70	—
Foot(feet) and knee(s)	5811	230	60	170	—	—	—	20	200	—
Foot(feet) and leg(s), n.e.c.	5819	40	—	30	—	—	—	—	20	—
Foot (feet) and ankle(s)	582	760	380	380	—	—	50	330	370	—
Ankle(s) and leg(s)	583	880	280	600	—	—	20	190	670	—
Ankle(s) and leg(s), unspecified	5830	150	50	90	—	—	—	30	110	—
Ankle(s) and knee(s)	5831	630	170	460	—	—	—	120	500	—
Ankle(s) and leg(s), n.e.c.	5839	100	60	40	—	—	—	40	50	—
Multiple lower extremities locations, n.e.c.	589	370	250	120	—	—	—	40	310	—
Body systems	6	5,810	3,090	2,720	—	140	240	1,170	4,210	40
Multiple body parts	8	31,130	15,920	15,190	—	470	1,490	6,400	22,560	210
Multiple body parts, unspecified	80	3,070	1,590	1,470	—	30	120	660	2,210	50
Head and neck	81	500	340	160	—	20	—	140	340	—
Head, neck, and trunk	82	230	200	30	—	—	—	40	180	—
Head and trunk	83	400	240	160	—	20	100	30	250	—
Neck and back	84	2,890	1,780	1,110	—	50	160	520	2,150	20
Shoulder(s) and back	85	830	380	440	—	—	40	140	650	—
Hip(s) and leg(s)	86	410	140	270	—	—	70	100	230	—

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Upper and lower limb(s)	87	2,820	970	1,850	—	90	210	780	1,740	—
Other multiple body parts	89	19,970	10,270	9,690	—	240	770	4,010	14,820	130
Whole body	891	60	30	30	—	—	—	—	40	—
Multiple body parts, n.e.c.	899	19,910	10,230	9,660	—	240	770	4,000	14,780	130

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Nonclassifiable	9999	1,810	1,010	790	–	30	90	230	880	580

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.