

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2011²

Part of body	Part of body code ³	State government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		73,790	29,850	3,470	2,580	1,930	660	6,750	340	110
Head	1	4,980	—	160	410	380	30	1,720	50	70
Head, unspecified	10	1,220	—	—	120	120	—	390	—	—
Cranial region, including skull	11	640	—	20	70	60	—	30	—	—
Cranial region, unspecified	110	40	—	—	—	—	—	—	—	—
Brain	111	460	—	—	—	—	—	—	—	—
Scalp	112	120	—	—	70	60	—	30	—	—
Skull	113	30	—	20	—	—	—	—	—	—
Ear(s)	12	70	—	—	—	—	—	—	—	—
Face	13	2,900	—	140	190	170	30	1,260	20	70
Face, unspecified	130	480	—	—	30	30	—	260	—	—
Forehead	131	680	—	—	40	40	—	630	—	—
Eye(s)	132	1,030	—	—	40	30	—	140	—	70
Nose, nasal cavity	133	130	—	80	—	—	—	30	—	—
Nose, except internal location of diseases or disorders	1330	130	—	80	—	—	—	30	—	—
Cheek(s)	134	60	—	—	20	—	20	—	—	—
Jaw, chin	135	40	—	—	—	—	—	—	—	—
Mouth	136	130	—	30	50	50	—	30	—	—
Lip(s)	1361	70	—	—	—	—	—	—	—	—
Tooth (teeth)	1363	30	—	30	—	—	—	—	—	—
Multiple mouth locations	1368	30	—	—	—	—	—	—	—	—
Multiple face locations	138	280	—	—	—	—	—	140	—	—
Face, n.e.c.	139	70	—	—	—	—	—	20	—	—
Multiple head locations	18	130	—	—	—	—	—	20	—	—
Head, n.e.c.	19	30	—	—	—	—	—	—	—	—
Neck, including throat	2	1,940	990	—	—	—	—	—	—	—
Neck, except internal location of diseases or disorders	20	1,940	990	—	—	—	—	—	—	—
Trunk	3	14,960	9,720	460	20	—	—	620	20	—
Trunk, unspecified	30	60	—	—	—	—	—	—	—	—
Chest, including ribs, internal organs	31	1,350	170	340	—	—	—	220	—	—
Chest, except internal location of diseases or disorders	310	1,250	170	340	—	—	—	220	—	—
Internal chest location, unspecified	311	20	—	—	—	—	—	—	—	—
Heart	313	30	—	—	—	—	—	—	—	—
Lung(s), pleura	315	40	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	11,860	8,970	50	—	—	—	300	—	—
Back, including spine, spinal cord, unspecified	320	5,020	3,800	20	—	—	—	120	—	—
Thoracic region	321	280	210	—	—	—	—	—	—	—
Lumbar region	322	6,200	4,740	—	—	—	—	110	—	—
Sacral region	323	50	30	—	—	—	—	—	—	—
Coccygeal region	324	70	—	—	—	—	—	40	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2011² — Continued

Part of body	Nature of injury or illness ⁵							
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	All other natures ⁶
				Total	With fractures and other injuries	With sprains and other injuries		
Total	40	570	140	3,870	720	1,620	11,710	14,360
Head	—	—	—	170	50	—	410	1,970
Head, unspecified	—	—	—	20	—	—	180	470
Cranial region, including skull	—	—	—	20	—	—	30	470
Cranial region, unspecified	—	—	—	—	—	—	30	—
Brain	—	—	—	—	—	—	—	460
Scalp	—	—	—	20	—	—	—	—
Skull	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	20
Face	—	—	—	120	50	—	170	920
Face, unspecified	—	—	—	30	—	—	30	120
Forehead	—	—	—	—	—	—	—	20
Eye(s)	—	—	—	50	—	—	90	640
Nose, nasal cavity	—	—	—	—	—	—	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	—	—
Cheek(s)	—	—	—	—	—	—	—	30
Jaw, chin	—	—	—	—	—	—	—	—
Mouth	—	—	—	30	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	—
Tooth (teeth)	—	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	30	—	—	—	—
Multiple face locations	—	—	—	—	—	—	40	70
Face, n.e.c.	—	—	—	—	—	—	—	40
Multiple head locations	—	—	—	—	—	—	—	80
Head, n.e.c.	—	—	—	—	—	—	—	—
Neck, including throat	—	—	—	20	—	20	100	820
Neck, except internal location of diseases or disorders	—	—	—	20	—	20	100	820
Trunk	—	—	—	140	100	30	2,300	1,670
Trunk, unspecified	—	—	—	—	—	—	30	—
Chest, including ribs, internal organs	—	—	—	100	—	—	260	250
Chest, except internal location of diseases or disorders	—	—	—	100	—	—	260	150
Internal chest location, unspecified	—	—	—	—	—	—	—	20
Heart	—	—	—	—	—	—	—	30
Lung(s), pleura	—	—	—	—	—	—	—	40
Back, including spine, spinal cord	—	—	—	20	—	20	1,670	840
Back, including spine, spinal cord, unspecified	—	—	—	—	—	—	690	380
Thoracic region	—	—	—	—	—	—	30	—
Lumbar region	—	—	—	—	—	—	910	410
Sacral region	—	—	—	—	—	—	—	—
Coccygeal region	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Sprains, strains, tears	Fractures	Nature of injury or illness ⁵					
					Total	Cuts, lacerations	Punctures	Bruises, contusions	Heat burns	Chemical burns
Multiple back regions	328	220	160	—	—	—	—	—	—	—
Back, including spine, spinal cord, n.e.c.	329	20	20	—	—	—	—	—	—	—
Abdomen	33	500	100	—	—	—	—	—	—	—
Abdomen, except internal location of diseases or disorders	330	460	100	—	—	—	—	—	—	—
Pelvic region	34	720	260	60	—	—	—	50	—	—
Pelvic region, unspecified	340	20	—	—	—	—	—	—	—	—
Hip(s)	341	280	100	50	—	—	—	40	—	—
Buttock(s)	343	210	30	—	—	—	—	—	—	—
Groin	344	200	120	—	—	—	—	—	—	—
Multiple trunk locations	38	460	220	—	—	—	—	40	—	—
Upper extremities	4	19,170	7,110	1,320	1,690	1,210	480	1,640	170	20
Upper extremities, unspecified	40	100	40	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,860	3,120	90	—	—	—	220	—	—
Arm(s)	42	3,530	1,590	190	190	150	40	400	70	—
Arm(s), unspecified	420	920	350	110	30	30	—	90	50	—
Upper arm(s)	421	310	160	20	—	—	—	—	—	—
Elbow(s)	422	1,560	920	40	100	100	—	220	—	—
Forearm(s)	423	480	130	20	50	20	30	70	20	—
Multiple arm locations	428	200	20	—	—	—	—	—	—	—
Multiple arm locations, unspecified	4280	60	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	40	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	100	—	—	—	—	—	—	—	—
Arm(s), n.e.c.	429	60	—	—	—	—	—	—	—	—
Wrist(s)	43	2,150	810	290	60	20	40	50	—	—
Hand(s)	44	5,440	770	650	1,380	980	400	880	60	20
Hand(s), unspecified	440	1,760	210	280	410	210	200	400	50	—
Hand(s), except finger(s)	441	340	40	20	110	30	80	40	—	—
Finger(s), fingernail(s)	442	3,000	440	300	820	710	110	350	—	—
Finger(s), fingernail(s), unspecified	4420	2,240	300	250	600	530	70	250	—	—
Fingernail(s), nailbed(s)	4421	60	—	—	—	—	—	—	—	—
Fingertip(s)	4422	60	—	—	20	20	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	630	120	50	200	160	40	100	—	—
Hand(s) and finger(s)	448	270	70	—	30	30	—	60	—	—
Hand(s), n.e.c.	449	70	—	30	—	—	—	20	—	—
Multiple upper extremities locations	48	3,070	770	100	50	50	—	90	30	—
Multiple upper extremities locations, unspecified	480	20	20	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	230	110	—	—	—	—	20	30	—
Hand(s) and arm(s), unspecified	4810	50	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	180	110	—	—	—	—	—	30	—
Hand(s) and wrists(s)	482	360	120	50	—	—	—	40	—	—
Wrist(s) and arm(s)	483	750	30	50	—	—	—	—	—	—
Wrist(s) and arm(s), unspecified	4830	50	—	20	—	—	—	—	—	—
Wrist(s) and elbow(s)	4831	650	—	30	—	—	—	—	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2011² — Continued

Part of body	Nature of injury or illness ⁵							Soreness, pain	All other natures ⁶		
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders							
				Total	With fractures and other injuries	With sprains and other injuries					
Multiple back regions	—	—	—	—	—	—	—	30	30		
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—		
Abdomen	—	—	—	—	—	—	—	100	280		
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	—	—	100	240		
Pelvic region	—	—	—	—	—	—	—	140	200		
Pelvic region, unspecified	—	—	—	—	—	—	—	—	—		
Hip(s)	—	—	—	—	—	—	—	50	20		
Buttock(s)	—	—	—	—	—	—	—	20	160		
Groin	—	—	—	—	—	—	—	70	—		
Multiple trunk locations	—	—	—	—	—	—	—	100	90		
Upper extremities	30	570	140	630	300	190	3,490	2,380			
Upper extremities, unspecified	—	—	—	40	—	—	—	—	20		
Shoulder(s), including clavicle(s), scapula(e)	—	—	60	—	—	—	920	430			
Arm(s)	—	—	20	60	—	40	390	610			
Arm(s), unspecified	—	—	—	20	—	—	140	120			
Upper arm(s)	—	—	—	—	—	—	30	80			
Elbow(s)	—	—	—	—	—	—	120	150			
Forearm(s)	—	—	—	—	—	—	70	80			
Multiple arm locations	—	—	—	—	—	—	30	140			
Multiple arm locations, unspecified	—	—	—	—	—	—	—	50			
Elbow(s) and arm(s)	—	—	—	—	—	—	20	—			
Multiple arm locations, n.e.c.	—	—	—	—	—	—	—	80			
Arm(s), n.e.c.	—	—	—	—	—	—	—	40			
Wrist(s)	—	570	20	20	—	20	190	140			
Hand(s)	30	—	—	370	260	60	390	890			
Hand(s), unspecified	—	—	—	50	—	30	110	230			
Hand(s), except finger(s)	—	—	—	20	—	—	40	50			
Finger(s), fingernail(s)	30	—	—	280	250	20	170	590			
Finger(s), fingernail(s), unspecified	—	—	—	270	250	—	130	430			
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	30			
Fingertip(s)	20	—	—	—	—	—	—	—			
Finger(s), fingernail(s), n.e.c.	—	—	—	20	—	—	40	120			
Hand(s) and finger(s)	—	—	—	20	—	—	—	60	—		
Hand(s), n.e.c.	—	—	—	—	—	—	—	—	—		
Multiple upper extremities locations	—	—	20	120	30	60	1,590	290			
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	—		
Hand(s) and arms(s)	—	—	—	—	—	—	—	30	40		
Hand(s) and arm(s), unspecified	—	—	—	—	—	—	—	20	20		
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—	—	20	—		
Hand(s) and wrist(s)	—	—	—	—	—	—	—	40	110		
Wrist(s) and arm(s)	—	—	—	—	—	—	—	630	—		
Wrist(s) and arm(s), unspecified	—	—	—	—	—	—	—	—	—		
Wrist(s) and elbow(s)	—	—	—	—	—	—	—	—	—		

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Wrist(s) and arm(s), n.e.c.	4839	50	20	—	—	—	—	—	—	—
Shoulder(s) and arm(s)	484	650	350	—	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	489	1,040	140	—	50	50	—	30	—	—
Lower extremities	5	15,920	8,450	1,410	230	100	130	1,490	50	—
Lower extremities, unspecified	50	50	20	—	20	—	—	—	—	—
Leg(s)	51	9,960	5,390	370	170	80	90	990	20	—
Leg(s), unspecified	510	750	270	100	90	40	60	50	—	—
Thigh(s)	511	260	100	30	20	—	—	20	—	—
Knee(s)	512	8,060	4,670	110	40	30	—	820	—	—
Lower leg(s)	513	650	260	130	20	—	—	30	—	—
Multiple leg locations	518	230	90	—	—	—	—	70	—	—
Multiple leg locations, unspecified	5180	40	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	150	70	—	—	—	—	50	—	—
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—	—	—
Ankle(s)	52	3,080	2,210	360	—	—	—	70	—	—
Foot (feet)	53	2,120	580	640	30	—	20	380	30	—
Foot (feet), unspecified	530	1,480	520	350	20	—	20	240	—	—
Sole(s)	531	90	20	—	—	—	—	20	—	—
Arch(es), instep(s)	5312	20	—	—	—	—	—	—	—	—
Heel(s)	5313	60	20	—	—	—	—	—	—	—
Toes(s), toenail(s)	532	430	—	250	—	—	—	100	—	—
Multiple foot (feet) locations	538	20	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	90	20	30	—	—	—	20	—	—
Multiple lower extremities locations	58	700	230	50	—	—	—	50	—	—
Foot (feet) and leg(s)	581	100	—	—	—	—	—	30	—	—
Foot(feet) and knee(s)	5811	30	—	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	60	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	170	80	20	—	—	—	—	—	—
Ankle(s) and leg(s)	583	300	120	20	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	230	80	—	—	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	70	30	20	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	130	20	—	—	—	—	—	—	—
Body systems	6	2,950	—	—	—	—	—	—	—	—
Multiple body parts	8	13,200	3,520	110	230	230	—	1,240	50	—
Multiple body parts, unspecified	80	590	140	—	—	—	—	60	—	—
Head and neck	81	340	50	—	—	—	—	70	—	—
Head, neck, and trunk	82	190	—	—	—	—	—	—	—	—
Head and trunk	83	80	—	—	—	—	—	20	—	—
Neck and back	84	700	350	—	—	—	—	—	—	—
Shoulder(s) and back	85	390	170	—	—	—	—	—	—	—
Hip(s) and leg(s)	86	150	40	—	—	—	—	40	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2011² — Continued

Part of body	Nature of injury or illness ⁵							Soreness, pain	All other natures ⁶		
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders							
				Total	With fractures and other injuries	With sprains and other injuries					
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	—	—	—	—		
Shoulder(s) and arm(s)	—	—	—	20	—	20	180	90			
Multiple upper extremities locations, n.e.c.	—	—	—	80	20	40	710	40			
Lower extremities	—	—	—	380	40	230	2,120	1,770			
Lower extremities, unspecified	—	—	—	—	—	—	—	—			
Leg(s)	—	—	—	170	—	90	1,430	1,420			
Leg(s), unspecified	—	—	—	—	—	—	130	100			
Thigh(s)	—	—	—	—	—	—	50	30			
Knee(s)	—	—	—	140	—	80	1,140	1,140			
Lower leg(s)	—	—	—	—	—	—	80	120			
Multiple leg locations	—	—	—	—	—	—	30	30			
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—			
Knee(s) and leg(s)	—	—	—	—	—	—	—	—			
Multiple leg locations, n.e.c.	—	—	—	—	—	—	—	—			
Leg(s), n.e.c.	—	—	—	—	—	—	—	—			
Ankle(s)	—	—	—	50	20	20	300	80			
Foot (feet)	—	—	—	50	—	20	230	160			
Foot (feet), unspecified	—	—	—	30	—	—	200	110			
Sole(s)	—	—	—	—	—	—	—	—			
Arch(es), instep(s)	—	—	—	—	—	—	—	—			
Heel(s)	—	—	—	—	—	—	—	—			
Toes(s), toenail(s)	—	—	—	—	—	—	—	40			
Multiple foot (feet) locations	—	—	—	—	—	—	—	—			
Foot (feet), n.e.c.	—	—	—	—	—	—	—	—			
Multiple lower extremities locations	—	—	—	110	—	90	150	110			
Foot (feet) and leg(s)	—	—	—	—	—	—	40	20			
Foot(feet) and knee(s)	—	—	—	—	—	—	—	—			
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—	30	—			
Foot (feet) and ankle(s)	—	—	—	—	—	—	30	20			
Ankle(s) and leg(s)	—	—	—	70	—	70	20	60			
Ankle(s) and knee(s)	—	—	—	70	—	70	—	60			
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	—	—			
Multiple lower extremities locations, n.e.c.	—	—	—	20	—	—	60	—			
Body systems	—	—	—	—	—	—	—	2,950			
Multiple body parts	—	—	—	2,530	230	1,140	3,260	2,250			
Multiple body parts, unspecified	—	—	—	190	30	60	90	100			
Head and neck	—	—	—	60	—	30	90	70			
Head, neck, and trunk	—	—	—	40	—	—	90	40			
Head and trunk	—	—	—	20	—	—	30	—			
Neck and back	—	—	—	40	—	—	160	140			
Shoulder(s) and back	—	—	—	30	—	20	70	120			
Hip(s) and leg(s)	—	—	—	20	—	—	20	—			

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Upper and lower limb(s)	87	1,510	700	—	—	—	—	120	—	—
Other multiple body parts	89	9,250	2,050	50	220	210	—	920	50	—
Whole body	891	60	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	899	9,190	2,050	50	220	210	—	910	50	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2011² — Continued

Part of body	Nature of injury or illness ⁵							
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Sore-ness, pain	All other natures ⁶
				Total	With fractures and other injuries	With sprains and other injuries		
Upper and lower limb(s)	—	—	—	290	30	140	80	300
Other multiple body parts	—	—	—	1,830	150	850	2,630	1,490
Whole body	—	—	—	—	—	—	—	30
Multiple body parts, n.e.c.	—	—	—	1,820	150	850	2,620	1,460

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
			Total	Cuts, lacerations	Punctures					
Nonclassifiable	9999	670	60	—	—	—	—	40	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2011² — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Sore-ness, pain	
	Total	With fractures and other injuries	With sprains and other injuries	Total	With fractures and other injuries	With sprains and other injuries		All other natures ⁶
Nonclassifiable	-	-	-	-	-	-	30	540

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Soreness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.