

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2011²

| Nature | Nature code ³ | State government ⁴ | Race or ethnic origin ⁵ | | | | | | | | |
|--|--------------------------|-------------------------------|------------------------------------|------------|-------------------------|------------|--|--|-----------------------------------|------------|--------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multi-race | Not reported |
| Total | | 73,790 | 25,600 | 10,040 | 2,620 | 460 | 230 | 190 | — | — | 34,640 |
| Traumatic injuries and disorders | 1 | 70,330 | 24,770 | 9,600 | 2,400 | 450 | 230 | 180 | — | — | 32,700 |
| Traumatic injuries and disorders, unspecified | 10 | 3,500 | 1,000 | 390 | 100 | 30 | 70 | — | — | — | 1,900 |
| Traumatic injuries to bones, nerves, spinal cord | 11 | 3,580 | 1,270 | 330 | 120 | 20 | 20 | — | — | — | 1,790 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | 110 | 40 | — | 20 | — | — | — | — | — | — | — |
| Fractures | 111 | 3,470 | 1,250 | 280 | 120 | 20 | 20 | — | — | — | 1,770 |
| Traumatic injuries to nerves, except the spinal cord | 113 | 50 | — | 30 | — | — | — | — | — | — | — |
| Pinched nerve | 1131 | 40 | — | 30 | — | — | — | — | — | — | — |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 12 | 31,200 | 11,700 | 4,350 | 1,110 | 170 | 50 | 80 | — | — | 13,750 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 120 | 250 | 60 | 40 | — | — | — | — | — | — | 150 |
| Dislocations | 121 | 520 | 270 | 40 | 20 | — | — | — | — | — | 190 |
| Dislocations, unspecified | 1210 | 80 | — | — | 20 | — | — | — | — | — | 50 |
| Herniated discs | 1211 | 250 | 180 | 40 | — | — | — | — | — | — | 40 |
| Dislocation of joints | 1212 | 180 | 80 | — | — | — | — | — | — | — | 90 |
| Cartilage fractures and tears | 122 | 220 | 100 | 40 | — | — | — | — | — | — | 70 |
| Meniscus tears | 1221 | 200 | 90 | 40 | — | — | — | — | — | — | 70 |
| Sprains, strains, tears | 123 | 29,850 | 11,180 | 4,210 | 1,040 | 170 | 50 | 80 | — | — | 13,120 |
| Sprains, strains, tears, unspecified | 1230 | 2,390 | 950 | 100 | 40 | 20 | — | — | — | — | 1,290 |
| Major tears to muscles, tendons, ligaments | 1231 | 890 | 580 | 100 | — | — | — | — | — | — | 180 |
| Sprains | 1232 | 8,150 | 2,520 | 1,410 | 280 | 30 | 30 | 40 | — | — | 3,830 |
| Strains | 1233 | 17,480 | 6,970 | 2,440 | 690 | 90 | 20 | 40 | — | — | 7,240 |
| Multiple sprains, strains, tears | 1238 | 940 | 160 | 160 | 30 | — | — | — | — | — | 580 |
| Hernias due to traumatic incidents | 124 | 230 | 60 | — | — | — | — | — | — | — | 150 |
| Whiplash | 125 | 70 | — | — | — | — | — | — | — | — | 50 |
| Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc. | 128 | 20 | — | — | — | — | — | — | — | — | 20 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | 129 | 40 | — | — | — | — | — | — | — | — | — |
| Open wounds | 13 | 2,720 | 760 | 430 | 130 | 40 | — | — | — | — | 1,350 |
| Open wounds, unspecified | 130 | 60 | — | — | — | — | — | — | — | — | 50 |
| Amputations, avulsions, enucleations | 131 | 60 | — | — | — | — | — | — | — | — | 40 |
| Amputations | 1311 | 40 | — | — | — | — | — | — | — | — | 30 |
| Avulsions, enucleations | 1312 | 20 | — | — | — | — | — | — | — | — | — |
| Cuts, lacerations | 132 | 1,930 | 620 | 240 | 120 | 40 | — | — | — | — | 910 |
| Puncture wounds, except gunshot wounds | 133 | 660 | 140 | 190 | — | — | — | — | — | — | 320 |
| Surface wounds and bruises | 14 | 7,640 | 2,260 | 1,650 | 340 | 50 | — | — | — | — | 3,330 |
| Surface wounds and bruises, unspecified | 140 | 40 | — | — | — | — | — | — | — | — | 40 |
| Abrasions, scratches | 141 | 700 | 230 | 40 | — | — | — | — | — | — | 410 |
| Bruises, contusions | 143 | 6,750 | 1,950 | 1,610 | 320 | 50 | — | — | — | — | 2,800 |
| Multiple surface wounds and bruises | 148 | 80 | 40 | — | — | — | — | — | — | — | 40 |
| Surface wounds and bruises, n.e.c. | 149 | 60 | 20 | — | — | — | — | — | — | — | 40 |
| Burns and corrosions | 15 | 580 | 170 | 100 | — | — | — | — | — | — | 290 |

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2011² — Continued

| Nature | Nature code ³ | State government ⁴ | Race or ethnic origin ⁵ | | | | | | | | |
|---|--------------------------|-------------------------------|------------------------------------|------------|-------------------------|------------|--|--|-----------------------------------|------------|--------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multi-race | Not reported |
| Burns and corrosions, unspecified | 150 | 20 | — | — | — | — | — | — | — | — | 20 |
| Chemical burns and corrosions | 151 | 110 | 60 | — | — | — | — | — | — | — | 30 |
| Chemical burns and corrosions, unspecified | 1510 | 100 | 50 | — | — | — | — | — | — | — | 30 |
| Heat (thermal) burns | 152 | 340 | 80 | 90 | — | — | — | — | — | — | 160 |
| Heat (thermal) burns, unspecified | 1520 | 300 | 60 | 90 | — | — | — | — | — | — | 140 |
| Second degree heat (thermal) burns | 1522 | 20 | 20 | — | — | — | — | — | — | — | — |
| Electrical burns | 153 | 100 | 20 | — | — | — | — | — | — | — | 70 |
| Electrical burns, unspecified | 1530 | 90 | 20 | — | — | — | — | — | — | — | 70 |
| Intracranial injuries | 16 | 440 | 140 | 20 | 40 | — | — | — | — | — | 230 |
| Intracranial injuries, unspecified | 160 | 50 | 30 | — | — | — | — | — | — | — | 20 |
| Concussions | 162 | 390 | 110 | 20 | 40 | — | — | — | — | — | 210 |
| Effects of environmental conditions | 17 | 220 | 80 | — | — | — | — | — | — | — | 130 |
| Effects of heat and light | 172 | 180 | 80 | — | — | — | — | — | — | — | 90 |
| Heat stroke | 1721 | 40 | — | — | — | — | — | — | — | — | 40 |
| Heat exhaustion, prostration | 1725 | 100 | 80 | — | — | — | — | — | — | — | 20 |
| Effects of heat and light, n.e.c. | 1729 | 20 | — | — | — | — | — | — | — | — | 20 |
| Multiple traumatic injuries and disorders | 18 | 3,870 | 940 | 650 | 110 | 50 | — | 20 | — | — | 2,100 |
| Multiple traumatic injuries and disorders, unspecified | 180 | 470 | 120 | 40 | — | — | — | — | — | — | 290 |
| Cuts and abrasions or bruises | 181 | 600 | 130 | 120 | — | — | — | — | — | — | 320 |
| Sprains and other injuries | 182 | 1,620 | 360 | 330 | 80 | 50 | — | — | — | — | 800 |
| Sprains and other injuries, unspecified | 1820 | 20 | — | — | — | — | — | — | — | — | 20 |
| Sprains and bruises | 1821 | 1,250 | 290 | 280 | 70 | 50 | — | — | — | — | 560 |
| Sprains and cuts | 1822 | 180 | 20 | 20 | — | — | — | — | — | — | 140 |
| Sprains and other injuries, n.e.c. | 1829 | 160 | 50 | 30 | — | — | — | — | — | — | 80 |
| Fractures and other injuries | 183 | 720 | 140 | 110 | — | — | — | — | — | — | 450 |
| Fractures and other injuries, unspecified | 1830 | 20 | — | — | — | — | — | — | — | — | — |
| Fractures and dislocations | 1834 | 40 | 30 | — | — | — | — | — | — | — | — |
| Fractures and other injuries, n.e.c. | 1839 | 650 | 100 | 110 | — | — | — | — | — | — | 430 |
| Multiple traumatic injuries and disorders, n.e.c. | 189 | 460 | 180 | 50 | — | — | — | — | — | — | 220 |
| Other traumatic injuries and disorders | 19 | 16,590 | 6,450 | 1,680 | 450 | 80 | 80 | 30 | — | — | 7,820 |
| Other traumatic injuries and disorders, unspecified | 190 | 30 | — | — | — | — | — | — | — | — | — |
| Electrocutions, electric shocks | 193 | 50 | 20 | — | — | — | — | — | — | — | 30 |
| Internal injuries to organs and blood vessels of the trunk | 194 | 20 | — | — | — | — | — | — | — | — | — |
| Dermatitis and reactions affecting the skin—acute | 195 | 220 | 60 | — | — | — | — | — | — | — | 150 |
| Dermatitis and reactions affecting the skin—acute, unspecified | 1950 | 90 | — | — | — | — | — | — | — | — | 80 |
| Allergic dermatitis—acute | 1951 | 110 | 50 | — | — | — | — | — | — | — | 60 |
| Other poisoning, toxic, noxious, or allergenic effects | 196 | 1,560 | 810 | 70 | — | — | — | — | — | — | 650 |
| Poisoning, toxic, noxious, or allergenic effect, unspecified | 1960 | 380 | 60 | — | — | — | — | — | — | — | 310 |
| Poisoning, including poisoning-related asphyxia | 1961 | 20 | — | — | — | — | — | — | — | — | — |
| Other respiratory system symptoms—toxic, noxious, or allergenic effect | 1963 | 260 | 80 | 40 | — | — | — | — | — | — | 140 |
| Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect | 1965 | 70 | — | — | — | — | — | — | — | — | 50 |

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2011² — Continued

| Nature | Nature code ³ | State government ⁴ | Race or ethnic origin ⁵ | | | | | | | | |
|---|--------------------------|-------------------------------|------------------------------------|------------|-------------------------|------------|--|--|-----------------------------------|------------|--------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multi-race | Not reported |
| Other or unspecified allergic reactions | 1966 | 680 | 640 | — | — | — | — | — | — | — | 40 |
| Nausea, vomiting— toxic, noxious, or allergenic effect | 1967 | 70 | — | — | — | — | — | — | — | — | 60 |
| Other poisoning, toxic, noxious, or allergenic effects, n.e.c. | 1969 | 30 | — | — | — | — | — | — | — | — | 30 |
| Nonspecified injuries and disorders | 197 | 14,690 | 5,550 | 1,590 | 430 | 70 | 50 | 30 | — | — | 6,970 |
| Crushing injuries | 1971 | 270 | 50 | — | — | — | — | — | — | — | 200 |
| Soreness, pain, hurt—nonspecified injury | 1972 | 11,710 | 4,330 | 1,320 | 310 | 70 | 40 | 30 | — | — | 5,620 |
| Swelling, inflammation, irritation—nonspecified injury | 1973 | 1,570 | 950 | 170 | 30 | — | — | — | — | — | 420 |
| Numbness—nonspecified injury | 1974 | 110 | — | — | — | — | — | — | — | — | 110 |
| Multiple nonspecified injuries and disorders | 1978 | 420 | 130 | 80 | — | — | — | — | — | — | 200 |
| Nonspecified injuries and disorders, n.e.c. | 1979 | 620 | 80 | 20 | 90 | — | — | — | — | — | 430 |
| Other traumatic injuries and disorders, n.e.c. | 199 | 20 | — | — | — | — | — | — | — | — | 20 |
| Traumatic injuries and disorders, n.e.c. | 1999 | 20 | — | — | — | — | — | — | — | — | 20 |
| Diseases and disorders of body systems | 2 | 1,440 | 370 | 100 | 80 | — | — | — | — | — | 880 |
| Nervous system and sense organs diseases | 22 | 680 | 190 | 40 | 60 | — | — | — | — | — | 390 |
| Disorders of the peripheral nervous system | 224 | 630 | 180 | 30 | 60 | — | — | — | — | — | 360 |
| Disorders of the peripheral nervous system, unspecified | 2240 | 40 | — | — | — | — | — | — | — | — | 40 |
| Carpal tunnel syndrome | 2241 | 570 | 180 | 30 | 50 | — | — | — | — | — | 310 |
| Disorders of the eye, adnexa, vision | 225 | 40 | — | — | — | — | — | — | — | — | 20 |
| Disorders of the eye, adnexa, vision, unspecified | 2250 | 20 | — | — | — | — | — | — | — | — | — |
| Circulatory system diseases | 23 | 40 | — | — | — | — | — | — | — | — | 20 |
| Ischemic heart disease, including heart attack | 233 | 20 | — | — | — | — | — | — | — | — | — |
| Myocardial infarction (heart attack) | 2331 | 20 | — | — | — | — | — | — | — | — | — |
| Respiratory system diseases | 24 | 40 | — | — | — | — | — | — | — | — | 30 |
| Pneumonia, influenza | 243 | 20 | — | — | — | — | — | — | — | — | — |
| Digestive system diseases and disorders | 25 | 20 | — | — | — | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders | 27 | 400 | 110 | — | — | — | — | — | — | — | 260 |
| Dorsopathies | 272 | 30 | 20 | — | — | — | — | — | — | — | — |
| Soft tissue disorders, except the back | 273 | 340 | 90 | — | — | — | — | — | — | — | 230 |
| Stenosing tenosynovitis | 2732 | 50 | 20 | — | — | — | — | — | — | — | 40 |
| Other tenosynovitis, synovitis | 2733 | 20 | — | — | — | — | — | — | — | — | 20 |
| Epicondylitis | 2734 | 60 | 20 | — | — | — | — | — | — | — | 20 |
| Other or unspecified tendonitis (tendinitis) | 2735 | 140 | 30 | — | — | — | — | — | — | — | 110 |
| Soft tissue disorder, except the back, n.e.c. | 2739 | 40 | — | — | — | — | — | — | — | — | 30 |
| Disorders of the skin and subcutaneous tissue | 28 | 190 | 50 | 40 | — | — | — | — | — | — | 100 |
| Infections of the skin and subcutaneous tissue | 281 | 150 | 40 | 40 | — | — | — | — | — | — | 70 |
| Cellulitis and abscess | 2811 | 70 | 40 | — | — | — | — | — | — | — | 20 |
| Methicillin-resistant staphylococcus aureus (MRSA) infection | 2813 | 80 | — | 30 | — | — | — | — | — | — | 40 |
| Other diseases and disorders of the skin and subcutaneous tissue | 289 | 40 | — | — | — | — | — | — | — | — | 30 |

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2011² — Continued

| Nature | Nature code ³ | State government ⁴ | Race or ethnic origin ⁵ | | | | | | | | |
|---|--------------------------|-------------------------------|------------------------------------|------------|-------------------------|------------|--|--|-----------------------------------|------------|--------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multi-race | Not reported |
| Other diseases and disorders of the skin and subcutaneous tissue, unspecified | 2890 | 40 | — | — | — | — | — | — | — | — | 30 |
| Other systemic diseases and disorders | 29 | 70 | — | — | — | — | — | — | — | — | 70 |
| Other systemic diseases and disorders, unspecified | 290 | 70 | — | — | — | — | — | — | — | — | 70 |
| Infectious and parasitic diseases | 3 | 170 | 50 | — | — | — | — | — | — | — | 100 |
| Viral diseases | 32 | 90 | 50 | — | — | — | — | — | — | — | — |
| Viral diseases, unspecified | 320 | 40 | — | — | — | — | — | — | — | — | — |
| Viral diseases of the conjunctiva | 326 | 50 | 40 | — | — | — | — | — | — | — | — |
| Viral conjunctivitis (ophthalmia) | 3261 | 50 | 40 | — | — | — | — | — | — | — | — |
| Other infectious and parasitic diseases | 39 | 60 | — | — | — | — | — | — | — | — | 60 |
| Scabies and other acariases | 392 | 50 | — | — | — | — | — | — | — | — | 50 |
| Symptoms, signs, and ill-defined conditions | 5 | 610 | 130 | 180 | 70 | — | — | — | — | — | 220 |
| Symptoms, signs, and ill-defined conditions, unspecified | 50 | 30 | — | — | — | — | — | — | — | — | — |
| Symptoms | 51 | 490 | 110 | 160 | 20 | — | — | — | — | — | 200 |
| General symptoms | 511 | 200 | 70 | 30 | — | — | — | — | — | — | 90 |
| Loss of consciousness—not heat related | 5111 | 50 | 20 | — | — | — | — | — | — | — | 20 |
| Dizziness—general | 5114 | 50 | 30 | — | — | — | — | — | — | — | 20 |
| Multiple general symptoms | 5118 | 40 | — | — | — | — | — | — | — | — | — |
| Symptoms involving head and neck | 514 | 90 | — | 80 | — | — | — | — | — | — | — |
| Headache, except migraine | 5141 | 90 | — | 80 | — | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest | 516 | 90 | 20 | 20 | — | — | — | — | — | — | 50 |
| Symptoms involving respiratory system and chest, unspecified | 5160 | 50 | 20 | — | — | — | — | — | — | — | 20 |
| Chest pain | 5164 | 20 | — | — | — | — | — | — | — | — | — |
| Abnormal findings | 52 | 80 | — | — | — | 50 | — | — | — | — | 20 |
| Abnormal findings from histological and immunological studies | 526 | 70 | — | — | — | 50 | — | — | — | — | — |
| Positive reaction to tuberculin skin test, without a diagnosis of TB | 5261 | 70 | — | — | — | 50 | — | — | — | — | — |
| Other abnormal findings | 529 | 20 | — | — | — | — | — | — | — | — | 20 |
| Other diseases, conditions, and disorders | 6 | 860 | 190 | 90 | 30 | — | — | — | — | — | 530 |
| Mental disorders and syndromes | 62 | 860 | 190 | 90 | 30 | — | — | — | — | — | 530 |
| Mental disorders and syndromes, unspecified | 620 | 80 | — | — | — | — | — | — | — | — | 40 |
| Anxiety, stress | 621 | 780 | 190 | 50 | 30 | — | — | — | — | — | 490 |
| Anxiety, stress, unspecified | 6210 | 610 | 160 | 40 | 20 | — | — | — | — | — | 370 |
| Post-traumatic stress disorder | 6211 | 130 | 20 | — | — | — | — | — | — | — | 100 |
| Anxiety or panic disorder | 6213 | 20 | — | — | — | — | — | — | — | — | — |
| Anxiety, stress, n.e.c. | 6219 | 20 | — | — | — | — | — | — | — | — | 20 |
| Exposures to disease—no illness incurred | 7 | 60 | 40 | — | — | — | — | — | — | — | 20 |
| Multiple diseases, conditions, and disorders | 8 | 50 | — | — | — | — | — | — | — | — | — |

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2011² — Continued

| Nature | Nature code ³ | State government ⁴ | Race or ethnic origin ⁵ | | | | | | | | |
|-----------------------|--------------------------|-------------------------------|------------------------------------|------------|-------------------------|------------|--|--|-----------------------------------|------------|--------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multi-race | Not reported |
| Nonclassifiable | 9999 | 270 | 40 | 20 | 30 | — | — | — | — | — | 190 |

1. Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

2. Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

3. Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

4. Excludes farms with fewer than 11 employees.

5. Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.