

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2011²

Part of body	Part of body code ³	State government ⁴	Race or ethnic origin ⁵								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Total		73,790	25,600	10,040	2,620	460	230	190	-	-	34,640
Head	1	4,980	1,750	830	130	-	60	20	-	-	2,170
Head, unspecified	10	1,220	190	240	30	-	-	-	-	-	730
Cranial region, including skull	11	640	170	50	60	-	-	-	-	-	350
Cranial region, unspecified	110	40	-	-	-	-	-	-	-	-	30
Brain	111	460	140	20	40	-	-	-	-	-	240
Scalp	112	120	20	20	20	-	-	-	-	-	70
Skull	113	30	-	-	-	-	-	-	-	-	20
Ear(s)	12	70	20	-	-	-	-	-	-	-	40
Face	13	2,900	1,300	500	50	-	40	-	-	-	1,000
Face, unspecified	130	480	100	140	-	-	-	-	-	-	240
Forehead	131	680	630	30	-	-	-	-	-	-	20
Eye(s)	132	1,030	350	190	20	-	30	-	-	-	430
Nose, nasal cavity	133	130	50	-	-	-	-	-	-	-	80
Nose, except internal location of diseases or disorders	1330	130	50	-	-	-	-	-	-	-	80
Cheek(s)	134	60	-	-	-	-	-	-	-	-	30
Jaw, chin	135	40	20	-	-	-	-	-	-	-	-
Mouth	136	130	70	30	-	-	-	-	-	-	20
Lip(s)	1361	70	-	-	-	-	-	-	-	-	-
Tooth (teeth)	1363	30	30	-	-	-	-	-	-	-	-
Multiple mouth locations	1368	30	-	-	-	-	-	-	-	-	20
Multiple face locations	138	280	30	110	-	-	-	-	-	-	140
Face, n.e.c.	139	70	30	-	-	-	-	-	-	-	-
Multiple head locations	18	130	80	20	-	-	-	-	-	-	30
Head, n.e.c.	19	30	-	-	-	-	-	-	-	-	-
Neck, including throat	2	1,940	900	120	100	50	-	-	-	-	760
Neck, except internal location of diseases or disorders ...	20	1,940	900	120	100	50	-	-	-	-	760
Trunk	3	14,960	5,340	1,850	380	90	40	30	-	-	7,240
Trunk, unspecified	30	60	20	20	-	-	-	-	-	-	20
Chest, including ribs, internal organs	31	1,350	360	170	-	-	-	-	-	-	780
Chest, except internal location of diseases or disorders	310	1,250	320	170	-	-	-	-	-	-	710
Internal chest location, unspecified	311	20	20	-	-	-	-	-	-	-	-
Heart	313	30	-	-	-	-	-	-	-	-	-
Lung(s), pleura	315	40	-	-	-	-	-	-	-	-	30
Back, including spine, spinal cord	32	11,860	4,500	1,350	300	60	20	20	-	-	5,620
Back, including spine, spinal cord, unspecified	320	5,020	1,710	620	130	20	-	-	-	-	2,520
Thoracic region	321	280	60	20	-	-	-	-	-	-	180
Lumbar region	322	6,200	2,600	670	150	40	-	-	-	-	2,720
Sacral region	323	50	-	-	-	-	-	-	-	-	30
Coccygeal region	324	70	20	-	-	-	-	-	-	-	50
Multiple back regions	328	220	90	-	-	-	-	-	-	-	120

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Back, including spine, spinal cord, n.e.c.	329	20	20	—	—	—	—	—	—	—	—	—
Abdomen	33	500	120	20	—	—	—	—	—	—	—	360
Abdomen, except internal location of diseases or disorders	330	460	110	20	—	—	—	—	—	—	—	330
Pelvic region	34	720	230	190	20	—	—	—	—	—	—	270
Pelvic region, unspecified	340	20	—	—	—	—	—	—	—	—	—	—
Hip(s)	341	280	130	30	—	—	—	—	—	—	—	110
Buttock(s)	343	210	—	150	—	—	—	—	—	—	—	60
Groin	344	200	80	—	—	—	—	—	—	—	—	90
Multiple trunk locations	38	460	110	100	30	—	—	—	—	—	—	200
Upper extremities	4	19,170	6,910	2,470	730	120	50	20	—	—	—	8,880
Upper extremities, unspecified	40	100	20	—	—	—	—	—	—	—	—	80
Shoulder(s), including clavicle(s), scapula(e)	41	4,860	1,870	590	230	30	30	—	—	—	—	2,110
Arm(s)	42	3,530	1,510	350	210	40	—	—	—	—	—	1,410
Arm(s), unspecified	420	920	250	100	50	—	—	—	—	—	—	510
Upper arm(s)	421	310	70	70	20	—	—	—	—	—	—	150
Elbow(s)	422	1,560	920	90	130	20	—	—	—	—	—	400
Forearm(s)	423	480	200	90	—	—	—	—	—	—	—	170
Multiple arm locations	428	200	60	—	—	—	—	—	—	—	—	130
Multiple arm locations, unspecified	4280	60	—	—	—	—	—	—	—	—	—	60
Elbow(s) and arm(s)	4281	40	—	—	—	—	—	—	—	—	—	20
Multiple arm locations, n.e.c.	4289	100	50	—	—	—	—	—	—	—	—	50
Arm(s), n.e.c.	429	60	—	—	—	—	—	—	—	—	—	50
Wrist(s)	43	2,150	650	280	90	—	—	—	—	—	—	1,110
Hand(s)	44	5,440	1,100	860	180	30	—	—	—	—	—	3,260
Hand(s), unspecified	440	1,760	420	300	50	—	—	—	—	—	—	990
Hand(s), except finger(s)	441	340	70	70	—	—	—	—	—	—	—	200
Finger(s), fingernail(s)	442	3,000	530	420	120	30	—	—	—	—	—	1,890
Finger(s), fingernail(s), unspecified	4420	2,240	360	220	90	30	—	—	—	—	—	1,540
Fingernail(s), nailbed(s)	4421	60	—	—	—	—	—	—	—	—	—	30
Fingertip(s)	4422	60	20	—	—	—	—	—	—	—	—	40
Finger(s), fingernail(s), n.e.c.	4429	630	150	190	—	—	—	—	—	—	—	280
Hand(s) and finger(s)	448	270	50	50	—	—	—	—	—	—	—	170
Hand(s), n.e.c.	449	70	30	20	—	—	—	—	—	—	—	20
Multiple upper extremities locations	48	3,070	1,750	390	20	—	—	—	—	—	—	890
Multiple upper extremities locations, unspecified	480	20	—	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	230	40	140	—	—	—	—	—	—	—	50
Hand(s) and arm(s), unspecified	4810	50	20	20	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	180	20	120	—	—	—	—	—	—	—	30
Hand(s) and wrist(s)	482	360	110	60	—	—	—	—	—	—	—	200
Wrist(s) and arm(s)	483	750	680	20	—	—	—	—	—	—	—	40
Wrist(s) and arm(s), unspecified	4830	50	30	—	—	—	—	—	—	—	—	20
Wrist(s) and elbow(s)	4831	650	640	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	50	—	—	—	—	—	—	—	—	—	20
Shoulder(s) and arm(s)	484	650	250	70	—	—	—	—	—	—	—	320

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Multiple upper extremities locations, n.e.c.	489	1,040	680	90	—	—	—	—	—	—	—	260
Lower extremities	5	15,920	4,990	2,570	720	70	50	70	—	—	—	7,450
Lower extremities, unspecified	50	50	—	20	—	—	—	—	—	—	—	30
Leg(s)	51	9,960	3,320	1,590	530	40	40	50	—	—	—	4,390
Leg(s), unspecified	510	750	150	150	30	—	—	—	—	—	—	420
Thigh(s)	511	260	90	20	—	—	—	—	—	—	—	120
Knee(s)	512	8,060	2,820	1,340	420	20	40	30	—	—	—	3,380
Lower leg(s)	513	650	240	60	—	—	—	—	—	—	—	330
Multiple leg locations	518	230	—	20	60	—	—	—	—	—	—	130
Multiple leg locations, unspecified	5180	40	—	—	—	—	—	—	—	—	—	40
Knee(s) and leg(s)	5181	150	—	20	50	—	—	—	—	—	—	80
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—	—	—	—	—	20
Leg(s), n.e.c.	519	20	—	—	—	—	—	—	—	—	—	—
Ankle(s)	52	3,080	840	500	120	—	—	—	—	—	—	1,590
Foot (feet)	53	2,120	620	370	50	—	—	—	—	—	—	1,060
Foot (feet), unspecified	530	1,480	440	290	30	—	—	—	—	—	—	710
Sole(s)	531	90	20	—	—	—	—	—	—	—	—	60
Arch(es), instep(s)	5312	20	—	—	—	—	—	—	—	—	—	20
Heel(s)	5313	60	20	—	—	—	—	—	—	—	—	40
Toes(s), toenail(s)	532	430	130	40	—	—	—	—	—	—	—	260
Multiple foot (feet) locations	538	20	—	—	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	90	20	30	—	—	—	—	—	—	—	30
Multiple lower extremities locations	58	700	200	90	20	—	—	—	—	—	—	370
Foot (feet) and leg(s)	581	100	20	—	—	—	—	—	—	—	—	70
Foot(feet) and knee(s)	5811	30	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	60	—	—	—	—	—	—	—	—	—	60
Foot (feet) and ankle(s)	582	170	40	30	—	—	—	—	—	—	—	90
Ankle(s) and leg(s)	583	300	110	30	—	—	—	—	—	—	—	150
Ankle(s) and knee(s)	5831	230	40	30	—	—	—	—	—	—	—	150
Ankle(s) and leg(s), n.e.c.	5839	70	60	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	130	30	30	—	—	—	—	—	—	—	50
Body systems	6	2,950	1,190	250	110	—	30	—	—	—	—	1,350
Multiple body parts	8	13,200	4,420	1,940	420	110	—	40	—	—	—	6,260
Multiple body parts, unspecified	80	590	100	90	—	—	—	—	—	—	—	380
Head and neck	81	340	90	40	—	—	—	—	—	—	—	210
Head, neck, and trunk	82	190	50	—	—	—	—	—	—	—	—	130
Head and trunk	83	80	20	—	—	—	—	—	—	—	—	40
Neck and back	84	700	220	80	50	—	—	—	—	—	—	330
Shoulder(s) and back	85	390	80	40	20	—	—	—	—	—	—	240
Hip(s) and leg(s)	86	150	40	—	—	—	—	—	—	—	—	90
Upper and lower limb(s)	87	1,510	860	100	20	—	—	—	—	—	—	520
Other multiple body parts	89	9,250	2,970	1,580	280	90	—	30	—	—	—	4,300
Whole body	891	60	20	—	—	—	—	—	—	—	—	40

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Multiple body parts, n.e.c.	899	9,190	2,950	1,580	280	90	—	30	—	—	4,260
Nonclassifiable	9999	670	90	—	30	—	—	—	—	—	540

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.