

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2011²

Part of body	Part of body code ³	State government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		73,790	2,600	1,520	5,470	6,130	41,180	680
Head	1	4,980	210	60	360	570	2,920	50
Head, unspecified	10	1,220	100	–	70	100	610	50
Cranial region, including skull	11	640	40	20	90	110	270	–
Cranial region, unspecified	110	40	–	–	–	–	–	–
Brain	111	460	30	20	60	80	200	–
Scalp	112	120	–	–	20	30	40	–
Skull	113	30	–	–	–	–	20	–
Ear(s)	12	70	–	–	20	–	30	–
Face	13	2,900	70	30	150	360	1,890	–
Face, unspecified	130	480	–	–	40	150	230	–
Forehead	131	680	–	–	–	–	670	–
Eye(s)	132	1,030	50	–	60	140	540	–
Nose, nasal cavity	133	130	–	–	–	30	60	–
Nose, except internal location of diseases or disorders	1330	130	–	–	–	30	60	–
Cheek(s)	134	60	–	–	–	–	30	–
Jaw, chin	135	40	–	–	–	–	30	–
Mouth	136	130	–	–	–	–	110	–
Lip(s)	1361	70	–	–	–	–	70	–
Tooth (teeth)	1363	30	–	–	–	–	20	–
Multiple mouth locations	1368	30	–	–	–	–	30	–
Multiple face locations	138	280	–	–	20	–	190	–
Face, n.e.c.	139	70	–	–	–	–	40	–
Multiple head locations	18	130	–	–	–	–	100	–
Head, n.e.c.	19	30	–	–	–	–	–	–
Neck, including throat	2	1,940	40	–	180	110	1,320	–
Neck, except internal location of diseases or disorders	20	1,940	40	–	180	110	1,320	–
Trunk	3	14,960	360	470	910	1,480	7,740	60
Trunk, unspecified	30	60	–	–	–	–	50	–
Chest, including ribs, internal organs	31	1,350	20	240	90	100	620	–
Chest, except internal location of diseases or disorders	310	1,250	–	240	90	90	590	–
Internal chest location, unspecified	311	20	–	–	–	–	–	–
Heart	313	30	–	–	–	–	20	–
Lung(s), pleura	315	40	–	–	–	–	–	–
Back, including spine, spinal cord ..	32	11,860	300	180	730	1,230	6,340	40

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2011²

— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	4,410	410	3,670	3,420	430	3,470
Head	180	—	190	220	50	160
Head, unspecified	70	—	70	30	—	100
Cranial region, including skull	30	—	30	20	—	—
Cranial region, unspecified	—	—	—	—	—	—
Brain	20	—	30	—	—	—
Scalp	—	—	—	—	—	—
Skull	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—
Face	70	—	80	160	40	50
Face, unspecified	20	—	—	—	—	20
Forehead	—	—	—	—	—	—
Eye(s)	30	—	60	90	30	20
Nose, nasal cavity	—	—	—	—	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	—
Cheek(s)	—	—	—	—	—	—
Jaw, chin	—	—	—	—	—	—
Mouth	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	—
Tooth (teeth)	—	—	—	—	—	—
Multiple mouth locations	—	—	—	—	—	—
Multiple face locations	—	—	—	30	—	—
Face, n.e.c.	—	—	—	—	—	—
Multiple head locations	—	—	—	—	—	—
Head, n.e.c.	—	—	—	—	—	—
Neck, including throat	50	—	90	30	—	110
Neck, except internal location of diseases or disorders	50	—	90	30	—	110
Trunk	920	20	1,060	1,050	110	630
Trunk, unspecified	—	—	—	—	—	—
Chest, including ribs, internal organs	40	—	150	30	—	30
Chest, except internal location of diseases or disorders	—	—	150	20	—	30
Internal chest location, unspecified	20	—	—	—	—	—
Heart	—	—	—	—	—	—
Lung(s), pleura	—	—	—	—	—	—
Back, including spine, spinal cord ..	640	20	790	800	100	540

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Back, including spine, spinal cord, unspecified	320	5,020	130	20	330	560	2,570	—
Thoracic region	321	280	—	—	40	40	80	—
Lumbar region	322	6,200	160	160	360	480	3,550	20
Sacral region	323	50	—	—	—	30	20	—
Coccygeal region	324	70	—	—	—	40	20	—
Multiple back regions	328	220	—	—	—	80	90	—
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—
Abdomen	33	500	—	—	—	30	270	—
Abdomen, except internal location of diseases or disorders	330	460	—	—	—	20	250	—
Pelvic region	34	720	30	—	50	40	260	—
Pelvic region, unspecified	340	20	—	—	—	—	—	—
Hip(s)	341	280	20	—	—	30	110	—
Buttock(s)	343	210	—	—	—	—	50	—
Groin	344	200	—	—	20	—	90	—
Multiple trunk locations	38	460	—	20	20	80	200	—
Upper extremities	4	19,170	700	520	1,610	1,310	10,440	190
Upper extremities, unspecified	40	100	20	—	—	—	20	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,860	170	70	270	390	2,450	30
Arm(s)	42	3,530	160	60	840	150	1,760	20
Arm(s), unspecified	420	920	80	—	120	50	520	—
Upper arm(s)	421	310	—	—	—	—	220	—
Elbow(s)	422	1,560	50	40	670	80	540	—
Forearm(s)	423	480	—	—	30	20	340	—
Multiple arm locations	428	200	—	—	—	—	120	—
Multiple arm locations, unspecified	4280	60	—	—	—	—	60	—
Elbow(s) and arm(s)	4281	40	—	—	—	—	30	—
Multiple arm locations, n.e.c.	4289	100	—	—	—	—	30	—
Arm(s), n.e.c.	429	60	—	—	—	—	30	—
Wrist(s)	43	2,150	160	30	190	240	910	60
Hand(s)	44	5,440	160	310	230	350	3,100	60
Hand(s), unspecified	440	1,760	50	20	70	100	990	50
Hand(s), except finger(s)	441	340	—	—	—	20	270	—
Finger(s), fingernail(s)	442	3,000	100	290	130	200	1,600	—
Finger(s), fingernail(s), unspecified	4420	2,240	80	280	100	110	1,190	—
Fingernail(s), nailbed(s)	4421	60	—	—	—	40	—	—
Fingertip(s)	4422	60	—	—	—	—	20	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2011²

— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Back, including spine, spinal cord, unspecified	290	—	300	400	40	210
Thoracic region	30	—	—	40	—	30
Lumbar region	310	—	450	340	50	290
Sacral region	—	—	—	—	—	—
Coccygeal region	—	—	—	—	—	—
Multiple back regions	—	—	20	—	—	—
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—
Abdomen	—	—	50	90	—	20
Abdomen, except internal location of diseases or disorders	—	—	50	80	—	20
Pelvic region	180	—	60	40	—	40
Pelvic region, unspecified	—	—	—	—	—	—
Hip(s)	40	—	20	30	—	30
Buttock(s)	130	—	—	—	—	—
Groin	—	—	40	—	—	—
Multiple trunk locations	40	—	—	90	—	—
Upper extremities	1,070	310	1,010	950	100	900
Upper extremities, unspecified	50	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	300	280	420	190	20	270
Arm(s)	130	—	160	110	30	110
Arm(s), unspecified	60	—	40	30	—	30
Upper arm(s)	—	—	20	20	—	—
Elbow(s)	40	—	60	40	—	30
Forearm(s)	—	—	—	—	—	30
Multiple arm locations	—	—	—	—	20	—
Multiple arm locations, unspecified	—	—	—	—	—	—
Elbow(s) and arm(s)	—	—	—	—	—	—
Multiple arm locations, n.e.c.	—	—	—	—	20	—
Arm(s), n.e.c.	—	—	—	—	—	—
Wrist(s)	300	20	60	130	—	50
Hand(s)	130	—	290	400	30	360
Hand(s), unspecified	30	—	80	170	—	210
Hand(s), except finger(s)	—	—	—	—	—	20
Finger(s), fingernail(s)	80	—	200	240	20	130
Finger(s), fingernail(s), unspecified	60	—	160	190	20	50
Fingernail(s), nailbed(s)	—	—	—	—	—	—
Fingertip(s)	—	—	—	20	—	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Finger(s), fingernail(s), n.e.c.	4429	630	20	—	20	50	390	—
Hand(s) and finger(s)	448	270	—	—	30	30	190	—
Hand(s), n.e.c.	449	70	—	—	—	—	50	—
Multiple upper extremities locations	48	3,070	30	50	90	180	2,180	—
Multiple upper extremities locations, unspecified	480	20	—	—	—	—	—	—
Hand(s) and arms(s)	481	230	—	—	—	—	100	—
Hand(s) and arm(s), unspecified	4810	50	—	—	—	—	20	—
Hand(s) and arm(s), n.e.c.	4819	180	—	—	—	—	80	—
Hand(s) and wrist(s)	482	360	—	—	—	70	130	—
Wrist(s) and arm(s)	483	750	—	—	—	—	720	—
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	20	—
Wrist(s) and elbow(s)	4831	650	—	—	—	—	650	—
Wrist(s) and arm(s), n.e.c.	4839	50	—	—	—	—	40	—
Shoulder(s) and arm(s)	484	650	—	20	—	70	350	—
Multiple upper extremities locations, n.e.c.	489	1,040	—	—	30	30	880	—
Lower extremities	5	15,920	600	290	1,080	1,190	9,440	140
Lower extremities, unspecified	50	50	—	—	—	—	30	—
Leg(s)	51	9,960	240	190	590	730	6,280	80
Leg(s), unspecified	510	750	30	—	60	30	440	—
Thigh(s)	511	260	20	—	40	20	140	—
Knee(s)	512	8,060	180	80	460	610	5,200	80
Lower leg(s)	513	650	—	90	40	70	370	—
Multiple leg locations	518	230	—	—	—	—	130	—
Multiple leg locations, unspecified	5180	40	—	—	—	—	40	—
Knee(s) and leg(s)	5181	150	—	—	—	—	90	—
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—
Ankle(s)	52	3,080	180	50	260	300	1,570	60
Foot (feet)	53	2,120	110	40	130	150	1,130	—
Foot (feet), unspecified	530	1,480	30	40	120	130	760	—
Sole(s)	531	90	—	—	—	—	40	—
Arch(es), instep(s)	5312	20	—	—	—	—	—	—
Heel(s)	5313	60	—	—	—	—	20	—
Toes(s), toenail(s)	532	430	60	—	—	—	280	—
Multiple foot (feet) locations	538	20	—	—	—	—	—	—
Foot (feet), n.e.c.	539	90	—	—	—	—	40	—
Multiple lower extremities locations	58	700	60	—	90	—	420	—
Foot (feet) and leg(s)	581	100	—	—	30	—	40	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2011²

— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Finger(s), fingernail(s), n.e.c.	20	—	30	20	—	80
Hand(s) and finger(s)	—	—	—	—	—	—
Hand(s), n.e.c.	—	—	—	—	—	—
Multiple upper extremities locations	160	—	80	130	—	120
Multiple upper extremities locations, unspecified	—	—	—	—	—	—
Hand(s) and arms(s)	20	—	—	—	—	—
Hand(s) and arm(s), unspecified	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—
Hand(s) and wrist(s)	80	—	—	60	—	—
Wrist(s) and arm(s)	—	—	—	—	—	—
Wrist(s) and arm(s), unspecified	—	—	—	—	—	—
Wrist(s) and elbow(s)	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	—
Shoulder(s) and arm(s)	30	—	60	60	—	20
Multiple upper extremities locations, n.e.c.	40	—	20	—	—	—
Lower extremities	950	40	780	750	60	600
Lower extremities, unspecified	—	—	—	—	—	—
Leg(s)	470	—	460	500	50	340
Leg(s), unspecified	70	—	70	—	—	20
Thigh(s)	—	—	—	20	—	20
Knee(s)	340	—	360	430	30	270
Lower leg(s)	30	—	20	—	—	20
Multiple leg locations	—	—	—	40	—	—
Multiple leg locations, unspecified	—	—	—	—	—	—
Knee(s) and leg(s)	—	—	—	40	—	—
Multiple leg locations, n.e.c.	—	—	—	—	—	—
Leg(s), n.e.c.	—	—	—	—	—	—
Ankle(s)	250	20	160	140	—	80
Foot (feet)	150	—	150	90	—	150
Foot (feet), unspecified	110	—	120	30	—	140
Sole(s)	—	—	—	20	—	—
Arch(es), instep(s)	—	—	—	—	—	—
Heel(s)	—	—	—	20	—	—
Toes(s), toenail(s)	—	—	—	40	—	—
Multiple foot (feet) locations	—	—	—	—	—	—
Foot (feet), n.e.c.	30	—	—	—	—	—
Multiple lower extremities locations	60	—	—	20	—	20
Foot (feet) and leg(s)	—	—	—	—	—	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Foot(feet) and knee(s)	5811	30	—	—	—	—	20	—
Foot(feet) and leg(s), n.e.c. ...	5819	60	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	170	—	—	20	—	100	—
Ankle(s) and leg(s)	583	300	30	—	20	—	190	—
Ankle(s) and knee(s)	5831	230	—	—	20	—	140	—
Ankle(s) and leg(s), n.e.c.	5839	70	20	—	—	—	40	—
Multiple lower extremities locations, n.e.c.	589	130	—	—	20	—	90	—
Body systems	6	2,950	200	—	110	230	1,680	70
Multiple body parts	8	13,200	490	160	1,190	1,140	7,300	170
Multiple body parts, unspecified ...	80	590	40	30	50	80	230	—
Head and neck	81	340	—	—	20	130	130	—
Head, neck, and trunk	82	190	30	—	—	—	100	—
Head and trunk	83	80	—	—	—	—	30	—
Neck and back	84	700	40	—	50	60	360	—
Shoulder(s) and back	85	390	—	—	60	20	210	—
Hip(s) and leg(s)	86	150	—	—	20	—	100	—
Upper and lower limb(s)	87	1,510	40	—	90	80	1,090	—
Other multiple body parts	89	9,250	340	110	900	750	5,040	160
Whole body	891	60	—	—	—	30	20	—
Multiple body parts, n.e.c.	899	9,190	340	110	890	720	5,020	160
Nonclassifiable	9999	670	—	—	30	100	340	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2011²

— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Foot(feet) and knee(s)	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c. ...	—	—	—	—	—	—
Foot (feet) and ankle(s)	20	—	—	—	—	—
Ankle(s) and leg(s)	40	—	—	—	—	—
Ankle(s) and knee(s)	40	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	—	—	—	—	—	—
Body systems	360	—	80	120	20	80
Multiple body parts	860	20	360	290	90	940
Multiple body parts, unspecified	80	—	20	—	—	20
Head and neck	40	—	—	—	—	20
Head, neck, and trunk	30	—	—	—	—	—
Head and trunk	—	—	—	—	—	—
Neck and back	50	—	30	—	20	50
Shoulder(s) and back	20	—	—	40	—	20
Hip(s) and leg(s)	—	—	—	—	—	—
Upper and lower limb(s)	110	—	—	50	—	30
Other multiple body parts	510	—	280	160	50	770
Whole body	—	—	—	—	—	—
Multiple body parts, n.e.c.	510	—	280	150	50	770
Nonclassifiable	40	—	80	—	—	40

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.