

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2011²

Nature	Nature code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		73,790	7,250	9.8	5,340	7.2	12,950	17.5
Traumatic injuries and disorders	1	70,330	6,850	9.7	4,980	7.1	12,510	17.8
Traumatic injuries and disorders, unspecified	10	3,500	360	10.3	250	7.1	750	21.4
Traumatic injuries to bones, nerves, spinal cord	11	3,580	130	3.6	210	5.9	640	17.9
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	40	—	—	—	—	—	—
Fractures	111	3,470	120	3.5	210	6.1	640	18.4
Traumatic injuries to nerves, except the spinal cord ..	113	50	—	—	—	—	—	—
Pinched nerve	1131	40	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	31,200	2,390	7.7	1,820	5.8	4,780	15.3
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	250	20	8.0	—	—	—	—
Dislocations	121	520	30	5.8	40	7.7	180	34.6
Dislocations, unspecified	1210	80	20	25.0	—	—	—	—
Herniated discs	1211	250	—	—	—	—	160	64.0
Dislocation of joints	1212	180	—	—	—	—	20	11.1
Cartilage fractures and tears	122	220	—	—	20	9.1	—	—
Meniscus tears	1221	200	—	—	20	10.0	—	—
Sprains, strains, tears	123	29,850	2,300	7.7	1,740	5.8	4,550	15.2
Sprains, strains, tears, unspecified	1230	2,390	120	5.0	120	5.0	350	14.6
Major tears to muscles, tendons, ligaments	1231	890	—	—	—	—	50	5.6
Sprains	1232	8,150	780	9.6	580	7.1	1,590	19.5
Strains	1233	17,480	1,380	7.9	980	5.6	2,410	13.8
Multiple sprains, strains, tears	1238	940	30	3.2	60	6.4	160	17.0
Hernias due to traumatic incidents	124	230	—	—	—	—	—	—
Whiplash	125	70	20	28.6	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	20	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	40	—	—	—	—	—	—
Open wounds	13	2,720	490	18.0	270	9.9	840	30.9
Open wounds, unspecified	130	60	—	—	—	—	30	50.0
Amputations, avulsions, enucleations	131	60	—	—	—	—	—	—
Amputations	1311	40	—	—	—	—	—	—
Avulsions, enucleations	1312	20	—	—	—	—	—	—
Cuts, lacerations	132	1,930	340	17.6	190	9.8	650	33.7
Puncture wounds, except gunshot wounds	133	660	130	19.7	70	10.6	160	24.2
Surface wounds and bruises	14	7,640	1,170	15.3	980	12.8	1,370	17.9
Surface wounds and bruises, unspecified	140	40	—	—	—	—	30	75.0
Abrasions, scratches	141	700	160	22.9	100	14.3	120	17.1
Bruises, contusions	143	6,750	980	14.5	870	12.9	1,190	17.6
Multiple surface wounds and bruises	148	80	—	—	—	—	20	25.0
Surface wounds and bruises, n.e.c.	149	60	20	33.3	—	—	—	—
Burns and corrosions	15	580	120	20.7	90	15.5	120	20.7
Burns and corrosions, unspecified	150	20	—	—	—	—	—	—
Chemical burns and corrosions	151	110	—	—	—	—	50	45.5
Chemical burns and corrosions, unspecified	1510	100	—	—	—	—	40	40.0
Heat (thermal) burns	152	340	80	23.5	70	20.6	60	17.6

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	10,460	14.2	8,460	11.5	4,950	6.7	24,380	33.0	11
Traumatic injuries and disorders	10,140	14.4	8,050	11.4	4,660	6.6	23,140	32.9	11
Traumatic injuries and disorders, unspecified	380	10.9	300	8.6	210	6.0	1,240	35.4	11
Traumatic injuries to bones, nerves, spinal cord	250	7.0	500	14.0	270	7.5	1,580	44.1	24
Traumatic injuries to bones, nerves, spinal cord, unspecified	—	—	—	—	—	—	30	75.0	34
Fractures	240	6.9	490	14.1	260	7.5	1,510	43.5	22
Traumatic injuries to nerves, except the spinal cord ..	—	—	—	—	—	—	50	100.0	88
Pinched nerve	—	—	—	—	—	—	40	100.0	88
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	4,310	13.8	3,840	12.3	2,410	7.7	11,660	37.4	15
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	90	36.0	20	8.0	—	—	90	36.0	8
Dislocations	30	5.8	40	7.7	30	5.8	160	30.8	7
Dislocations, unspecified	—	—	—	—	—	—	50	62.5	57
Herniated discs	—	—	20	8.0	—	—	50	20.0	5
Dislocation of joints	30	16.7	20	11.1	30	16.7	60	33.3	14
Cartilage fractures and tears	—	—	20	9.1	20	9.1	140	63.6	56
Meniscus tears	—	—	—	—	20	10.0	130	65.0	56
Sprains, strains, tears	4,160	13.9	3,620	12.1	2,310	7.7	11,160	37.4	15
Sprains, strains, tears, unspecified	220	9.2	520	21.8	130	5.4	930	38.9	15
Major tears to muscles, tendons, ligaments	60	6.7	80	9.0	290	32.6	410	46.1	28
Sprains	1,210	14.8	1,040	12.8	720	8.8	2,230	27.4	10
Strains	2,550	14.6	1,800	10.3	1,070	6.1	7,300	41.8	18
Multiple sprains, strains, tears	110	11.7	180	19.1	100	10.6	300	31.9	17
Hernias due to traumatic incidents	—	—	90	39.1	—	—	90	39.1	18
Whiplash	—	—	20	28.6	—	—	—	—	13
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	—	—	—	—	—	—	8
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	—	—	—	—	—	17
Open wounds	320	11.8	300	11.0	150	5.5	360	13.2	4
Open wounds, unspecified	—	—	—	—	—	—	—	—	4
Amputations, avulsions, enucleations	—	—	—	—	20	33.3	20	33.3	28
Amputations	—	—	—	—	20	50.0	—	—	28
Avulsions, enucleations	—	—	—	—	—	—	—	—	35
Cuts, lacerations	260	13.5	220	11.4	50	2.6	240	12.4	4
Puncture wounds, except gunshot wounds	50	7.6	60	9.1	80	12.1	100	15.2	4
Surface wounds and bruises	1,600	20.9	870	11.4	350	4.6	1,300	17.0	6
Surface wounds and bruises, unspecified	—	—	—	—	—	—	—	—	5
Abrasions, scratches	70	10.0	160	22.9	—	—	80	11.4	4
Bruises, contusions	1,460	21.6	700	10.4	340	5.0	1,210	17.9	7
Multiple surface wounds and bruises	30	37.5	—	—	—	—	—	—	7
Surface wounds and bruises, n.e.c.	30	50.0	—	—	—	—	—	—	6
Burns and corrosions	60	10.3	80	13.8	40	6.9	80	13.8	5
Burns and corrosions, unspecified	—	—	—	—	—	—	—	—	1
Chemical burns and corrosions	30	27.3	—	—	—	—	—	—	5
Chemical burns and corrosions, unspecified	30	30.0	—	—	—	—	—	—	5
Heat (thermal) burns	30	8.8	70	20.6	30	8.8	—	—	4

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Nature	Nature code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Heat (thermal) burns, unspecified	1520	300	70	23.3	60	20.0	50	16.7
Second degree heat (thermal) burns	1522	20	—	—	—	—	—	—
Electrical burns	153	100	—	—	—	—	—	—
Electrical burns, unspecified	1530	90	—	—	—	—	—	—
Intracranial injuries	16	440	30	6.8	40	9.1	100	22.7
Intracranial injuries, unspecified	160	50	—	—	—	—	30	60.0
Concussions	162	390	30	7.7	40	10.3	70	17.9
Effects of environmental conditions	17	220	70	31.8	—	—	80	36.4
Effects of heat and light	172	180	70	38.9	—	—	80	44.4
Heat stroke	1721	40	20	50.0	—	—	—	—
Heat exhaustion, prostration	1725	100	40	40.0	—	—	50	50.0
Effects of heat and light, n.e.c.	1729	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	3,870	380	9.8	240	6.2	870	22.5
Multiple traumatic injuries and disorders, unspecified	180	470	70	14.9	20	4.3	110	23.4
Cuts and abrasions or bruises	181	600	60	10.0	80	13.3	180	30.0
Sprains and other injuries	182	1,620	180	11.1	80	4.9	230	14.2
Sprains and other injuries, unspecified	1820	20	—	—	—	—	—	—
Sprains and bruises	1821	1,250	150	12.0	70	5.6	210	16.8
Sprains and cuts	1822	180	20	11.1	—	—	—	—
Sprains and other injuries, n.e.c.	1829	160	20	12.5	—	—	20	12.5
Fractures and other injuries	183	720	—	—	30	4.2	250	34.7
Fractures and other injuries, unspecified	1830	20	—	—	—	—	—	—
Fractures and dislocations	1834	40	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	650	—	—	30	4.6	240	36.9
Multiple traumatic injuries and disorders, n.e.c.	189	460	70	15.2	30	6.5	100	21.7
Other traumatic injuries and disorders	19	16,590	1,720	10.4	1,070	6.4	2,970	17.9
Other traumatic injuries and disorders, unspecified ...	190	30	—	—	—	—	—	—
Electrocutions, electric shocks	193	50	—	—	—	—	—	—
Internal injuries to organs and blood vessels of the trunk	194	20	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute	195	220	110	50.0	40	18.2	30	13.6
Dermatitis and reactions affecting the skin—acute, unspecified	1950	90	70	77.8	—	—	—	—
Allergic dermatitis—acute	1951	110	40	36.4	30	27.3	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	1,560	130	8.3	120	7.7	850	54.5
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	380	30	7.9	60	15.8	90	23.7
Poisoning, including poisoning-related asphyxia ...	1961	20	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	260	50	19.2	—	—	70	26.9
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	70	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	680	20	2.9	—	—	630	92.6
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	70	—	—	20	28.6	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	30	—	—	—	—	—	—
Nonspecified injuries and disorders	197	14,690	1,460	9.9	890	6.1	2,070	14.1
Crushing injuries	1971	270	70	25.9	—	—	50	18.5
Soreness, pain, hurt—nonspecified injury	1972	11,710	1,060	9.1	690	5.9	1,630	13.9

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Heat (thermal) burns, unspecified	20	6.7	70	23.3	30	10.0	—	—	3
Second degree heat (thermal) burns	—	—	—	—	—	—	—	—	5
Electrical burns	—	—	—	—	—	—	70	70.0	72
Electrical burns, unspecified	—	—	—	—	—	—	70	77.8	72
Intracranial injuries	40	9.1	60	13.6	—	—	160	36.4	12
Intracranial injuries, unspecified	—	—	—	—	—	—	—	—	3
Concussions	40	10.3	60	15.4	—	—	150	38.5	12
Effects of environmental conditions	40	18.2	—	—	—	—	—	—	4
Effects of heat and light	—	—	—	—	—	—	—	—	3
Heat stroke	—	—	—	—	—	—	—	—	3
Heat exhaustion, prostration	—	—	—	—	—	—	—	—	4
Effects of heat and light, n.e.c.	—	—	—	—	—	—	—	—	1
Multiple traumatic injuries and disorders	520	13.4	420	10.9	260	6.7	1,180	30.5	9
Multiple traumatic injuries and disorders, unspecified	80	17.0	20	4.3	—	—	160	34.0	7
Cuts and abrasions or bruises	80	13.3	30	5.0	30	5.0	140	23.3	5
Sprains and other injuries	190	11.7	240	14.8	120	7.4	590	36.4	15
Sprains and other injuries, unspecified	—	—	—	—	—	—	—	—	83
Sprains and bruises	100	8.0	180	14.4	100	8.0	440	35.2	15
Sprains and cuts	20	11.1	30	16.7	—	—	110	61.1	89
Sprains and other injuries, n.e.c.	60	37.5	40	25.0	—	—	30	18.8	8
Fractures and other injuries	160	22.2	70	9.7	—	—	200	27.8	7
Fractures and other injuries, unspecified	—	—	—	—	—	—	—	—	10
Fractures and dislocations	—	—	—	—	—	—	—	—	35
Fractures and other injuries, n.e.c.	150	23.1	50	7.7	—	—	160	24.6	7
Multiple traumatic injuries and disorders, n.e.c.	20	4.3	60	13.0	90	19.6	90	19.6	12
Other traumatic injuries and disorders	2,610	15.7	1,660	10.0	960	5.8	5,590	33.7	10
Other traumatic injuries and disorders, unspecified ...	—	—	—	—	—	—	—	—	6
Electrocutions, electric shocks	—	—	—	—	—	—	—	—	3
Internal injuries to organs and blood vessels of the trunk	—	—	—	—	—	—	—	—	12
Dermatitis and reactions affecting the skin—acute	20	9.1	—	—	—	—	—	—	1
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	—	—	—	—	—	—	1
Allergic dermatitis—acute	20	18.2	—	—	—	—	—	—	2
Other poisoning, toxic, noxious, or allergenic effects	190	12.2	150	9.6	70	4.5	60	3.8	5
Poisoning, toxic, noxious, or allergenic effect, unspecified	80	21.1	40	10.5	30	7.9	50	13.2	6
Poisoning, including poisoning-related asphyxia ...	—	—	—	—	—	—	—	—	2
Other respiratory system symptoms—toxic, noxious, or allergenic effect	20	7.7	100	38.5	—	—	—	—	7
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	30	42.9	—	—	7
Other or unspecified allergic reactions	30	4.4	—	—	—	—	—	—	5
Nausea, vomiting— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	3
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	—	—	—	—	—	—	—	—	3
Nonspecified injuries and disorders	2,370	16.1	1,510	10.3	890	6.1	5,500	37.4	13
Crushing injuries	30	11.1	20	7.4	20	7.4	70	25.9	7
Soreness, pain, hurt—nonspecified injury	1,550	13.2	1,210	10.3	760	6.5	4,800	41.0	17

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Nature	Nature code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Swelling, inflammation, irritation—nonspecified injury	1973	1,570	270	17.2	130	8.3	170	10.8
Numbness—nonspecified injury	1974	110	—	—	—	—	—	—
Multiple nonspecified injuries and disorders	1978	420	30	7.1	—	—	110	26.2
Nonspecified injuries and disorders, n.e.c.	1979	620	20	3.2	50	8.1	110	17.7
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—
Diseases and disorders of body systems	2	1,440	160	11.1	40	2.8	180	12.5
Nervous system and sense organs diseases	22	680	110	16.2	—	—	70	10.3
Disorders of the peripheral nervous system	224	630	90	14.3	—	—	60	9.5
Disorders of the peripheral nervous system, unspecified	2240	40	—	—	—	—	—	—
Carpal tunnel syndrome	2241	570	90	15.8	—	—	60	10.5
Disorders of the eye, adnexa, vision	225	40	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, unspecified ..	2250	20	—	—	—	—	—	—
Circulatory system diseases	23	40	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	20	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	20	—	—	—	—	—	—
Respiratory system diseases	24	40	—	—	—	—	—	—
Pneumonia, influenza	243	20	—	—	—	—	—	—
Digestive system diseases and disorders	25	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	400	20	5.0	—	—	40	10.0
Dorsopathies	272	30	—	—	—	—	—	—
Soft tissue disorders, except the back	273	340	20	5.9	—	—	40	11.8
Stenosing tenosynovitis	2732	50	—	—	—	—	—	—
Other tenosynovitis, synovitis	2733	20	—	—	—	—	—	—
Epicondylitis	2734	60	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	140	—	—	—	—	20	14.3
Soft tissue disorder, except the back, n.e.c.	2739	40	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	190	30	15.8	—	—	50	26.3
Infections of the skin and subcutaneous tissue	281	150	—	—	—	—	50	33.3
Cellulitis and abscess	2811	70	—	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	80	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	40	30	75.0	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	2890	40	30	75.0	—	—	—	—
Other systemic diseases and disorders	29	70	—	—	—	—	—	—
Other systemic diseases and disorders, unspecified ..	290	70	—	—	—	—	—	—
Infectious and parasitic diseases	3	170	40	23.5	60	35.3	60	35.3
Viral diseases	32	90	—	—	40	44.4	50	55.6
Viral diseases, unspecified	320	40	—	—	—	—	40	100.0
Viral diseases of the conjunctiva	326	50	—	—	40	80.0	—	—
Viral conjunctivitis (ophthalmia)	3261	50	—	—	40	80.0	—	—
Other infectious and parasitic diseases	39	60	40	66.7	20	33.3	—	—
Scabies and other acariases	392	50	40	80.0	20	40.0	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Swelling, inflammation, irritation—nonspecified injury	720	45.9	100	6.4	40	2.5	140	8.9	7
Numbness—nonspecified injury	—	—	—	—	—	—	100	90.9	180
Multiple nonspecified injuries and disorders	40	9.5	130	31.0	30	7.1	60	14.3	11
Nonspecified injuries and disorders, n.e.c.	30	4.8	40	6.5	40	6.5	320	51.6	33
Other traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—	—	—	1
Traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—	—	—	1
Diseases and disorders of body systems	110	7.6	160	11.1	130	9.0	660	45.8	24
Nervous system and sense organs diseases	50	7.4	70	10.3	30	4.4	330	48.5	26
Disorders of the peripheral nervous system	40	6.3	70	11.1	30	4.8	330	52.4	35
Disorders of the peripheral nervous system, unspecified	—	—	—	—	—	—	40	100.0	61
Carpal tunnel syndrome	40	7.0	60	10.5	30	5.3	290	50.9	31
Disorders of the eye, adnexa, vision	—	—	—	—	—	—	—	—	3
Disorders of the eye, adnexa, vision, unspecified ..	—	—	—	—	—	—	—	—	3
Circulatory system diseases	—	—	—	—	—	—	20	50.0	26
Ischemic heart disease, including heart attack	—	—	—	—	—	—	—	—	26
Myocardial infarction (heart attack)	—	—	—	—	—	—	—	—	23
Respiratory system diseases	—	—	—	—	—	—	—	—	5
Pneumonia, influenza	—	—	—	—	—	—	—	—	155
Digestive system diseases and disorders	—	—	—	—	—	—	—	—	14
Musculoskeletal system and connective tissue diseases and disorders	50	12.5	50	12.5	40	10.0	180	45.0	23
Dorsopathies	—	—	—	—	—	—	—	—	23
Soft tissue disorders, except the back	40	11.8	50	14.7	40	11.8	140	41.2	23
Stenosing tenosynovitis	—	—	—	—	—	—	30	60.0	65
Other tenosynovitis, synovitis	—	—	—	—	—	—	—	—	23
Epicondylitis	—	—	—	—	—	—	30	50.0	32
Other or unspecified tendonitis (tendinitis)	30	21.4	—	—	20	14.3	60	42.9	24
Soft tissue disorder, except the back, n.e.c.	—	—	—	—	—	—	—	—	13
Disorders of the skin and subcutaneous tissue	—	—	—	—	40	21.1	50	26.3	14
Infections of the skin and subcutaneous tissue	—	—	—	—	40	26.7	50	33.3	23
Cellulitis and abscess	—	—	—	—	—	—	30	42.9	21
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	—	—	30	37.5	—	—	23
Other diseases and disorders of the skin and subcutaneous tissue	—	—	—	—	—	—	—	—	1
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—	—	—	1
Other systemic diseases and disorders	—	—	—	—	—	—	70	100.0	73
Other systemic diseases and disorders, unspecified ..	—	—	—	—	—	—	70	100.0	73
Infectious and parasitic diseases	—	—	—	—	—	—	—	—	2
Viral diseases	—	—	—	—	—	—	—	—	3
Viral diseases, unspecified	—	—	—	—	—	—	—	—	5
Viral diseases of the conjunctiva	—	—	—	—	—	—	—	—	2
Viral conjunctivitis (ophthalmia)	—	—	—	—	—	—	—	—	2
Other infectious and parasitic diseases	—	—	—	—	—	—	—	—	1
Scabies and other acariases	—	—	—	—	—	—	—	—	1

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Nature	Nature code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms, signs, and ill-defined conditions	5	610	90	14.8	160	26.2	110	18.0
Symptoms, signs, and ill-defined conditions, unspecified	50	30	—	—	—	—	—	—
Symptoms	51	490	70	14.3	130	26.5	70	14.3
General symptoms	511	200	20	10.0	30	15.0	20	10.0
Loss of consciousness—not heat related	5111	50	—	—	—	—	—	—
Dizziness—general	5114	50	—	—	—	—	—	—
Multiple general symptoms	5118	40	—	—	—	—	—	—
Symptoms involving head and neck	514	90	—	—	—	—	—	—
Headache, except migraine	5141	90	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	90	—	—	30	33.3	—	—
Symptoms involving respiratory system and chest, unspecified	5160	50	—	—	—	—	—	—
Chest pain	5164	20	—	—	—	—	—	—
Abnormal findings	52	80	—	—	30	37.5	40	50.0
Abnormal findings from histological and immunological studies	526	70	—	—	30	42.9	20	28.6
Positive reaction to tuberculin skin test, without a diagnosis of TB	5261	70	—	—	30	42.9	20	28.6
Other abnormal findings	529	20	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	860	60	7.0	60	7.0	60	7.0
Mental disorders and syndromes	62	860	60	7.0	60	7.0	60	7.0
Mental disorders and syndromes, unspecified	620	80	—	—	—	—	30	37.5
Anxiety, stress	621	780	50	6.4	20	2.6	40	5.1
Anxiety, stress, unspecified	6210	610	30	4.9	20	3.3	—	—
Post-traumatic stress disorder	6211	130	20	15.4	—	—	20	15.4
Anxiety or panic disorder	6213	20	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	20	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	60	—	—	—	—	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Symptoms, signs, and ill-defined conditions	100	16.4	50	8.2	—	—	100	16.4	3
Symptoms, signs, and ill-defined conditions, unspecified	—	—	—	—	—	—	—	—	18
Symptoms	100	20.4	20	4.1	—	—	80	16.3	3
General symptoms	70	35.0	—	—	—	—	50	25.0	8
Loss of consciousness—not heat related	—	—	—	—	—	—	—	—	5
Dizziness—general	—	—	—	—	—	—	—	—	7
Multiple general symptoms	40	100.0	—	—	—	—	—	—	8
Symptoms involving head and neck	—	—	—	—	—	—	—	—	2
Headache, except migraine	—	—	—	—	—	—	—	—	2
Symptoms involving respiratory system and chest	20	22.2	—	—	—	—	—	—	3
Symptoms involving respiratory system and chest, unspecified	20	40.0	—	—	—	—	—	—	3
Chest pain	—	—	—	—	—	—	—	—	14
Abnormal findings	—	—	—	—	—	—	—	—	3
Abnormal findings from histological and immunological studies	—	—	—	—	—	—	—	—	2
Positive reaction to tuberculin skin test, without a diagnosis of TB	—	—	—	—	—	—	—	—	2
Other abnormal findings	—	—	—	—	—	—	—	—	3
Other diseases, conditions, and disorders	40	4.7	130	15.1	140	16.3	360	41.9	28
Mental disorders and syndromes	40	4.7	130	15.1	140	16.3	360	41.9	28
Mental disorders and syndromes, unspecified	—	—	—	—	—	—	—	—	2
Anxiety, stress	40	5.1	130	16.7	140	17.9	350	44.9	30
Anxiety, stress, unspecified	—	—	120	19.7	130	21.3	280	45.9	30
Post-traumatic stress disorder	20	15.4	—	—	—	—	50	38.5	9
Anxiety or panic disorder	—	—	—	—	—	—	—	—	28
Anxiety, stress, n.e.c.	—	—	—	—	—	—	—	—	31
Exposures to disease—no illness incurred	—	—	—	—	—	—	—	—	5

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Nature	Nature code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple diseases, conditions, and disorders	8	50	—	—	—	—	—	—
Nonclassifiable	9999	270	30	11.1	20	7.4	20	7.4

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple diseases, conditions, and disorders	—	—	20	40.0	—	—	30	60.0	33
Nonclassifiable	40	14.8	60	22.2	—	—	90	33.3	14

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.