

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, state government, 2011<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total .....		73,790	950	6,770	8,080	17,790	14,130	12,470	3,960	1,050	810	90	7,700
<b>Head</b> .....	1	4,980	90	460	1,080	1,210	760	660	210	70	30	—	410
Head, unspecified .....	10	1,220	20	160	120	390	120	190	70	30	—	—	110
Cranial region, including skull .....	11	640	20	70	70	120	80	100	70	20	—	—	90
Cranial region, unspecified .....	110	40	—	—	—	—	—	20	—	—	—	—	—
Brain .....	111	460	—	50	30	100	60	60	50	20	—	—	70
Scalp .....	112	120	—	—	30	—	—	—	—	—	—	—	20
Skull .....	113	30	—	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	12	70	—	—	20	—	—	20	—	—	—	—	—
Face .....	13	2,900	60	220	840	660	490	340	60	30	20	—	190
Face, unspecified .....	130	480	—	50	60	120	50	120	—	20	—	—	30
Forehead .....	131	680	—	—	630	30	—	—	—	—	—	—	—
Eye(s) .....	132	1,030	—	90	100	360	220	140	—	—	20	—	60
Nose, nasal cavity .....	133	130	—	—	30	40	20	—	—	—	—	—	20
Nose, except internal location of diseases or disorders .....	1330	130	—	—	30	40	20	—	—	—	—	—	—
Cheek(s) .....	134	60	—	20	—	20	—	—	—	—	—	—	—
Jaw, chin .....	135	40	—	—	—	—	—	—	—	—	—	—	—
Mouth .....	136	130	—	—	—	20	50	20	—	—	—	—	30
Lip(s) .....	1361	70	—	—	—	—	—	—	—	—	—	—	—
Tooth (teeth) .....	1363	30	—	—	—	—	—	—	—	—	—	—	—
Multiple mouth locations .....	1368	30	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations .....	138	280	—	30	—	60	130	20	—	—	—	—	20
Face, n.e.c. .....	139	70	—	—	—	—	—	—	—	—	—	—	—
Multiple head locations .....	18	130	—	—	—	20	80	—	—	—	—	—	—
Head, n.e.c. .....	19	30	—	—	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	2	1,940	20	90	190	870	320	230	70	—	—	—	150
Neck, except internal location of diseases or disorders .....	20	1,940	20	90	190	870	320	220	70	—	—	—	140
<b>Trunk</b> .....	3	14,960	170	1,280	1,760	3,220	2,530	3,210	670	140	280	—	1,680
Trunk, unspecified .....	30	60	—	—	—	30	—	—	—	—	—	—	20
Chest, including ribs, internal organs .....	31	1,350	30	50	160	250	400	230	50	—	—	—	90
Chest, except internal location of diseases or disorders .....	310	1,250	30	30	150	230	390	210	50	—	—	—	70
Internal chest location, unspecified .....	311	20	—	—	—	—	—	—	—	—	—	—	—
Heart .....	313	30	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura .....	315	40	—	—	—	—	—	20	—	—	—	—	—
Back, including spine, spinal cord .....	32	11,860	90	1,060	1,480	2,560	1,820	2,590	530	120	190	—	1,430
Back, including spine, spinal cord, unspecified .....	320	5,020	30	410	800	960	930	800	180	40	120	—	750
Thoracic region .....	321	280	—	60	40	60	20	20	—	—	—	—	50
Lumbar region .....	322	6,200	60	580	600	1,400	770	1,700	330	70	60	—	620
Sacral region .....	323	50	—	—	—	50	—	—	—	—	—	—	—
Coccygeal region .....	324	70	—	—	—	—	40	—	—	—	—	—	—
Multiple back regions .....	328	220	—	—	30	70	50	50	—	—	—	—	—

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, state government, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	—	—	—	—	—
Abdomen	33	500	30	60	70	60	70	130	30	—	—	—	40
Abdomen, except internal location of diseases or disorders	330	460	30	60	60	60	60	130	30	—	—	—	30
Pelvic region	34	720	20	50	30	150	160	210	40	—	—	—	60
Pelvic region, unspecified	340	20	—	—	—	—	—	—	—	—	—	—	—
Hip(s)	341	280	—	30	20	60	110	30	—	—	—	—	20
Buttock(s)	343	210	—	—	—	—	—	140	—	—	—	—	20
Groin	344	200	—	—	—	60	50	30	—	—	—	—	—
Multiple trunk locations	38	460	—	40	30	170	80	50	20	—	—	—	40
<b>Upper extremities</b>	<b>4</b>	<b>19,170</b>	<b>140</b>	<b>1,700</b>	<b>2,060</b>	<b>5,520</b>	<b>3,300</b>	<b>2,860</b>	<b>970</b>	<b>320</b>	<b>210</b>	<b>50</b>	<b>2,040</b>
Upper extremities, unspecified	40	100	—	—	—	—	—	—	—	—	—	—	70
Shoulder(s), including clavicle(s), scapula(e)	41	4,860	60	330	520	1,290	800	800	370	100	40	40	500
Arm(s)	42	3,530	20	300	360	630	1,000	730	130	30	—	—	320
Arm(s), unspecified	420	920	—	60	100	170	160	320	50	—	—	—	50
Upper arm(s)	421	310	—	60	60	80	50	30	—	—	—	—	30
Elbow(s)	422	1,560	—	70	130	220	700	230	30	20	—	—	150
Forearm(s)	423	480	—	90	40	130	80	60	40	—	—	—	20
Multiple arm locations	428	200	—	20	—	20	—	90	—	—	—	—	40
Multiple arm locations, unspecified ..	4280	60	—	—	—	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	40	—	—	—	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	100	—	—	—	—	—	40	—	—	—	—	40
Arm(s), n.e.c.	429	60	—	—	20	—	—	—	—	—	—	—	20
Wrist(s)	43	2,150	—	280	250	420	270	190	100	—	100	—	510
Hand(s)	44	5,440	40	580	720	1,420	950	870	270	110	50	—	410
Hand(s), unspecified	440	1,760	—	250	200	490	260	280	80	—	—	—	170
Hand(s), except finger(s)	441	340	—	20	30	70	80	100	—	—	—	—	—
Finger(s), fingernail(s)	442	3,000	30	300	470	750	520	430	170	110	—	—	190
Finger(s), fingernail(s), unspecified ..	4420	2,240	—	210	390	530	320	350	160	110	—	—	160
Fingernail(s), nailbed(s)	4421	60	—	—	—	30	—	—	—	—	—	—	—
Fingertip(s)	4422	60	—	—	20	20	—	—	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	630	—	80	80	200	160	80	—	—	—	—	20
Hands(s) and finger(s)	448	270	—	—	20	90	60	60	—	—	—	—	30
Hand(s), n.e.c.	449	70	—	—	—	—	30	—	20	—	—	—	—
Multiple upper extremities locations	48	3,070	—	200	210	1,740	260	260	90	60	—	—	230
Multiple upper extremities locations, unspecified ..	480	20	—	—	—	20	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	230	—	—	80	30	30	30	30	20	—	—	20
Hand(s) and arm(s), unspecified ..	4810	50	—	—	—	20	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	180	—	—	—	—	30	20	—	—	—	—	—
Hand(s) and wrist(s)	482	360	—	40	50	60	50	60	20	—	—	—	70
Wrist(s) and arm(s)	483	750	—	30	30	640	20	—	—	—	—	—	20
Wrist(s) and arm(s), unspecified ..	4830	50	—	30	—	—	—	—	—	—	—	—	—
Wrist(s) and elbow(s)	4831	650	—	—	20	620	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	50	—	—	—	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, state government, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Shoulder(s) and arm(s) .....	484	650	—	60	50	250	120	90	20	—	—	—	50	
Multiple upper extremities locations, n.e.c. .....	489	1,040	—	60	—	730	40	70	20	40	—	—	70	
<b>Lower extremities</b> .....	5	15,920	290	1,540	1,560	3,420	3,190	3,180	930	200	100	—	1,510	
Lower extremities, unspecified .....	50	50	—	—	—	—	20	—	—	—	—	—	—	
Leg(s) .....	51	9,960	140	840	890	2,110	2,340	2,140	570	130	40	—	760	
Leg(s), unspecified .....	510	750	20	70	60	170	180	160	50	—	—	—	30	
Thigh(s) .....	511	260	—	40	40	60	40	60	—	—	—	—	20	
Knee(s) .....	512	8,060	110	690	680	1,650	1,950	1,700	460	120	30	—	660	
Lower leg(s) .....	513	650	—	30	90	120	130	190	40	—	—	—	50	
Multiple leg locations .....	518	230	—	—	20	100	30	30	30	—	—	—	—	
Multiple leg locations, unspecified ...	5180	40	—	—	—	—	—	—	20	—	—	—	—	
Knee(s) and leg(s) .....	5181	150	—	—	20	90	20	20	—	—	—	—	—	
Multiple leg locations, n.e.c. ....	5189	30	—	—	—	—	—	—	—	—	—	—	—	
Leg(s), n.e.c. ....	519	20	—	—	—	—	—	—	—	—	—	—	—	
Ankle(s) .....	52	3,080	90	430	350	690	460	370	180	60	50	—	410	
Foot (feet) .....	53	2,120	40	160	230	480	290	460	140	—	—	—	280	
Foot (feet), unspecified .....	530	1,480	20	120	80	310	220	380	90	—	—	—	230	
Sole(s) .....	531	90	—	—	20	20	—	20	—	—	—	—	—	
Arch(es), instep(s) .....	5312	20	—	—	—	—	—	—	—	—	—	—	—	
Heel(s) .....	5313	60	—	—	20	—	—	—	—	—	—	—	—	
Toes(s), toenail(s) .....	532	430	—	30	110	130	40	40	30	—	—	—	40	
Multiple foot (feet) locations .....	538	20	—	—	—	—	—	—	—	—	—	—	—	
Foot (feet), n.e.c. ....	539	90	20	—	—	20	20	—	—	—	—	—	—	
Multiple lower extremities locations .....	58	700	20	90	90	140	70	210	30	—	—	—	50	
Foot (feet) and leg(s) .....	581	100	—	—	—	20	—	70	—	—	—	—	—	
Foot(feet) and knee(s) .....	5811	30	—	—	—	—	—	—	—	—	—	—	—	
Foot(feet) and leg(s), n.e.c. ....	5819	60	—	—	—	—	—	60	—	—	—	—	—	
Foot (feet) and ankle(s) .....	582	170	—	—	40	20	20	40	—	—	—	—	20	
Ankle(s) and leg(s) .....	583	300	—	50	20	80	30	90	—	—	—	—	—	
Ankle(s) and knee(s) .....	5831	230	—	—	80	—	90	—	—	—	—	—	—	
Ankle(s) and leg(s), n.e.c. ....	5839	70	—	30	—	20	—	—	—	—	—	—	—	
Multiple lower extremities locations, n.e.c. ....	589	130	—	30	30	20	—	—	—	—	—	—	20	
<b>Body systems</b> .....	6	2,950	—	250	230	410	1,110	330	80	—	30	—	490	
<b>Multiple body parts</b> .....	8	13,200	220	1,390	1,180	2,980	2,850	1,910	1,010	310	150	20	1,180	
Multiple body parts, unspecified .....	80	590	—	50	70	80	90	120	50	30	—	—	100	
Head and neck .....	81	340	—	—	100	20	100	50	50	—	—	—	—	
Head, neck, and trunk .....	82	190	—	—	—	30	30	—	—	—	—	—	50	
Head and trunk .....	83	80	—	—	—	30	—	20	—	—	—	—	—	
Neck and back .....	84	700	20	20	90	130	190	100	40	20	40	—	50	
Shoulder(s) and back .....	85	390	—	50	60	70	60	50	70	—	—	—	—	
Hip(s) and leg(s) .....	86	150	—	40	40	30	20	—	—	—	—	—	—	
Upper and lower limb(s) .....	87	1,510	20	80	120	850	140	130	120	—	—	—	30	
Other multiple body parts .....	89	9,250	160	1,130	700	1,740	2,210	1,410	670	250	80	—	900	

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, state government, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State govern- ment <sup>4</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Whole body .....	891	60	—	30	—	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c. .....	899	9,190	160	1,100	700	1,740	2,190	1,410	670	250	80	—	890

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, state government, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Nonclassifiable .....	9999	670	—	70	30	160	70	90	—	—	—	—	250	

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.