

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, state government, 2011²

Part of body	Part of body code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		73,790	2,480	9,030	21,960	17,450	10,560	5,130	7,170
Head	1	4,980	70	1,110	1,480	1,000	670	280	380
Head, unspecified	10	1,220	20	130	460	290	170	40	110
Cranial region, including skull	11	640	-	70	170	160	100	60	70
Cranial region, unspecified	110	40	-	-	-	-	30	-	-
Brain	111	460	-	40	130	120	70	30	60
Scalp	112	120	-	20	30	20	-	30	20
Skull	113	30	-	-	-	-	-	-	-
Ear(s)	12	70	-	20	-	20	-	-	-
Face	13	2,900	50	890	730	490	380	180	170
Face, unspecified	130	480	-	120	70	130	50	60	30
Forehead	131	680	-	620	40	20	-	-	-
Eye(s)	132	1,030	-	80	470	200	150	50	50
Nose, nasal cavity	133	130	-	20	40	20	-	-	20
Nose, except internal location of diseases or disorders	1330	130	-	20	40	20	-	-	-
Cheek(s)	134	60	-	-	-	-	-	-	-
Jaw, chin	135	40	-	-	-	20	-	-	-
Mouth	136	130	-	-	30	30	-	40	30
Lip(s)	1361	70	-	-	-	-	-	-	-
Tooth (teeth)	1363	30	-	-	20	-	-	-	-
Multiple mouth locations	1368	30	-	-	-	20	-	-	-
Multiple face locations	138	280	-	30	60	20	140	-	20
Face, n.e.c.	139	70	-	-	-	40	-	-	-
Multiple head locations	18	130	-	-	80	30	-	-	-
Head, n.e.c.	19	30	-	-	20	-	-	-	-
Neck, including throat	2	1,940	60	210	860	450	150	70	140
Neck, except internal location of diseases or disorders	20	1,940	60	210	860	450	150	70	140
Trunk	3	14,960	470	1,490	4,280	4,500	1,630	1,020	1,570
Trunk, unspecified	30	60	-	-	-	-	-	-	20
Chest, including ribs, internal organs	31	1,350	40	80	560	210	240	150	80
Chest, except internal location of diseases or disorders	310	1,250	30	60	520	190	240	140	70
Internal chest location, unspecified	311	20	-	-	-	-	-	-	-
Heart	313	30	-	-	-	-	-	-	-
Lung(s), pleura	315	40	-	-	20	20	-	-	-
Back, including spine, spinal cord	32	11,860	390	1,220	3,260	3,750	1,150	760	1,330
Back, including spine, spinal cord, unspecified	320	5,020	110	590	1,460	1,210	570	350	740
Thoracic region	321	280	20	60	70	60	20	-	50
Lumbar region	322	6,200	220	550	1,590	2,410	530	350	550
Sacral region	323	50	-	-	50	-	-	-	-
Coccygeal region	324	70	-	-	40	-	-	-	-
Multiple back regions	328	220	50	-	50	50	30	30	-
Back, including spine, spinal cord, n.e.c.	329	20	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Abdomen	33	500	—	90	120	180	40	20	40
Abdomen, except internal location of diseases or disorders	330	460	—	80	100	170	40	20	30
Pelvic region	34	720	—	50	200	260	80	60	60
Pelvic region, unspecified	340	20	—	—	—	—	—	—	—
Hip(s)	341	280	—	30	110	60	40	20	20
Buttock(s)	343	210	—	—	20	140	—	—	20
Groin	344	200	—	20	60	60	30	—	—
Multiple trunk locations	38	460	—	50	120	100	120	20	40
Upper extremities	4	19,170	440	2,530	5,810	4,430	2,940	1,110	1,910
Upper extremities, unspecified	40	100	—	—	20	—	—	—	70
Shoulder(s), including clavicle(s), scapula(e)	41	4,860	100	650	1,490	1,230	610	310	460
Arm(s)	42	3,530	50	330	810	1,420	440	210	280
Arm(s), unspecified	420	920	—	80	220	290	210	60	50
Upper arm(s)	421	310	—	60	140	30	20	30	30
Elbow(s)	422	1,560	—	60	260	880	130	90	130
Forearm(s)	423	480	—	100	170	130	60	—	—
Multiple arm locations	428	200	—	20	20	90	—	—	40
Multiple arm locations, unspecified ..	4280	60	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	40	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	100	—	—	—	40	—	—	40
Arm(s), n.e.c.	429	60	—	—	20	—	—	—	20
Wrist(s)	43	2,150	50	350	530	290	300	140	490
Hand(s)	44	5,440	200	850	1,740	1,190	780	300	380
Hand(s), unspecified	440	1,760	90	270	430	380	340	100	160
Hand(s), except finger(s)	441	340	—	30	100	50	80	60	—
Finger(s), fingernail(s)	442	3,000	110	540	1,090	650	320	120	170
Finger(s), fingernail(s), unspecified ..	4420	2,240	110	470	720	490	200	120	150
Fingernail(s), nailbed(s)	4421	60	—	—	30	—	—	—	—
Fingertip(s)	4422	60	—	—	40	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	630	—	50	310	150	100	—	20
Hand(s) and finger(s)	448	270	—	—	110	80	—	30	30
Hand(s), n.e.c.	449	70	—	—	—	30	30	—	—
Multiple upper extremities locations	48	3,070	50	340	1,200	290	810	150	230
Multiple upper extremities locations, unspecified	480	20	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	230	—	80	60	40	30	—	20
Hand(s) and arm(s), unspecified	4810	50	—	—	20	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	180	—	80	30	20	30	—	—
Hand(s) and wrist(s)	482	360	—	60	60	90	20	40	70
Wrist(s) and arm(s)	483	750	—	50	30	—	630	—	20
Wrist(s) and arm(s), unspecified	4830	50	—	30	—	—	—	—	—
Wrist(s) and elbow(s)	4831	650	—	20	—	—	620	—	—
Wrist(s) and arm(s), n.e.c.	4839	50	—	—	20	—	—	—	—
Shoulder(s) and arm(s)	484	650	30	60	320	90	40	60	50
Multiple upper extremities locations, n.e.c.	489	1,040	—	80	720	50	90	30	70

See footnotes at end of table.

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Lower extremities	5	15,920	530	2,090	4,380	3,480	2,530	1,510	1,400
Lower extremities, unspecified	50	50	—	—	—	—	20	—	—
Leg(s)	51	9,960	320	1,230	2,720	2,120	1,770	1,110	690
Leg(s), unspecified	510	750	—	70	290	230	80	40	30
Thigh(s)	511	260	—	60	80	60	40	—	20
Knee(s)	512	8,060	230	1,000	2,070	1,580	1,550	1,030	600
Lower leg(s)	513	650	80	40	170	200	70	20	50
Multiple leg locations	518	230	—	50	90	40	30	—	—
Multiple leg locations, unspecified ...	5180	40	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	150	—	40	70	20	—	—	—
Multiple leg locations, n.e.c.	5189	30	—	—	20	—	—	—	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—	—
Ankle(s)	52	3,080	130	410	850	660	440	220	370
Foot (feet)	53	2,120	80	310	620	470	230	130	280
Foot (feet), unspecified	530	1,480	70	160	480	310	140	100	230
Sole(s)	531	90	—	20	30	20	—	—	—
Arch(es), instep(s)	5312	20	—	—	—	—	—	—	—
Heel(s)	5313	60	—	20	20	—	—	—	—
Toes(s), toenail(s)	532	430	—	90	90	110	80	20	40
Multiple foot (feet) locations	538	20	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	90	—	30	30	20	—	—	—
Multiple lower extremities locations	58	700	—	130	190	220	60	40	40
Foot (feet) and leg(s)	581	100	—	—	—	—	30	—	—
Foot(feet) and knee(s)	5811	30	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	60	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	170	—	—	60	40	—	20	—
Ankle(s) and leg(s)	583	300	—	60	100	110	—	—	—
Ankle(s) and knee(s)	5831	230	—	20	100	90	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	70	—	40	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	130	—	20	—	50	—	—	20
Body systems	6	2,950	630	230	730	600	170	120	460
Multiple body parts	8	13,200	270	1,320	4,270	2,880	2,430	980	1,050
Multiple body parts, unspecified	80	590	—	60	160	170	70	40	90
Head and neck	81	340	—	—	140	90	50	40	—
Head, neck, and trunk	82	190	—	—	60	40	—	—	50
Head and trunk	83	80	—	—	30	30	—	—	—
Neck and back	84	700	40	90	160	130	210	30	40
Shoulder(s) and back	85	390	—	30	140	110	60	20	—
Hip(s) and leg(s)	86	150	—	30	70	40	—	—	—
Upper and lower limb(s)	87	1,510	60	90	960	250	70	50	30
Other multiple body parts	89	9,250	130	1,000	2,570	2,020	1,950	770	800
Whole body	891	60	—	30	—	—	—	—	—
Multiple body parts, n.e.c.	899	9,190	130	960	2,570	2,020	1,940	770	790

See footnotes at end of table.

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Nonclassifiable	9999	670	—	50	160	110	50	50	240

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/if_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals. Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.