

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, state government, 2011³

Part of body	Part of body code ⁴	State govern-ment ⁵	Age								
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Total		186.4	-	-	92.0	201.1	154.2	218.4	221.8	151.5	94.1
Head	1	12.6	-	-	-	39.8	12.6	11.0	12.2	9.8	4.7
Head, unspecified	10	3.1	-	-	-	2.4	3.6	2.7	3.5	2.7	-
Cranial region, including skull	11	1.6	-	-	-	1.0	1.1	1.6	1.7	2.4	2.1
Cranial region, unspecified	110	.1	-	-	-	-	-	-	-	-	-
Brain	111	1.2	-	-	-	.9	.6	1.2	1.1	1.7	1.9
Scalp	112	.3	-	-	-	-	-	.3	.3	.6	-
Skull	113	.1	-	-	-	-	-	.2	-	-	-
Ear(s)	12	.2	-	-	-	-	-	.3	.2	-	-
Face	13	7.3	-	-	-	35.8	6.8	6.1	6.6	4.4	1.9
Face, unspecified	130	1.2	-	-	-	2.3	1.6	1.0	1.3	1.0	-
Forehead	131	1.7	-	-	-	-	.3	.2	-	-	-
Eye(s)	132	2.6	-	-	-	1.0	2.5	3.0	3.5	1.9	-
Nose, nasal cavity	133	.3	-	-	-	-	.6	-	.5	.2	-
Nose, except internal location of diseases or disorders	1330	.3	-	-	-	-	.6	-	.5	.2	-
Cheek(s)	134	.1	-	-	-	-	-	-	.3	-	-
Jaw, chin	135	.1	-	-	-	-	-	-	-	-	-
Mouth	136	.3	-	-	-	-	.2	.3	.6	.2	-
Lip(s)	1361	.2	-	-	-	-	-	-	-	-	-
Tooth (teeth)	1363	.1	-	-	-	-	-	-	-	.2	-
Multiple mouth locations	1368	.1	-	-	-	-	-	-	.2	-	-
Multiple face locations	138	.7	-	-	-	1.0	1.3	.8	.3	.5	-
Face, n.e.c.	139	.2	-	-	-	-	-	.3	-	-	-
Multiple head locations	18	.3	-	-	-	-	.9	.3	.2	-	-
Head, n.e.c.	19	.1	-	-	-	-	-	-	-	-	-
Neck, including throat	2	4.9	-	-	-	1.1	2.6	12.7	3.6	2.5	-
Neck, except internal location of diseases or disorders ...	20	4.9	-	-	-	1.1	2.6	12.6	3.6	2.5	-
Trunk	3	37.8	-	-	20.3	38.5	30.3	45.5	42.9	33.1	16.7
Trunk, unspecified	30	.2	-	-	-	-	.2	-	.3	-	-
Chest, including ribs, internal organs	31	3.4	-	-	-	5.8	4.2	1.9	3.4	4.3	1.4
Chest, except internal location of diseases or disorders	310	3.1	-	-	-	5.4	4.2	1.7	2.9	4.1	-
Internal chest location, unspecified	311	.1	-	-	-	-	-	-	-	-	-
Heart	313	.1	-	-	-	-	-	-	.2	-	-
Lung(s), pleura	315	.1	-	-	-	-	-	-	.2	-	-
Back, including spine, spinal cord	32	30.0	-	-	18.6	29.7	22.6	40.1	33.2	23.7	13.9
Back, including spine, spinal cord, unspecified	320	12.7	-	-	13.4	11.7	9.8	12.8	14.4	12.7	4.7
Thoracic region	321	.7	-	-	-	.8	.8	.9	.5	.5	-
Lumbar region	322	15.7	-	-	-	16.6	11.0	25.0	16.8	10.4	9.0
Sacral region	323	.1	-	-	-	-	.4	.2	-	-	-
Coccygeal region	324	.2	-	-	-	-	.2	-	.4	-	-
Multiple back regions	328	.6	-	-	-	-	.4	.8	.9	-	-
Back, including spine, spinal cord, n.e.c.	329	.1	-	-	-	-	-	-	-	-	-
Abdomen	33	1.3	-	-	-	1.3	1.1	.9	2.1	.9	-
Abdomen, except internal location of diseases or disorders	330	1.2	-	-	-	1.1	1.0	.8	2.0	.9	-

See footnotes at end of table.

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, state government, 2011³ — Continued

Part of body	Part of body code ⁴	State govern-ment ⁵	Age								
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Pelvic region	34	1.8	—	—	—	—	1.0	1.0	2.5	3.4	—
Pelvic region, unspecified	340	.1	—	—	—	—	—	—	—	—	—
Hip(s)	341	.7	—	—	—	—	.2	.3	1.5	.7	—
Buttock(s)	343	.5	—	—	—	—	—	—	—	2.2	—
Groin	344	.5	—	—	—	—	.5	.4	.8	.4	—
Multiple trunk locations	38	1.2	—	—	—	1.0	1.1	1.6	1.3	.8	—
Upper extremities	4	48.4	—	—	24.3	34.7	43.7	51.9	64.6	35.9	24.0
Upper extremities, unspecified	40	.3	—	—	—	—	—	.3	.3	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	12.3	—	—	—	8.0	6.9	11.7	18.4	11.9	8.2
Arm(s)	42	8.9	—	—	—	8.8	13.2	7.9	9.2	5.6	4.5
Arm(s), unspecified	420	2.3	—	—	—	3.8	2.0	2.3	2.2	2.1	1.1
Upper arm(s)	421	.8	—	—	—	—	.4	.9	1.3	.6	—
Elbow(s)	422	3.9	—	—	—	1.4	8.9	3.0	3.8	1.9	—
Forearm(s)	423	1.2	—	—	—	3.3	1.4	1.4	1.3	.5	—
Multiple arm locations	428	.5	—	—	—	—	.3	.3	.4	.4	—
Multiple arm locations, unspecified	4280	.2	—	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	.1	—	—	—	—	—	—	.2	—	—
Multiple arm locations, n.e.c.	4289	.3	—	—	—	—	.2	—	—	.3	—
Arm(s), n.e.c.	429	.1	—	—	—	—	—	—	.3	—	—
Wrist(s)	43	5.4	—	—	—	4.0	6.2	4.5	6.1	5.9	1.1
Hand(s)	44	13.7	—	—	13.9	10.2	13.0	14.2	19.0	9.1	8.9
Hand(s), unspecified	440	4.5	—	—	—	4.3	4.7	4.6	5.5	3.2	1.4
Hand(s), except finger(s)	441	.9	—	—	—	—	.9	1.5	.9	.5	—
Finger(s), fingernail(s)	442	7.6	—	—	—	5.7	6.2	7.0	11.6	5.1	6.9
Finger(s), fingernail(s), unspecified	4420	5.7	—	—	—	3.6	3.5	5.3	9.5	3.7	6.4
Fingernail(s), nailbed(s)	4421	.1	—	—	—	—	—	.2	.3	—	—
Fingertip(s)	4422	.2	—	—	—	—	.2	.2	—	.4	—
Finger(s), fingernail(s), n.e.c.	4429	1.6	—	—	—	2.2	2.4	1.3	1.8	1.0	—
Hand(s) and finger(s)	448	.7	—	—	—	—	1.1	.8	.7	.3	—
Hand(s), n.e.c.	449	.2	—	—	—	—	—	.4	.3	—	—
Multiple upper extremities locations	48	7.8	—	—	—	3.6	4.4	13.2	11.5	3.3	1.4
Multiple upper extremities locations, unspecified	480	.1	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	.6	—	—	—	—	1.5	.4	.2	.6	—
Hand(s) and arm(s), unspecified	4810	.1	—	—	—	—	—	—	.2	—	—
Hand(s) and arm(s), n.e.c.	4819	.4	—	—	—	—	1.3	.3	—	.4	—
Hand(s) and wrist(s)	482	.9	—	—	—	—	.9	1.4	.9	.8	—
Wrist(s) and arm(s)	483	1.9	—	—	—	—	—	7.5	.6	.3	—
Wrist(s) and arm(s), unspecified	4830	.1	—	—	—	—	—	—	.3	—	—
Wrist(s) and elbow(s)	4831	1.6	—	—	—	—	—	7.2	.2	—	—
Wrist(s) and arm(s), n.e.c.	4839	.1	—	—	—	—	—	.3	—	—	—
Shoulder(s) and arm(s)	484	1.6	—	—	—	—	1.0	2.9	2.2	.9	—
Multiple upper extremities locations, n.e.c.	489	2.6	—	—	—	2.3	.8	.9	7.6	.6	—
Lower extremities	5	40.2	—	—	29.8	33.1	37.9	51.1	41.4	34.5	21.0
Lower extremities, unspecified	50	.1	—	—	—	—	—	.3	.1	—	—
Leg(s)	51	25.2	—	—	10.2	20.1	22.9	31.2	27.2	21.3	16.8
Leg(s), unspecified	510	1.9	—	—	—	—	2.2	.9	2.4	2.5	2.9
Thigh(s)	511	.7	—	—	—	—	.3	.6	.9	.8	1.5
Knee(s)	512	20.4	—	—	8.7	16.5	19.5	26.4	21.4	15.8	11.4

See footnotes at end of table.

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, state government, 2011³ — Continued

Part of body	Part of body code ⁴	State govern-ment ⁵	Age								
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Lower leg(s)	513	1.6	—	—	—	2.5	0.4	2.3	1.9	1.8	—
Multiple leg locations	518	.6	—	—	—	—	.6	1.0	.5	.4	—
Multiple leg locations, unspecified	5180	.1	—	—	—	—	—	—	.2	—	—
Knee(s) and leg(s)	5181	.4	—	—	—	—	.5	.9	—	—	—
Multiple leg locations, n.e.c.	5189	.1	—	—	—	—	—	—	.2	—	—
Leg(s), n.e.c.	519	(⁶)	—	—	—	—	—	—	—	—	—
Ankle(s)	52	7.8	—	—	—	9.4	8.6	10.2	7.2	5.6	1.5
Foot (feet)	53	5.3	—	—	17.7	2.7	4.9	6.9	4.9	5.8	2.2
Foot (feet), unspecified	530	3.7	—	—	—	1.6	3.9	4.3	3.4	4.0	1.5
Sole(s)	531	.2	—	—	—	—	—	—	.4	.3	—
Arch(es), instep(s)	5312	.1	—	—	—	—	—	—	—	—	—
Heel(s)	5313	.1	—	—	—	—	—	—	.2	.2	—
Toes(s), toenail(s)	532	1.1	—	—	—	—	.7	2.2	.8	1.1	—
Multiple foot (feet) locations	538	(⁶)	—	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	.2	—	—	—	—	—	.2	.3	.3	—
Multiple lower extremities locations	58	1.8	—	—	—	.9	1.3	2.6	1.9	1.7	—
Foot (feet) and leg(s)	581	.3	—	—	—	—	.4	.3	.3	—	—
Foot(feet) and knee(s)	5811	.1	—	—	—	—	—	.2	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	.1	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	.4	—	—	—	.9	.2	.4	.5	.6	—
Ankle(s) and leg(s)	583	.8	—	—	—	—	.4	1.2	.9	.9	—
Ankle(s) and knee(s)	5831	.6	—	—	—	—	—	1.2	.8	.4	—
Ankle(s) and leg(s), n.e.c.	5839	.2	—	—	—	—	—	—	—	.4	—
Multiple lower extremities locations, n.e.c.	589	.3	—	—	—	—	.3	.8	.2	—	—
Body systems	6	7.4	—	—	—	1.0	3.6	15.0	7.1	5.8	5.5
Multiple body parts	8	33.3	—	—	—	49.3	22.6	29.7	48.5	28.7	21.2
Multiple body parts, unspecified	80	1.5	—	—	—	1.8	1.1	1.5	1.9	1.1	1.2
Head and neck	81	.9	—	—	—	2.5	.9	.8	1.2	.2	—
Head, neck, and trunk	82	.5	—	—	—	—	.2	.8	.7	.3	—
Head and trunk	83	.2	—	—	—	—	—	—	.4	.4	—
Neck and back	84	1.8	—	—	—	—	.9	3.0	2.2	1.4	—
Shoulder(s) and back	85	1.0	—	—	—	—	.6	1.3	1.7	.5	—
Hip(s) and leg(s)	86	.4	—	—	—	—	.3	.3	.7	.4	—
Upper and lower limb(s)	87	3.8	—	—	—	2.5	1.9	2.1	8.9	1.6	3.6
Other multiple body parts	89	23.4	—	—	—	41.8	16.7	19.6	30.8	22.8	15.7
Whole body	891	.2	—	—	—	—	.2	—	—	—	—
Multiple body parts, n.e.c.	899	23.2	—	—	—	41.8	16.5	19.4	30.7	22.6	15.4

See footnotes at end of table.

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, state government, 2011³ — Continued

Part of body	Part of body code ⁴	State government ⁵	Age								
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Nonclassifiable	9999	1.7	—	—	—	3.7	0.8	1.7	1.6	1.3	—

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000, where

N = number of injuries and illnesses

EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011.

This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

⁴ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Excludes farms with fewer than 11 employees.

⁶ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.