

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2012²

Part of body	Part of body code ³	State government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		66,930	26,770	3,090	2,800	2,110	680	6,910	280	70
Head	1	4,270	40	250	400	370	30	1,190	—	40
Head, unspecified	10	760	—	20	100	100	—	270	—	—
Cranial region, including skull	11	790	—	—	80	80	—	110	—	—
Cranial region, unspecified	110	70	—	—	40	40	—	20	—	—
Brain	111	560	—	—	—	—	—	—	—	—
Scalp	112	120	—	—	50	40	—	50	—	—
Skull	113	20	—	—	—	—	—	20	—	—
Cranial region, n.e.c.	119	20	—	—	—	—	—	20	—	—
Ear(s)	12	50	—	—	—	—	—	—	—	—
Face	13	2,400	—	230	200	180	—	740	—	40
Face, unspecified	130	440	—	—	20	20	—	190	—	—
Forehead	131	200	—	—	80	70	—	80	—	—
Eye(s)	132	880	—	—	50	40	—	160	—	30
Nose, nasal cavity	133	280	—	50	—	—	—	180	—	—
Nose, except internal location of diseases or disorders	1330	280	—	50	—	—	—	180	—	—
Cheek(s)	134	20	—	—	—	—	—	—	—	—
Jaw, chin	135	50	—	—	—	—	—	—	—	—
Mouth	136	270	—	110	20	20	—	20	—	—
Mouth, unspecified	1360	80	—	—	—	—	—	—	—	—
Lip(s)	1361	30	—	—	20	20	—	—	—	—
Tooth (teeth)	1363	130	—	110	—	—	—	—	—	—
Mouth, n.e.c.	1369	20	—	—	—	—	—	—	—	—
Multiple face locations	138	260	—	40	—	—	—	80	—	—
Face, n.e.c.	139	20	—	—	—	—	—	—	—	—
Multiple head locations	18	240	—	—	—	—	—	40	—	—
Head, n.e.c.	19	30	—	—	—	—	—	20	—	—
Neck, including throat	2	1,260	870	—	40	40	—	60	—	—
Neck, except internal location of diseases or disorders ...	20	1,260	870	—	40	40	—	60	—	—
Trunk	3	13,510	8,900	210	50	—	40	720	—	—
Trunk, unspecified	30	80	30	—	—	—	—	—	—	—
Chest, including ribs, internal organs	31	1,160	160	100	30	—	30	270	—	—
Chest, except internal location of diseases or disorders	310	840	160	100	30	—	30	270	—	—
Internal chest location, unspecified	311	140	—	—	—	—	—	—	—	—
Heart	313	110	—	—	—	—	—	—	—	—
Lung(s), pleura	315	60	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	10,180	7,880	70	—	—	—	170	—	—
Back, including spine, spinal cord, unspecified	320	3,710	2,890	30	—	—	—	50	—	—
Thoracic region	321	500	380	—	—	—	—	—	—	—
Lumbar region	322	5,540	4,410	20	—	—	—	60	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2012² — Continued

Part of body	Nature of injury or illness ⁵							Sore-ness, pain	All other natures ⁶
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Total	30	340	90	3,250	380	1,610	11,920	11,380	
Head	-	-	-	110	-	-	490	1,740	
Head, unspecified	-	-	-	-	-	-	180	170	
Cranial region, including skull	-	-	-	-	-	-	-	570	
Cranial region, unspecified	-	-	-	-	-	-	-	-	
Brain	-	-	-	-	-	-	-	560	
Scalp	-	-	-	-	-	-	-	-	
Skull	-	-	-	-	-	-	-	-	
Cranial region, n.e.c.	-	-	-	-	-	-	-	-	
Ear(s)	-	-	-	-	-	-	-	30	
Face	-	-	-	70	-	-	240	870	
Face, unspecified	-	-	-	-	-	-	40	160	
Forehead	-	-	-	-	-	-	-	-	
Eye(s)	-	-	-	20	-	-	100	530	
Nose, nasal cavity	-	-	-	-	-	-	-	20	
Nose, except internal location of diseases or disorders	-	-	-	-	-	-	-	20	
Cheek(s)	-	-	-	-	-	-	-	-	
Jaw, chin	-	-	-	-	-	-	-	20	
Mouth	-	-	-	-	-	-	50	60	
Mouth, unspecified	-	-	-	-	-	-	40	30	
Lip(s)	-	-	-	-	-	-	-	-	
Tooth (teeth)	-	-	-	-	-	-	-	-	
Mouth, n.e.c.	-	-	-	-	-	-	-	-	
Multiple face locations	-	-	-	20	-	-	30	70	
Face, n.e.c.	-	-	-	-	-	-	-	-	
Multiple head locations	-	-	-	20	-	-	60	90	
Head, n.e.c.	-	-	-	-	-	-	-	-	
Neck, including throat	-	-	-	20	-	20	110	140	
Neck, except internal location of diseases or disorders ...	-	-	-	20	-	20	110	140	
Trunk	-	-	-	50	-	30	2,360	1,210	
Trunk, unspecified	-	-	-	-	-	-	30	-	
Chest, including ribs, internal organs	-	-	-	30	-	-	230	360	
Chest, except internal location of diseases or disorders	-	-	-	30	-	-	230	30	
Internal chest location, unspecified	-	-	-	-	-	-	-	140	
Heart	-	-	-	-	-	-	-	110	
Lung(s), pleura	-	-	-	-	-	-	-	60	
Back, including spine, spinal cord	-	-	-	-	-	-	1,720	340	
Back, including spine, spinal cord, unspecified	-	-	-	-	-	-	590	150	
Thoracic region	-	-	-	-	-	-	90	20	
Lumbar region	-	-	-	-	-	-	930	120	

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Coccygeal region	324	110	—	20	—	—	—	60	—	—
Multiple back regions	328	290	180	—	—	—	—	—	—	—
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	—	—
Abdomen	33	690	220	—	—	—	—	30	—	—
Abdomen, except internal location of diseases or disorders	330	580	220	—	—	—	—	30	—	—
Internal abdominal location, unspecified	331	80	—	—	—	—	—	—	—	—
Pelvic region	34	1,060	510	50	20	—	—	190	—	—
Hip(s)	341	510	190	40	—	—	—	100	—	—
Pelvis	342	20	—	—	—	—	—	—	—	—
Buttock(s)	343	120	30	—	—	—	—	60	—	—
Groin	344	350	260	—	—	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	349	20	20	—	—	—	—	—	—	—
Multiple trunk locations	38	340	110	—	—	—	—	50	—	—
Upper extremities	4	16,640	6,020	1,200	1,860	1,470	390	1,650	170	—
Upper extremities, unspecified	40	100	20	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,530	3,010	120	—	—	—	250	—	—
Arm(s)	42	2,930	720	320	310	110	200	460	50	—
Arm(s), unspecified	420	780	220	70	170	—	160	80	—	—
Upper arm(s)	421	230	120	50	—	—	—	—	—	—
Elbow(s)	422	1,210	300	170	30	30	—	210	—	—
Forearm(s)	423	460	60	20	100	60	40	150	30	—
Multiple arm locations	428	210	20	20	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	130	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	70	—	20	—	—	—	—	—	—
Arm(s), n.e.c.	429	50	—	—	—	—	—	—	—	—
Wrist(s)	43	2,010	780	170	20	—	—	120	—	—
Hand(s)	44	5,480	830	560	1,500	1,320	180	670	110	—
Hand(s), unspecified	440	1,530	190	60	270	240	40	200	90	—
Hand(s), except finger(s)	441	310	—	30	140	80	60	20	—	—
Finger(s), fingernail(s)	442	3,310	590	440	1,030	940	90	360	—	—
Finger(s), fingernail(s), unspecified	4420	2,340	430	220	850	770	80	270	—	—
Fingernail(s), nailbed(s)	4421	20	—	—	—	—	—	—	—	—
Fingertip(s)	4422	300	40	70	40	30	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	650	120	150	140	140	—	80	—	—
Hand(s) and finger(s)	448	180	20	—	—	—	—	80	—	—
Hand(s), n.e.c.	449	150	—	20	50	50	—	—	—	—
Multiple upper extremities locations	48	1,590	660	20	30	30	—	140	20	—
Multiple upper extremities locations, unspecified	480	30	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	120	20	—	—	—	—	20	—	—
Hand(s) and arm(s), unspecified	4810	40	—	—	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	30	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	50	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2012² — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Coccygeal region	-	-	-	-	-	-	-	30
Multiple back regions	-	-	-	-	-	-	100	-
Back, including spine, spinal cord, n.e.c.	-	-	-	-	-	-	-	-
Abdomen	-	-	-	-	-	-	60	380
Abdomen, except internal location of diseases or disorders	-	-	-	-	-	-	60	270
Internal abdominal location, unspecified	-	-	-	-	-	-	-	80
Pelvic region	-	-	-	-	-	-	170	120
Hip(s)	-	-	-	-	-	-	80	100
Pelvis	-	-	-	-	-	-	-	-
Buttock(s)	-	-	-	-	-	-	20	-
Groin	-	-	-	-	-	-	70	-
Multiple pelvic region locations	-	-	-	-	-	-	-	-
Pelvic region, n.e.c.	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	-	-	-	-	150	-
Upper extremities	30	340	80	420	20	250	2,770	2,100
Upper extremities, unspecified	-	-	-	-	-	-	50	20
Shoulder(s), including clavicle(s), scapula(e)	-	-	50	70	-	70	710	310
Arm(s)	-	-	-	80	-	40	490	500
Arm(s), unspecified	-	-	-	20	-	20	90	110
Upper arm(s)	-	-	-	-	-	-	20	30
Elbow(s)	-	-	-	20	-	-	210	270
Forearm(s)	-	-	-	-	-	-	30	50
Multiple arm locations	-	-	-	-	-	-	140	-
Elbow(s) and arm(s)	-	-	-	-	-	-	100	-
Multiple arm locations, n.e.c.	-	-	-	-	-	-	40	-
Arm(s), n.e.c.	-	-	-	-	-	-	-	-
Wrist(s)	-	340	-	40	-	40	400	120
Hand(s)	30	-	-	150	-	80	680	940
Hand(s), unspecified	-	-	-	60	-	50	360	270
Hand(s), except finger(s)	-	-	-	-	-	-	30	80
Finger(s), fingernail(s)	30	-	-	70	-	20	230	540
Finger(s), fingernail(s), unspecified	-	-	-	50	-	-	140	360
Fingernail(s), nailbed(s)	-	-	-	-	-	-	-	20
Fingertip(s)	20	-	-	-	-	-	70	60
Finger(s), fingernail(s), n.e.c.	-	-	-	30	-	-	20	110
Hand(s) and finger(s)	-	-	-	20	-	-	-	30
Hand(s), n.e.c.	-	-	-	-	-	-	50	-
Multiple upper extremities locations	-	-	-	80	-	20	430	210
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	20	-
Hand(s) and arms(s)	-	-	-	-	-	-	-	40
Hand(s) and arm(s), unspecified	-	-	-	-	-	-	-	20
Hand(s) and elbow(s)	-	-	-	-	-	-	-	-
Hand(s) and arm(s), n.e.c.	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Hand(s) and wrist(s)	482	280	110	—	—	—	—	50	—	—
Wrist(s) and arm(s)	483	150	60	—	—	—	—	30	—	—
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	—	—	—	—
Wrist(s) and elbow(s)	4831	40	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	60	50	—	—	—	—	—	—	—
Shoulder(s) and arm(s)	484	420	220	—	—	—	—	30	—	—
Multiple upper extremities locations, n.e.c.	489	600	230	—	—	—	—	—	—	—
Lower extremities	5	15,600	7,280	1,350	270	150	120	2,090	40	—
Leg(s)	51	9,990	4,480	300	190	100	90	1,620	—	—
Leg(s), unspecified	510	700	180	80	60	20	40	180	—	—
Thigh(s)	511	290	150	—	20	20	—	40	—	—
Knee(s)	512	8,140	3,790	100	30	30	—	1,270	—	—
Lower leg(s)	513	530	150	90	70	40	30	80	—	—
Multiple leg locations	518	280	190	—	—	—	—	60	—	—
Knee(s) and leg(s)	5181	120	40	—	—	—	—	60	—	—
Multiple leg locations, n.e.c.	5189	160	150	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	40	20	—	—	—	—	—	—	—
Ankle(s)	52	2,950	2,050	560	—	—	—	60	—	—
Foot (feet)	53	1,860	390	490	60	30	30	340	30	—
Foot (feet), unspecified	530	1,270	360	350	40	—	30	240	20	—
Sole(s)	531	120	—	20	—	—	—	20	—	—
Arch(es), instep(s)	5312	20	—	—	—	—	—	—	—	—
Heel(s)	5313	90	—	20	—	—	—	20	—	—
Toes(s), toenail(s)	532	290	—	110	20	20	—	40	—	—
Multiple foot (feet) locations	538	30	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	150	—	20	—	—	—	40	—	—
Multiple lower extremities locations	58	800	350	—	—	—	—	60	—	—
Multiple lower extremities locations, unspecified	580	30	—	—	—	—	—	—	—	—
Foot (feet) and leg(s)	581	90	60	—	—	—	—	20	—	—
Foot(feet) and knee(s)	5811	60	40	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	30	20	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	220	150	—	—	—	—	—	—	—
Ankle(s) and leg(s)	583	220	100	—	—	—	—	—	—	—
Ankle(s) and leg(s), unspecified	5830	20	—	—	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	140	70	—	—	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	60	30	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	240	40	—	—	—	—	—	—	—
Body systems	6	2,080	—	—	—	—	—	—	—	—
Multiple body parts	8	11,790	3,590	70	130	70	50	1,100	50	—
Multiple body parts, unspecified	80	740	200	—	—	—	—	90	—	—
Head and neck	81	310	—	—	—	—	—	70	—	—
Head, neck, and trunk	82	150	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2012² — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Hand(s) and wrist(s)	-	-	-	-	-	-	50	50
Wrist(s) and arm(s)	-	-	-	-	-	-	20	20
Wrist(s) and arm(s), unspecified	-	-	-	-	-	-	-	-
Wrist(s) and elbow(s)	-	-	-	-	-	-	20	-
Wrist(s) and arm(s), n.e.c.	-	-	-	-	-	-	-	-
Shoulder(s) and arm(s)	-	-	-	-	-	-	110	50
Multiple upper extremities locations, n.e.c.	-	-	-	60	-	20	220	50
Lower extremities	-	-	-	350	60	250	2,890	1,330
Leg(s)	-	-	-	130	-	100	2,320	940
Leg(s), unspecified	-	-	-	-	-	-	70	130
Thigh(s)	-	-	-	-	-	-	60	-
Knee(s)	-	-	-	110	-	90	2,070	760
Lower leg(s)	-	-	-	-	-	-	110	30
Multiple leg locations	-	-	-	-	-	-	-	20
Knee(s) and leg(s)	-	-	-	-	-	-	-	-
Multiple leg locations, n.e.c.	-	-	-	-	-	-	-	-
Leg(s), n.e.c.	-	-	-	-	-	-	-	-
Ankle(s)	-	-	-	40	20	20	170	60
Foot (feet)	-	-	-	30	20	-	240	250
Foot (feet), unspecified	-	-	-	20	-	-	140	120
Sole(s)	-	-	-	-	-	-	20	40
Arch(es), instep(s)	-	-	-	-	-	-	-	-
Heel(s)	-	-	-	-	-	-	20	20
Toes(s), toenail(s)	-	-	-	-	-	-	40	60
Multiple foot (feet) locations	-	-	-	-	-	-	20	-
Foot (feet), n.e.c.	-	-	-	-	-	-	20	30
Multiple lower extremities locations	-	-	-	140	20	120	160	80
Multiple lower extremities locations, unspecified	-	-	-	-	-	-	-	-
Foot (feet) and leg(s)	-	-	-	-	-	-	-	-
Foot(feet) and knee(s)	-	-	-	-	-	-	-	-
Foot(feet) and leg(s), n.e.c.	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s)	-	-	-	-	-	-	40	-
Ankle(s) and leg(s)	-	-	-	50	20	40	-	30
Ankle(s) and leg(s), unspecified	-	-	-	-	-	-	-	-
Ankle(s) and knee(s)	-	-	-	50	20	30	-	-
Ankle(s) and leg(s), n.e.c.	-	-	-	-	-	-	-	20
Multiple lower extremities locations, n.e.c.	-	-	-	80	-	80	90	20
Body systems	-	-	-	-	-	-	-	2,070
Multiple body parts	-	-	-	2,260	290	1,050	3,170	1,420
Multiple body parts, unspecified	-	-	-	90	-	70	200	170
Head and neck	-	-	-	70	-	40	110	50
Head, neck, and trunk	-	-	-	130	-	120	-	-

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Head and trunk	83	230	—	—	—	—	—	20	—	—
Neck and back	84	1,070	520	—	—	—	—	—	—	—
Shoulder(s) and back	85	590	270	—	—	—	—	30	—	—
Hip(s) and leg(s)	86	110	70	—	—	—	—	—	—	—
Upper and lower limb(s)	87	970	120	20	20	—	—	80	—	—
Other multiple body parts	89	7,610	2,400	50	100	60	40	780	50	—
Whole body	891	80	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	899	7,530	2,390	50	100	60	40	770	50	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2012² — Continued

Part of body	Nature of injury or illness ⁵							
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	All other natures ⁶
				Total	With fractures and other injuries	With sprains and other injuries		
Head and trunk	—	—	—	90	—	20	90	30
Neck and back	—	—	—	—	—	—	500	50
Shoulder(s) and back	—	—	—	—	—	—	250	40
Hip(s) and leg(s)	—	—	—	20	—	—	—	—
Upper and lower limb(s)	—	—	—	250	—	120	310	180
Other multiple body parts	—	—	—	1,620	180	670	1,700	910
Whole body	—	—	—	—	—	—	—	50
Multiple body parts, n.e.c.	—	—	—	1,620	180	670	1,690	860

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Nonclassifiable	9999	1,790	70	–	40	–	40	110	–	–

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2012² — Continued

Part of body	Nature of injury or illness ⁵							
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	All other natures ⁶
				Total	With fractures and other injuries	With sprains and other injuries		
Nonclassifiable	–	–	–	50	–	–	130	1,360

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Soreness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.