

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2012<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Source of injury or illness <sup>5</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total .....		66,930	530	3,410	2,520	1,470	2,450
<b>Head</b> .....	1	4,270	130	40	140	80	200
Head, unspecified .....	10	760	—	—	50	20	30
Cranial region, including skull .....	11	790	—	—	50	—	70
Cranial region, unspecified .....	110	70	—	—	—	—	—
Brain .....	111	560	—	—	40	—	—
Scalp .....	112	120	—	—	—	—	40
Skull .....	113	20	—	—	—	—	—
Cranial region, n.e.c. ....	119	20	—	—	—	—	—
Ear(s) .....	12	50	—	—	—	—	—
Face .....	13	2,400	130	20	40	60	90
Face, unspecified .....	130	440	—	—	—	—	—
Forehead .....	131	200	—	—	—	20	50
Eye(s) .....	132	880	120	—	—	—	30
Nose, nasal cavity .....	133	280	—	—	20	—	—
Nose, except internal location of diseases or disorders .....	1330	280	—	—	20	—	—
Cheek(s) .....	134	20	—	—	—	—	—
Jaw, chin .....	135	50	—	—	—	—	—
Mouth .....	136	270	—	—	—	—	—
Mouth, unspecified .....	1360	80	—	—	—	—	—
Lip(s) .....	1361	30	—	—	—	—	—
Tooth (teeth) .....	1363	130	—	—	—	—	—
Mouth, n.e.c. ....	1369	20	—	—	—	—	—
Multiple face locations .....	138	260	—	—	—	—	—
Face, n.e.c. ....	139	20	—	—	—	—	—
Multiple head locations .....	18	240	—	—	—	—	—
Head, n.e.c. ....	19	30	—	—	—	—	—
<b>Neck, including throat</b> .....	2	1,260	—	50	50	—	20
Neck, except internal location of diseases or disorders ...	20	1,260	—	50	50	—	20
<b>Trunk</b> .....	3	13,510	20	1,420	720	380	670
Trunk, unspecified .....	30	80	—	—	—	—	—
Chest, including ribs, internal organs .....	31	1,160	20	70	—	20	50
Chest, except internal location of diseases or disorders .....	310	840	—	70	—	20	50
Internal chest location, unspecified .....	311	140	—	—	—	—	—
Heart .....	313	110	—	—	—	—	—
Lung(s), pleura .....	315	60	20	—	—	—	—
Back, including spine, spinal cord .....	32	10,180	—	1,210	640	310	480
Back, including spine, spinal cord, unspecified .....	320	3,710	—	520	360	120	160
Thoracic region .....	321	500	—	30	—	30	—
Lumbar region .....	322	5,540	—	610	230	130	310
Coccygeal region .....	324	110	—	—	—	—	—
Multiple back regions .....	328	290	—	30	—	20	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Source of injury or illness <sup>5</sup>							All other sources <sup>6</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
<b>Total</b> .....	11,430	1,340	5,260	11,400	10,510	16,920	9,150	9,960
<b>Head</b> .....	510	40	250	—	—	2,070	1,320	780
Head, unspecified .....	160	—	120	—	—	230	180	130
Cranial region, including skull .....	200	20	120	—	—	210	120	90
Cranial region, unspecified .....	30	—	—	—	—	20	20	—
Brain .....	150	—	100	—	—	170	90	80
Scalp .....	—	—	20	—	—	—	—	—
Skull .....	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	—	—	—	—	50
Face .....	150	—	—	—	—	1,410	870	480
Face, unspecified .....	—	—	—	—	—	370	280	40
Forehead .....	30	—	—	—	—	70	50	—
Eye(s) .....	20	—	—	—	—	350	220	330
Nose, nasal cavity .....	40	—	—	—	—	150	110	—
Nose, except internal location of diseases or disorders .....	40	—	—	—	—	150	110	—
Cheek(s) .....	—	—	—	—	—	20	—	—
Jaw, chin .....	—	—	—	—	—	50	20	—
Mouth .....	20	—	—	—	—	160	90	80
Mouth, unspecified .....	—	—	—	—	—	70	—	—
Lip(s) .....	—	—	—	—	—	20	20	—
Tooth (teeth) .....	—	—	—	—	—	60	60	60
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—
Multiple face locations .....	30	—	—	—	—	210	70	—
Face, n.e.c. ....	—	—	—	—	—	20	—	—
Multiple head locations .....	—	—	—	—	—	200	140	40
Head, n.e.c. ....	—	—	—	—	—	30	—	—
<b>Neck, including throat</b> .....	30	—	340	200	200	360	200	180
Neck, except internal location of diseases or disorders ...	30	—	340	200	200	360	200	180
<b>Trunk</b> .....	1,350	360	920	2,780	2,610	3,200	2,180	1,660
Trunk, unspecified .....	—	—	20	20	20	—	—	30
Chest, including ribs, internal organs .....	80	70	60	270	110	230	110	270
Chest, except internal location of diseases or disorders .....	80	70	60	110	100	230	110	130
Internal chest location, unspecified .....	—	—	—	50	—	—	—	80
Heart .....	—	—	—	100	—	—	—	—
Lung(s), pleura .....	—	—	—	—	—	—	—	40
Back, including spine, spinal cord .....	830	230	720	2,190	2,190	2,520	1,770	1,020
Back, including spine, spinal cord, unspecified .....	350	60	180	770	770	860	570	300
Thoracic region .....	—	—	—	30	30	290	260	80
Lumbar region .....	420	160	470	1,330	1,330	1,280	870	560
Coccygeal region .....	50	—	—	—	—	30	—	—
Multiple back regions .....	—	—	50	60	60	60	50	60

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Source of injury or illness <sup>5</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Back, including spine, spinal cord, n.e.c. ....	329	20	—	—	—	—	—
Abdomen .....	33	690	—	90	30	30	60
Abdomen, except internal location of diseases or disorders .....	330	580	—	80	30	30	60
Internal abdominal location, unspecified .....	331	80	—	—	—	—	—
Pelvic region .....	34	1,060	—	40	40	30	70
Hip(s) .....	341	510	—	—	—	—	—
Pelvis .....	342	20	—	—	—	—	—
Buttock(s) .....	343	120	—	—	—	—	—
Groin .....	344	350	—	40	—	—	60
Multiple pelvic region locations .....	348	20	—	—	—	—	—
Pelvic region, n.e.c. ....	349	20	—	—	—	—	—
Multiple trunk locations .....	38	340	—	—	—	—	—
<b>Upper extremities</b> .....	<b>4</b>	<b>16,640</b>	<b>40</b>	<b>1,250</b>	<b>750</b>	<b>600</b>	<b>1,080</b>
Upper extremities, unspecified .....	40	100	—	—	—	—	20
Shoulder(s), including clavicle(s), scapula(e) .....	41	4,530	—	540	320	90	370
Arm(s) .....	42	2,930	—	230	100	70	150
Arm(s), unspecified .....	420	780	—	40	30	40	30
Upper arm(s) .....	421	230	—	60	—	—	20
Elbow(s) .....	422	1,210	—	80	60	20	60
Forearm(s) .....	423	460	—	20	—	—	40
Multiple arm locations .....	428	210	—	—	—	—	—
Elbow(s) and arm(s) .....	4281	130	—	—	—	—	—
Multiple arm locations, n.e.c. ....	4289	70	—	—	—	—	—
Arm(s), n.e.c. ....	429	50	—	—	—	—	—
Wrist(s) .....	43	2,010	—	60	50	70	70
Hand(s) .....	44	5,480	30	300	240	310	410
Hand(s), unspecified .....	440	1,530	—	40	90	40	70
Hand(s), except finger(s) .....	441	310	—	—	—	50	—
Finger(s), fingernail(s) .....	442	3,310	—	220	130	220	320
Finger(s), fingernail(s), unspecified .....	4420	2,340	—	150	100	210	200
Fingernail(s), nailbed(s) .....	4421	20	—	—	—	—	—
Fingertip(s) .....	4422	300	—	50	—	—	60
Finger(s), fingernail(s), n.e.c. ....	4429	650	—	20	30	—	60
Hand(s) and finger(s) .....	448	180	—	—	—	—	—
Hand(s), n.e.c. ....	449	150	—	20	—	—	—
Multiple upper extremities locations .....	48	1,590	—	100	30	60	60
Multiple upper extremities locations, unspecified .....	480	30	—	—	—	—	—
Hand(s) and arms(s) .....	481	120	—	—	—	—	—
Hand(s) and arm(s), unspecified .....	4810	40	—	—	—	—	—
Hand(s) and elbow(s) .....	4811	30	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	4819	50	—	—	—	—	—
Hand(s) and wrist(s) .....	482	280	—	—	—	—	—
Wrist(s) and arm(s) .....	483	150	—	—	—	—	—
Wrist(s) and arm(s), unspecified .....	4830	50	—	—	—	—	—
Wrist(s) and elbow(s) .....	4831	40	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Source of injury or illness <sup>5</sup>							All other sources <sup>6</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Back, including spine, spinal cord, n.e.c. ....	—	—	—	—	—	—	—	—
Abdomen .....	—	—	40	50	50	170	130	190
Abdomen, except internal location of diseases or disorders .....	—	—	40	50	50	140	120	130
Internal abdominal location, unspecified .....	—	—	—	—	—	—	—	50
Pelvic region .....	290	50	60	180	180	200	110	100
Hip(s) .....	190	—	30	150	150	80	40	40
Pelvis .....	—	—	—	—	—	—	—	—
Buttock(s) .....	40	—	—	—	—	20	—	20
Groin .....	20	50	—	30	30	80	60	40
Multiple pelvic region locations .....	—	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	—	—	—	—	—	—	—	—
Multiple trunk locations .....	120	—	20	70	70	70	60	40
<b>Upper extremities</b> .....	<b>1,740</b>	<b>840</b>	<b>790</b>	<b>1,750</b>	<b>1,720</b>	<b>4,320</b>	<b>2,170</b>	<b>3,420</b>
Upper extremities, unspecified .....	30	—	—	20	20	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	500	170	190	420	380	1,130	710	760
Arm(s) .....	580	100	250	220	220	710	250	510
Arm(s), unspecified .....	90	—	50	50	50	190	130	250
Upper arm(s) .....	50	—	—	20	20	30	20	50
Elbow(s) .....	380	50	80	120	120	280	20	80
Forearm(s) .....	30	40	120	—	—	100	40	90
Multiple arm locations .....	20	—	—	20	20	100	40	—
Elbow(s) and arm(s) .....	—	—	—	—	—	60	—	—
Multiple arm locations, n.e.c. ....	—	—	—	—	—	40	40	—
Arm(s), n.e.c. ....	—	—	—	—	—	—	—	30
Wrist(s) .....	280	60	30	540	540	530	270	320
Hand(s) .....	210	480	260	290	290	1,300	550	1,630
Hand(s), unspecified .....	90	60	90	200	200	360	80	460
Hand(s), except finger(s) .....	20	—	30	—	—	80	40	90
Finger(s), fingernail(s) .....	80	380	140	60	60	810	420	950
Finger(s), fingernail(s), unspecified .....	60	260	100	30	30	620	310	600
Fingernail(s), nailbed(s) .....	—	—	—	—	—	—	—	—
Fingertip(s) .....	—	20	—	—	—	—	—	140
Finger(s), fingernail(s), n.e.c. ....	20	90	20	30	30	160	80	210
Hand(s) and finger(s) .....	—	—	—	—	—	40	—	110
Hand(s), n.e.c. ....	—	30	—	20	20	20	—	30
Multiple upper extremities locations .....	150	30	40	260	260	650	390	210
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	—	—
Hand(s) and arms(s) .....	—	—	—	20	20	40	—	—
Hand(s) and arm(s), unspecified .....	—	—	—	—	—	—	—	—
Hand(s) and elbow(s) .....	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	—	—	—	—	—	20	—	—
Hand(s) and wrist(s) .....	40	—	—	60	60	100	50	50
Wrist(s) and arm(s) .....	30	—	—	30	30	60	40	20
Wrist(s) and arm(s), unspecified .....	—	—	—	—	—	—	—	—
Wrist(s) and elbow(s) .....	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Source of injury or illness <sup>5</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Wrist(s) and arm(s), n.e.c. ....	4839	60	—	—	—	—	—
Shoulder(s) and arm(s) .....	484	420	—	60	—	—	30
Multiple upper extremities locations, n.e.c. ....	489	600	—	30	20	40	—
<b>Lower extremities</b> .....	<b>5</b>	<b>15,600</b>	<b>—</b>	<b>360</b>	<b>550</b>	<b>240</b>	<b>260</b>
Leg(s) .....	51	9,990	—	280	270	130	80
Leg(s), unspecified .....	510	700	—	—	—	—	—
Thigh(s) .....	511	290	—	—	—	—	—
Knee(s) .....	512	8,140	—	270	240	100	60
Lower leg(s) .....	513	530	—	—	—	20	—
Multiple leg locations .....	518	280	—	—	—	—	—
Knee(s) and leg(s) .....	5181	120	—	—	—	—	—
Multiple leg locations, n.e.c. ....	5189	160	—	—	—	—	—
Leg(s), n.e.c. ....	519	40	—	—	—	—	—
Ankle(s) .....	52	2,950	—	—	130	—	50
Foot (feet) .....	53	1,860	—	50	130	90	100
Foot (feet), unspecified .....	530	1,270	—	30	50	90	60
Sole(s) .....	531	120	—	—	—	—	—
Arch(es), instep(s) .....	5312	20	—	—	—	—	—
Heel(s) .....	5313	90	—	—	—	—	—
Toes(s), toenail(s) .....	532	290	—	—	50	—	30
Multiple foot (feet) locations .....	538	30	—	—	—	—	—
Foot (feet), n.e.c. ....	539	150	—	—	20	—	—
Multiple lower extremities locations .....	58	800	—	20	—	—	30
Multiple lower extremities locations, unspecified .....	580	30	—	—	—	—	—
Foot (feet) and leg(s) .....	581	90	—	—	—	—	—
Foot(feet) and knee(s) .....	5811	60	—	—	—	—	—
Foot(feet) and leg(s), n.e.c. ....	5819	30	—	—	—	—	—
Foot (feet) and ankle(s) .....	582	220	—	—	—	—	—
Ankle(s) and leg(s) .....	583	220	—	—	—	—	20
Ankle(s) and leg(s), unspecified .....	5830	20	—	—	—	—	—
Ankle(s) and knee(s) .....	5831	140	—	—	—	—	—
Ankle(s) and leg(s), n.e.c. ....	5839	60	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	589	240	—	—	—	—	—
<b>Body systems</b> .....	<b>6</b>	<b>2,080</b>	<b>300</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>70</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>11,790</b>	<b>—</b>	<b>300</b>	<b>290</b>	<b>150</b>	<b>150</b>
Multiple body parts, unspecified .....	80	740	—	—	—	—	—
Head and neck .....	81	310	—	—	—	—	—
Head, neck, and trunk .....	82	150	—	—	—	—	—
Head and trunk .....	83	230	—	—	—	—	—
Neck and back .....	84	1,070	—	40	20	—	—
Shoulder(s) and back .....	85	590	—	50	—	—	—
Hip(s) and leg(s) .....	86	110	—	—	—	—	—
Upper and lower limb(s) .....	87	970	—	—	50	—	—
Other multiple body parts .....	89	7,610	—	190	190	130	120

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Source of injury or illness <sup>5</sup>							All other sources <sup>6</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Wrist(s) and arm(s), n.e.c. ....	—	—	—	—	—	30	—	—
Shoulder(s) and arm(s) .....	—	—	20	30	30	200	140	40
Multiple upper extremities locations, n.e.c. ....	50	—	—	110	110	240	160	90
<b>Lower extremities</b> .....	4,430	60	770	5,190	5,180	2,510	1,110	1,140
Leg(s) .....	2,900	20	420	3,190	3,180	2,030	840	620
Leg(s), unspecified .....	200	—	60	100	100	100	70	180
Thigh(s) .....	40	—	30	120	120	60	40	30
Knee(s) .....	2,480	—	250	2,650	2,650	1,680	620	370
Lower leg(s) .....	100	—	50	150	150	150	110	40
Multiple leg locations .....	80	—	—	160	160	30	—	—
Knee(s) and leg(s) .....	70	—	—	20	20	30	—	—
Multiple leg locations, n.e.c. ....	—	—	—	140	140	—	—	—
Leg(s), n.e.c. ....	—	—	30	—	—	—	—	—
Ankle(s) .....	850	—	120	1,350	1,350	190	70	210
Foot (feet) .....	410	40	200	430	430	110	80	280
Foot (feet), unspecified .....	330	30	160	280	280	50	20	180
Sole(s) .....	20	—	—	80	80	—	—	—
Arch(es), instep(s) .....	—	—	—	20	20	—	—	—
Heel(s) .....	20	—	—	50	50	—	—	—
Toes(s), toenail(s) .....	—	—	30	20	20	60	60	60
Multiple foot (feet) locations .....	—	—	—	20	20	—	—	—
Foot (feet), n.e.c. ....	40	—	—	40	40	—	—	30
Multiple lower extremities locations .....	280	—	30	230	220	160	110	30
Multiple lower extremities locations, unspecified .....	—	—	—	—	—	20	—	—
Foot (feet) and leg(s) .....	30	—	—	30	30	20	—	—
Foot(feet) and knee(s) .....	20	—	—	20	20	—	—	—
Foot(feet) and leg(s), n.e.c. ....	—	—	—	—	—	20	—	—
Foot (feet) and ankle(s) .....	30	—	—	150	150	—	—	—
Ankle(s) and leg(s) .....	120	—	—	20	20	40	—	20
Ankle(s) and leg(s), unspecified .....	—	—	—	—	—	—	—	—
Ankle(s) and knee(s) .....	110	—	—	—	—	20	—	—
Ankle(s) and leg(s), n.e.c. ....	—	—	—	20	—	20	—	—
Multiple lower extremities locations, n.e.c. ....	110	—	20	30	30	70	70	—
<b>Body systems</b> .....	40	—	—	680	20	390	60	560
<b>Multiple body parts</b> .....	3,150	30	2,140	710	710	3,990	2,050	840
Multiple body parts, unspecified .....	180	—	80	120	120	200	160	150
Head and neck .....	—	—	60	—	—	210	180	—
Head, neck, and trunk .....	—	—	—	—	—	140	—	—
Head and trunk .....	130	—	—	—	—	80	30	—
Neck and back .....	180	—	510	70	70	220	90	20
Shoulder(s) and back .....	100	—	80	60	60	260	120	—
Hip(s) and leg(s) .....	50	—	—	—	—	40	40	—
Upper and lower limb(s) .....	600	—	40	20	20	170	40	90
Other multiple body parts .....	1,900	30	1,340	430	430	2,670	1,390	560

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Source of injury or illness <sup>5</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Whole body .....	891	80	—	—	—	—	—
Multiple body parts, n.e.c. ....	899	7,530	—	190	190	130	120

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Source of injury or illness <sup>5</sup>							All other sources <sup>6</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Whole body .....	—	—	30	—	—	—	—	30
Multiple body parts, n.e.c. ....	1,890	30	1,310	430	430	2,660	1,390	530

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Source of injury or illness <sup>5</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
<b>Nonclassifiable</b> .....	9999	1,790	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Source of injury or illness <sup>5</sup>							All other sources <sup>6</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
<b>Nonclassifiable</b> .....	170	—	50	80	80	80	50	1,370

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

<sup>5</sup> Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>6</sup> Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.