

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2012²

Nature	Nature code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		66,930	-	-	250	2,140	12,140	15,660	20,850	11,450	1,600	2,840
Traumatic injuries and disorders	1	62,570	-	-	220	2,030	11,610	14,910	19,840	10,830	1,480	1,650
Traumatic injuries and disorders, unspecified	10	1,150	-	-	-	50	140	250	370	190	40	110
Traumatic injuries to bones, nerves, spinal cord	11	3,260	-	-	30	100	320	930	960	760	90	80
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	-	-	-	-	-	20	30	-	-	-
Fractures	111	3,090	-	-	30	100	270	900	890	740	90	80
Traumatic injuries to nerves, except the spinal cord ..	113	80	-	-	-	-	20	-	30	-	-	-
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	-	-	-	-	-	-	30	-	-	-
Pinched nerve	1131	30	-	-	-	-	-	-	-	-	-	-
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	20	-	-	-	-	-	-	-	-	-	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,880	-	-	40	930	4,930	6,780	9,180	4,770	590	660
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	110	-	-	-	-	-	70	40	-	-	-
Dislocations	121	410	-	-	-	30	80	70	100	120	-	-
Dislocations, unspecified	1210	70	-	-	-	-	-	20	50	-	-	-
Herniated discs	1211	120	-	-	-	-	-	-	30	70	-	-
Dislocation of joints	1212	190	-	-	-	-	70	30	20	50	-	-
Dislocations, n.e.c.	1219	40	-	-	-	-	-	-	-	-	-	-
Cartilage fractures and tears	122	140	-	-	-	-	30	-	40	60	-	-
Meniscus tears	1221	110	-	-	-	-	-	-	40	50	-	-
Cartilage fractures and tears, n.e.c.	1229	30	-	-	-	-	20	-	-	-	-	-
Sprains, strains, tears	123	26,770	-	-	40	900	4,780	6,550	8,770	4,510	580	640
Sprains, strains, tears, unspecified	1230	3,370	-	-	-	70	530	950	1,160	340	50	270
Major tears to muscles, tendons, ligaments	1231	790	-	-	-	-	80	90	440	130	30	-
Sprains	1232	7,760	-	-	-	280	1,670	1,910	2,380	1,220	260	40
Strains	1233	14,300	-	-	30	510	2,390	3,450	4,640	2,760	230	290
Multiple sprains, strains, tears	1238	550	-	-	-	30	100	160	160	60	-	30
Hernias due to traumatic incidents	124	250	-	-	-	-	20	50	90	60	-	20
Whiplash	125	100	-	-	-	-	20	30	40	-	-	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	100	-	-	-	-	-	-	90	-	-	-
Open wounds	13	2,910	-	-	40	140	560	600	870	560	50	90
Open wounds, unspecified	130	20	-	-	-	-	-	-	-	-	-	-
Amputations, avulsions, enucleations	131	90	-	-	-	-	-	-	20	50	-	-
Amputations	1311	30	-	-	-	-	-	-	-	20	-	-
Avulsions, enucleations	1312	50	-	-	-	-	-	-	-	20	-	-
Cuts, lacerations	132	2,110	-	-	40	100	420	440	560	450	30	60
Puncture wounds, except gunshot wounds	133	680	-	-	-	30	130	130	290	70	-	30
Surface wounds and bruises	14	7,870	-	-	50	310	1,880	1,800	2,110	1,180	290	250
Surface wounds and bruises, unspecified	140	210	-	-	-	-	100	40	30	40	-	-
Abrasions, scratches	141	460	-	-	-	-	160	120	50	100	20	-
Bruises, contusions	143	6,910	-	-	50	300	1,530	1,610	1,910	1,010	260	240
Multiple surface wounds and bruises	148	260	-	-	-	-	90	30	100	40	-	-
Surface wounds and bruises, n.e.c.	149	30	-	-	-	-	-	-	20	-	-	-
Burns and corrosions	15	370	-	-	-	30	60	90	130	50	-	-

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Chemical burns and corruptions	151	70	-	-	-	-	-	-	-	-	20	-	-
Chemical burns and corruptions, unspecified	1510	70	-	-	-	-	-	-	-	-	20	-	-
Heat (thermal) burns	152	280	-	-	-	-	50	70	100	20	-	-	-
Heat (thermal) burns, unspecified	1520	260	-	-	-	-	40	70	90	20	-	-	-
Second degree heat (thermal) burns	1522	20	-	-	-	-	-	-	-	-	-	-	-
Intracranial injuries	16	540	-	-	-	-	120	160	140	70	20	-	20
Intracranial injuries, unspecified	160	60	-	-	-	-	20	-	30	-	-	-	-
Concussions	162	470	-	-	-	-	100	150	110	70	-	-	-
Effects of environmental conditions	17	130	-	-	-	-	40	-	30	40	-	-	-
Effects of heat and light	172	130	-	-	-	-	40	-	30	40	-	-	-
Heat exhaustion, prostration	1725	90	-	-	-	-	30	-	30	-	-	-	-
Multiple traumatic injuries and disorders	18	3,250	-	-	-	110	720	590	1,040	650	120	-	30
Multiple traumatic injuries and disorders, unspecified	180	120	-	-	-	20	20	-	50	-	-	-	-
Cuts and abrasions or bruises	181	460	-	-	-	-	120	70	120	110	20	-	-
Sprains and other injuries	182	1,610	-	-	-	60	260	400	540	320	30	-	-
Sprains and other injuries, unspecified	1820	40	-	-	-	-	-	-	20	-	-	-	-
Sprains and bruises	1821	1,350	-	-	-	40	220	330	470	270	20	-	-
Sprains and cuts	1822	80	-	-	-	-	20	-	30	20	-	-	-
Sprains and other injuries, n.e.c.	1829	150	-	-	-	-	20	50	30	20	-	-	-
Fractures and other injuries	183	380	-	-	-	20	120	30	100	100	20	-	-
Fractures and other injuries, n.e.c.	1839	360	-	-	-	20	110	20	90	90	-	-	-
Multiple traumatic injuries and disorders, n.e.c.	189	690	-	-	-	-	200	90	220	120	50	-	-
Other traumatic injuries and disorders	19	15,210	-	-	40	340	2,840	3,700	5,020	2,550	300	-	410
Other traumatic injuries and disorders, unspecified ...	190	40	-	-	-	-	-	-	30	-	-	-	-
Asphyxiations, strangulations, suffocations	191	40	-	-	-	-	-	-	-	-	-	-	-
Electrocutions, electric shocks	193	60	-	-	-	-	20	-	30	-	-	-	-
Dermatitis and reactions affecting the skin—acute	195	220	-	-	-	-	20	50	40	80	-	-	-
Dermatitis and reactions affecting the skin—acute, unspecified	1950	50	-	-	-	-	-	30	-	-	-	-	-
Allergic dermatitis—acute	1951	40	-	-	-	-	-	-	-	-	-	-	-
Irritant dermatitis—acute	1952	60	-	-	-	-	-	-	40	-	-	-	-
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	60	-	-	-	-	-	-	-	-	-	-	-
Other poisoning, toxic, noxious, or allergenic effects	196	730	-	-	-	20	120	260	150	110	60	-	-
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	320	-	-	-	20	40	150	40	50	-	-	-
Poisoning, including poisoning-related asphyxia ...	1961	40	-	-	-	-	-	20	-	-	-	-	-
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	170	-	-	-	-	50	20	50	40	-	-	-
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	-	-	-	-	-	-	-	-	-	-	-
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	-	-	-	-	-	-	-	-	-	-	-
Other or unspecified allergic reactions	1966	80	-	-	-	-	-	20	-	-	-	-	-
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	60	-	-	-	-	-	-	-	-	-	-	-
Multiple poisoning, toxic, noxious, or allergenic effects	1968	20	-	-	-	-	-	-	-	-	-	-	-
Nonspecified injuries and disorders	197	14,100	-	-	30	320	2,650	3,380	4,740	2,350	240	-	400
Crushing injuries	1971	370	-	-	-	40	30	100	100	80	-	-	-

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Soreness, pain, hurt—nonspecified injury	1972	11,920	—	—	30	250	2,310	2,790	4,130	1,820	210	380
Swelling, inflammation, irritation—nonspecified injury	1973	1,030	—	—	—	30	180	280	200	330	—	—
Numbness—nonspecified injury	1974	60	—	—	—	—	—	20	30	—	—	—
Multiple nonspecified injuries and disorders	1978	290	—	—	—	—	50	40	110	80	—	—
Nonspecified injuries and disorders, n.e.c.	1979	430	—	—	—	—	70	140	170	30	—	—
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	2	1,220	—	—	20	30	60	200	540	230	80	30
Nervous system and sense organs diseases	22	470	—	—	—	—	20	100	210	100	20	20
Disorders of the peripheral nervous system	224	410	—	—	—	—	—	90	190	90	20	—
Carpal tunnel syndrome	2241	340	—	—	—	—	—	40	180	90	20	—
Disorders of the peripheral nervous system, n.e.c.	2249	50	—	—	—	—	—	50	—	—	—	—
Disorders of the eye, adnexa, vision	225	20	—	—	—	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	20	—	—	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	20	—	—	—	—	—	—	—	—	—	—
Circulatory system diseases	23	120	—	—	—	—	—	20	30	30	50	—
Hypertensive disease	232	30	—	—	—	—	—	—	30	—	—	—
Ischemic heart disease, including heart attack	233	70	—	—	—	—	—	—	—	—	50	—
Myocardial infarction (heart attack)	2331	70	—	—	—	—	—	—	—	—	50	—
Respiratory system diseases	24	100	—	—	—	20	—	—	70	—	—	—
Pneumonia, influenza	243	30	—	—	—	—	—	—	20	—	—	—
Pneumonia, influenza, unspecified	2430	20	—	—	—	—	—	—	20	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	20	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	100	—	—	—	—	—	—	50	20	—	—
Hernia—nontraumatic	253	60	—	—	—	—	—	—	30	20	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	360	—	—	—	—	20	70	170	70	—	—
Soft tissue disorders, except the back	273	330	—	—	—	—	20	60	170	60	—	—
Soft tissue disorder, except the back, unspecified	2730	20	—	—	—	—	—	—	—	—	—	—
Bursitis	2731	30	—	—	—	—	—	—	—	—	—	—
Epicondylitis	2734	120	—	—	—	—	—	—	80	20	—	—
Other or unspecified tendonitis (tendinitis)	2735	90	—	—	—	—	—	30	30	20	—	—
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	—	—	30	20	—	—
Disorders of the skin and subcutaneous tissue	28	60	—	—	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	30	—	—	—	—	—	—	—	—	—	—
Cellulitis and abscess	2811	20	—	—	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	280	—	—	—	30	60	90	90	—	—	—
Bacterial diseases	31	30	—	—	—	—	—	—	20	—	—	—
Other bacterial diseases	319	30	—	—	—	—	—	—	20	—	—	—
Diphtheria, whooping cough	3192	30	—	—	—	—	—	—	20	—	—	—
Mycoses (fungal infections)	34	50	—	—	—	—	—	—	—	—	—	—
Coccidioidomycosis	342	50	—	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	60	—	—	—	30	—	—	—	—	—	—
Other salmonella infections	363	40	—	—	—	30	—	—	—	—	—	—
Other infectious and parasitic diseases	39	140	—	—	—	—	30	60	30	—	—	—
Scabies and other acariases	392	120	—	—	—	—	30	60	20	—	—	—

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Symptoms, signs, and ill-defined conditions	5	540	—	—	—	—	110	120	120	150	20	—
Symptoms	51	500	—	—	—	—	110	100	110	150	20	—
General symptoms	511	240	—	—	—	—	30	60	20	110	20	—
Loss of consciousness—not heat related	5111	100	—	—	—	—	—	50	—	30	—	—
Dizziness—general	5114	70	—	—	—	—	—	—	—	50	—	—
Inflammation, swelling—general	5115	20	—	—	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	30	—	—	—	—	—
Symptoms involving skin and other integumentary tissue, unspecified	5130	30	—	—	—	—	30	—	—	—	—	—
Symptoms involving head and neck	514	20	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	180	—	—	—	—	50	20	80	30	—	—
Symptoms involving respiratory system and chest, unspecified	5160	40	—	—	—	—	—	—	30	—	—	—
Chest pain	5164	50	—	—	—	—	—	—	—	20	—	—
Multiple symptoms involving respiratory system and chest	5168	40	—	—	—	—	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	20	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	20	—	—	—	—
Other diseases, conditions, and disorders	6	860	—	—	—	—	160	270	170	210	20	—
Mental disorders and syndromes	62	850	—	—	—	—	160	270	160	210	20	—
Mental disorders and syndromes, unspecified	620	30	—	—	—	—	—	—	—	—	—	—
Anxiety, stress	621	820	—	—	—	—	150	260	160	210	20	—
Anxiety, stress, unspecified	6210	350	—	—	—	—	120	60	60	90	—	—
Post-traumatic stress disorder	6211	140	—	—	—	—	30	30	40	30	—	—
Anxiety or panic disorder	6213	70	—	—	—	—	—	—	40	—	—	—
Anxiety, stress, n.e.c.	6219	260	—	—	—	—	—	150	20	80	—	—
Exposures to disease—no illness incurred	7	220	—	—	—	—	110	30	50	—	—	—

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Nonclassifiable	9999	1,230	-	-	-	-	20	40	20	-	-	1,140

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.