

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2012²

Part of body	Part of body code ³	State government ⁴	Race or ethnic origin ⁵								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Total		66,930	18,590	8,480	3,540	550	240	160	–	70	35,310
Head	1	4,270	1,210	620	240	–	–	–	–	–	2,180
Head, unspecified	10	760	210	110	30	–	–	–	–	–	420
Cranial region, including skull	11	790	230	100	60	–	–	–	–	–	390
Cranial region, unspecified	110	70	40	20	–	–	–	–	–	–	–
Brain	111	560	160	80	50	–	–	–	–	–	270
Scalp	112	120	30	–	–	–	–	–	–	–	80
Skull	113	20	–	–	–	–	–	–	–	–	20
Cranial region, n.e.c.	119	20	–	–	–	–	–	–	–	–	20
Ear(s)	12	50	20	–	–	–	–	–	–	–	30
Face	13	2,400	700	390	130	–	–	–	–	–	1,170
Face, unspecified	130	440	100	70	20	–	–	–	–	–	240
Forehead	131	200	60	50	–	–	–	–	–	–	70
Eye(s)	132	880	290	180	80	–	–	–	–	–	330
Nose, nasal cavity	133	280	80	–	–	–	–	–	–	–	180
Nose, except internal location of diseases or disorders	1330	280	80	–	–	–	–	–	–	–	180
Cheek(s)	134	20	–	–	–	–	–	–	–	–	–
Jaw, chin	135	50	20	–	–	–	–	–	–	–	30
Mouth	136	270	80	–	–	–	–	–	–	–	170
Mouth, unspecified	1360	80	40	–	–	–	–	–	–	–	40
Lip(s)	1361	30	–	–	–	–	–	–	–	–	30
Tooth (teeth)	1363	130	40	–	–	–	–	–	–	–	80
Mouth, n.e.c.	1369	20	–	–	–	–	–	–	–	–	–
Multiple face locations	138	260	60	60	–	–	–	–	–	–	130
Face, n.e.c.	139	20	–	–	–	–	–	–	–	–	–
Multiple head locations	18	240	50	–	–	–	–	–	–	–	160
Head, n.e.c.	19	30	–	–	–	–	–	–	–	–	20
Neck, including throat	2	1,260	350	80	130	–	–	20	–	–	680
Neck, except internal location of diseases or disorders ...	20	1,260	350	80	130	–	–	20	–	–	680
Trunk	3	13,510	3,900	1,300	530	230	40	–	–	–	7,490
Trunk, unspecified	30	80	20	–	–	–	–	–	–	–	50
Chest, including ribs, internal organs	31	1,160	390	110	30	–	–	–	–	–	620
Chest, except internal location of diseases or disorders	310	840	290	90	30	–	–	–	–	–	430
Internal chest location, unspecified	311	140	40	–	–	–	–	–	–	–	90
Heart	313	110	40	–	–	–	–	–	–	–	60
Lung(s), pleura	315	60	–	–	–	–	–	–	–	–	50
Back, including spine, spinal cord	32	10,180	2,720	930	440	210	30	–	–	–	5,820
Back, including spine, spinal cord, unspecified	320	3,710	1,200	230	90	40	–	–	–	–	2,140
Thoracic region	321	500	80	30	–	–	–	–	–	–	370
Lumbar region	322	5,540	1,280	610	330	170	30	–	–	–	3,110
Coccygeal region	324	110	40	–	–	–	–	–	–	–	50

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Multiple back regions	328	290	110	60	—	—	—	—	—	—	—	120
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	—	—	—	—
Abdomen	33	690	300	40	40	20	—	—	—	—	—	290
Abdomen, except internal location of diseases or disorders	330	580	270	—	20	20	—	—	—	—	—	270
Internal abdominal location, unspecified	331	80	30	30	—	—	—	—	—	—	—	20
Pelvic region	34	1,060	320	150	—	—	—	—	—	—	—	570
Hip(s)	341	510	90	30	—	—	—	—	—	—	—	380
Pelvis	342	20	—	—	—	—	—	—	—	—	—	20
Buttock(s)	343	120	20	70	—	—	—	—	—	—	—	30
Groin	344	350	170	50	—	—	—	—	—	—	—	130
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	349	20	20	—	—	—	—	—	—	—	—	—
Multiple trunk locations	38	340	150	50	—	—	—	—	—	—	—	130
Upper extremities	4	16,640	4,610	1,710	1,060	100	20	50	—	60	—	9,030
Upper extremities, unspecified	40	100	20	—	—	—	—	—	—	—	—	70
Shoulder(s), including clavicle(s), scapula(e)	41	4,530	1,170	410	250	—	—	—	—	—	—	2,620
Arm(s)	42	2,930	1,010	360	150	40	—	—	—	—	—	1,350
Arm(s), unspecified	420	780	320	90	30	—	—	—	—	—	—	330
Upper arm(s)	421	230	90	40	30	—	—	—	—	—	—	80
Elbow(s)	422	1,210	410	70	50	—	—	—	—	—	—	670
Forearm(s)	423	460	150	140	30	—	—	—	—	—	—	150
Multiple arm locations	428	210	30	20	—	—	—	—	—	—	—	110
Elbow(s) and arm(s)	4281	130	30	—	—	—	—	—	—	—	—	60
Multiple arm locations, n.e.c.	4289	70	—	20	—	—	—	—	—	—	—	50
Arm(s), n.e.c.	429	50	—	—	30	—	—	—	—	—	—	—
Wrist(s)	43	2,010	510	180	60	20	—	—	—	—	—	1,220
Hand(s)	44	5,480	1,510	540	450	—	—	20	—	—	—	2,930
Hand(s), unspecified	440	1,530	410	110	90	—	—	—	—	—	—	910
Hand(s), except finger(s)	441	310	60	40	—	—	—	—	—	—	—	210
Finger(s), fingernail(s)	442	3,310	1,010	330	320	—	—	—	—	—	—	1,630
Finger(s), fingernail(s), unspecified	4420	2,340	740	280	260	—	—	—	—	—	—	1,050
Fingernail(s), nailbed(s)	4421	20	—	—	—	—	—	—	—	—	—	—
Fingertip(s)	4422	300	80	—	—	—	—	—	—	—	—	220
Finger(s), fingernail(s), n.e.c.	4429	650	190	40	60	—	—	—	—	—	—	360
Hand(s) and finger(s)	448	180	30	50	20	—	—	—	—	—	—	80
Hand(s), n.e.c.	449	150	—	—	30	—	—	—	—	—	—	100
Multiple upper extremities locations	48	1,590	380	210	150	20	—	—	—	—	—	820
Multiple upper extremities locations, unspecified	480	30	—	20	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	120	30	—	—	—	—	—	—	—	—	70
Hand(s) and arm(s), unspecified	4810	40	—	—	—	—	—	—	—	—	—	20
Hand(s) and elbow(s)	4811	30	20	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	50	—	—	—	—	—	—	—	—	—	40
Hand(s) and wrist(s)	482	280	60	20	20	20	—	—	—	—	—	150
Wrist(s) and arm(s)	483	150	50	—	—	—	—	—	—	—	—	80

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	—	—	—	—	30
Wrist(s) and elbow(s)	4831	40	—	—	—	—	—	—	—	—	20
Wrist(s) and arm(s), n.e.c.	4839	60	30	—	—	—	—	—	—	—	20
Shoulder(s) and arm(s)	484	420	110	—	60	—	—	—	—	—	220
Multiple upper extremities locations, n.e.c.	489	600	130	140	50	—	—	—	—	—	290
Lower extremities	5	15,600	4,610	2,080	570	60	40	30	—	—	8,220
Leg(s)	51	9,990	2,820	1,360	310	40	40	30	—	—	5,380
Leg(s), unspecified	510	700	230	40	—	—	—	—	—	—	420
Thigh(s)	511	290	80	—	—	—	—	—	—	—	180
Knee(s)	512	8,140	2,260	1,120	260	40	40	30	—	—	4,410
Lower leg(s)	513	530	200	50	—	—	—	—	—	—	270
Multiple leg locations	518	280	40	150	—	—	—	—	—	—	80
Knee(s) and leg(s)	5181	120	30	20	—	—	—	—	—	—	70
Multiple leg locations, n.e.c.	5189	160	—	140	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	40	30	—	—	—	—	—	—	—	—
Ankle(s)	52	2,950	1,030	390	90	—	—	—	—	—	1,410
Foot (feet)	53	1,860	540	200	150	—	—	—	—	—	960
Foot (feet), unspecified	530	1,270	370	140	130	—	—	—	—	—	630
Sole(s)	531	120	20	—	—	—	—	—	—	—	90
Arch(es), instep(s)	5312	20	—	—	—	—	—	—	—	—	20
Heel(s)	5313	90	20	—	—	—	—	—	—	—	60
Toes(s), toenail(s)	532	290	90	20	30	—	—	—	—	—	150
Multiple foot (feet) locations	538	30	—	—	—	—	—	—	—	—	20
Foot (feet), n.e.c.	539	150	50	30	—	—	—	—	—	—	60
Multiple lower extremities locations	58	800	210	120	—	—	—	—	—	—	460
Multiple lower extremities locations, unspecified	580	30	—	—	—	—	—	—	—	—	30
Foot (feet) and leg(s)	581	90	30	20	—	—	—	—	—	—	40
Foot(feet) and knee(s)	5811	60	20	—	—	—	—	—	—	—	30
Foot(feet) and leg(s), n.e.c.	5819	30	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	220	100	50	—	—	—	—	—	—	60
Ankle(s) and leg(s)	583	220	40	40	—	—	—	—	—	—	140
Ankle(s) and leg(s), unspecified	5830	20	—	—	—	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	140	40	20	—	—	—	—	—	—	80
Ankle(s) and leg(s), n.e.c.	5839	60	—	—	—	—	—	—	—	—	50
Multiple lower extremities locations, n.e.c.	589	240	40	—	—	—	—	—	—	—	190
Body systems	6	2,080	660	340	60	30	—	—	—	—	990
Multiple body parts	8	11,790	3,020	2,310	900	110	140	30	—	—	5,270
Multiple body parts, unspecified	80	740	80	130	90	70	—	—	—	—	370
Head and neck	81	310	80	—	—	—	—	—	—	—	220
Head, neck, and trunk	82	150	—	120	—	—	—	—	—	—	20
Head and trunk	83	230	120	50	—	20	—	—	—	—	40
Neck and back	84	1,070	340	220	160	—	—	—	—	—	350
Shoulder(s) and back	85	590	110	50	—	—	—	—	—	—	430

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Hip(s) and leg(s)	86	110	20	30	—	—	—	—	—	—	60
Upper and lower limb(s)	87	970	250	220	70	—	—	—	—	—	410
Other multiple body parts	89	7,610	2,010	1,480	570	20	140	20	—	—	3,380
Whole body	891	80	40	—	—	—	—	—	—	—	30
Multiple body parts, n.e.c.	899	7,530	1,960	1,470	570	20	140	20	—	—	3,350

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Nonclassifiable	9999	1,790	240	50	40	—	—	—	—	—	1,460

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.