

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2012<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total .....		66,930	36,120	29,510	1,310	1,570	4,200	16,070	41,890	3,200
<b>Head</b> .....	1	4,270	2,500	1,750	20	130	350	1,160	2,490	140
Head, unspecified .....	10	760	460	290	-	30	80	120	480	50
Cranial region, including skull .....	11	790	440	350	-	30	30	260	450	30
Cranial region, unspecified .....	110	70	-	60	-	-	-	-	60	-
Brain .....	111	560	300	250	-	30	20	200	280	20
Scalp .....	112	120	100	20	-	-	-	30	90	-
Skull .....	113	20	-	-	-	-	-	-	-	-
Cranial region, n.e.c. ....	119	20	20	-	-	-	-	-	20	-
Ear(s) .....	12	50	40	-	-	-	-	-	30	-
Face .....	13	2,400	1,450	940	-	80	200	700	1,370	60
Face, unspecified .....	130	440	240	200	-	-	30	140	260	-
Forehead .....	131	200	130	70	-	-	20	50	130	-
Eye(s) .....	132	880	540	330	-	30	40	230	540	30
Nose, nasal cavity .....	133	280	150	130	-	-	-	80	180	-
Nose, except internal location of diseases or disorders .....	1330	280	150	130	-	-	-	80	180	-
Cheek(s) .....	134	20	-	-	-	-	-	-	-	-
Jaw, chin .....	135	50	-	40	-	-	-	20	30	-
Mouth .....	136	270	210	50	-	-	60	80	70	20
Mouth, unspecified .....	1360	80	60	-	-	-	-	30	-	-
Lip(s) .....	1361	30	20	-	-	-	-	-	20	-
Tooth (teeth) .....	1363	130	110	20	-	-	60	50	20	-
Mouth, n.e.c. ....	1369	20	20	-	-	-	-	-	20	-
Multiple face locations .....	138	260	160	100	-	-	20	90	150	-
Face, n.e.c. ....	139	20	-	-	-	-	-	-	-	-
Multiple head locations .....	18	240	90	150	-	-	30	70	130	-
Head, n.e.c. ....	19	30	20	-	-	-	-	-	30	-
<b>Neck, including throat</b> .....	2	1,260	600	660	-	-	80	370	770	40
Neck, except internal location of diseases or disorders ...	20	1,260	600	660	-	-	80	370	770	40
<b>Trunk</b> .....	3	13,510	7,900	5,570	40	360	880	3,450	8,430	400
Trunk, unspecified .....	30	80	20	60	-	-	-	20	50	-
Chest, including ribs, internal organs .....	31	1,160	800	360	-	30	160	140	810	20
Chest, except internal location of diseases or disorders .....	310	840	580	250	-	20	110	80	600	20
Internal chest location, unspecified .....	311	140	100	40	-	-	-	40	80	-
Heart .....	313	110	90	20	-	-	-	-	90	-
Lung(s), pleura .....	315	60	-	50	-	-	-	-	50	-
Back, including spine, spinal cord .....	32	10,180	5,850	4,310	-	230	650	2,660	6,340	290
Back, including spine, spinal cord, unspecified .....	320	3,710	1,920	1,780	-	50	280	880	2,410	90
Thoracic region .....	321	500	230	280	-	-	30	130	320	-
Lumbar region .....	322	5,540	3,490	2,030	-	170	330	1,510	3,400	140
Coccygeal region .....	324	110	-	100	-	-	-	40	60	-
Multiple back regions .....	328	290	190	100	-	-	-	80	140	60
Back, including spine, spinal cord, n.e.c. ....	329	20	-	-	-	-	-	-	-	-
Abdomen .....	33	690	530	150	-	40	40	230	340	40

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Abdomen, except internal location of diseases or disorders .....	330	580	460	120	—	20	40	210	280	30
Internal abdominal location, unspecified .....	331	80	50	30	—	—	—	—	30	—
Pelvic region .....	34	1,060	560	500	—	40	—	280	710	—
Hip(s) .....	341	510	180	340	—	—	—	130	380	—
Pelvis .....	342	20	—	20	—	—	—	—	—	—
Buttock(s) .....	343	120	40	80	—	—	—	50	60	—
Groin .....	344	350	310	30	—	20	—	70	250	—
Multiple pelvic region locations .....	348	20	—	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	349	20	—	20	—	—	—	—	—	—
Multiple trunk locations .....	38	340	130	180	—	—	20	120	170	30
<b>Upper extremities .....</b>	<b>4</b>	<b>16,640</b>	<b>9,690</b>	<b>6,910</b>	<b>40</b>	<b>330</b>	<b>960</b>	<b>3,990</b>	<b>10,800</b>	<b>550</b>
Upper extremities, unspecified .....	40	100	40	60	—	—	—	80	20	—
Shoulder(s), including clavicle(s), scapula(e) .....	41	4,530	2,700	1,820	—	120	230	920	3,110	150
Arm(s) .....	42	2,930	1,790	1,140	—	20	170	710	1,960	70
Arm(s), unspecified .....	420	780	450	330	—	—	60	200	490	20
Upper arm(s) .....	421	230	130	100	—	—	—	40	180	—
Elbow(s) .....	422	1,210	850	350	—	—	50	230	890	30
Forearm(s) .....	423	460	210	250	—	—	30	160	260	—
Multiple arm locations .....	428	210	120	90	—	—	—	70	120	—
Elbow(s) and arm(s) .....	4281	130	110	20	—	—	—	50	80	—
Multiple arm locations, n.e.c. ....	4289	70	—	70	—	—	—	30	50	—
Arm(s), n.e.c. ....	429	50	30	—	—	—	—	—	20	—
Wrist(s) .....	43	2,010	860	1,140	—	30	90	600	1,220	80
Hand(s) .....	44	5,480	3,540	1,920	20	120	390	1,330	3,430	190
Hand(s), unspecified .....	440	1,530	1,020	510	—	—	40	400	990	80
Hand(s), except finger(s) .....	441	310	250	60	—	—	—	90	210	—
Finger(s), fingernail(s) .....	442	3,310	2,100	1,190	20	110	310	750	2,040	100
Finger(s), fingernail(s), unspecified .....	4420	2,340	1,500	840	—	80	260	650	1,290	60
Fingernail(s), nailbed(s) .....	4421	20	—	—	—	—	—	—	—	—
Fingertip(s) .....	4422	300	170	130	—	—	—	20	270	—
Finger(s), fingernail(s), n.e.c. ....	4429	650	430	210	—	20	40	90	470	40
Hand(s) and finger(s) .....	448	180	50	130	—	—	20	60	110	—
Hand(s), n.e.c. ....	449	150	110	40	—	—	30	30	90	—
Multiple upper extremities locations .....	48	1,590	760	830	—	40	80	350	1,060	60
Multiple upper extremities locations, unspecified .....	480	30	20	—	—	—	—	—	—	—
Hand(s) and arms(s) .....	481	120	60	50	—	—	—	20	70	—
Hand(s) and arm(s), unspecified .....	4810	40	30	—	—	—	—	—	—	—
Hand(s) and elbow(s) .....	4811	30	20	—	—	—	—	—	20	—
Hand(s) and arm(s), n.e.c. ....	4819	50	—	40	—	—	—	—	40	—
Hand(s) and wrist(s) .....	482	280	160	120	—	—	30	70	180	—
Wrist(s) and arm(s) .....	483	150	90	60	—	—	—	30	90	20
Wrist(s) and arm(s), unspecified .....	4830	50	30	20	—	—	—	—	20	—
Wrist(s) and elbow(s) .....	4831	40	30	—	—	—	—	20	—	20
Wrist(s) and arm(s), n.e.c. ....	4839	60	30	30	—	—	—	—	60	—
Shoulder(s) and arm(s) .....	484	420	160	260	—	—	20	90	270	20
Multiple upper extremities locations, n.e.c. ....	489	600	270	340	—	—	20	120	440	—

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
<b>Lower extremities</b> .....	5	15,600	8,720	6,840	40	470	1,000	3,770	9,930	430
Leg(s) .....	51	9,990	5,730	4,220	30	200	630	2,330	6,580	240
Leg(s), unspecified .....	510	700	400	300	-	-	90	180	410	20
Thigh(s) .....	511	290	170	120	-	20	-	50	180	40
Knee(s) .....	512	8,140	4,660	3,470	-	150	510	1,910	5,410	160
Lower leg(s) .....	513	530	300	230	-	-	30	100	370	40
Multiple leg locations .....	518	280	180	100	-	20	-	70	180	-
Knee(s) and leg(s) .....	5181	120	30	80	-	-	-	60	40	-
Multiple leg locations, n.e.c. ....	5189	160	150	-	-	-	-	-	150	-
Leg(s), n.e.c. ....	519	40	40	-	-	-	-	-	40	-
Ankle(s) .....	52	2,950	1,650	1,280	-	150	160	770	1,790	70
Foot (feet) .....	53	1,860	1,020	840	-	100	170	460	1,040	90
Foot (feet), unspecified .....	530	1,270	670	600	-	50	120	360	670	90
Sole(s) .....	531	120	80	30	-	-	-	-	100	-
Arch(es), instep(s) .....	5312	20	-	-	-	-	-	-	20	-
Heel(s) .....	5313	90	70	20	-	-	-	-	70	-
Toes(s), toenail(s) .....	532	290	190	110	-	40	30	40	170	-
Multiple foot (feet) locations .....	538	30	-	20	-	-	-	20	-	-
Foot (feet), n.e.c. ....	539	150	70	80	-	-	-	40	90	-
Multiple lower extremities locations .....	58	800	310	490	-	-	40	220	510	20
Multiple lower extremities locations, unspecified .....	580	30	-	20	-	-	-	-	-	-
Foot (feet) and leg(s) .....	581	90	30	70	-	-	-	40	60	-
Foot(feet) and knee(s) .....	5811	60	20	40	-	-	-	-	40	-
Foot(feet) and leg(s), n.e.c. ....	5819	30	-	20	-	-	-	20	-	-
Foot (feet) and ankle(s) .....	582	220	60	150	-	-	-	90	100	-
Ankle(s) and leg(s) .....	583	220	90	130	-	-	20	60	130	-
Ankle(s) and leg(s), unspecified .....	5830	20	20	-	-	-	-	-	20	-
Ankle(s) and knee(s) .....	5831	140	40	100	-	-	20	50	70	-
Ankle(s) and leg(s), n.e.c. ....	5839	60	30	20	-	-	-	-	50	-
Multiple lower extremities locations, n.e.c. ....	589	240	130	110	-	-	-	30	200	-
<b>Body systems</b> .....	6	2,080	1,160	920	-	70	160	660	1,090	90
<b>Multiple body parts</b> .....	8	11,790	5,240	6,530	20	200	630	2,540	8,020	400
Multiple body parts, unspecified .....	80	740	270	450	20	-	50	160	350	170
Head and neck .....	81	310	150	160	-	-	-	70	200	20
Head, neck, and trunk .....	82	150	130	20	-	-	120	-	20	-
Head and trunk .....	83	230	170	70	-	-	40	120	70	-
Neck and back .....	84	1,070	610	470	-	20	30	300	730	-
Shoulder(s) and back .....	85	590	290	300	-	40	-	80	470	-
Hip(s) and leg(s) .....	86	110	40	60	-	-	-	20	70	-
Upper and lower limb(s) .....	87	970	250	710	-	-	80	140	710	30
Other multiple body parts .....	89	7,610	3,330	4,280	-	130	280	1,640	5,390	170
Whole body .....	891	80	30	50	-	-	-	40	50	-
Multiple body parts, n.e.c. ....	899	7,530	3,300	4,230	-	130	280	1,600	5,340	170

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
<b>Nonclassifiable</b> .....	9999	1,790	310	340	1,140	–	140	140	360	1,150

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.