

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2012²

Nature	Nature code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		66,930	7,550	11.3	5,460	8.2	12,820	19.2
Traumatic injuries and disorders	1	62,570	7,270	11.6	5,240	8.4	12,350	19.7
Traumatic injuries and disorders, unspecified	10	1,150	140	12.2	130	11.3	220	19.1
Traumatic injuries to bones, nerves, spinal cord	11	3,260	120	3.7	200	6.1	320	9.8
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	—	—	—	—	—	—
Fractures	111	3,090	120	3.9	190	6.1	310	10.0
Traumatic injuries to nerves, except the spinal cord ..	113	80	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	—	—	—	—	—	—
Pinched nerve	1131	30	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	20	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,880	2,140	7.7	1,980	7.1	4,910	17.6
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	110	—	—	—	—	—	—
Dislocations	121	410	20	4.9	—	—	30	7.3
Dislocations, unspecified	1210	70	—	—	—	—	—	—
Herniated discs	1211	120	—	—	—	—	—	—
Dislocation of joints	1212	190	20	10.5	—	—	30	15.8
Dislocations, n.e.c.	1219	40	—	—	—	—	—	—
Cartilage fractures and tears	122	140	—	—	—	—	—	—
Meniscus tears	1221	110	—	—	—	—	—	—
Cartilage fractures and tears, n.e.c.	1229	30	—	—	—	—	—	—
Sprains, strains, tears	123	26,770	2,080	7.8	1,950	7.3	4,820	18.0
Sprains, strains, tears, unspecified	1230	3,370	240	7.1	170	5.0	530	15.7
Major tears to muscles, tendons, ligaments	1231	790	20	2.5	—	—	60	7.6
Sprains	1232	7,760	560	7.2	470	6.1	1,250	16.1
Strains	1233	14,300	1,230	8.6	1,290	9.0	2,930	20.5
Multiple sprains, strains, tears	1238	550	20	3.6	20	3.6	60	10.9
Hernias due to traumatic incidents	124	250	20	8.0	—	—	—	—
Whiplash	125	100	20	20.0	—	—	40	40.0
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	100	—	—	—	—	—	—
Open wounds	13	2,910	510	17.5	390	13.4	700	24.1
Open wounds, unspecified	130	20	—	—	—	—	—	—
Amputations, avulsions, enucleations	131	90	—	—	—	—	20	22.2
Amputations	1311	30	—	—	—	—	—	—
Avulsions, enucleations	1312	50	—	—	—	—	—	—
Cuts, lacerations	132	2,110	360	17.1	320	15.2	490	23.2
Puncture wounds, except gunshot wounds	133	680	140	20.6	70	10.3	200	29.4
Surface wounds and bruises	14	7,870	1,400	17.8	940	11.9	2,000	25.4
Surface wounds and bruises, unspecified	140	210	—	—	20	9.5	60	28.6
Abrasions, scratches	141	460	140	30.4	130	28.3	70	15.2
Bruises, contusions	143	6,910	1,230	17.8	760	11.0	1,740	25.2
Multiple surface wounds and bruises	148	260	—	—	20	7.7	120	46.2
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	—	—
Burns and corrosions	15	370	60	16.2	30	8.1	110	29.7

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	7,930	11.8	8,180	12.2	4,340	6.5	20,650	30.9	10
Traumatic injuries and disorders	7,510	12.0	7,740	12.4	3,960	6.3	18,510	29.6	10
Traumatic injuries and disorders, unspecified	120	10.4	250	21.7	90	7.8	200	17.4	9
Traumatic injuries to bones, nerves, spinal cord	260	8.0	410	12.6	280	8.6	1,650	50.6	31
Traumatic injuries to bones, nerves, spinal cord, unspecified	—	—	20	28.6	—	—	—	—	12
Fractures	250	8.1	380	12.3	250	8.1	1,600	51.8	33
Traumatic injuries to nerves, except the spinal cord ..	—	—	—	—	30	37.5	30	37.5	30
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	—	—	—	—	30
Pinched nerve	—	—	—	—	—	—	—	—	29
Traumatic injuries to nerves, except the spinal cord, n.e.c.	—	—	—	—	—	—	—	—	90
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	3,490	12.5	3,660	13.1	1,960	7.0	9,750	35.0	14
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	—	—	—	—	40	36.4	30	27.3	25
Dislocations	20	4.9	100	24.4	50	12.2	200	48.8	26
Dislocations, unspecified	—	—	—	—	—	—	20	28.6	26
Herniated discs	—	—	30	25.0	—	—	80	66.7	55
Dislocation of joints	20	10.5	40	21.1	—	—	80	42.1	15
Dislocations, n.e.c.	—	—	20	50.0	—	—	—	—	14
Cartilage fractures and tears	—	—	20	14.3	20	14.3	90	64.3	41
Meniscus tears	—	—	20	18.2	—	—	80	72.7	41
Cartilage fractures and tears, n.e.c.	—	—	—	—	—	—	—	—	28
Sprains, strains, tears	3,440	12.9	3,450	12.9	1,820	6.8	9,210	34.4	14
Sprains, strains, tears, unspecified	340	10.1	450	13.4	320	9.5	1,330	39.5	19
Major tears to muscles, tendons, ligaments	80	10.1	100	12.7	60	7.6	470	59.5	41
Sprains	990	12.8	1,190	15.3	580	7.5	2,710	34.9	15
Strains	2,000	14.0	1,610	11.3	820	5.7	4,420	30.9	10
Multiple sprains, strains, tears	40	7.3	90	16.4	50	9.1	280	50.9	32
Hernias due to traumatic incidents	—	—	50	20.0	20	8.0	140	56.0	35
Whiplash	20	20.0	—	—	—	—	—	—	4
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	—	—	—	—	80	80.0	66
Open wounds	370	12.7	460	15.8	100	3.4	370	12.7	5
Open wounds, unspecified	—	—	—	—	—	—	—	—	180
Amputations, avulsions, enucleations	—	—	—	—	—	—	30	33.3	8
Amputations	—	—	—	—	—	—	20	66.7	47
Avulsions, enucleations	—	—	—	—	—	—	—	—	8
Cuts, lacerations	260	12.3	400	19.0	60	2.8	220	10.4	5
Puncture wounds, except gunshot wounds	90	13.2	50	7.4	40	5.9	110	16.2	5
Surface wounds and bruises	950	12.1	770	9.8	400	5.1	1,420	18.0	5
Surface wounds and bruises, unspecified	—	—	20	9.5	—	—	100	47.6	14
Abrasions, scratches	40	8.7	20	4.3	20	4.3	30	6.5	2
Bruises, contusions	870	12.6	710	10.3	370	5.4	1,230	17.8	5
Multiple surface wounds and bruises	30	11.5	20	7.7	—	—	50	19.2	4
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	—	5
Burns and corrosions	80	21.6	40	10.8	30	8.1	20	5.4	5

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Chemical burns and corruptions	151	70	—	—	—	—	20	28.6
Chemical burns and corruptions, unspecified	1510	70	—	—	—	—	20	28.6
Heat (thermal) burns	152	280	50	17.9	20	7.1	90	32.1
Heat (thermal) burns, unspecified	1520	260	40	15.4	—	—	80	30.8
Second degree heat (thermal) burns	1522	20	—	—	—	—	—	—
Intracranial injuries	16	540	80	14.8	30	5.6	80	14.8
Intracranial injuries, unspecified	160	60	30	50.0	—	—	—	—
Concussions	162	470	50	10.6	30	6.4	80	17.0
Effects of environmental conditions	17	130	20	15.4	—	—	70	53.8
Effects of heat and light	172	130	20	15.4	—	—	60	46.2
Heat exhaustion, prostration	1725	90	—	—	—	—	40	44.4
Multiple traumatic injuries and disorders	18	3,250	610	18.8	250	7.7	590	18.2
Multiple traumatic injuries and disorders, unspecified	180	120	—	—	—	—	40	33.3
Cuts and abrasions or bruises	181	460	90	19.6	90	19.6	90	19.6
Sprains and other injuries	182	1,610	270	16.8	140	8.7	270	16.8
Sprains and other injuries, unspecified	1820	40	—	—	—	—	20	50.0
Sprains and bruises	1821	1,350	240	17.8	140	10.4	170	12.6
Sprains and cuts	1822	80	20	25.0	—	—	20	25.0
Sprains and other injuries, n.e.c.	1829	150	—	—	—	—	60	40.0
Fractures and other injuries	183	380	40	10.5	—	—	20	5.3
Fractures and other injuries, n.e.c.	1839	360	40	11.1	—	—	20	5.6
Multiple traumatic injuries and disorders, n.e.c.	189	690	210	30.4	20	2.9	160	23.2
Other traumatic injuries and disorders	19	15,210	2,180	14.3	1,280	8.4	3,340	22.0
Other traumatic injuries and disorders, unspecified ...	190	40	—	—	—	—	—	—
Asphyxiations, strangulations, suffocations	191	40	—	—	—	—	—	—
Electrocutions, electric shocks	193	60	30	50.0	—	—	20	33.3
Dermatitis and reactions affecting the skin—acute ...	195	220	80	36.4	—	—	110	50.0
Dermatitis and reactions affecting the skin—acute, unspecified	1950	50	30	60.0	—	—	20	40.0
Allergic dermatitis—acute	1951	40	30	75.0	—	—	—	—
Irritant dermatitis—acute	1952	60	—	—	—	—	20	33.3
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	60	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	730	210	28.8	140	19.2	280	38.4
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	320	100	31.2	90	28.1	100	31.2
Poisoning, including poisoning-related asphyxia ...	1961	40	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	170	20	11.8	20	11.8	70	41.2
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	80	—	—	—	—	60	75.0
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	60	50	83.3	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	20	—	—	—	—	—	—
Nonspecified injuries and disorders	197	14,100	1,820	12.9	1,130	8.0	2,910	20.6
Crushing injuries	1971	370	30	8.1	20	5.4	60	16.2

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Chemical burns and corruptions	20	28.6	—	—	—	—	—	—	3
Chemical burns and corruptions, unspecified	20	28.6	—	—	—	—	—	—	3
Heat (thermal) burns	60	21.4	30	10.7	30	10.7	—	—	5
Heat (thermal) burns, unspecified	60	23.1	30	11.5	30	11.5	—	—	5
Second degree heat (thermal) burns	—	—	—	—	—	—	—	—	4
Intracranial injuries	40	7.4	60	11.1	90	16.7	150	27.8	16
Intracranial injuries, unspecified	—	—	—	—	—	—	30	50.0	1
Concussions	40	8.5	60	12.8	90	19.1	120	25.5	16
Effects of environmental conditions	40	30.8	—	—	—	—	—	—	3
Effects of heat and light	40	30.8	—	—	—	—	—	—	3
Heat exhaustion, prostration	40	44.4	—	—	—	—	—	—	4
Multiple traumatic injuries and disorders	350	10.8	290	8.9	130	4.0	1,020	31.4	7
Multiple traumatic injuries and disorders, unspecified	20	16.7	—	—	—	—	40	33.3	7
Cuts and abrasions or bruises	50	10.9	50	10.9	20	4.3	80	17.4	3
Sprains and other injuries	190	11.8	130	8.1	70	4.3	550	34.2	8
Sprains and other injuries, unspecified	—	—	—	—	—	—	—	—	4
Sprains and bruises	150	11.1	120	8.9	30	2.2	500	37.0	9
Sprains and cuts	20	25.0	—	—	—	—	—	—	3
Sprains and other injuries, n.e.c.	—	—	—	—	30	20.0	40	26.7	7
Fractures and other injuries	20	5.3	40	10.5	20	5.3	240	63.2	58
Fractures and other injuries, n.e.c.	20	5.6	40	11.1	—	—	230	63.9	58
Multiple traumatic injuries and disorders, n.e.c.	80	11.6	70	10.1	30	4.3	110	15.9	5
Other traumatic injuries and disorders	1,810	11.9	1,800	11.8	870	5.7	3,920	25.8	7
Other traumatic injuries and disorders, unspecified ...	—	—	—	—	—	—	30	75.0	39
Asphyxiations, strangulations, suffocations	—	—	—	—	—	—	—	—	1
Electrocutions, electric shocks	—	—	—	—	—	—	—	—	1
Dermatitis and reactions affecting the skin—acute ...	—	—	—	—	—	—	—	—	3
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	—	—	—	—	—	—	3
Allergic dermatitis—acute	—	—	—	—	—	—	—	—	1
Irritant dermatitis—acute	—	—	—	—	—	—	—	—	3
Dermatitis and reactions affecting the skin—acute, n.e.c.	—	—	—	—	—	—	—	—	3
Other poisoning, toxic, noxious, or allergenic effects	20	2.7	40	5.5	20	2.7	20	2.7	3
Poisoning, toxic, noxious, or allergenic effect, unspecified	—	—	—	—	—	—	—	—	2
Poisoning, including poisoning-related asphyxia ...	—	—	—	—	—	—	—	—	3
Other respiratory system symptoms—toxic, noxious, or allergenic effect	—	—	—	—	20	11.8	—	—	5
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	3
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	2
Other or unspecified allergic reactions	—	—	—	—	—	—	—	—	4
Nausea, vomiting— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	1
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—	—	—	1
Nonspecified injuries and disorders	1,780	12.6	1,760	12.5	850	6.0	3,850	27.3	8
Crushing injuries	50	13.5	80	21.6	20	5.4	110	29.7	14

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Soreness, pain, hurt—nonspecified injury	1972	11,920	1,570	13.2	1,000	8.4	2,500	21.0
Swelling, inflammation, irritation—nonspecified injury	1973	1,030	170	16.5	100	9.7	220	21.4
Numbness—nonspecified injury	1974	60	—	—	—	—	—	—
Multiple nonspecified injuries and disorders	1978	290	—	—	—	—	50	17.2
Nonspecified injuries and disorders, n.e.c.	1979	430	30	7.0	—	—	70	16.3
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—
Diseases and disorders of body systems	2	1,220	70	5.7	70	5.7	190	15.6
Nervous system and sense organs diseases	22	470	50	10.6	20	4.3	40	8.5
Disorders of the peripheral nervous system	224	410	20	4.9	20	4.9	40	9.8
Carpal tunnel syndrome	2241	340	20	5.9	20	5.9	30	8.8
Disorders of the peripheral nervous system, n.e.c.	2249	50	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	20	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	20	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	20	—	—	—	—	—	—
Circulatory system diseases	23	120	—	—	—	—	—	—
Hypertensive disease	232	30	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	70	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	70	—	—	—	—	—	—
Respiratory system diseases	24	100	—	—	—	—	40	40.0
Pneumonia, influenza	243	30	—	—	—	—	—	—
Pneumonia, influenza, unspecified	2430	20	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	20	—	—	—	—	—	—
Digestive system diseases and disorders	25	100	—	—	—	—	50	50.0
Hernia—nontraumatic	253	60	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	360	—	—	20	5.6	50	13.9
Soft tissue disorders, except the back	273	330	—	—	20	6.1	30	9.1
Soft tissue disorder, except the back, unspecified	2730	20	—	—	—	—	—	—
Bursitis	2731	30	—	—	—	—	—	—
Epicondylitis	2734	120	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	90	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	20	40.0
Disorders of the skin and subcutaneous tissue	28	60	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	30	—	—	—	—	—	—
Cellulitis and abscess	2811	20	—	—	—	—	—	—
Infectious and parasitic diseases	3	280	20	7.1	110	39.3	—	—
Bacterial diseases	31	30	—	—	—	—	—	—
Other bacterial diseases	319	30	—	—	—	—	—	—
Diphtheria, whooping cough	3192	30	—	—	—	—	—	—
Mycoses (fungal infections)	34	50	—	—	—	—	—	—
Coccidioidomycosis	342	50	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	60	—	—	20	33.3	—	—
Other salmonella infections	363	40	—	—	20	50.0	—	—
Other infectious and parasitic diseases	39	140	—	—	80	57.1	—	—
Scabies and other acariases	392	120	—	—	60	50.0	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Soreness, pain, hurt—nonspecified injury	1,480	12.4	1,430	12.0	660	5.5	3,280	27.5	8
Swelling, inflammation, irritation—nonspecified injury	140	13.6	120	11.7	140	13.6	140	13.6	6
Numbness—nonspecified injury	—	—	—	—	—	—	50	83.3	110
Multiple nonspecified injuries and disorders	80	27.6	40	13.8	20	6.9	80	27.6	8
Nonspecified injuries and disorders, n.e.c.	20	4.7	90	20.9	—	—	190	44.2	20
Other traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—	—	—	1
Traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—	—	—	1
Diseases and disorders of body systems	120	9.8	120	9.8	60	4.9	590	48.4	29
Nervous system and sense organs diseases	40	8.5	60	12.8	30	6.4	230	48.9	30
Disorders of the peripheral nervous system	30	7.3	60	14.6	20	4.9	220	53.7	35
Carpal tunnel syndrome	30	8.8	60	17.6	20	5.9	160	47.1	27
Disorders of the peripheral nervous system, n.e.c.	—	—	—	—	—	—	50	100.0	90
Disorders of the eye, adnexa, vision	—	—	—	—	—	—	—	—	1
Conjunctivitis—non-viral	—	—	—	—	—	—	—	—	1
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—	—	—	2
Circulatory system diseases	—	—	—	—	—	—	90	75.0	53
Hypertensive disease	—	—	—	—	—	—	30	100.0	53
Ischemic heart disease, including heart attack	—	—	—	—	—	—	50	71.4	41
Myocardial infarction (heart attack)	—	—	—	—	—	—	50	71.4	41
Respiratory system diseases	30	30.0	—	—	—	—	30	30.0	6
Pneumonia, influenza	—	—	—	—	—	—	20	66.7	58
Pneumonia, influenza, unspecified	—	—	—	—	—	—	—	—	58
Chronic obstructive pulmonary disease and allied conditions	—	—	—	—	—	—	—	—	8
Digestive system diseases and disorders	—	—	—	—	—	—	30	30.0	6
Hernia—nontraumatic	—	—	—	—	—	—	30	50.0	43
Musculoskeletal system and connective tissue diseases and disorders	20	5.6	50	13.9	20	5.6	200	55.6	33
Soft tissue disorders, except the back	20	6.1	50	15.2	20	6.1	180	54.5	33
Soft tissue disorder, except the back, unspecified	—	—	—	—	—	—	—	—	2
Bursitis	—	—	—	—	—	—	—	—	27
Epicondylitis	—	—	30	25.0	—	—	80	66.7	59
Other or unspecified tendonitis (tendinitis)	—	—	—	—	—	—	50	55.6	33
Soft tissue disorder, except the back, n.e.c.	—	—	—	—	—	—	20	40.0	30
Disorders of the skin and subcutaneous tissue	—	—	—	—	—	—	—	—	3
Infections of the skin and subcutaneous tissue	—	—	—	—	—	—	—	—	4
Cellulitis and abscess	—	—	—	—	—	—	—	—	29
Infectious and parasitic diseases	70	25.0	30	10.7	—	—	50	17.9	7
Bacterial diseases	—	—	—	—	—	—	—	—	7
Other bacterial diseases	—	—	—	—	—	—	—	—	7
Diphtheria, whooping cough	—	—	—	—	—	—	—	—	7
Mycoses (fungal infections)	—	—	—	—	—	—	50	100.0	68
Coccidioidomycosis	—	—	—	—	—	—	50	100.0	68
Infectious diseases peculiar to the intestines	—	—	—	—	—	—	—	—	3
Other salmonella infections	—	—	—	—	—	—	—	—	2
Other infectious and parasitic diseases	30	21.4	—	—	—	—	—	—	2
Scabies and other acariases	30	25.0	—	—	—	—	—	—	2

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms, signs, and ill-defined conditions	5	540	110	20.4	40	7.4	100	18.5
Symptoms	51	500	110	22.0	30	6.0	80	16.0
General symptoms	511	240	20	8.3	20	8.3	30	12.5
Loss of consciousness—not heat related	5111	100	—	—	—	—	—	—
Dizziness—general	5114	70	—	—	—	—	—	—
Inflammation, swelling—general	5115	20	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	30	100.0	—	—	—	—
Symptoms involving skin and other integumentary tissue, unspecified	5130	30	30	100.0	—	—	—	—
Symptoms involving head and neck	514	20	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	180	50	27.8	—	—	30	16.7
Symptoms involving respiratory system and chest, unspecified	5160	40	—	—	—	—	—	—
Chest pain	5164	50	—	—	—	—	—	—
Multiple symptoms involving respiratory system and chest	5168	40	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	860	20	2.3	—	—	80	9.3
Mental disorders and syndromes	62	850	20	2.4	—	—	80	9.4
Mental disorders and syndromes, unspecified	620	30	—	—	—	—	—	—
Anxiety, stress	621	820	20	2.4	—	—	80	9.8
Anxiety, stress, unspecified	6210	350	—	—	—	—	50	14.3
Post-traumatic stress disorder	6211	140	—	—	—	—	—	—
Anxiety or panic disorder	6213	70	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	260	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	220	50	22.7	—	—	50	22.7

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Symptoms, signs, and ill-defined conditions	60	11.1	120	22.2	—	—	100	18.5	7
Symptoms	60	12.0	110	22.0	—	—	90	18.0	8
General symptoms	30	12.5	60	25.0	—	—	80	33.3	11
Loss of consciousness—not heat related	—	—	50	50.0	—	—	—	—	11
Dizziness—general	—	—	—	—	—	—	—	—	84
Inflammation, swelling—general	—	—	—	—	—	—	—	—	9
Symptoms involving skin and other integumentary tissue	—	—	—	—	—	—	—	—	1
Symptoms involving skin and other integumentary tissue, unspecified	—	—	—	—	—	—	—	—	1
Symptoms involving head and neck	—	—	—	—	—	—	—	—	5
Symptoms involving cardiovascular system	—	—	—	—	—	—	—	—	3
Symptoms involving respiratory system and chest	20	11.1	40	22.2	—	—	—	—	4
Symptoms involving respiratory system and chest, unspecified	20	50.0	—	—	—	—	—	—	8
Chest pain	—	—	—	—	—	—	—	—	4
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—	—	—	19
Abnormal findings	—	—	—	—	—	—	—	—	4
Other abnormal findings	—	—	—	—	—	—	—	—	4
Other diseases, conditions, and disorders	160	18.6	150	17.4	40	4.7	410	47.7	26
Mental disorders and syndromes	160	18.8	150	17.6	30	3.5	410	48.2	27
Mental disorders and syndromes, unspecified	—	—	—	—	—	—	—	—	11
Anxiety, stress	150	18.3	140	17.1	30	3.7	400	48.8	30
Anxiety, stress, unspecified	—	—	90	25.7	—	—	190	54.3	31
Post-traumatic stress disorder	20	14.3	20	14.3	—	—	90	64.3	46
Anxiety or panic disorder	20	28.6	—	—	—	—	40	57.1	32
Anxiety, stress, n.e.c.	—	—	20	7.7	30	11.5	80	30.8	10
Exposures to disease—no illness incurred	—	—	20	9.1	—	—	100	45.5	13

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Nonclassifiable	9999	1,230	-	-	-	-	30	2.4

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Nonclassifiable	—	—	—	—	—	—	900	73.2	36

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.