

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2012²

Part of body	Part of body code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		66,930	7,550	11.3	5,460	8.2	12,820	19.2
Head	1	4,270	840	19.7	700	16.4	840	19.7
Head, unspecified	10	760	170	22.4	140	18.4	190	25.0
Cranial region, including skull	11	790	110	13.9	90	11.4	90	11.4
Cranial region, unspecified	110	70	—	—	20	28.6	—	—
Brain	111	560	80	14.3	40	7.1	80	14.3
Scalp	112	120	20	16.7	—	—	—	—
Skull	113	20	—	—	—	—	—	—
Cranial region, n.e.c.	119	20	—	—	—	—	—	—
Ear(s)	12	50	—	—	—	—	—	—
Face	13	2,400	520	21.7	450	18.8	530	22.1
Face, unspecified	130	440	140	31.8	50	11.4	80	18.2
Forehead	131	200	60	30.0	60	30.0	40	20.0
Eye(s)	132	880	220	25.0	210	23.9	140	15.9
Nose, nasal cavity	133	280	20	7.1	—	—	110	39.3
Nose, except internal location of diseases or disorders	1330	280	20	7.1	—	—	110	39.3
Cheek(s)	134	20	—	—	—	—	—	—
Jaw, chin	135	50	—	—	—	—	—	—
Mouth	136	270	50	18.5	60	22.2	90	33.3
Mouth, unspecified	1360	80	—	—	—	—	40	50.0
Lip(s)	1361	30	20	66.7	—	—	—	—
Tooth (teeth)	1363	130	20	15.4	60	46.2	40	30.8
Mouth, n.e.c.	1369	20	—	—	—	—	—	—
Multiple face locations	138	260	30	11.5	40	15.4	40	15.4
Face, n.e.c.	139	20	—	—	—	—	—	—
Multiple head locations	18	240	20	8.3	—	—	20	8.3
Head, n.e.c.	19	30	—	—	—	—	—	—
Neck, including throat	2	1,260	140	11.1	90	7.1	270	21.4
Neck, except internal location of diseases or disorders ...	20	1,260	140	11.1	90	7.1	270	21.4
Trunk	3	13,510	1,240	9.2	1,260	9.3	2,790	20.7
Trunk, unspecified	30	80	—	—	—	—	—	—
Chest, including ribs, internal organs	31	1,160	90	7.8	230	19.8	280	24.1
Chest, except internal location of diseases or disorders	310	840	80	9.5	210	25.0	190	22.6
Internal chest location, unspecified	311	140	—	—	—	—	20	14.3
Heart	313	110	—	—	20	18.2	20	18.2
Lung(s), pleura	315	60	—	—	—	—	50	83.3
Back, including spine, spinal cord	32	10,180	980	9.6	790	7.8	2,140	21.0
Back, including spine, spinal cord, unspecified	320	3,710	320	8.6	330	8.9	730	19.7
Thoracic region	321	500	60	12.0	20	4.0	120	24.0
Lumbar region	322	5,540	530	9.6	420	7.6	1,180	21.3
Coccygeal region	324	110	40	36.4	—	—	40	36.4
Multiple back regions	328	290	20	6.9	—	—	60	20.7
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—
Abdomen	33	690	50	7.2	90	13.0	80	11.6

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	7,930	11.8	8,180	12.2	4,340	6.5	20,650	30.9	10
Head	630	14.8	370	8.7	250	5.9	630	14.8	4
Head, unspecified	50	6.6	80	10.5	30	3.9	100	13.2	3
Cranial region, including skull	100	12.7	90	11.4	90	11.4	220	27.8	11
Cranial region, unspecified	—	—	—	—	—	—	—	—	7
Brain	50	8.9	60	10.7	90	16.1	150	26.8	14
Scalp	20	16.7	20	16.7	—	—	50	41.7	11
Skull	—	—	—	—	—	—	—	—	19
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	2
Ear(s)	—	—	—	—	—	—	—	—	6
Face	430	17.9	180	7.5	100	4.2	200	8.3	3
Face, unspecified	60	13.6	—	—	30	6.8	60	13.6	3
Forehead	—	—	—	—	—	—	—	—	2
Eye(s)	200	22.7	40	4.5	50	5.7	20	2.3	3
Nose, nasal cavity	70	25.0	40	14.3	—	—	20	7.1	5
Nose, except internal location of diseases or disorders	70	25.0	40	14.3	—	—	20	7.1	5
Cheek(s)	—	—	—	—	—	—	—	—	3
Jaw, chin	—	—	—	—	—	—	30	60.0	52
Mouth	—	—	60	22.2	—	—	—	—	3
Mouth, unspecified	—	—	—	—	—	—	—	—	4
Lip(s)	—	—	—	—	—	—	—	—	1
Tooth (teeth)	—	—	—	—	—	—	—	—	2
Mouth, n.e.c.	—	—	—	—	—	—	—	—	5
Multiple face locations	80	30.8	—	—	—	—	50	19.2	7
Face, n.e.c.	—	—	—	—	—	—	—	—	3
Multiple head locations	40	16.7	—	—	30	12.5	100	41.7	26
Head, n.e.c.	—	—	—	—	—	—	—	—	4
Neck, including throat	150	11.9	180	14.3	160	12.7	270	21.4	10
Neck, except internal location of diseases or disorders ...	150	11.9	180	14.3	160	12.7	270	21.4	10
Trunk	1,860	13.8	1,830	13.5	630	4.7	3,910	28.9	9
Trunk, unspecified	—	—	—	—	—	—	20	25.0	12
Chest, including ribs, internal organs	130	11.2	110	9.5	30	2.6	290	25.0	5
Chest, except internal location of diseases or disorders	80	9.5	100	11.9	30	3.6	140	16.7	4
Internal chest location, unspecified	30	21.4	—	—	—	—	80	57.1	58
Heart	—	—	—	—	—	—	60	54.5	41
Lung(s), pleura	—	—	—	—	—	—	—	—	5
Back, including spine, spinal cord	1,420	13.9	1,450	14.2	480	4.7	2,930	28.8	10
Back, including spine, spinal cord, unspecified	410	11.1	610	16.4	180	4.9	1,120	30.2	12
Thoracic region	90	18.0	50	10.0	40	8.0	120	24.0	6
Lumbar region	890	16.1	690	12.5	230	4.2	1,590	28.7	8
Coccygeal region	—	—	—	—	—	—	—	—	5
Multiple back regions	20	6.9	80	27.6	20	6.9	80	27.6	15
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	90
Abdomen	60	8.7	80	11.6	40	5.8	280	40.6	19

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Abdomen, except internal location of diseases or disorders	330	580	50	8.6	90	15.5	30	5.2
Internal abdominal location, unspecified	331	80	—	—	—	—	50	62.5
Pelvic region	34	1,060	90	8.5	80	7.5	260	24.5
Hip(s)	341	510	60	11.8	30	5.9	60	11.8
Pelvis	342	20	—	—	—	—	—	—
Buttock(s)	343	120	—	—	—	—	70	58.3
Groin	344	350	20	5.7	20	5.7	120	34.3
Multiple pelvic region locations	348	20	—	—	—	—	—	—
Pelvic region, n.e.c.	349	20	—	—	—	—	—	—
Multiple trunk locations	38	340	30	8.8	50	14.7	20	5.9
Upper extremities	4	16,640	1,800	10.8	1,200	7.2	2,780	16.7
Upper extremities, unspecified	40	100	20	20.0	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,530	380	8.4	220	4.9	500	11.0
Arm(s)	42	2,930	290	9.9	200	6.8	680	23.2
Arm(s), unspecified	420	780	80	10.3	70	9.0	250	32.1
Upper arm(s)	421	230	30	13.0	—	—	20	8.7
Elbow(s)	422	1,210	90	7.4	70	5.8	190	15.7
Forearm(s)	423	460	50	10.9	40	8.7	180	39.1
Multiple arm locations	428	210	—	—	—	—	40	19.0
Elbow(s) and arm(s)	4281	130	—	—	—	—	40	30.8
Multiple arm locations, n.e.c.	4289	70	—	—	—	—	—	—
Arm(s), n.e.c.	429	50	20	40.0	—	—	—	—
Wrist(s)	43	2,010	110	5.5	160	8.0	330	16.4
Hand(s)	44	5,480	790	14.4	520	9.5	1,050	19.2
Hand(s), unspecified	440	1,530	250	16.3	100	6.5	320	20.9
Hand(s), except finger(s)	441	310	40	12.9	40	12.9	80	25.8
Finger(s), fingernail(s)	442	3,310	490	14.8	350	10.6	580	17.5
Finger(s), fingernail(s), unspecified	4420	2,340	410	17.5	300	12.8	390	16.7
Fingernail(s), nailbed(s)	4421	20	—	—	—	—	—	—
Fingertip(s)	4422	300	20	6.7	—	—	60	20.0
Finger(s), fingernail(s), n.e.c.	4429	650	60	9.2	50	7.7	120	18.5
Hand(s) and finger(s)	448	180	—	—	20	11.1	50	27.8
Hand(s), n.e.c.	449	150	—	—	—	—	20	13.3
Multiple upper extremities locations	48	1,590	200	12.6	100	6.3	220	13.8
Multiple upper extremities locations, unspecified	480	30	—	—	—	—	—	—
Hand(s) and arms(s)	481	120	20	16.7	—	—	30	25.0
Hand(s) and arm(s), unspecified	4810	40	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	30	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	50	—	—	—	—	20	40.0
Hand(s) and wrist(s)	482	280	20	7.1	30	10.7	20	7.1
Wrist(s) and arm(s)	483	150	40	26.7	—	—	30	20.0
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	—	—
Wrist(s) and elbow(s)	4831	40	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	60	40	66.7	—	—	—	—
Shoulder(s) and arm(s)	484	420	40	9.5	20	4.8	80	19.0
Multiple upper extremities locations, n.e.c.	489	600	90	15.0	30	5.0	60	10.0

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Abdomen, except internal location of diseases or disorders	40	6.9	80	13.8	40	6.9	240	41.4	19
Internal abdominal location, unspecified	—	—	—	—	—	—	30	37.5	3
Pelvic region	160	15.1	110	10.4	40	3.8	310	29.2	8
Hip(s)	80	15.7	70	13.7	—	—	210	41.2	14
Pelvis	—	—	—	—	—	—	—	—	119
Buttock(s)	—	—	—	—	—	—	—	—	4
Groin	70	20.0	30	8.6	30	8.6	60	17.1	6
Multiple pelvic region locations	—	—	—	—	—	—	—	—	40
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	2
Multiple trunk locations	80	23.5	70	20.6	30	8.8	70	20.6	7
Upper extremities	1,900	11.4	2,200	13.2	1,110	6.7	5,650	34.0	13
Upper extremities, unspecified	40	40.0	—	—	—	—	30	30.0	10
Shoulder(s), including clavicle(s), scapula(e)	350	7.7	540	11.9	270	6.0	2,260	49.9	30
Arm(s)	410	14.0	370	12.6	180	6.1	800	27.3	10
Arm(s), unspecified	80	10.3	90	11.5	30	3.8	170	21.8	5
Upper arm(s)	20	8.7	—	—	—	—	130	56.5	37
Elbow(s)	240	19.8	200	16.5	100	8.3	310	25.6	13
Forearm(s)	20	4.3	40	8.7	—	—	100	21.7	3
Multiple arm locations	40	19.0	20	9.5	20	9.5	70	33.3	14
Elbow(s) and arm(s)	—	—	—	—	—	—	60	46.2	18
Multiple arm locations, n.e.c.	—	—	—	—	20	28.6	—	—	9
Arm(s), n.e.c.	—	—	—	—	—	—	—	—	3
Wrist(s)	250	12.4	390	19.4	80	4.0	690	34.3	15
Hand(s)	700	12.8	690	12.6	440	8.0	1,280	23.4	8
Hand(s), unspecified	220	14.4	200	13.1	90	5.9	330	21.6	7
Hand(s), except finger(s)	30	9.7	30	9.7	—	—	90	29.0	8
Finger(s), fingernail(s)	400	12.1	380	11.5	320	9.7	790	23.9	8
Finger(s), fingernail(s), unspecified	270	11.5	290	12.4	260	11.1	430	18.4	6
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	—	3
Fingertip(s)	40	13.3	20	6.7	—	—	160	53.3	32
Finger(s), fingernail(s), n.e.c.	90	13.8	80	12.3	50	7.7	210	32.3	11
Hand(s) and finger(s)	20	11.1	40	22.2	—	—	30	16.7	10
Hand(s), n.e.c.	30	20.0	30	20.0	20	13.3	30	20.0	14
Multiple upper extremities locations	160	10.1	200	12.6	130	8.2	580	36.5	16
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	55
Hand(s) and arms(s)	—	—	—	—	—	—	40	33.3	13
Hand(s) and arm(s), unspecified	—	—	—	—	—	—	20	50.0	52
Hand(s) and elbow(s)	—	—	—	—	—	—	—	—	1
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—	20	40.0	13
Hand(s) and wrist(s)	30	10.7	70	25.0	—	—	90	32.1	17
Wrist(s) and arm(s)	—	—	—	—	—	—	60	40.0	7
Wrist(s) and arm(s), unspecified	—	—	—	—	—	—	30	60.0	14
Wrist(s) and elbow(s)	—	—	—	—	—	—	—	—	7
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	—	20	33.3	1
Shoulder(s) and arm(s)	40	9.5	50	11.9	20	4.8	160	38.1	16
Multiple upper extremities locations, n.e.c.	70	11.7	60	10.0	80	13.3	200	33.3	19

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Lower extremities	5	15,600	1,380	8.8	1,080	6.9	3,270	21.0
Leg(s)	51	9,990	850	8.5	610	6.1	2,320	23.2
Leg(s), unspecified	510	700	50	7.1	90	12.9	120	17.1
Thigh(s)	511	290	60	20.7	20	6.9	40	13.8
Knee(s)	512	8,140	600	7.4	420	5.2	1,970	24.2
Lower leg(s)	513	530	80	15.1	70	13.2	30	5.7
Multiple leg locations	518	280	50	17.9	—	—	150	53.6
Knee(s) and leg(s)	5181	120	50	41.7	—	—	—	—
Multiple leg locations, n.e.c.	5189	160	—	—	—	—	140	87.5
Leg(s), n.e.c.	519	40	—	—	—	—	—	—
Ankle(s)	52	2,950	250	8.5	210	7.1	450	15.3
Foot (feet)	53	1,860	220	11.8	180	9.7	380	20.4
Foot (feet), unspecified	530	1,270	160	12.6	150	11.8	270	21.3
Sole(s)	531	120	—	—	—	—	40	33.3
Arch(es), instep(s)	5312	20	—	—	—	—	20	100.0
Heel(s)	5313	90	—	—	—	—	—	—
Toes(s), toenail(s)	532	290	20	6.9	30	10.3	50	17.2
Multiple foot (feet) locations	538	30	—	—	—	—	—	—
Foot (feet), n.e.c.	539	150	20	13.3	—	—	20	13.3
Multiple lower extremities locations	58	800	60	7.5	70	8.8	120	15.0
Multiple lower extremities locations, unspecified	580	30	—	—	—	—	—	—
Foot (feet) and leg(s)	581	90	—	—	—	—	20	22.2
Foot(feet) and knee(s)	5811	60	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	30	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	220	—	—	30	13.6	20	9.1
Ankle(s) and leg(s)	583	220	30	13.6	30	13.6	70	31.8
Ankle(s) and leg(s), unspecified	5830	20	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	140	30	21.4	20	14.3	40	28.6
Ankle(s) and leg(s), n.e.c.	5839	60	—	—	—	—	20	33.3
Multiple lower extremities locations, n.e.c.	589	240	20	8.3	—	—	20	8.3
Body systems	6	2,080	350	16.8	110	5.3	440	21.2
Multiple body parts	8	11,790	1,680	14.2	980	8.3	2,330	19.8
Multiple body parts, unspecified	80	740	150	20.3	50	6.8	140	18.9
Head and neck	81	310	20	6.5	30	9.7	90	29.0
Head, neck, and trunk	82	150	—	—	—	—	—	—
Head and trunk	83	230	—	—	—	—	80	34.8
Neck and back	84	1,070	190	17.8	60	5.6	110	10.3
Shoulder(s) and back	85	590	50	8.5	30	5.1	200	33.9
Hip(s) and leg(s)	86	110	20	18.2	—	—	—	—
Upper and lower limb(s)	87	970	260	26.8	90	9.3	290	29.9
Other multiple body parts	89	7,610	970	12.7	710	9.3	1,400	18.4
Whole body	891	80	—	—	20	25.0	20	25.0
Multiple body parts, n.e.c.	899	7,530	970	12.9	690	9.2	1,380	18.3

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Lower extremities	1,800	11.5	1,890	12.1	930	6.0	5,260	33.7	12
Leg(s)	1,050	10.5	1,230	12.3	620	6.2	3,300	33.0	12
Leg(s), unspecified	80	11.4	90	12.9	20	2.9	260	37.1	16
Thigh(s)	70	24.1	—	—	—	—	60	20.7	6
Knee(s)	800	9.8	1,010	12.4	520	6.4	2,810	34.5	12
Lower leg(s)	80	15.1	100	18.9	70	13.2	110	20.8	12
Multiple leg locations	—	—	20	7.1	—	—	40	14.3	5
Knee(s) and leg(s)	—	—	—	—	—	—	30	25.0	3
Multiple leg locations, n.e.c.	—	—	—	—	—	—	—	—	5
Leg(s), n.e.c.	—	—	—	—	—	—	30	75.0	45
Ankle(s)	360	12.2	310	10.5	150	5.1	1,220	41.4	17
Foot (feet)	240	12.9	250	13.4	120	6.5	470	25.3	8
Foot (feet), unspecified	170	13.4	150	11.8	70	5.5	300	23.6	7
Sole(s)	—	—	—	—	—	—	50	41.7	26
Arch(es), instep(s)	—	—	—	—	—	—	—	—	3
Heel(s)	—	—	—	—	—	—	50	55.6	31
Toes(s), toenail(s)	40	13.8	60	20.7	—	—	80	27.6	13
Multiple foot (feet) locations	—	—	—	—	20	66.7	—	—	26
Foot (feet), n.e.c.	20	13.3	30	20.0	—	—	30	20.0	15
Multiple lower extremities locations	150	18.8	110	13.8	30	3.8	260	32.5	10
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	6
Foot (feet) and leg(s)	—	—	—	—	—	—	60	66.7	78
Foot(feet) and knee(s)	—	—	—	—	—	—	40	66.7	75
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—	—	—	136
Foot (feet) and ankle(s)	30	13.6	80	36.4	20	9.1	30	13.6	14
Ankle(s) and leg(s)	30	13.6	20	9.1	—	—	40	18.2	5
Ankle(s) and leg(s), unspecified	—	—	—	—	—	—	—	—	26
Ankle(s) and knee(s)	20	14.3	—	—	—	—	20	14.3	3
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	—	—	6
Multiple lower extremities locations, n.e.c.	80	33.3	—	—	—	—	110	45.8	8
Body systems	260	12.5	320	15.4	70	3.4	520	25.0	10
Multiple body parts	1,250	10.6	1,360	11.5	870	7.4	3,330	28.2	9
Multiple body parts, unspecified	40	5.4	90	12.2	110	14.9	170	23.0	10
Head and neck	70	22.6	20	6.5	—	—	70	22.6	6
Head, neck, and trunk	—	—	—	—	—	—	140	93.3	123
Head and trunk	—	—	40	17.4	—	—	90	39.1	16
Neck and back	60	5.6	240	22.4	90	8.4	330	30.8	20
Shoulder(s) and back	100	16.9	40	6.8	—	—	150	25.4	6
Hip(s) and leg(s)	40	36.4	—	—	—	—	30	27.3	7
Upper and lower limb(s)	110	11.3	50	5.2	30	3.1	130	13.4	3
Other multiple body parts	830	10.9	880	11.6	600	7.9	2,220	29.2	10
Whole body	—	—	20	25.0	—	—	20	25.0	5
Multiple body parts, n.e.c.	830	11.0	850	11.3	600	8.0	2,200	29.2	10

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Nonclassifiable	9999	1,790	120	6.7	50	2.8	110	6.1

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Nonclassifiable	70	3.9	20	1.1	330	18.4	1,090	60.9	36

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.