

TABLE S78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, state government, 2012²

Nature	Nature code ³	State government ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Total		66,930	880	7,050	6,500	14,490	12,280	10,510	4,120	1,220	550	90	9,230
Traumatic injuries and disorders	1	62,570	870	6,650	6,040	13,960	11,910	10,080	3,930	1,190	540	90	7,310
Traumatic injuries and disorders, unspecified	10	1,150	–	210	90	170	200	210	70	–	–	–	170
Traumatic injuries to bones, nerves, spinal cord	11	3,260	70	440	250	640	610	400	250	80	20	30	460
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	–	–	–	–	–	–	–	–	–	–	30
Fractures	111	3,090	70	430	240	610	550	400	240	80	20	30	420
Traumatic injuries to nerves, except the spinal cord	113	80	–	–	–	–	50	–	–	–	–	–	–
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	–	–	–	–	–	–	–	–	–	–	–
Pinched nerve	1131	30	–	–	–	–	–	–	–	–	–	–	–
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	20	–	–	–	–	–	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,880	380	2,910	2,860	6,440	5,310	4,400	1,480	590	290	40	3,170
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	110	–	–	–	–	–	–	–	–	–	–	40
Dislocations	121	410	–	130	60	40	90	50	30	–	–	–	20
Dislocations, unspecified	1210	70	–	70	–	–	–	–	–	–	–	–	–
Herniated discs	1211	120	–	30	20	–	20	–	20	–	–	–	–
Dislocation of joints	1212	190	–	30	30	30	60	20	–	–	–	–	–
Dislocations, n.e.c.	1219	40	–	–	–	–	–	–	–	–	–	–	–
Cartilage fractures and tears	122	140	–	20	–	40	–	20	–	–	–	–	40
Meniscus tears	1221	110	–	20	–	30	–	–	–	–	–	–	20
Cartilage fractures and tears, n.e.c.	1229	30	–	–	–	–	–	–	–	–	–	–	–
Sprains, strains, tears	123	26,770	380	2,740	2,740	6,180	5,130	4,290	1,420	580	250	40	3,000
Sprains, strains, tears, unspecified	1230	3,370	110	260	240	740	770	490	160	40	20	–	540
Major tears to muscles, tendons, ligaments	1231	790	–	160	50	190	80	190	50	–	–	–	50
Sprains	1232	7,760	140	970	860	2,030	1,450	990	360	250	140	20	560
Strains	1233	14,300	120	1,290	1,570	3,130	2,730	2,520	820	270	90	–	1,750
Multiple sprains, strains, tears	1238	550	–	70	30	100	100	100	30	–	–	–	100
Hernias due to traumatic incidents	124	250	–	20	20	70	50	20	–	–	–	–	40
Whiplash	125	100	–	–	20	30	–	–	–	–	–	–	20
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	100	–	–	–	80	–	–	–	–	–	–	–
Open wounds	13	2,910	–	260	320	580	470	570	310	30	–	–	350
Open wounds, unspecified	130	20	–	–	–	–	–	–	–	–	–	–	–
Amputations, avulsions, enucleations	131	90	–	20	–	20	–	–	–	–	–	–	20
Amputations	1311	30	–	–	–	–	–	–	–	–	–	–	–
Avulsions, enucleations	1312	50	–	20	–	–	–	–	–	–	–	–	–
Cuts, lacerations	132	2,110	–	190	200	460	330	530	130	20	–	–	240

See footnotes at end of table.

TABLE S78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Hours on the job before event occurred											Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Puncture wounds, except gunshot wounds	133	680	—	50	120	100	130	30	160	—	—	—	90	
Surface wounds and bruises	14	7,870	130	740	780	1,960	1,380	1,360	490	190	60	—	780	
Surface wounds and bruises, unspecified	140	210	—	20	20	20	—	40	—	—	—	—	30	
Abrasions, scratches	141	460	—	80	30	110	80	120	—	—	—	—	20	
Bruises, contusions	143	6,910	40	620	690	1,740	1,240	1,190	460	160	60	—	720	
Multiple surface wounds and bruises	148	260	—	20	40	70	50	—	—	30	—	—	—	
Surface wounds and bruises, n.e.c. ...	149	30	—	—	—	20	—	—	—	—	—	—	—	
Burns and corrosions	15	370	—	20	50	110	100	30	—	—	—	—	40	
Chemical burns and corrosions	151	70	—	—	—	20	—	—	—	—	—	—	—	
Chemical burns and corrosions, unspecified	1510	70	—	—	—	20	—	—	—	—	—	—	—	
Heat (thermal) burns	152	280	—	—	40	80	90	30	—	—	—	—	30	
Heat (thermal) burns, unspecified ..	1520	260	—	—	40	80	90	30	—	—	—	—	20	
Second degree heat (thermal) burns	1522	20	—	—	—	—	—	—	—	—	—	—	—	
Intracranial injuries	16	540	—	30	50	110	90	110	70	—	—	—	80	
Intracranial injuries, unspecified	160	60	—	—	—	—	30	—	20	—	—	—	—	
Concussions	162	470	—	20	50	110	70	110	40	—	—	—	70	
Effects of environmental conditions	17	130	—	—	—	—	40	50	—	—	—	—	—	
Effects of heat and light	172	130	—	—	—	—	40	50	—	—	—	—	—	
Heat exhaustion, prostration	1725	90	—	—	—	—	40	20	—	—	—	—	—	
Multiple traumatic injuries and disorders	18	3,250	120	450	320	640	760	460	160	120	—	—	220	
Multiple traumatic injuries and disorders, unspecified	180	120	—	20	—	—	50	20	—	—	—	—	—	
Cuts and abrasions or bruises	181	460	—	40	70	80	90	120	20	—	—	—	20	
Sprains and other injuries	182	1,610	90	300	140	420	250	190	30	80	—	—	120	
Sprains and other injuries, unspecified	1820	40	—	—	—	—	—	—	—	—	—	—	—	
Sprains and bruises	1821	1,350	90	250	90	340	210	180	—	70	—	—	110	
Sprains and cuts	1822	80	—	30	—	20	—	—	—	—	—	—	—	
Sprains and other injuries, n.e.c. ...	1829	150	—	20	30	50	30	—	—	—	—	—	—	
Fractures and other injuries	183	380	20	50	30	40	150	40	20	—	—	—	30	
Fractures and other injuries, n.e.c. ...	1839	360	20	50	20	40	140	30	20	—	—	—	20	
Multiple traumatic injuries and disorders, n.e.c.	189	690	—	30	80	90	220	100	80	30	—	—	50	
Other traumatic injuries and disorders ...	19	15,210	140	1,580	1,300	3,300	2,940	2,480	1,090	190	140	—	2,030	
Other traumatic injuries and disorders, unspecified	190	40	—	—	—	—	30	—	—	—	—	—	—	
Asphyxiations, strangulations, suffocations	191	40	—	—	—	—	—	—	—	—	—	—	—	
Electrocutions, electric shocks	193	60	—	—	—	20	40	—	—	—	—	—	—	
Dermatitis and reactions affecting the skin—acute	195	220	—	—	—	90	20	40	—	—	—	—	60	
Dermatitis and reactions affecting the skin—acute, unspecified	1950	50	—	—	—	—	—	20	—	—	—	—	20	
Allergic dermatitis—acute	1951	40	—	—	—	—	—	—	—	—	—	—	20	

See footnotes at end of table.

TABLE S78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Hours on the job before event occurred											Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Irritant dermatitis—acute	1952	60	—	—	—	—	—	—	20	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	60	—	—	—	—	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	730	—	50	130	100	180	90	20	—	—	—	—	120
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	320	—	—	60	20	100	60	—	—	—	—	—	30
Poisoning, including poisoning-related asphyxia	1961	40	—	—	—	—	20	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	170	—	20	50	—	30	20	—	—	—	—	—	30
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	20	—	—	—	20	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	—	—	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	80	—	—	—	—	—	—	—	—	—	—	—	50
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	60	—	—	—	—	—	—	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	20	—	—	—	—	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders ...	197	14,100	140	1,530	1,170	3,080	2,660	2,340	1,030	150	130	—	—	1,850
Crushing injuries	1971	370	—	—	50	140	30	50	—	—	—	—	—	70
Soreness, pain, hurt—nonspecified injury	1972	11,920	120	1,380	920	2,600	2,310	2,030	870	140	110	—	—	1,430
Swelling, inflammation, irritation—nonspecified injury	1973	1,030	—	60	100	200	240	80	130	—	20	—	—	180
Numbness—nonspecified injury	1974	60	—	—	—	—	—	—	—	—	—	—	—	30
Multiple nonspecified injuries and disorders	1978	290	—	40	50	—	—	50	—	—	—	—	—	120
Nonspecified injuries and disorders, n.e.c.	1979	430	—	30	40	120	70	110	—	—	—	—	—	30
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	2	1,220	—	120	180	140	130	180	40	—	—	—	—	420
Nervous system and sense organs diseases	22	470	—	60	40	50	20	60	20	—	—	—	—	230
Disorders of the peripheral nervous system	224	410	—	60	30	30	—	50	—	—	—	—	—	210
Carpal tunnel syndrome	2241	340	—	50	30	30	—	—	—	—	—	—	—	200
Disorders of the peripheral nervous system, n.e.c.	2249	50	—	—	—	—	—	40	—	—	—	—	—	—

See footnotes at end of table.

TABLE S78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Disorders of the eye, adnexa, vision ..	225	20	-	-	-	-	-	-	-	-	-	-	-
Conjunctivitis—non-viral	2251	20	-	-	-	-	-	-	-	-	-	-	-
Disorders of the ear, mastoid process, hearing	226	20	-	-	-	-	-	-	-	-	-	-	-
Circulatory system diseases	23	120	-	-	-	20	30	-	-	-	-	-	40
Hypertensive disease	232	30	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease, including heart attack	233	70	-	-	-	20	-	-	-	-	-	-	-
Myocardial infarction (heart attack)	2331	70	-	-	-	20	-	-	-	-	-	-	-
Respiratory system diseases	24	100	-	-	-	20	-	-	-	-	-	-	40
Pneumonia, influenza	243	30	-	-	-	20	-	-	-	-	-	-	-
Pneumonia, influenza, unspecified	2430	20	-	-	-	20	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions	244	20	-	-	-	-	-	-	-	-	-	-	-
Digestive system diseases and disorders	25	100	-	-	20	-	40	-	-	-	-	-	20
Hernia—nontraumatic	253	60	-	-	-	-	-	-	-	-	-	-	20
Musculoskeletal system and connective tissue diseases and disorders	27	360	-	30	90	50	20	60	-	-	-	-	80
Soft tissue disorders, except the back	273	330	-	30	80	50	20	60	-	-	-	-	70
Soft tissue disorder, except the back, unspecified	2730	20	-	-	-	-	-	-	-	-	-	-	-
Bursitis	2731	30	-	-	-	-	-	-	-	-	-	-	-
Epicondylitis	2734	120	-	-	60	-	-	20	-	-	-	-	30
Other or unspecified tendonitis (tendinitis)	2735	90	-	20	-	20	-	-	-	-	-	-	20
Soft tissue disorder, except the back, n.e.c.	2739	50	-	-	-	-	-	-	-	-	-	-	-
Disorders of the skin and subcutaneous tissue	28	60	-	-	-	-	-	20	-	-	-	-	-
Infections of the skin and subcutaneous tissue	281	30	-	-	-	-	-	-	-	-	-	-	-
Cellulitis and abscess	2811	20	-	-	-	-	-	-	-	-	-	-	-
Infectious and parasitic diseases	3	280	-	30	40	60	40	-	-	-	-	-	110
Bacterial diseases	31	30	-	-	-	-	-	-	-	-	-	-	30
Other bacterial diseases	319	30	-	-	-	-	-	-	-	-	-	-	30
Diphtheria, whooping cough	3192	30	-	-	-	-	-	-	-	-	-	-	30
Mycoses (fungal infections)	34	50	-	-	-	-	-	-	-	-	-	-	30
Coccidioidomycosis	342	50	-	-	-	-	-	-	-	-	-	-	30
Infectious diseases peculiar to the intestines	36	60	-	-	20	20	20	-	-	-	-	-	-
Other salmonella infections	363	40	-	-	20	20	-	-	-	-	-	-	-
Other infectious and parasitic diseases	39	140	-	-	20	40	30	-	-	-	-	-	30
Scabies and other acariases	392	120	-	-	20	30	30	-	-	-	-	-	20
Symptoms, signs, and ill-defined conditions	5	540	-	50	180	100	70	80	20	-	-	-	30

See footnotes at end of table.

TABLE S78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Hours on the job before event occurred											Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Symptoms	51	500	—	40	170	100	70	80	20	—	—	—	—	30
General symptoms	511	240	—	—	60	30	60	60	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	100	—	—	—	—	50	20	—	—	—	—	—	—
Dizziness—general	5114	70	—	—	—	—	20	—	—	—	—	—	—	—
Inflammation, swelling—general	5115	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue, unspecified	5130	30	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	180	—	—	100	40	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	5160	40	—	—	—	30	—	—	—	—	—	—	—	—
Chest pain	5164	50	—	—	20	—	—	—	—	—	—	—	—	—
Multiple symptoms involving respiratory system and chest	5168	40	—	—	40	—	—	—	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	—	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	860	—	150	20	170	110	100	120	—	—	—	—	180
Mental disorders and syndromes	62	850	—	150	20	170	110	100	110	—	—	—	—	180
Mental disorders and syndromes, unspecified	620	30	—	—	—	—	—	—	—	—	—	—	—	—
Anxiety, stress	621	820	—	150	20	160	110	90	110	—	—	—	—	170
Anxiety, stress, unspecified	6210	350	—	70	—	20	40	—	90	—	—	—	—	130
Post-traumatic stress disorder	6211	140	—	40	—	20	20	40	—	—	—	—	—	—
Anxiety or panic disorder	6213	70	—	—	—	—	40	20	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	260	—	40	—	120	20	—	—	—	—	—	—	30
Exposures to disease—no illness incurred	7	220	—	—	30	50	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Nonclassifiable	9999	1,230	–	40	–	–	–	–	–	–	–	–	–	1,170

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOI) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.