

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2012²

Nature	Nature code ³	State govern- ment ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		66,930	5,670	10,890	12,750	11,460	11,270	9,670	5,220
Traumatic injuries and disorders	1	62,570	5,330	10,390	12,300	10,960	10,110	8,470	5,010
Traumatic injuries and disorders, unspecified	10	1,150	100	210	220	170	160	190	100
Traumatic injuries to bones, nerves, spinal cord	11	3,260	270	480	650	610	490	500	260
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	—	30	—	20	—	—	—
Fractures	111	3,090	260	450	630	560	480	480	230
Traumatic injuries to nerves, except the spinal cord	113	80	—	—	—	40	—	—	—
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	—	—	—	—	—	—	—
Pinched nerve	1131	30	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	20	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,880	2,230	5,300	5,260	4,880	4,770	3,460	1,980
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	110	—	—	—	90	—	—	—
Dislocations	121	410	—	140	50	60	30	40	80
Dislocations, unspecified	1210	70	—	—	—	—	—	—	—
Herniated discs	1211	120	—	50	—	20	—	—	—
Dislocation of joints	1212	190	—	50	30	40	20	20	30
Dislocations, n.e.c.	1219	40	—	20	—	—	—	—	—
Cartilage fractures and tears	122	140	20	40	—	30	—	30	—
Meniscus tears	1221	110	20	40	—	20	—	—	—
Cartilage fractures and tears, n.e.c.	1229	30	—	—	—	—	—	20	—
Sprains, strains, tears	123	26,770	2,170	4,990	5,130	4,650	4,640	3,360	1,850
Sprains, strains, tears, unspecified	1230	3,370	380	560	610	670	440	390	320
Major tears to muscles, tendons, ligaments	1231	790	60	170	60	180	180	100	30
Sprains	1232	7,760	840	1,400	1,430	1,340	1,250	1,010	510
Strains	1233	14,300	870	2,760	2,920	2,370	2,650	1,780	960
Multiple sprains, strains, tears	1238	550	—	100	110	100	130	80	30
Hernias due to traumatic incidents	124	250	—	50	50	20	70	—	40
Whiplash	125	100	20	—	—	20	20	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	100	—	—	—	—	—	—	—
Open wounds	13	2,910	200	400	750	500	480	440	150
Open wounds, unspecified	130	20	—	—	—	—	—	—	—
Amputations, avulsions, enucleations	131	90	—	30	20	20	—	—	—
Amputations	1311	30	—	—	—	—	—	—	—
Avulsions, enucleations	1312	50	—	20	—	—	—	—	—
Cuts, lacerations	132	2,110	130	300	430	370	400	360	130
Puncture wounds, except gunshot wounds	133	680	60	70	290	120	70	70	—
Surface wounds and bruises	14	7,870	710	1,180	1,800	1,280	1,140	1,220	540
Surface wounds and bruises, unspecified	140	210	40	30	20	20	—	80	—

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2012²—Continued

Nature	Nature code ³	State govern- ment ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Abrasions, scratches	141	460	—	40	120	50	80	100	60
Bruises, contusions	143	6,910	630	1,070	1,630	1,160	1,010	980	420
Multiple surface wounds and bruises	148	260	20	40	30	30	20	60	50
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	—	—	—
Burns and corrosions	15	370	40	80	90	30	70	50	30
Chemical burns and corrosions	151	70	—	—	20	—	20	—	—
Chemical burns and corrosions, unspecified	1510	70	—	—	20	—	20	—	—
Heat (thermal) burns	152	280	30	70	70	20	40	40	20
Heat (thermal) burns, unspecified ..	1520	260	30	70	60	—	30	40	20
Second degree heat (thermal) burns	1522	20	—	—	—	—	—	—	—
Intracranial injuries	16	540	60	50	60	130	80	90	60
Intracranial injuries, unspecified	160	60	20	—	—	—	—	20	—
Concussions	162	470	40	50	50	130	80	70	60
Effects of environmental conditions	17	130	30	30	—	—	40	20	—
Effects of heat and light	172	130	30	30	—	—	40	20	—
Heat exhaustion, prostration	1725	90	30	30	—	—	—	20	—
Multiple traumatic injuries and disorders	18	3,250	280	560	650	580	530	440	220
Multiple traumatic injuries and disorders, unspecified	180	120	20	30	—	20	20	—	—
Cuts and abrasions or bruises	181	460	20	40	70	120	100	90	—
Sprains and other injuries	182	1,610	110	290	280	300	250	220	160
Sprains and other injuries, unspecified	1820	40	—	—	—	—	—	20	—
Sprains and bruises	1821	1,350	90	220	230	270	210	190	150
Sprains and cuts	1822	80	—	20	—	—	—	—	—
Sprains and other injuries, n.e.c.	1829	150	20	50	30	20	20	—	—
Fractures and other injuries	183	380	90	30	60	70	40	70	—
Fractures and other injuries, n.e.c.	1839	360	90	30	60	70	30	70	—
Multiple traumatic injuries and disorders, n.e.c.	189	690	40	160	220	60	120	50	40
Other traumatic injuries and disorders ...	19	15,210	1,420	2,100	2,820	2,770	2,350	2,070	1,670
Other traumatic injuries and disorders, unspecified	190	40	—	—	—	—	—	—	—
Asphyxiations, strangulations, suffocations	191	40	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	60	—	30	—	20	—	—	—
Dermatitis and reactions affecting the skin—acute	195	220	60	30	—	60	—	30	20
Dermatitis and reactions affecting the skin—acute, unspecified	1950	50	—	20	—	—	—	20	—
Allergic dermatitis—acute	1951	40	—	—	—	—	—	—	—
Irritant dermatitis—acute	1952	60	—	—	—	50	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	60	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	730	70	80	220	140	110	40	80
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	320	60	—	110	60	30	—	50
Poisoning, including poisoning-related asphyxia	1961	40	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2012²—Continued

Nature	Nature code ³	State govern- ment ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	170	—	30	50	—	50	—	—
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	80	—	—	—	50	—	—	—
Nausea, vomiting—toxic, noxious, or allergenic effect	1967	60	—	—	50	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	20	—	—	—	—	—	—	—
Nonspecified injuries and disorders	197	14,100	1,260	1,950	2,570	2,520	2,230	2,000	1,580
Crushing injuries	1971	370	—	40	110	40	90	50	30
Soreness, pain, hurt—nonspecified injury	1972	11,920	1,110	1,550	2,090	2,190	1,870	1,670	1,440
Swelling, inflammation, irritation—nonspecified injury	1973	1,030	80	250	190	170	90	200	50
Numbness—nonspecified injury	1974	60	—	—	—	30	—	—	—
Multiple nonspecified injuries and disorders	1978	290	—	40	80	30	60	50	30
Nonspecified injuries and disorders, n.e.c.	1979	430	40	70	90	60	100	30	30
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	—
Diseases and disorders of body systems	2	1,220	130	200	210	220	170	180	90
Nervous system and sense organs diseases	22	470	20	70	90	100	90	90	20
Disorders of the peripheral nervous system	224	410	—	70	80	70	80	90	—
Carpal tunnel syndrome	2241	340	—	70	80	30	80	70	—
Disorders of the peripheral nervous system, n.e.c.	2249	50	—	—	—	40	—	—	—
Disorders of the eye, adnexa, vision	225	20	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	20	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	20	—	—	—	—	—	—	—
Circulatory system diseases	23	120	—	20	—	—	20	—	50
Hypertensive disease	232	30	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	70	—	20	—	—	—	—	—
Myocardial infarction (heart attack)	2331	70	—	20	—	—	—	—	—
Respiratory system diseases	24	100	—	50	30	—	—	—	—
Pneumonia, influenza	243	30	—	—	—	—	—	—	—
Pneumonia, influenza, unspecified	2430	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2012²—Continued

Nature	Nature code ³	State govern- ment ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Chronic obstructive pulmonary disease and allied conditions	244	20	—	—	20	—	—	—	—
Digestive system diseases and disorders	25	100	—	20	—	—	—	40	—
Hernia—nontraumatic	253	60	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	360	30	40	50	90	60	50	30
Soft tissue disorders, except the back	273	330	30	30	50	80	60	50	20
Soft tissue disorder, except the back, unspecified	2730	20	—	—	—	—	—	—	—
Bursitis	2731	30	—	—	—	—	—	—	—
Epicondylitis	2734	120	—	—	—	70	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	90	—	—	20	—	30	—	—
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	20	—	—
Disorders of the skin and subcutaneous tissue	28	60	30	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	30	—	—	—	—	—	—	—
Cellulitis and abscess	2811	20	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	280	—	30	20	40	40	100	60
Bacterial diseases	31	30	—	—	—	—	—	20	—
Other bacterial diseases	319	30	—	—	—	—	—	20	—
Diphtheria, whooping cough	3192	30	—	—	—	—	—	20	—
Mycoses (fungal infections)	34	50	—	—	—	—	—	—	—
Coccidioidomycosis	342	50	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	60	—	—	—	—	—	—	50
Other salmonella infections	363	40	—	—	—	—	—	—	40
Other infectious and parasitic diseases	39	140	—	30	—	30	20	50	—
Scabies and other acariases	392	120	—	20	—	30	20	50	—
Symptoms, signs, and ill-defined conditions	5	540	40	90	90	80	160	70	—
Symptoms	51	500	40	90	90	80	150	50	—
General symptoms	511	240	—	20	70	30	70	40	—
Loss of consciousness—not heat related	5111	100	—	—	—	—	60	20	—
Dizziness—general	5114	70	—	—	50	—	—	—	—
Inflammation, swelling—general	5115	20	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue, unspecified	5130	30	—	—	—	—	—	—	—
Symptoms involving head and neck	514	20	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	180	20	40	—	40	60	—	—

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2012² — Continued

Nature	Nature code ³	State govern- ment ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Symptoms involving respiratory system and chest, unspecified	5160	40	—	—	—	30	—	—	—
	5164	50	—	—	—	—	—	—	—
	5168	40	—	40	—	—	—	—	—
	52	20	—	—	—	—	—	20	—
	529	20	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	860	140	120	110	110	110	230	40
	62	850	140	120	110	100	110	230	40
	620	30	—	—	—	—	—	—	—
	621	820	140	110	100	100	110	220	40
	6210	350	100	30	50	70	50	50	—
	6211	140	30	20	—	20	—	20	30
	6213	70	—	20	—	—	20	—	—
	6219	260	—	30	40	—	30	150	—
	7	220	40	—	20	30	80	40	—
Exposures to disease—no illness incurred									

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2012² — Continued

Nature	Nature code ³	State govern- ment ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Nonclassifiable	9999	1,230	—	40	—	—	590	580	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.