

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2012²

Nature	Nature code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		66,930	1,910	7,900	19,690	15,920	9,430	4,640	7,460
Traumatic injuries and disorders	1	62,570	1,810	7,380	18,950	15,340	9,030	4,430	5,630
Traumatic injuries and disorders, unspecified	10	1,150	30	170	240	370	100	90	150
Traumatic injuries to bones, nerves, spinal cord	11	3,260	60	410	1,010	820	390	260	300
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	–	–	–	20	–	–	30
Fractures	111	3,090	60	400	980	760	380	250	260
Traumatic injuries to nerves, except the spinal cord	113	80	–	–	–	40	–	–	–
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	–	–	–	–	–	–	–
Pinched nerve	1131	30	–	–	–	–	–	–	–
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	20	–	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,880	1,080	3,520	8,960	6,180	3,860	1,830	2,450
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	110	–	–	–	30	–	–	40
Dislocations	121	410	20	90	110	60	100	–	20
Dislocations, unspecified	1210	70	–	50	30	–	–	–	–
Herniated discs	1211	120	–	–	20	–	40	–	–
Dislocation of joints	1212	190	20	20	50	40	60	–	–
Dislocations, n.e.c.	1219	40	–	–	–	30	–	–	–
Cartilage fractures and tears	122	140	30	–	30	30	–	–	20
Meniscus tears	1221	110	–	–	30	30	–	–	20
Cartilage fractures and tears, n.e.c.	1229	30	–	–	–	–	–	–	–
Sprains, strains, tears	123	26,770	1,030	3,390	8,650	5,980	3,650	1,750	2,310
Sprains, strains, tears, unspecified	1230	3,370	170	400	980	550	450	340	480
Major tears to muscles, tendons, ligaments	1231	790	20	130	290	220	50	20	50
Sprains	1232	7,760	290	820	2,620	1,730	1,360	450	490
Strains	1233	14,300	520	2,010	4,610	3,360	1,700	890	1,210
Multiple sprains, strains, tears	1238	550	30	30	160	120	90	40	80
Hernias due to traumatic incidents	124	250	–	20	100	60	–	–	40
Whiplash	125	100	–	–	50	–	–	–	20
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	100	–	–	–	–	–	–	–
Open wounds	13	2,910	50	240	880	900	360	260	230
Open wounds, unspecified	130	20	–	–	–	–	–	–	–
Amputations, avulsions, enucleations	131	90	–	20	20	20	–	–	20
Amputations	1311	30	–	–	–	–	–	–	–
Avulsions, enucleations	1312	50	–	–	20	–	–	–	–
Cuts, lacerations	132	2,110	20	210	630	660	240	210	140
Puncture wounds, except gunshot wounds	133	680	30	–	220	220	100	30	70
Surface wounds and bruises	14	7,870	180	790	2,280	2,230	1,280	560	540

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Surface wounds and bruises, unspecified	140	210	—	—	30	110	—	—	30
Abrasions, scratches	141	460	—	40	110	120	140	20	20
Bruises, contusions	143	6,910	150	700	2,060	1,970	1,070	490	470
Multiple surface wounds and bruises	148	260	20	40	70	30	50	20	—
Surface wounds and bruises, n.e.c. ...	149	30	—	—	—	—	—	—	—
Burns and corrosions	15	370	50	20	120	130	—	—	30
Chemical burns and corrosions	151	70	—	—	30	30	—	—	—
Chemical burns and corrosions, unspecified	1510	70	—	—	30	30	—	—	—
Heat (thermal) burns	152	280	50	—	90	100	—	—	20
Heat (thermal) burns, unspecified ..	1520	260	50	—	80	100	—	—	—
Second degree heat (thermal) burns	1522	20	—	—	—	—	—	—	—
Intracranial injuries	16	540	—	30	150	70	100	90	70
Intracranial injuries, unspecified	160	60	—	—	—	—	30	20	—
Concussions	162	470	—	30	150	70	70	70	70
Effects of environmental conditions	17	130	—	—	50	60	—	—	—
Effects of heat and light	172	130	—	—	40	60	—	—	—
Heat exhaustion, prostration	1725	90	—	—	30	30	—	—	—
Multiple traumatic injuries and disorders	18	3,250	90	520	650	840	730	240	200
Multiple traumatic injuries and disorders, unspecified	180	120	—	—	30	40	20	—	—
Cuts and abrasions or bruises	181	460	—	40	110	200	70	—	20
Sprains and other injuries	182	1,610	70	340	270	290	330	190	110
Sprains and other injuries, unspecified	1820	40	—	—	20	—	—	—	—
Sprains and bruises	1821	1,350	60	300	190	270	270	170	100
Sprains and cuts	1822	80	—	—	20	—	20	—	—
Sprains and other injuries, n.e.c. ...	1829	150	—	30	50	—	40	20	—
Fractures and other injuries	183	380	—	90	80	80	100	—	20
Fractures and other injuries, n.e.c. ...	1839	360	—	90	80	70	100	—	20
Multiple traumatic injuries and disorders, n.e.c.	189	690	—	40	150	220	200	20	50
Other traumatic injuries and disorders ...	19	15,210	260	1,670	4,610	3,740	2,190	1,080	1,660
Other traumatic injuries and disorders, unspecified	190	40	—	—	—	20	—	—	—
Asphyxiations, strangulations, suffocations	191	40	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	60	—	—	40	—	—	—	—
Dermatitis and reactions affecting the skin—acute	195	220	—	—	30	100	—	20	60
Dermatitis and reactions affecting the skin—acute, unspecified	1950	50	—	—	—	—	—	—	20
Allergic dermatitis—acute	1951	40	—	—	—	—	—	—	20
Irritant dermatitis—acute	1952	60	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	60	—	—	—	60	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	730	—	40	240	240	60	60	70

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	320	—	—	80	120	40	40	30
Poisoning, including poisoning-related asphyxia	1961	40	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	170	—	20	60	40	—	—	30
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	20	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	80	—	—	—	60	—	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	60	—	—	50	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	20	—	—	—	—	—	—	—
Nonspecified injuries and disorders ...	197	14,100	250	1,620	4,270	3,320	2,110	1,000	1,520
Crushing injuries	1971	370	—	80	120	70	40	—	50
Soreness, pain, hurt—nonspecified injury	1972	11,920	220	1,300	3,610	2,870	1,840	820	1,260
Swelling, inflammation, irritation—nonspecified injury	1973	1,030	—	110	350	240	170	100	50
Numbness—nonspecified injury ...	1974	60	—	—	—	—	—	—	30
Multiple nonspecified injuries and disorders	1978	290	—	40	50	40	40	20	110
Nonspecified injuries and disorders, n.e.c.	1979	430	20	70	130	90	30	60	30
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	—
Diseases and disorders of body systems	2	1,220	40	260	300	160	50	50	370
Nervous system and sense organs diseases	22	470	—	90	80	50	—	20	220
Disorders of the peripheral nervous system	224	410	—	80	70	40	—	—	200
Carpal tunnel syndrome	2241	340	—	80	30	30	—	—	190
Disorders of the peripheral nervous system, n.e.c.	2249	50	—	—	40	—	—	—	—
Disorders of the eye, adnexa, vision ..	225	20	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	20	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	20	—	—	—	—	—	—	—
Circulatory system diseases	23	120	—	60	30	30	—	—	—
Hypertensive disease	232	30	—	30	—	—	—	—	—

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Ischemic heart disease, including									
heart attack	233	70	—	—	30	—	—	—	—
Myocardial infarction (heart attack)	2331	70	—	—	30	—	—	—	—
Respiratory system diseases	24	100	—	—	30	—	—	—	40
Pneumonia, influenza	243	30	—	—	—	—	—	—	—
Pneumonia, influenza, unspecified	2430	20	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	20	—	—	20	—	—	—	—
Digestive system diseases and disorders	25	100	—	40	30	—	—	—	20
Hernia—nontraumatic	253	60	—	20	30	—	—	—	20
Musculoskeletal system and connective tissue diseases and disorders	27	360	—	40	130	50	40	—	80
Soft tissue disorders, except the back	273	330	—	40	120	50	30	—	70
Soft tissue disorder, except the back, unspecified	2730	20	—	—	—	—	—	—	—
Bursitis	2731	30	—	—	20	—	—	—	—
Epicondylitis	2734	120	—	—	70	20	—	—	30
Other or unspecified tendonitis (tendinitis)	2735	90	—	—	20	—	20	—	20
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	60	—	—	—	30	—	—	—
Infections of the skin and subcutaneous tissue	281	30	—	—	—	—	—	—	—
Cellulitis and abscess	2811	20	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	280	—	30	70	30	50	—	110
Bacterial diseases	31	30	—	—	—	—	—	—	30
Other bacterial diseases	319	30	—	—	—	—	—	—	30
Diphtheria, whooping cough	3192	30	—	—	—	—	—	—	30
Mycoses (fungal infections)	34	50	—	—	—	—	—	—	30
Coccidioidomycosis	342	50	—	—	—	—	—	—	30
Infectious diseases peculiar to the intestines	36	60	—	—	30	—	20	—	—
Other salmonella infections	363	40	—	—	30	—	20	—	—
Other infectious and parasitic diseases	39	140	—	30	40	—	30	—	30
Scabies and other acariases	392	120	—	20	40	—	30	—	20
Symptoms, signs, and ill-defined conditions	5	540	—	90	140	90	120	30	30
Symptoms	51	500	—	80	120	90	120	30	20
General symptoms	511	240	—	60	70	50	30	30	—
Loss of consciousness—not heat related	5111	100	—	—	50	30	—	—	—
Dizziness—general	5114	70	—	50	—	—	—	—	—
Inflammation, swelling—general	5115	20	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	30	—	—

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Symptoms involving skin and other integumentary tissue, unspecified	5130	30	—	—	—	—	30	—	—
Symptoms involving head and neck	514	20	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	180	—	—	40	30	40	—	—
Symptoms involving respiratory system and chest, unspecified	5160	40	—	—	30	—	—	—	—
Chest pain	5164	50	—	—	—	30	—	—	—
Multiple symptoms involving respiratory system and chest	5168	40	—	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	860	—	140	110	260	160	50	140
Mental disorders and syndromes	62	850	—	140	110	260	160	40	140
Mental disorders and syndromes, unspecified	620	30	—	—	—	—	—	—	—
Anxiety, stress	621	820	—	130	100	250	160	40	140
Anxiety, stress, unspecified	6210	350	—	90	30	120	—	20	90
Post-traumatic stress disorder	6211	140	—	20	—	70	30	—	—
Anxiety or panic disorder	6213	70	—	—	20	40	—	—	—
Anxiety, stress, n.e.c.	6219	260	—	30	40	30	130	—	30
Exposures to disease—no illness incurred	7	220	—	—	60	40	30	80	—

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Nonclassifiable	9999	1,230	—	—	50	—	—	—	1,160

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/if_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.