

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2013

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		64,990	600	3,330	2,670	1,040	2,210
Head	1	4,700	220	80	310	100	170
Head, unspecified	10	870	—	30	160	80	70
Cranial region, including skull	11	880	—	30	80	—	50
Cranial region, unspecified	110	50	—	—	—	—	—
Brain	111	660	—	20	60	—	20
Scalp	112	150	—	—	—	—	30
Skull	113	20	—	—	—	—	—
Ear(s)	12	130	—	—	—	—	—
Face	13	2,530	200	30	70	20	40
Face, unspecified	130	550	—	—	—	—	—
Forehead	131	120	—	—	—	—	—
Eye(s)	132	1,010	200	—	30	—	—
Nose, nasal cavity	133	340	—	—	—	—	—
Nose, except internal location of diseases or disorders	1330	340	—	—	—	—	—
Cheek(s)	134	70	—	—	—	—	—
Jaw, chin	135	50	—	—	—	—	—
Mouth	136	80	—	—	—	—	—
Mouth, unspecified	1360	30	—	—	—	—	—
Lip(s)	1361	20	—	—	—	—	—
Tooth (teeth)	1363	20	—	—	—	—	—
Multiple face locations	138	270	—	—	—	—	—
Face, n.e.c.	139	30	—	—	—	—	—
Multiple head locations	18	290	—	—	—	—	—
Neck, including throat	2	970	—	30	30	20	—
Neck, except internal location of diseases or disorders ...	20	970	—	30	30	20	—
Trunk	3	13,470	50	1,480	560	300	590
Trunk, unspecified	30	50	—	—	—	—	—
Chest, including ribs, internal organs	31	1,120	50	50	40	—	—
Chest, except internal location of diseases or disorders	310	820	—	50	40	—	—
Internal chest location, unspecified	311	130	—	—	—	—	—
Heart	313	50	—	—	—	—	—
Lung(s), pleura	315	110	50	—	—	—	—
Back, including spine, spinal cord	32	10,070	—	1,190	440	240	460
Back, including spine, spinal cord, unspecified	320	4,160	—	500	190	140	90
Thoracic region	321	570	—	140	20	—	50
Lumbar region	322	4,800	—	490	180	90	310
Coccygeal region	324	50	—	—	—	—	—
Multiple back regions	328	470	—	50	40	—	—
Abdomen	33	890	—	170	30	—	100
Abdomen, except internal location of diseases or disorders	330	890	—	170	30	—	100

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2013 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	11,440	1,480	6,150	10,620	9,540	17,400	10,790	7,790
Head	540	20	280	40	—	2,080	1,320	850
Head, unspecified	130	—	70	—	—	220	200	100
Cranial region, including skull	200	—	190	—	—	240	120	70
Cranial region, unspecified	30	—	—	—	—	—	—	—
Brain	140	—	170	—	—	170	70	50
Scalp	30	—	—	—	—	50	40	20
Skull	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	30	—	80
Face	200	—	20	—	—	1,330	780	600
Face, unspecified	80	—	—	—	—	380	210	60
Forehead	—	—	—	—	—	40	20	30
Eye(s)	30	—	—	—	—	250	60	460
Nose, nasal cavity	30	—	—	—	—	290	250	—
Nose, except internal location of diseases or disorders	30	—	—	—	—	290	250	—
Cheek(s)	—	—	—	—	—	70	70	—
Jaw, chin	—	—	—	—	—	40	30	—
Mouth	—	—	—	—	—	50	20	—
Mouth, unspecified	—	—	—	—	—	20	—	—
Lip(s)	—	—	—	—	—	—	—	—
Tooth (teeth)	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	—	—	210	100	40
Face, n.e.c.	—	—	—	—	—	20	—	—
Multiple head locations	—	—	—	—	—	250	210	—
Neck, including throat	40	—	280	100	100	410	350	60
Neck, except internal location of diseases or disorders ..	40	—	280	100	100	410	350	60
Trunk	1,200	330	1,300	2,510	2,270	3,770	2,670	1,320
Trunk, unspecified	—	—	—	—	—	—	—	—
Chest, including ribs, internal organs	80	20	160	250	40	320	110	140
Chest, except internal location of diseases or disorders	80	20	160	80	40	300	110	80
Internal chest location, unspecified	—	—	—	130	—	—	—	—
Heart	—	—	—	30	—	—	—	—
Lung(s), pleura	—	—	—	—	—	—	—	50
Back, including spine, spinal cord	730	200	1,000	1,870	1,830	3,020	2,270	860
Back, including spine, spinal cord, unspecified	280	70	520	710	670	1,190	930	450
Thoracic region	40	—	50	50	50	150	130	60
Lumbar region	320	120	370	1,060	1,060	1,500	1,080	330
Coccygeal region	40	—	—	—	—	—	—	—
Multiple back regions	40	—	60	60	60	170	120	30
Abdomen	—	100	30	50	50	180	170	210
Abdomen, except internal location of diseases or disorders	—	100	30	50	50	180	170	200

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Pelvic region	34	960	—	40	40	—	30
Hip(s)	341	420	—	—	—	—	—
Buttock(s)	343	90	—	—	—	—	—
Groin	344	420	—	40	30	—	20
Multiple trunk locations	38	360	—	20	—	—	—
Upper extremities	4	16,240	20	1,150	680	460	990
Shoulder(s), including clavicle(s), scapula(e)	41	4,810	—	590	180	120	300
Arm(s)	42	2,280	—	210	110	60	80
Arm(s), unspecified	420	780	—	70	50	30	20
Upper arm(s)	421	340	—	—	20	—	—
Elbow(s)	422	780	—	110	40	—	30
Forearm(s)	423	270	—	—	—	—	—
Multiple arm locations	428	100	—	—	—	—	—
Elbow(s) and arm(s)	4281	70	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	30	—	—	—	—	—
Wrist(s)	43	2,070	—	100	70	40	60
Hand(s)	44	5,210	—	180	290	220	500
Hand(s), unspecified	440	1,340	—	30	50	50	150
Hand(s), except finger(s)	441	410	—	50	30	—	—
Finger(s), fingernail(s)	442	3,090	—	100	210	150	300
Finger(s), fingernail(s), unspecified	4420	2,390	—	50	140	120	250
Fingernail(s), nailbed(s)	4421	50	—	—	—	—	—
Fingertip(s)	4422	180	—	—	50	20	20
Finger(s), fingernail(s), n.e.c.	4429	470	—	40	—	—	20
Hand(s) and finger(s)	448	320	—	—	—	—	50
Hand(s), n.e.c.	449	50	—	—	—	—	—
Multiple upper extremities locations	48	1,860	—	70	20	—	50
Multiple upper extremities locations, unspecified	480	50	—	—	—	—	—
Hand(s) and arms(s)	481	310	—	—	—	—	—
Hand(s) and arm(s), unspecified	4810	30	—	—	—	—	—
Hand(s) and elbow(s)	4811	130	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	160	—	—	—	—	—
Hand(s) and wrist(s)	482	390	—	20	—	—	20
Wrist(s) and arm(s)	483	140	—	—	—	—	—
Wrist(s) and elbow(s)	4831	30	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	100	—	—	—	—	—
Shoulder(s) and arm(s)	484	440	—	30	—	—	20
Multiple upper extremities locations, n.e.c.	489	540	—	—	—	—	—
Lower extremities	5	15,250	—	250	560	90	320
Leg(s)	51	9,360	—	150	350	60	160
Leg(s), unspecified	510	990	—	20	40	—	30
Thigh(s)	511	350	—	—	—	—	—
Knee(s)	512	6,870	—	130	280	20	100
Lower leg(s)	513	890	—	—	—	20	20
Multiple leg locations	518	240	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2013 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Pelvic region	260	—	20	300	300	150	80	100
Hip(s)	130	—	20	130	130	50	30	60
Buttock(s)	50	—	—	—	—	20	—	—
Groin	60	—	—	150	150	60	50	30
Multiple trunk locations	110	—	80	40	40	80	30	—
Upper extremities	1,930	830	1,080	1,600	1,580	4,590	2,590	2,860
Shoulder(s), including clavicle(s), scapula(e)	750	70	200	550	550	1,340	710	690
Arm(s)	340	150	190	140	130	510	340	470
Arm(s), unspecified	130	50	40	40	40	230	200	100
Upper arm(s)	—	—	60	20	—	40	30	140
Elbow(s)	130	70	50	60	50	110	50	160
Forearm(s)	20	—	30	20	20	80	30	60
Multiple arm locations	40	—	—	—	—	30	20	—
Elbow(s) and arm(s)	40	—	—	—	—	20	20	—
Multiple arm locations, n.e.c.	—	—	—	—	—	—	—	—
Wrist(s)	230	50	250	510	510	580	440	170
Hand(s)	320	460	330	200	200	1,360	640	1,320
Hand(s), unspecified	120	70	100	100	100	450	210	210
Hand(s), except finger(s)	50	50	—	20	20	120	60	70
Finger(s), fingernail(s)	90	330	210	70	70	620	250	1,020
Finger(s), fingernail(s), unspecified	80	260	160	40	40	430	190	860
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	—
Fingertip(s)	—	—	—	—	—	20	—	50
Finger(s), fingernail(s), n.e.c.	—	50	50	30	30	140	30	100
Hand(s) and finger(s)	30	—	—	—	—	170	110	30
Hand(s), n.e.c.	—	—	—	—	—	—	—	—
Multiple upper extremities locations	300	100	100	200	190	800	460	210
Multiple upper extremities locations, unspecified	—	—	20	—	—	20	20	—
Hand(s) and arms(s)	—	—	—	40	40	160	120	80
Hand(s) and arm(s), unspecified	—	—	—	20	20	—	—	—
Hand(s) and elbow(s)	—	—	—	—	—	30	—	—
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	130	120	—
Hand(s) and wrist(s)	110	—	20	50	50	140	80	—
Wrist(s) and arm(s)	70	—	—	—	—	40	—	—
Wrist(s) and elbow(s)	20	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	50	—	—	—	—	30	—	—
Shoulder(s) and arm(s)	40	30	30	40	40	170	130	60
Multiple upper extremities locations, n.e.c.	80	60	—	60	60	260	100	60
Lower extremities	4,470	240	830	4,880	4,830	2,450	1,390	1,100
Leg(s)	2,430	210	330	3,070	3,040	1,900	1,050	680
Leg(s), unspecified	210	—	20	180	180	290	170	180
Thigh(s)	70	50	—	90	70	50	30	60
Knee(s)	1,830	80	270	2,400	2,390	1,490	810	250
Lower leg(s)	170	70	20	330	330	40	—	190
Multiple leg locations	140	—	—	50	50	40	20	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple leg locations, unspecified	5180	20	—	—	—	—	—
Knee(s) and leg(s)	5181	110	—	—	—	—	—
Multiple leg locations, n.e.c.	5189	110	—	—	—	—	—
Leg(s), n.e.c.	519	20	—	—	—	—	—
Ankle(s)	52	3,310	—	20	20	—	20
Foot (feet)	53	1,780	—	70	180	30	140
Foot (feet), unspecified	530	1,170	—	50	80	20	60
Sole(s)	531	120	—	—	—	—	30
Sole(s), unspecified	5310	30	—	—	—	—	20
Heel(s)	5313	90	—	—	—	—	—
Toes(s), toenail(s)	532	360	—	30	100	—	20
Multiple foot (feet) locations	538	60	—	—	—	—	—
Foot (feet), n.e.c.	539	80	—	—	—	—	30
Multiple lower extremities locations	58	790	—	—	—	—	—
Foot (feet) and leg(s)	581	160	—	—	—	—	—
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	—
Foot(feet) and knee(s)	5811	120	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	20	—	—	—	—	—
Foot (feet) and ankle(s)	582	190	—	—	—	—	—
Ankle(s) and leg(s)	583	300	—	—	—	—	—
Ankle(s) and leg(s), unspecified	5830	70	—	—	—	—	—
Ankle(s) and knee(s)	5831	170	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	60	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	140	—	—	—	—	—
Body systems	6	1,740	290	—	—	—	30
Multiple body parts	8	11,930	20	330	420	70	100
Multiple body parts, unspecified	80	1,060	—	90	30	—	—
Head and neck	81	190	—	—	—	—	—
Head, neck, and trunk	82	170	—	—	—	—	—
Head and trunk	83	70	—	—	—	—	—
Neck and back	84	920	—	20	30	—	—
Shoulder(s) and back	85	460	—	50	—	—	—
Hip(s) and leg(s)	86	280	—	40	—	—	—
Upper and lower limb(s)	87	900	—	—	—	—	—
Other multiple body parts	89	7,900	20	120	330	30	90
Whole body	891	30	—	—	—	—	—
Multiple body parts, n.e.c.	899	7,870	—	120	330	30	90

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2013 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	40	—	—	40	40	20	20	—
Multiple leg locations, n.e.c.	100	—	—	—	—	—	—	—
Leg(s), n.e.c.	—	—	—	20	20	—	—	—
Ankle(s)	1,400	—	230	1,220	1,210	250	140	120
Foot (feet)	270	20	200	450	430	150	70	260
Foot (feet), unspecified	180	20	140	350	340	90	30	180
Sole(s)	—	—	—	60	60	—	—	—
Sole(s), unspecified	—	—	—	—	—	—	—	—
Heel(s)	—	—	—	60	60	—	—	—
Toes(s), toenail(s)	60	—	50	—	—	50	30	40
Multiple foot (feet) locations	—	—	20	—	—	—	—	20
Foot (feet), n.e.c.	20	—	—	—	—	—	—	—
Multiple lower extremities locations	370	—	60	150	150	140	120	40
Foot (feet) and leg(s)	70	—	—	—	—	80	80	—
Foot(feet) and leg(s), unspecified	20	—	—	—	—	—	—	—
Foot(feet) and knee(s)	40	—	—	—	—	80	80	—
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	90	—	—	40	40	30	—	—
Ankle(s) and leg(s)	150	—	30	70	70	30	20	20
Ankle(s) and leg(s), unspecified	40	—	—	20	20	—	—	—
Ankle(s) and knee(s)	90	—	20	20	20	20	20	20
Ankle(s) and leg(s), n.e.c.	20	—	—	30	30	—	—	—
Multiple lower extremities locations, n.e.c.	60	—	20	30	30	—	—	—
Body systems	—	—	—	680	20	280	—	430
Multiple body parts	3,150	50	2,330	810	730	3,710	2,400	860
Multiple body parts, unspecified	150	—	250	240	240	150	50	120
Head and neck	—	—	—	—	—	150	110	—
Head, neck, and trunk	30	—	20	—	—	110	100	—
Head and trunk	—	—	—	—	—	20	20	—
Neck and back	50	—	450	—	—	310	250	30
Shoulder(s) and back	60	—	50	50	50	190	160	30
Hip(s) and leg(s)	70	—	—	90	90	30	—	30
Upper and lower limb(s)	620	—	60	—	—	130	50	30
Other multiple body parts	2,150	20	1,460	410	330	2,610	1,680	590
Whole body	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	2,150	20	1,450	410	330	2,600	1,670	580

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Nonclassifiable	9999	670	—	—	100	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2013 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Nonclassifiable	90	—	40	—	—	110	60	300

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.