

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2013

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		64,990	34,690	30,210	90	1,570	4,520	15,070	42,000	1,820
Traumatic injuries and disorders	1	62,210	33,290	28,860	60	1,550	4,260	14,690	39,980	1,730
Traumatic injuries and disorders, unspecified	10	50	20	40	—	—	—	—	40	—
Traumatic injuries to bones, nerves, spinal cord	11	3,880	2,030	1,840	—	100	300	1,010	2,310	150
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	600	310	290	—	—	50	150	320	90
Fractures	111	3,160	1,670	1,480	—	70	250	860	1,910	70
Traumatic injuries to nerves, except the spinal cord ..	113	100	40	60	—	20	—	—	70	—
Pinched nerve	1131	90	40	50	—	20	—	—	60	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,280	15,230	12,010	30	660	1,790	6,120	17,960	750
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	160	110	50	—	—	—	—	150	—
Dislocations	121	530	400	130	—	—	60	110	340	—
Dislocations, unspecified	1210	40	40	—	—	—	—	—	30	—
Herniated discs	1211	100	70	40	—	—	—	—	70	—
Dislocation of joints	1212	370	280	90	—	—	30	90	230	—
Cartilage fractures and tears	122	150	90	60	—	—	—	—	130	—
Meniscus tears	1221	140	80	60	—	—	—	—	130	—
Sprains, strains, tears	123	25,960	14,210	11,720	30	640	1,720	5,820	17,050	730
Sprains, strains, tears, unspecified	1230	2,270	1,290	960	30	50	160	430	1,550	80
Major tears to muscles, tendons, ligaments	1231	660	520	140	—	—	20	60	570	—
Sprains	1232	7,810	4,010	3,800	—	170	470	2,200	4,880	90
Strains	1233	14,460	8,050	6,400	—	340	1,060	3,040	9,660	370
Multiple sprains, strains, tears	1238	750	340	420	—	70	20	90	390	190
Hernias due to traumatic incidents	124	390	380	—	—	—	—	150	220	—
Whiplash	125	40	—	40	—	—	—	—	20	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	30	30	—	—	—	—	—	30	—
Open wounds	13	2,840	1,970	860	—	60	160	810	1,780	20
Open wounds, unspecified	130	90	40	50	—	—	—	20	70	—
Amputations, avulsions, enucleations	131	70	40	30	—	—	—	—	50	—
Amputations	1311	40	30	—	—	—	—	—	30	—
Avulsions, enucleations	1312	30	—	20	—	—	—	—	—	—
Cuts, lacerations	132	1,820	1,370	450	—	30	130	510	1,140	—
Puncture wounds, except gunshot wounds	133	720	410	310	—	30	20	260	400	—
Gunshot wounds	134	100	100	—	—	—	—	—	90	—
Surface wounds and bruises	14	7,730	3,300	4,420	—	210	700	1,980	4,670	170
Surface wounds and bruises, unspecified	140	250	170	80	—	—	—	40	200	—
Abrasions, scratches	141	600	280	320	—	30	70	130	370	—
Bruises, contusions	143	6,610	2,750	3,840	—	170	580	1,690	4,010	160
Multiple surface wounds and bruises	148	230	80	150	—	—	20	120	90	—
Surface wounds and bruises, n.e.c.	149	30	—	20	—	—	—	—	—	—
Burns and corrosions	15	430	230	200	—	80	40	120	160	20
Chemical burns and corrosions	151	70	30	40	—	—	—	—	40	—
Chemical burns and corrosions, unspecified	1510	70	30	40	—	—	—	—	40	—
Heat (thermal) burns	152	340	190	150	—	70	30	110	120	—
Heat (thermal) burns, unspecified	1520	260	160	100	—	60	20	70	90	—

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
First degree heat (thermal) burns	1521	20	—	20	—	—	—	20	—	—
Second degree heat (thermal) burns	1522	50	20	30	—	—	—	30	20	—
Intracranial injuries	16	630	310	320	—	40	40	180	360	20
Intracranial injuries, unspecified	160	160	70	90	—	—	—	—	90	—
Concussions	162	470	240	230	—	40	30	120	260	20
Effects of environmental conditions	17	60	50	—	—	—	—	—	30	—
Effects of heat and light	172	60	50	—	—	—	—	—	30	—
Heat fatigue	1723	30	20	—	—	—	—	—	20	—
Heat exhaustion, prostration	1725	20	20	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,680	1,390	1,290	—	70	110	730	1,660	110
Multiple traumatic injuries and disorders, unspecified	180	110	80	30	—	—	—	—	70	20
Cuts and abrasions or bruises	181	490	220	280	—	20	40	110	310	20
Sprains and other injuries	182	1,350	730	620	—	—	40	540	710	50
Sprains and bruises	1821	920	460	460	—	—	30	350	490	40
Sprains and cuts	1822	170	140	30	—	—	—	100	70	—
Sprains and other injuries, n.e.c.	1829	250	130	120	—	—	—	90	140	—
Fractures and other injuries	183	250	180	80	—	—	—	20	210	—
Fractures and other injuries, n.e.c.	1839	230	170	60	—	—	—	20	190	—
Multiple traumatic injuries and disorders, n.e.c.	189	470	190	280	—	30	20	50	360	—
Other traumatic injuries and disorders	19	16,640	8,770	7,870	—	320	1,090	3,720	11,020	480
Other traumatic injuries and disorders, unspecified ...	190	40	40	—	—	—	—	—	40	—
Electrocutions, electric shocks	193	50	30	20	—	—	—	20	30	—
Dermatitis and reactions affecting the skin—acute	195	210	80	130	—	20	40	90	60	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	40	100	—	—	20	70	50	—
Allergic dermatitis—acute	1951	50	30	20	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	800	270	530	—	40	30	200	540	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	310	120	200	—	40	20	70	180	—
Poisoning, including poisoning-related asphyxia ...	1961	70	50	20	—	—	—	20	40	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	270	60	220	—	—	—	70	200	—
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	20	—	20	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	50	—	40	—	—	—	—	40	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	—	—	—	—	—	—	30	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	20	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders	197	15,520	8,340	7,180	—	260	1,030	3,410	10,350	470
Crushing injuries	1971	400	340	60	—	—	60	40	290	—
Soreness, pain, hurt—nonspecified injury	1972	13,370	7,010	6,350	—	200	840	3,110	8,790	430
Swelling, inflammation, irritation—nonspecified injury	1973	1,220	660	570	—	40	120	200	850	—
Numbness—nonspecified injury	1974	70	50	30	—	—	—	20	60	—
Multiple nonspecified injuries and disorders	1978	370	250	120	—	—	—	40	290	40
Nonspecified injuries and disorders, n.e.c.	1979	80	40	40	—	—	—	—	70	—

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Diseases and disorders of body systems	2	1,270	690	580	—	—	150	120	950	50
Systemic diseases and disorders, unspecified	20	20	—	—	—	—	—	—	20	—
Nervous system and sense organs diseases	22	560	230	340	—	—	30	20	490	20
Other disorders of the central nervous system	223	20	—	—	—	—	—	—	—	—
Migraine	2232	20	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	390	110	290	—	—	—	—	350	20
Disorders of the peripheral nervous system, unspecified	2240	20	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	2241	370	90	280	—	—	—	—	340	20
Disorders of the eye, adnexa, vision	225	50	20	20	—	—	—	—	30	—
Conjunctivitis—non-viral	2251	40	20	20	—	—	—	—	30	—
Disorders of the ear, mastoid process, hearing	226	100	80	—	—	—	—	—	100	—
Deafness, hearing loss and impairment	2261	100	80	—	—	—	—	—	100	—
Circulatory system diseases	23	70	60	—	—	—	—	20	50	—
Ischemic heart disease, including heart attack	233	30	20	—	—	—	—	—	20	—
Myocardial infarction (heart attack)	2331	30	20	—	—	—	—	—	20	—
Respiratory system diseases	24	60	50	—	—	—	—	—	60	—
Respiratory system diseases, unspecified	240	40	—	—	—	—	—	—	40	—
Musculoskeletal system and connective tissue diseases and disorders	27	510	290	220	—	—	110	70	300	20
Dorsopathies	272	60	50	—	—	—	—	20	40	—
Sciatica	2721	50	50	—	—	—	—	—	—	—
Soft tissue disorders, except the back	273	440	220	210	—	—	110	40	260	20
Soft tissue disorder, except the back, unspecified	2730	50	20	30	—	—	—	—	20	20
Stenosing tenosynovitis	2732	30	—	30	—	—	—	—	30	—
Other tenosynovitis, synovitis	2733	20	—	20	—	—	—	—	—	—
Epicondylitis	2734	20	—	20	—	—	—	—	20	—
Other or unspecified tendonitis (tendinitis)	2735	270	160	110	—	—	110	—	150	—
Soft tissue disorder, except the back, n.e.c.	2739	20	20	—	—	—	—	—	20	—
Disorders of the skin and subcutaneous tissue	28	40	40	—	—	—	—	—	30	—
Infections of the skin and subcutaneous tissue	281	30	20	—	—	—	—	—	20	—
Infectious and parasitic diseases	3	100	40	50	—	—	—	—	80	—
Bacterial diseases	31	20	20	—	—	—	—	—	20	—
Tuberculosis	311	20	20	—	—	—	—	—	20	—
Other infectious and parasitic diseases	39	30	20	—	—	—	—	—	30	—
Scabies and other acariases	392	20	—	—	—	—	—	—	20	—
Symptoms, signs, and ill-defined conditions	5	500	320	180	—	—	40	90	360	—
Symptoms	51	480	310	170	—	—	30	90	350	—
General symptoms	511	200	100	100	—	—	—	40	150	—
Loss of consciousness—not heat related	5111	70	20	50	—	—	—	—	50	—
Convulsions, seizures	5112	30	30	—	—	—	—	—	30	—
Dizziness—general	5114	50	30	20	—	—	—	20	20	—
General symptoms, n.e.c.	5119	20	—	20	—	—	—	—	20	—
Symptoms involving head and neck	514	40	—	30	—	—	—	30	—	—
Headache, except migraine	5141	40	—	30	—	—	—	30	—	—
Symptoms involving respiratory system and chest	516	180	150	40	—	—	—	—	160	—

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Chest pain	5164	160	140	20	—	—	—	—	140	—
Other diseases, conditions, and disorders	6	710	250	450	—	—	50	110	530	—
Mental disorders and syndromes	62	700	240	450	—	—	50	100	530	—
Anxiety, stress	621	690	240	440	—	—	50	100	530	—
Anxiety, stress, unspecified	6210	480	130	350	—	—	30	80	360	—
Post-traumatic stress disorder	6211	60	20	40	—	—	—	—	50	—
Anxiety or panic disorder	6213	70	60	—	—	—	—	—	70	—
Anxiety, stress, n.e.c.	6219	80	30	50	—	—	—	20	50	—
Exposures to disease—no illness incurred	7	110	80	40	—	—	20	40	50	—
Nonclassifiable	9999	90	20	40	30	—	—	20	30	30

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.