

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2013

Nature	Nature code ²	State govern- ment ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total	64,990	7,480	11.5	5,840	9.0	10,950	16.8	
Traumatic injuries and disorders	1	62,210	7,220	11.6	5,690	9.1	10,550	17.0
Traumatic injuries and disorders, unspecified	10	50	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord	11	3,880	250	6.4	200	5.2	500	12.9
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	600	40	6.7	20	3.3	120	20.0
Fractures	111	3,160	200	6.3	190	6.0	360	11.4
Traumatic injuries to nerves, except the spinal cord ..	113	100	—	—	—	—	20	20.0
Pinched nerve	1131	90	—	—	—	—	20	22.2
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,280	2,150	7.9	2,130	7.8	4,410	16.2
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	160	—	—	—	—	20	12.5
Dislocations	121	530	—	—	20	3.8	20	3.8
Dislocations, unspecified	1210	40	—	—	—	—	—	—
Herniated discs	1211	100	—	—	—	—	—	—
Dislocation of joints	1212	370	—	—	20	5.4	—	—
Cartilage fractures and tears	122	150	—	—	—	—	—	—
Meniscus tears	1221	140	—	—	—	—	—	—
Sprains, strains, tears	123	25,960	2,130	8.2	2,090	8.1	4,340	16.7
Sprains, strains, tears, unspecified	1230	2,270	130	5.7	220	9.7	270	11.9
Major tears to muscles, tendons, ligaments	1231	660	—	—	—	—	90	13.6
Sprains	1232	7,810	710	9.1	750	9.6	1,210	15.5
Strains	1233	14,460	1,260	8.7	1,090	7.5	2,620	18.1
Multiple sprains, strains, tears	1238	750	30	4.0	30	4.0	150	20.0
Hernias due to traumatic incidents	124	390	—	—	—	—	—	—
Whiplash	125	40	—	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	30	—	—	—	—	—	—
Open wounds	13	2,840	710	25.0	250	8.8	490	17.3
Open wounds, unspecified	130	90	20	22.2	—	—	20	22.2
Amputations, avulsions, enucleations	131	70	—	—	—	—	20	28.6
Amputations	1311	40	—	—	—	—	—	—
Avulsions, enucleations	1312	30	—	—	—	—	20	66.7
Cuts, lacerations	132	1,820	440	24.2	140	7.7	290	15.9
Puncture wounds, except gunshot wounds	133	720	240	33.3	110	15.3	160	22.2
Gunshot wounds	134	100	—	—	—	—	—	—
Surface wounds and bruises	14	7,730	1,400	18.1	1,180	15.3	1,470	19.0
Surface wounds and bruises, unspecified	140	250	20	8.0	30	12.0	80	32.0
Abrasions, scratches	141	600	110	18.3	30	5.0	140	23.3
Bruises, contusions	143	6,610	1,220	18.5	990	15.0	1,220	18.5
Multiple surface wounds and bruises	148	230	40	17.4	110	47.8	30	13.0
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	—	—
Burns and corrosions	15	430	60	14.0	70	16.3	130	30.2
Chemical burns and corrosions	151	70	20	28.6	—	—	30	42.9
Chemical burns and corrosions, unspecified	1510	70	20	28.6	—	—	30	42.9
Heat (thermal) burns	152	340	40	11.8	70	20.6	100	29.4
Heat (thermal) burns, unspecified	1520	260	30	11.5	60	23.1	100	38.5
First degree heat (thermal) burns	1521	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Total	9,220	14.2	8,570	13.2	4,380	6.7	18,540	28.5	10	
Traumatic injuries and disorders	8,770	14.1	8,150	13.1	4,150	6.7	17,680	28.4	10	
Traumatic injuries and disorders, unspecified	—	—	—	—	—	—	30	60.0	72	
Traumatic injuries to bones, nerves, spinal cord	390	10.1	510	13.1	300	7.7	1,720	44.3	22	
Traumatic injuries to bones, nerves, spinal cord, unspecified	30	5.0	90	15.0	50	8.3	250	41.7	18	
Fractures	360	11.4	380	12.0	250	7.9	1,420	44.9	23	
Traumatic injuries to nerves, except the spinal cord ..	—	—	40	40.0	—	—	40	40.0	17	
Pinched nerve	—	—	40	44.4	—	—	30	33.3	17	
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	4,090	15.0	4,130	15.1	2,030	7.4	8,350	30.6	12	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	—	—	30	18.8	30	18.8	60	37.5	29	
Dislocations	160	30.2	50	9.4	30	5.7	240	45.3	22	
Dislocations, unspecified	—	—	—	—	—	—	30	75.0	84	
Herniated discs	—	—	—	—	—	—	90	90.0	62	
Dislocation of joints	150	40.5	40	10.8	30	8.1	110	29.7	9	
Cartilage fractures and tears	20	13.3	—	—	—	—	110	73.3	97	
Meniscus tears	20	14.3	—	—	—	—	110	78.6	97	
Sprains, strains, tears	3,790	14.6	3,970	15.3	1,920	7.4	7,720	29.7	12	
Sprains, strains, tears, unspecified	350	15.4	360	15.9	200	8.8	730	32.2	13	
Major tears to muscles, tendons, ligaments	50	7.6	40	6.1	40	6.1	440	66.7	67	
Sprains	1,190	15.2	1,390	17.8	560	7.2	2,000	25.6	11	
Strains	2,110	14.6	2,090	14.5	1,060	7.3	4,230	29.3	11	
Multiple sprains, strains, tears	90	12.0	80	10.7	50	6.7	320	42.7	19	
Hernias due to traumatic incidents	90	23.1	40	10.3	40	10.3	190	48.7	31	
Whiplash	20	50.0	—	—	—	—	—	—	8	
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	—	—	—	—	—	—	12	
Open wounds	430	15.1	480	16.9	140	4.9	340	12.0	5	
Open wounds, unspecified	30	33.3	—	—	—	—	—	—	4	
Amputations, avulsions, enucleations	—	—	—	—	—	—	20	28.6	9	
Amputations	—	—	—	—	—	—	20	50.0	52	
Avulsions, enucleations	—	—	—	—	—	—	—	—	3	
Cuts, lacerations	310	17.0	300	16.5	110	6.0	240	13.2	6	
Puncture wounds, except gunshot wounds	60	8.3	90	12.5	20	2.8	50	6.9	3	
Gunshot wounds	—	—	70	70.0	—	—	20	20.0	11	
Surface wounds and bruises	1,120	14.5	760	9.8	380	4.9	1,420	18.4	5	
Surface wounds and bruises, unspecified	60	24.0	30	12.0	—	—	20	8.0	5	
Abrasions, scratches	140	23.3	100	16.7	30	5.0	70	11.7	6	
Bruises, contusions	900	13.6	600	9.1	350	5.3	1,320	20.0	5	
Multiple surface wounds and bruises	20	8.7	30	13.0	—	—	—	—	2	
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	—	2	
Burns and corrosions	70	16.3	40	9.3	20	4.7	40	9.3	3	
Chemical burns and corrosions	—	—	—	—	—	—	—	—	5	
Chemical burns and corrosions, unspecified	—	—	—	—	—	—	—	—	5	
Heat (thermal) burns	60	17.6	30	8.8	—	—	40	11.8	3	
Heat (thermal) burns, unspecified	20	7.7	—	—	—	—	30	11.5	3	
First degree heat (thermal) burns	—	—	—	—	—	—	—	—	9	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Nature	Nature code ²	State govern- ment ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Second degree heat (thermal) burns	1522	50	—	—	—	—	—	—
Intracranial injuries	16	630	40	6.3	70	11.1	120	19.0
Intracranial injuries, unspecified	160	160	—	—	—	—	—	—
Concussions	162	470	40	8.5	70	14.9	110	23.4
Effects of environmental conditions	17	60	—	—	—	—	20	33.3
Effects of heat and light	172	60	—	—	—	—	20	33.3
Heat fatigue	1723	30	—	—	—	—	—	—
Heat exhaustion, prostration	1725	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,680	230	8.6	190	7.1	430	16.0
Multiple traumatic injuries and disorders, unspecified	180	110	—	—	—	—	—	—
Cuts and abrasions or bruises	181	490	40	8.2	30	6.1	140	28.6
Sprains and other injuries	182	1,350	150	11.1	80	5.9	260	19.3
Sprains and bruises	1821	920	120	13.0	70	7.6	230	25.0
Sprains and cuts	1822	170	—	—	—	—	—	—
Sprains and other injuries, n.e.c.	1829	250	—	—	—	—	20	8.0
Fractures and other injuries	183	250	—	—	30	12.0	20	8.0
Fractures and other injuries, n.e.c.	1839	230	—	—	30	13.0	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	470	20	4.3	30	6.4	20	4.3
Other traumatic injuries and disorders	19	16,640	2,360	14.2	1,570	9.4	2,970	17.8
Other traumatic injuries and disorders, unspecified ...	190	40	—	—	—	—	—	—
Electrocutions, electric shocks	193	50	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute	195	210	80	38.1	20	9.5	60	28.6
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	60	42.9	—	—	40	28.6
Allergic dermatitis—acute	1951	50	20	40.0	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	800	240	30.0	180	22.5	170	21.2
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	310	140	45.2	30	9.7	60	19.4
Poisoning, including poisoning-related asphyxia ...	1961	70	—	—	—	—	40	57.1
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	270	20	7.4	120	44.4	40	14.8
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	50	40	80.0	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	20	—	—	—	—	—	—
Nonspecified injuries and disorders	197	15,520	2,020	13.0	1,370	8.8	2,740	17.7
Crushing injuries	1971	400	20	5.0	70	17.5	40	10.0
Soreness, pain, hurt—nonspecified injury	1972	13,370	1,720	12.9	980	7.3	2,270	17.0
Swelling, inflammation, irritation—nonspecified injury	1973	1,220	230	18.9	250	20.5	310	25.4
Numbness—nonspecified injury	1974	70	—	—	—	—	—	—
Multiple nonspecified injuries and disorders	1978	370	50	13.5	60	16.2	100	27.0
Nonspecified injuries and disorders, n.e.c.	1979	80	—	—	—	—	20	25.0
Diseases and disorders of body systems	2	1,270	110	8.7	80	6.3	250	19.7

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Second degree heat (thermal) burns	20	40.0	—	—	—	—	—	—	6	
Intracranial injuries	130	20.6	120	19.0	20	3.2	120	19.0	8	
Intracranial injuries, unspecified	—	—	60	37.5	—	—	20	12.5	20	
Concussions	80	17.0	60	12.8	20	4.3	100	21.3	6	
Effects of environmental conditions	—	—	—	—	—	—	—	—	4	
Effects of heat and light	—	—	—	—	—	—	—	—	4	
Heat fatigue	—	—	—	—	—	—	—	—	10	
Heat exhaustion, prostration	—	—	—	—	—	—	—	—	4	
Multiple traumatic injuries and disorders	420	15.7	310	11.6	170	6.3	920	34.3	13	
Multiple traumatic injuries and disorders, unspecified	—	—	—	—	—	—	70	63.6	36	
Cuts and abrasions or bruises	90	18.4	60	12.2	20	4.1	100	20.4	6	
Sprains and other injuries	260	19.3	160	11.9	100	7.4	340	25.2	7	
Sprains and bruises	90	9.8	100	10.9	100	10.9	220	23.9	7	
Sprains and cuts	90	52.9	—	—	—	—	40	23.5	6	
Sprains and other injuries, n.e.c.	70	28.0	50	20.0	—	—	90	36.0	13	
Fractures and other injuries	—	—	40	16.0	—	—	140	56.0	37	
Fractures and other injuries, n.e.c.	—	—	40	17.4	—	—	120	52.2	34	
Multiple traumatic injuries and disorders, n.e.c.	50	10.6	50	10.6	40	8.5	270	57.4	51	
Other traumatic injuries and disorders	2,100	12.6	1,810	10.9	1,080	6.5	4,740	28.5	8	
Other traumatic injuries and disorders, unspecified	—	—	20	50.0	—	—	—	—	18	
Electrocutions, electric shocks	—	—	—	—	—	—	20	40.0	8	
Dermatitis and reactions affecting the skin—acute	—	—	20	9.5	—	—	—	—	3	
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	—	—	—	—	—	—	3	
Allergic dermatitis—acute	—	—	—	—	—	—	—	—	2	
Other poisoning, toxic, noxious, or allergenic effects	70	8.8	60	7.5	20	2.5	60	7.5	2	
Poisoning, toxic, noxious, or allergenic effect, unspecified	40	12.9	40	12.9	—	—	—	—	2	
Poisoning, including poisoning-related asphyxia	—	—	—	—	—	—	—	—	3	
Other respiratory system symptoms—toxic, noxious, or allergenic effect	20	7.4	—	—	—	—	50	18.5	2	
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	10	
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	5	
Other or unspecified allergic reactions	—	—	—	—	—	—	—	—	1	
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—	—	—	1	
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	—	—	—	—	—	—	—	—	20	
Nonspecified injuries and disorders	2,010	13.0	1,710	11.0	1,050	6.8	4,630	29.8	9	
Crushing injuries	140	35.0	60	15.0	20	5.0	60	15.0	7	
Soreness, pain, hurt—nonspecified injury	1,700	12.7	1,470	11.0	960	7.2	4,270	31.9	11	
Swelling, inflammation, irritation—nonspecified injury	120	9.8	130	10.7	60	4.9	120	9.8	3	
Numbness—nonspecified injury	—	—	—	—	—	—	50	71.4	47	
Multiple nonspecified injuries and disorders	20	5.4	50	13.5	—	—	90	24.3	5	
Nonspecified injuries and disorders, n.e.c.	20	25.0	—	—	—	—	30	37.5	10	
Diseases and disorders of body systems	190	15.0	180	14.2	150	11.8	300	23.6	10	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Nature	Nature code ²	State govern- ment ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Systemic diseases and disorders, unspecified	20	20	—	—	—	—	—	—
Nervous system and sense organs diseases	22	560	30	5.4	30	5.4	130	23.2
Other disorders of the central nervous system	223	20	—	—	—	—	—	—
Migraine	2232	20	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	390	—	—	30	7.7	100	25.6
Disorders of the peripheral nervous system, unspecified	2240	20	—	—	—	—	—	—
Carpal tunnel syndrome	2241	370	—	—	30	8.1	90	24.3
Disorders of the eye, adnexa, vision	225	50	—	—	—	—	20	40.0
Conjunctivitis—non-viral	2251	40	—	—	—	—	20	50.0
Disorders of the ear, mastoid process, hearing	226	100	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	100	—	—	—	—	—	—
Circulatory system diseases	23	70	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	30	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	30	—	—	—	—	—	—
Respiratory system diseases	24	60	—	—	—	—	—	—
Respiratory system diseases, unspecified	240	40	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	510	80	15.7	30	5.9	120	23.5
Dorsopathies	272	60	—	—	—	—	—	—
Sciatica	2721	50	—	—	—	—	—	—
Soft tissue disorders, except the back	273	440	80	18.2	30	6.8	110	25.0
Soft tissue disorder, except the back, unspecified	2730	50	—	—	—	—	—	—
Stenosing tenosynovitis	2732	30	—	—	—	—	—	—
Other tenosynovitis, synovitis	2733	20	—	—	—	—	—	—
Epicondylitis	2734	20	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	270	70	25.9	—	—	80	29.6
Soft tissue disorder, except the back, n.e.c.	2739	20	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	40	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	30	—	—	—	—	—	—
Infectious and parasitic diseases	3	100	—	—	20	20.0	20	20.0
Bacterial diseases	31	20	—	—	—	—	—	—
Tuberculosis	311	20	—	—	—	—	—	—
Other infectious and parasitic diseases	39	30	—	—	—	—	—	—
Scabies and other acariases	392	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	500	80	16.0	30	6.0	70	14.0
Symptoms	51	480	80	16.7	20	4.2	70	14.6
General symptoms	511	200	40	20.0	20	10.0	30	15.0
Loss of consciousness—not heat related	5111	70	20	28.6	—	—	20	28.6
Convulsions, seizures	5112	30	—	—	—	—	—	—
Dizziness—general	5114	50	—	—	—	—	—	—
General symptoms, n.e.c.	5119	20	—	—	—	—	—	—
Symptoms involving head and neck	514	40	30	75.0	—	—	—	—
Headache, except migraine	5141	40	30	75.0	—	—	—	—
Symptoms involving respiratory system and chest	516	180	—	—	—	—	20	11.1
Chest pain	5164	160	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	710	—	—	—	—	40	5.6

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Systemic diseases and disorders, unspecified	—	—	—	—	—	—	—	—	27	
Nervous system and sense organs diseases	90	16.1	130	23.2	40	7.1	120	21.4	11	
Other disorders of the central nervous system	—	—	—	—	—	—	—	—	11	
Migraine	—	—	—	—	—	—	—	—	11	
Disorders of the peripheral nervous system	60	15.4	50	12.8	40	10.3	110	28.2	15	
Disorders of the peripheral nervous system, unspecified	—	—	—	—	—	—	—	—	67	
Carpal tunnel syndrome	50	13.5	50	13.5	40	10.8	100	27.0	15	
Disorders of the eye, adnexa, vision	—	—	—	—	—	—	—	—	5	
Conjunctivitis—non-viral	—	—	—	—	—	—	—	—	5	
Disorders of the ear, mastoid process, hearing	—	—	70	70.0	—	—	—	—	14	
Deafness, hearing loss and impairment	—	—	70	70.0	—	—	—	—	14	
Circulatory system diseases	—	—	20	28.6	—	—	30	42.9	13	
Ischemic heart disease, including heart attack	—	—	—	—	—	—	20	66.7	45	
Myocardial infarction (heart attack)	—	—	—	—	—	—	20	66.7	45	
Respiratory system diseases	50	83.3	—	—	—	—	—	—	8	
Respiratory system diseases, unspecified	40	100.0	—	—	—	—	—	—	8	
Musculoskeletal system and connective tissue diseases and disorders	50	9.8	30	5.9	80	15.7	130	25.5	8	
Dorsopathies	—	—	—	—	—	—	20	33.3	29	
Sciatica	—	—	—	—	—	—	—	—	29	
Soft tissue disorders, except the back	50	11.4	20	4.5	50	11.4	100	22.7	6	
Soft tissue disorder, except the back, unspecified	—	—	—	—	—	—	—	—	3	
Stenosing tenosynovitis	—	—	—	—	—	—	—	—	27	
Other tenosynovitis, synovitis	—	—	—	—	—	—	—	—	180	
Epicondylitis	—	—	—	—	—	—	—	—	14	
Other or unspecified tendonitis (tendinitis)	30	11.1	—	—	40	14.8	40	14.8	3	
Soft tissue disorder, except the back, n.e.c.	—	—	—	—	—	—	—	—	4	
Disorders of the skin and subcutaneous tissue	—	—	—	—	—	—	—	—	11	
Infections of the skin and subcutaneous tissue	—	—	—	—	—	—	—	—	22	
Infectious and parasitic diseases	20	20.0	—	—	30	30.0	—	—	10	
Bacterial diseases	—	—	—	—	—	—	—	—	3	
Tuberculosis	—	—	—	—	—	—	—	—	3	
Other infectious and parasitic diseases	—	—	—	—	—	—	—	—	8	
Scabies and other acariases	—	—	—	—	—	—	—	—	2	
Symptoms, signs, and ill-defined conditions	80	16.0	110	22.0	—	—	130	26.0	7	
Symptoms	80	16.7	110	22.9	—	—	120	25.0	8	
General symptoms	60	30.0	—	—	—	—	40	20.0	6	
Loss of consciousness—not heat related	—	—	—	—	—	—	20	28.6	3	
Convulsions, seizures	—	—	—	—	—	—	—	—	7	
Dizziness—general	30	60.0	—	—	—	—	—	—	7	
General symptoms, n.e.c.	—	—	—	—	—	—	—	—	133	
Symptoms involving head and neck	—	—	—	—	—	—	—	—	1	
Headache, except migraine	—	—	—	—	—	—	—	—	1	
Symptoms involving respiratory system and chest	20	11.1	—	—	—	—	70	38.9	12	
Chest pain	20	12.5	—	—	—	—	70	43.8	12	
Other diseases, conditions, and disorders	130	18.3	100	14.1	40	5.6	380	53.5	39	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Mental disorders and syndromes	62	700	—	—	—	—	40	5.7
Anxiety, stress	621	690	—	—	—	—	40	5.8
Anxiety, stress, unspecified	6210	480	—	—	—	—	20	4.2
Post-traumatic stress disorder	6211	60	—	—	—	—	—	—
Anxiety or panic disorder	6213	70	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	80	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	110	40	36.4	—	—	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Mental disorders and syndromes	130	18.6	100	14.3	40	5.7	380	54.3	39	
Anxiety, stress	130	18.8	100	14.5	30	4.3	370	53.6	39	
Anxiety, stress, unspecified	120	25.0	60	12.5	20	4.2	250	52.1	36	
Post-traumatic stress disorder	—	—	—	—	—	—	30	50.0	30	
Anxiety or panic disorder	—	—	20	28.6	—	—	40	57.1	72	
Anxiety, stress, n.e.c.	—	—	20	25.0	—	—	50	62.5	35	
Exposures to disease—no illness incurred	20	18.2	—	—	—	—	—	—	5	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Nonclassifiable	9999	90	20	22.2	-	-	-	-

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Nonclassifiable	-	-	-	-	-	-	-	-	4	

1 Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

2 Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

3 Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.