

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2013

Nature	Nature code ²	State govern- ment ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		64,990	4,320	11,770	11,740	12,140	11,810	8,580	4,620
Traumatic injuries and disorders	1	62,210	4,140	11,330	11,120	11,660	11,370	8,270	4,320
Traumatic injuries and disorders, unspecified	10	50	—	20	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord	11	3,880	210	880	640	510	610	690	330
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	600	30	90	90	70	130	180	20
Fractures	111	3,160	180	760	540	440	440	490	310
Traumatic injuries to nerves, except the spinal cord	113	100	—	30	—	—	40	30	—
Pinched nerve	1131	90	—	30	—	—	40	20	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,280	1,890	5,160	5,230	5,220	4,540	3,490	1,740
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	160	—	40	20	60	20	20	—
Dislocations	121	530	—	140	110	80	110	50	40
Dislocations, unspecified	1210	40	—	—	—	—	—	—	—
Herniated discs	1211	100	—	—	20	20	30	20	—
Dislocation of joints	1212	370	—	110	90	50	60	20	30
Cartilage fractures and tears	122	150	—	40	30	20	—	20	20
Meniscus tears	1221	140	—	40	30	20	—	20	20
Sprains, strains, tears	123	25,960	1,830	4,830	4,940	5,010	4,320	3,380	1,640
Sprains, strains, tears, unspecified	1230	2,270	150	360	590	390	350	290	150
Major tears to muscles, tendons, ligaments	1231	660	40	40	120	140	210	60	50
Sprains	1232	7,810	550	1,420	1,540	1,520	1,290	850	630
Strains	1233	14,460	1,040	2,870	2,610	2,880	2,330	2,040	690
Multiple sprains, strains, tears	1238	750	50	140	70	90	140	140	120
Hernias due to traumatic incidents	124	390	40	80	100	40	70	30	30
Whiplash	125	40	—	—	20	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	30	—	—	20	—	—	—	—
Open wounds	13	2,840	140	460	660	470	520	300	290
Open wounds, unspecified	130	90	30	20	—	—	30	—	—
Amputations, avulsions, enucleations	131	70	—	—	20	—	—	—	—
Amputations	1311	40	—	—	—	—	—	—	—
Avulsions, enucleations	1312	30	—	—	—	—	—	—	—
Cuts, lacerations	132	1,820	60	290	400	340	380	260	100
Puncture wounds, except gunshot wounds	133	720	40	120	180	100	100	30	150
Gunshot wounds	134	100	—	20	—	—	—	—	—
Surface wounds and bruises	14	7,730	700	1,340	1,270	1,420	1,500	980	510
Surface wounds and bruises, unspecified	140	250	50	50	30	40	50	—	20
Abrasions, scratches	141	600	40	140	140	110	80	80	20
Bruises, contusions	143	6,610	610	1,130	1,050	1,240	1,340	810	430
Multiple surface wounds and bruises	148	230	—	—	40	20	20	80	40
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	—	—	—
Burns and corrosions	15	430	30	90	50	100	50	70	40

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2013 — Continued

Nature	Nature code ²	State govern- ment ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Chemical burns and corrosions	151	70	—	—	—	30	—	—	—
Chemical burns and corrosions, unspecified	1510	70	—	—	—	30	—	—	—
Heat (thermal) burns	152	340	30	70	40	70	40	50	30
Heat (thermal) burns, unspecified ..	1520	260	—	70	30	40	20	50	30
First degree heat (thermal) burns ..	1521	20	—	—	—	—	—	—	—
Second degree heat (thermal) burns	1522	50	—	—	—	—	—	—	—
Intracranial injuries	16	630	30	180	70	140	130	50	30
Intracranial injuries, unspecified ..	160	160	—	120	—	20	—	—	—
Concussions	162	470	20	50	70	120	130	40	30
Effects of environmental conditions	17	60	—	—	—	—	20	—	—
Effects of heat and light	172	60	—	—	—	—	20	—	—
Heat fatigue	1723	30	—	—	—	—	—	—	—
Heat exhaustion, prostration	1725	20	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,680	220	390	360	540	550	480	150
Multiple traumatic injuries and disorders, unspecified	180	110	60	—	—	—	20	—	—
Cuts and abrasions or bruises	181	490	30	90	70	70	110	100	30
Sprains and other injuries	182	1,350	110	170	230	260	270	240	60
Sprains and bruises	1821	920	110	150	80	110	250	180	50
Sprains and cuts	1822	170	—	—	90	—	—	40	—
Sprains and other injuries, n.e.c.	1829	250	—	—	60	140	20	20	—
Fractures and other injuries	183	250	—	30	20	60	30	80	30
Fractures and other injuries, n.e.c.	1839	230	—	20	—	60	20	80	30
Multiple traumatic injuries and disorders, n.e.c.	189	470	20	80	40	140	120	50	30
Other traumatic injuries and disorders ...	19	16,640	920	2,800	2,830	3,240	3,440	2,180	1,230
Other traumatic injuries and disorders, unspecified	190	40	—	—	—	—	—	20	—
Electrocutions, electric shocks	193	50	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute	195	210	30	20	—	30	100	20	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	—	—	—	20	70	20	—
Allergic dermatitis—acute	1951	50	—	—	—	—	20	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	800	20	230	210	130	50	100	60
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	310	—	140	40	50	20	60	—
Poisoning, including poisoning-related asphyxia	1961	70	—	20	20	—	—	20	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	270	—	50	120	30	—	20	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	50	—	—	—	40	—	—	—

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2013 — Continued

Nature	Nature code ²	State govern- ment ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	—	20	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	20	—	—	—	—	—	—	—
Nonspecified injuries and disorders ...	197	15,520	860	2,530	2,610	3,070	3,270	2,030	1,150
Crushing injuries	1971	400	20	60	80	160	20	30	30
Soreness, pain, hurt—nonspecified injury	1972	13,370	750	2,200	2,150	2,470	2,950	1,810	1,040
Swelling, inflammation, irritation—nonspecified injury	1973	1,220	60	180	260	350	200	110	70
Numbness—nonspecified injury	1974	70	—	—	60	—	—	—	—
Multiple nonspecified injuries and disorders	1978	370	20	70	40	70	70	80	—
Nonspecified injuries and disorders, n.e.c.	1979	80	—	20	—	—	20	—	—
Diseases and disorders of body systems	2	1,270	120	270	270	180	190	120	120
Systemic diseases and disorders, unspecified	20	20	—	—	—	—	20	—	—
Nervous system and sense organs diseases	22	560	—	100	160	90	110	60	20
Other disorders of the central nervous system	223	20	—	—	—	—	—	—	—
Migraine	2232	20	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	390	—	80	80	50	100	50	20
Disorders of the peripheral nervous system, unspecified	2240	20	—	—	—	—	—	—	—
Carpal tunnel syndrome	2241	370	—	80	70	50	100	50	20
Disorders of the eye, adnexa, vision	225	50	—	—	—	20	—	—	—
Conjunctivitis—non-viral	2251	40	—	—	—	20	—	—	—
Disorders of the ear, mastoid process, hearing	226	100	—	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	100	—	—	—	—	—	—	—
Circulatory system diseases	23	70	—	—	—	30	20	—	—
Ischemic heart disease, including heart attack	233	30	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	30	—	—	—	—	—	—	—
Respiratory system diseases	24	60	—	—	—	—	—	—	—
Respiratory system diseases, unspecified	240	40	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	510	50	160	90	50	20	50	100
Dorsopathies	272	60	—	—	40	—	—	—	—
Sciatica	2721	50	—	—	—	—	—	—	—
Soft tissue disorders, except the back	273	440	30	150	50	50	—	50	100
Soft tissue disorder, except the back, unspecified	2730	50	—	—	—	—	—	—	—
Stenosing tenosynovitis	2732	30	—	—	—	—	—	—	—
Other tenosynovitis, synovitis	2733	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2013 — Continued

Nature	Nature code ²	State govern- ment ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Epicondylitis	2734	20	—	—	—	—	—	—	—
Other or unspecified tendonitis (tendonitis)	2735	270	20	110	20	30	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	20	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	40	—	—	20	—	20	—	—
Infections of the skin and subcutaneous tissue	281	30	—	—	—	—	20	—	—
Infectious and parasitic diseases	3	100	—	—	—	—	30	—	40
Bacterial diseases	31	20	—	—	—	—	20	—	—
Tuberculosis	311	20	—	—	—	—	20	—	—
Other infectious and parasitic diseases	39	30	—	—	—	—	—	—	—
Scabies and other acariases	392	20	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	500	—	50	110	70	110	50	100
Symptoms	51	480	—	50	110	60	100	40	100
General symptoms	511	200	—	20	20	20	70	30	20
Loss of consciousness—not heat related	5111	70	—	—	—	20	20	—	—
Convulsions, seizures	5112	30	—	—	—	—	30	—	—
Dizziness—general	5114	50	—	—	—	—	—	—	—
General symptoms, n.e.c.	5119	20	—	—	—	—	—	—	—
Symptoms involving head and neck ..	514	40	—	—	—	—	30	—	—
Headache, except migraine	5141	40	—	—	—	—	20	—	—
Symptoms involving respiratory system and chest	516	180	—	20	70	—	—	—	70
Chest pain	5164	160	—	—	70	—	—	—	70
Other diseases, conditions, and disorders	6	710	30	80	200	200	70	90	30
Mental disorders and syndromes	62	700	30	80	200	200	70	90	30
Anxiety, stress	621	690	30	80	200	200	60	90	30
Anxiety, stress, unspecified	6210	480	—	60	170	130	40	70	—
Post-traumatic stress disorder	6211	60	—	—	—	20	—	—	—
Anxiety or panic disorder	6213	70	—	—	—	40	—	—	—
Anxiety, stress, n.e.c.	6219	80	—	—	20	—	20	—	—
Exposures to disease—no illness incurred	7	110	—	—	—	—	—	40	—

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2013 — Continued

Nature	Nature code ²	State govern- ment ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Nonclassifiable	9999	90	—	—	20	30	40	—	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.