

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2011<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
<b>Total</b> .....		918,140	232,180	132,530	53,320	34,480	229,630	47,920	136,300	36,040
<b>Head</b> .....	1	61,200	34,300	19,780	8,500	140	11,170	2,500	8,170	140
Head, unspecified .....	10	13,560	7,480	3,510	3,900	30	4,300	990	3,140	40
Cranial region, including skull .....	11	10,910	5,400	3,080	2,270	30	3,590	950	2,530	30
Cranial region, unspecified .....	110	540	380	240	140	—	90	—	80	—
Brain .....	111	8,160	3,800	2,190	1,580	20	2,700	840	1,790	20
Scalp .....	112	1,360	970	460	500	—	270	60	210	—
Skull .....	113	700	170	120	40	—	500	50	430	—
Multiple cranial region locations .....	118	70	50	50	—	—	—	—	—	—
Cranial region, n.e.c. ....	119	80	20	—	—	—	30	—	20	—
Ear(s) .....	12	890	190	100	80	—	50	—	50	—
Face .....	13	34,540	20,750	12,810	2,070	70	2,820	490	2,110	70
Face, unspecified .....	130	3,020	1,050	900	110	20	560	180	360	—
Forehead .....	131	2,870	1,870	980	600	40	600	40	510	30
Eye(s) .....	132	20,780	13,750	7,460	780	—	320	—	200	20
Nose, nasal cavity .....	133	2,050	1,070	930	140	—	390	50	330	—
Nose, except internal location of diseases or disorders .....	1330	2,030	1,070	930	140	—	390	50	330	—
Cheek(s) .....	134	520	380	350	30	—	50	—	40	—
Jaw, chin .....	135	630	360	310	40	—	100	—	90	—
Mouth .....	136	2,510	1,360	1,080	260	—	400	70	320	—
Mouth, unspecified .....	1360	150	80	60	—	—	20	—	—	—
Lip(s) .....	1361	810	290	200	80	—	80	—	80	—
Tongue .....	1362	40	—	—	—	—	—	—	—	—
Tooth (teeth) .....	1363	1,190	820	650	160	—	280	60	210	—
Multiple mouth locations .....	1368	300	150	140	—	—	20	—	20	—
Multiple face locations .....	138	1,910	830	730	90	—	370	130	240	—
Face, n.e.c. ....	139	260	90	70	30	—	30	—	20	—
Multiple head locations .....	18	980	260	200	50	—	350	50	300	—
Head, n.e.c. ....	19	310	210	80	130	—	60	20	40	—
<b>Neck, including throat</b> .....	2	12,350	1,690	1,100	400	120	1,780	610	820	310
Neck, except internal location of diseases or disorders ...	20	12,310	1,690	1,100	400	120	1,780	610	820	310
Internal neck location, unspecified .....	21	20	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	3	238,280	10,160	6,010	2,790	690	43,990	8,820	26,330	7,240
Trunk, unspecified .....	30	1,000	60	30	20	—	270	70	160	40
Chest, including ribs, internal organs .....	31	13,970	2,820	1,510	1,070	170	4,850	1,730	2,560	230
Chest, except internal location of diseases or disorders .....	310	13,190	2,820	1,510	1,070	170	4,850	1,730	2,560	230
Internal chest location, unspecified .....	311	220	—	—	—	—	—	—	—	—
Heart .....	313	180	—	—	—	—	—	—	—	—
Bronchus .....	314	30	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2011<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Total</b> .....	331,880	113,220	28,370	39,460	41,140	26,350	1,680	33,750	11,690	11,850	9,860	8,420
<b>Head</b> .....	290	70	—	7,020	2,430	1,670	240	5,550	2,910	1,370	1,230	190
Head, unspecified .....	110	20	—	60	870	570	—	720	510	120	70	20
Cranial region, including skull .....	30	—	—	90	870	620	30	850	600	200	40	40
Cranial region, unspecified .....	—	—	—	—	30	—	—	20	—	—	—	—
Brain .....	20	—	—	90	780	600	—	730	530	160	30	20
Scalp .....	—	—	—	—	40	—	—	60	40	20	—	—
Skull .....	—	—	—	—	—	—	—	20	—	—	—	—
Multiple cranial region locations .....	—	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	330	20	20	—	270	20	20	230	—
Face .....	120	50	—	6,470	620	440	180	3,490	1,630	1,000	850	100
Face, unspecified .....	20	—	—	590	70	50	30	690	360	60	270	—
Forehead .....	—	—	—	20	110	50	90	160	50	20	90	—
Eye(s) .....	70	40	—	5,370	130	110	30	1,060	370	600	90	60
Nose, nasal cavity .....	—	—	—	30	100	100	—	430	290	110	30	—
Nose, except internal location of diseases or disorders .....	—	—	—	20	100	100	—	430	290	110	30	—
Cheek(s) .....	—	—	—	—	—	—	—	70	40	—	20	—
Jaw, chin .....	—	—	—	—	—	—	—	160	100	30	30	—
Mouth .....	—	—	—	50	120	70	—	550	170	100	280	—
Mouth, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Lip(s) .....	—	—	—	—	50	50	—	360	20	70	280	—
Tongue .....	—	—	—	20	—	—	—	—	—	—	—	—
Tooth (teeth) .....	—	—	—	—	20	20	—	60	30	20	—	—
Multiple mouth locations .....	—	—	—	—	—	—	—	110	110	—	—	—
Multiple face locations .....	—	—	—	320	70	50	20	300	200	70	30	—
Face, n.e.c. ....	—	—	—	70	—	—	—	60	40	—	—	—
Multiple head locations .....	—	—	—	70	50	30	20	190	120	20	50	20
Head, n.e.c. ....	—	—	—	—	—	—	—	30	30	—	—	—
<b>Neck, including throat</b> .....	4,460	1,450	250	180	3,040	2,580	—	1,110	570	420	90	90
Neck, except internal location of diseases or disorders ...	4,440	1,450	250	150	3,040	2,580	—	1,110	570	420	90	90
Internal neck location, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	166,610	75,990	2,520	1,150	9,320	6,310	50	5,270	1,770	3,040	430	1,740
Trunk, unspecified .....	470	310	—	60	110	50	—	30	—	—	—	—
Chest, including ribs, internal organs .....	3,120	980	30	570	1,570	920	—	920	400	410	110	110
Chest, except internal location of diseases or disorders .....	2,770	950	30	170	1,570	910	—	920	400	410	110	100
Internal chest location, unspecified .....	180	—	—	30	—	—	—	—	—	—	—	—
Heart .....	160	30	—	—	—	—	—	—	—	—	—	—
Bronchus .....	—	—	—	30	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Lung(s), pleura .....	315	350	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	32	183,100	4,700	2,960	1,060	230	29,580	5,320	17,630	5,960
Back, including spine, spinal cord, unspecified .....	320	72,510	1,990	1,260	420	80	13,050	2,280	7,890	2,600
Thoracic region .....	321	7,680	430	300	110	—	900	130	510	220
Lumbar region .....	322	93,440	2,030	1,250	440	130	12,250	2,410	6,530	3,000
Sacral region .....	323	780	—	—	—	—	180	50	110	—
Coccygeal region .....	324	1,790	50	20	30	—	1,610	230	1,360	—
Multiple back regions .....	328	6,260	200	120	50	—	1,490	200	1,150	110
Back, including spine, spinal cord, n.e.c. ....	329	640	—	—	—	—	90	20	70	—
Abdomen .....	33	20,060	820	480	190	130	1,140	180	620	320
Abdomen, except internal location of diseases or disorders .....	330	18,410	760	470	150	130	1,130	170	620	320
Internal abdominal location, unspecified .....	331	880	—	—	—	—	—	—	—	—
Stomach organ .....	332	220	—	—	—	—	—	—	—	—
Spleen .....	333	50	50	—	50	—	—	—	—	—
Urinary organs .....	334	30	—	—	—	—	—	—	—	—
Urinary organs, unspecified .....	3340	20	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	335	380	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified .....	3350	330	—	—	—	—	—	—	—	—
Peritoneum .....	3351	30	—	—	—	—	—	—	—	—
Multiple internal abdominal locations .....	338	20	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	339	60	—	—	—	—	—	—	—	—
Pelvic region .....	34	15,490	1,340	850	360	80	6,340	1,090	4,120	580
Pelvic region, unspecified .....	340	130	20	—	—	—	50	—	40	—
Hip(s) .....	341	7,320	690	360	260	50	4,150	770	2,850	330
Pelvis .....	342	750	80	80	—	—	440	110	310	—
Buttock(s) .....	343	870	30	—	20	—	700	100	560	—
Groin .....	344	5,830	360	260	70	—	860	90	260	210
External reproductive tract structures .....	345	310	120	120	—	—	40	—	30	—
External reproductive tract structures, unspecified ..	3450	40	—	—	—	—	—	—	—	—
Scrotum .....	3451	160	70	70	—	—	40	—	20	—
Penis .....	3452	90	40	40	—	—	—	—	—	—
Internal reproductive tract structures .....	346	40	20	20	—	—	—	—	—	—
Testis (testes) .....	3462	20	20	20	—	—	—	—	—	—
Multiple pelvic region locations .....	348	210	—	—	—	—	80	—	60	—
Pelvic region, n.e.c. ....	349	30	—	—	—	—	—	—	—	—
Multiple trunk locations .....	38	4,450	390	170	80	70	1,700	410	1,160	120
Trunk, n.e.c. ....	39	220	20	—	—	—	110	—	80	—
<b>Upper extremities</b> .....	<b>4</b>	<b>288,790</b>	<b>120,820</b>	<b>63,040</b>	<b>25,980</b>	<b>28,460</b>	<b>45,900</b>	<b>9,410</b>	<b>31,660</b>	<b>3,610</b>
Upper extremities, unspecified .....	40	600	50	40	—	—	60	—	20	40
Shoulder(s), including clavicle(s), scapula(e) .....	41	68,890	5,290	3,780	780	600	14,760	2,610	10,040	1,710
Arm(s) .....	42	44,760	10,860	5,750	3,600	1,270	11,150	2,500	7,670	590
Arm(s), unspecified .....	420	14,460	2,990	1,760	590	550	3,480	840	2,310	190

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2011<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Lung(s), pleura .....	—	—	—	330	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	137,810	61,010	2,070	90	6,580	5,060	—	3,000	790	2,100	90	1,320
Back, including spine, spinal cord, unspecified .....	52,390	24,770	830	70	2,940	2,380	—	1,370	380	920	60	700
Thoracic region .....	5,760	2,200	130	—	420	320	—	130	20	100	—	40
Lumbar region .....	74,700	32,110	980	—	2,560	1,750	—	1,340	340	980	20	550
Sacral region .....	580	310	—	—	—	—	—	20	—	—	—	—
Coccygeal region .....	80	40	—	—	20	—	—	—	—	—	—	20
Multiple back regions .....	3,880	1,460	120	—	550	510	—	120	50	70	—	20
Back, including spine, spinal cord, n.e.c. ....	420	130	—	—	90	90	—	—	—	—	—	—
Abdomen .....	16,670	9,820	310	290	200	80	20	720	380	260	80	200
Abdomen, except internal location of diseases or disorders .....	15,250	9,160	180	160	200	80	20	720	380	260	80	170
Internal abdominal location, unspecified .....	830	380	100	—	—	—	—	—	—	—	—	—
Stomach organ .....	150	50	—	60	—	—	—	—	—	—	—	—
Spleen .....	—	—	—	—	—	—	—	—	—	—	—	—
Urinary organs .....	30	—	—	—	—	—	—	—	—	—	—	—
Urinary organs, unspecified .....	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	340	180	20	30	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified .....	290	140	20	30	—	—	—	—	—	—	—	—
Peritoneum .....	30	30	—	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations .....	20	20	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	60	30	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	6,680	3,070	70	40	570	70	—	440	120	200	120	80
Pelvic region, unspecified .....	40	20	—	—	—	—	—	—	—	—	—	—
Hip(s) .....	1,820	540	40	—	430	50	—	190	30	150	—	20
Pelvis .....	150	20	—	—	80	—	—	20	—	—	—	—
Buttock(s) .....	80	20	—	—	—	—	—	20	—	—	—	—
Groin .....	4,450	2,390	20	—	—	—	—	100	30	30	50	40
External reproductive tract structures .....	40	—	—	—	—	—	—	80	30	—	40	—
External reproductive tract structures, unspecified ..	20	—	—	—	—	—	—	—	—	—	—	—
Scrotum .....	—	—	—	—	—	—	—	20	—	—	—	—
Penis .....	—	—	—	—	—	—	—	50	—	—	—	—
Internal reproductive tract structures .....	—	—	—	—	—	—	—	—	—	—	—	—
Testis (testes) .....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	80	60	—	—	20	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	1,790	750	40	100	270	130	—	160	70	60	30	20
Trunk, n.e.c. ....	70	50	—	—	—	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	<b>94,290</b>	<b>27,140</b>	<b>23,600</b>	<b>10,700</b>	<b>4,550</b>	<b>2,780</b>	<b>300</b>	<b>10,230</b>	<b>2,850</b>	<b>3,640</b>	<b>3,640</b>	<b>2,000</b>
Upper extremities, unspecified .....	330	90	80	20	20	20	—	100	70	30	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	44,340	16,420	3,530	60	1,970	1,240	—	1,960	590	1,180	180	500
Arm(s) .....	15,700	5,580	2,620	3,460	1,080	580	140	2,140	640	560	930	240
Arm(s), unspecified .....	4,500	1,750	630	1,990	420	210	100	900	220	270	400	70

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Upper arm(s) .....	421	5,380	700	530	80	70	1,060	140	810	60
Elbow(s) .....	422	14,670	3,580	1,050	2,310	120	4,840	990	3,450	230
Forearm(s) .....	423	7,790	3,150	2,240	490	390	1,270	450	770	40
Multiple arm locations .....	428	1,970	290	110	80	90	430	80	280	70
Multiple arm locations, unspecified .....	4280	340	50	20	—	20	40	—	30	—
Elbow(s) and arm(s) .....	4281	690	90	60	20	—	160	30	130	—
Multiple arm locations, n.e.c. ....	4289	940	150	40	50	50	230	50	120	60
Arm(s), n.e.c. ....	429	490	150	50	40	50	70	—	60	—
Wrist(s) .....	43	39,340	6,270	4,310	1,250	610	10,490	2,550	7,260	510
Hand(s) .....	44	119,850	95,890	47,890	19,680	25,490	6,020	1,200	4,040	590
Hand(s), unspecified .....	440	29,190	18,580	9,990	4,000	3,870	2,690	700	1,480	430
Hand(s), except finger(s) .....	441	7,560	5,150	3,020	1,170	820	530	90	420	—
Finger(s), fingernail(s) .....	442	78,950	69,410	33,370	14,100	20,050	2,320	390	1,700	150
Finger(s), fingernail(s), unspecified .....	4420	52,730	46,030	21,170	10,510	12,850	1,300	270	890	90
Fingernail(s), nailbed(s) .....	4421	2,800	2,560	1,310	270	960	50	—	30	—
Fingertip(s) .....	4422	6,790	6,490	2,890	910	2,650	110	—	90	20
Finger(s), fingernail(s), n.e.c. ....	4429	16,630	14,330	8,000	2,410	3,580	850	80	690	50
Hand(s) and finger(s) .....	448	2,590	1,860	1,010	260	540	100	20	70	—
Hand(s), n.e.c. ....	449	1,550	890	500	150	230	380	—	370	—
Multiple upper extremities locations .....	48	15,110	2,430	1,260	670	470	3,380	550	2,610	180
Multiple upper extremities locations, unspecified .....	480	280	70	30	—	—	60	—	50	—
Hand(s) and arms(s) .....	481	1,880	350	200	60	90	140	50	90	—
Hand(s) and arm(s), unspecified .....	4810	930	130	80	20	30	30	—	20	—
Hand(s) and elbow(s) .....	4811	220	—	—	—	—	80	40	40	—
Hand(s) and arm(s), n.e.c. ....	4819	730	210	120	40	60	40	—	30	—
Hand(s) and wrist(s) .....	482	2,960	570	340	120	100	570	60	480	30
Wrist(s) and arm(s) .....	483	2,070	350	150	80	110	520	150	360	—
Wrist(s) and arm(s), unspecified .....	4830	970	110	80	—	—	230	60	160	—
Wrist(s) and elbow(s) .....	4831	390	—	—	—	—	220	70	150	—
Wrist(s) and arm(s), n.e.c. ....	4839	710	240	60	80	90	80	20	50	—
Shoulder(s) and arm(s) .....	484	4,300	640	280	320	40	1,000	160	690	100
Multiple upper extremities locations, n.e.c. ....	489	3,610	440	270	50	120	1,090	120	940	30
Upper extremities, n.e.c. ....	49	250	20	20	—	—	30	—	30	—
<b>Lower extremities</b> .....	<b>5</b>	<b>205,760</b>	<b>56,190</b>	<b>36,290</b>	<b>14,020</b>	<b>4,360</b>	<b>84,100</b>	<b>16,370</b>	<b>40,820</b>	<b>22,100</b>
Lower extremities, unspecified .....	50	290	80	60	—	—	110	—	80	—
Leg(s) .....	51	109,260	20,620	10,890	6,990	1,830	46,420	8,130	25,990	9,870
Leg(s), unspecified .....	510	13,510	4,320	2,930	800	480	4,270	1,400	1,900	800
Thigh(s) .....	511	4,400	1,250	850	200	90	1,550	580	600	300
Knee(s) .....	512	79,020	11,150	4,520	5,090	910	36,420	5,170	21,070	8,130
Lower leg(s) .....	513	8,860	3,170	2,140	720	280	2,550	640	1,360	450
Multiple leg locations .....	518	3,000	500	260	160	60	1,550	310	1,030	180
Multiple leg locations, unspecified .....	5180	370	120	30	90	—	170	60	90	20
Knee(s) and leg(s) .....	5181	1,580	310	170	70	60	760	130	520	100

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2011<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Upper arm(s) .....	3,160	1,460	100	70	100	20	—	270	90	60	110	20
Elbow(s) .....	5,450	1,570	1,380	130	220	50	—	330	140	110	80	100
Forearm(s) .....	1,400	510	230	1,130	290	260	20	500	110	80	310	30
Multiple arm locations .....	990	240	240	120	40	20	—	90	40	30	20	—
Multiple arm locations, unspecified .....	180	30	80	70	—	—	—	—	—	—	—	—
Elbow(s) and arm(s) .....	380	120	70	—	—	—	—	30	—	—	—	—
Multiple arm locations, n.e.c. ....	440	90	90	30	30	—	—	60	30	20	—	—
Arm(s), n.e.c. ....	190	60	40	20	—	—	—	50	40	—	—	—
Wrist(s) .....	19,950	2,800	11,870	370	370	260	—	1,390	380	730	270	500
Hand(s) .....	7,190	970	3,070	5,660	650	310	130	3,640	830	820	1,940	670
Hand(s), unspecified .....	2,630	380	1,090	3,360	320	190	90	1,280	230	210	820	230
Hand(s), except finger(s) .....	610	100	230	750	—	—	—	480	50	30	390	30
Finger(s), fingernail(s) .....	3,610	450	1,540	1,150	300	120	40	1,750	490	520	710	390
Finger(s), fingernail(s), unspecified .....	2,550	340	1,080	890	240	90	30	1,380	320	390	650	310
Fingernail(s), nailbed(s) .....	130	—	50	—	—	—	—	30	—	20	—	—
Fingertip(s) .....	50	—	—	50	30	—	—	40	20	20	—	20
Finger(s), fingernail(s), n.e.c. ....	880	90	400	200	30	20	—	300	150	90	50	40
Hand(s) and finger(s) .....	240	30	140	260	—	—	—	90	40	40	—	20
Hand(s), n.e.c. ....	90	—	70	140	—	—	—	40	—	20	—	—
Multiple upper extremities locations .....	6,650	1,270	2,410	1,110	460	370	20	950	320	320	310	90
Multiple upper extremities locations, unspecified .....	100	—	50	—	30	20	—	—	—	—	—	—
Hand(s) and arms(s) .....	510	60	290	620	40	20	—	180	60	30	100	—
Hand(s) and arm(s), unspecified .....	230	40	120	400	20	—	—	120	—	20	90	—
Hand(s) and elbow(s) .....	110	—	50	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	170	20	120	220	20	—	—	50	40	—	—	—
Hand(s) and wrist(s) .....	1,370	210	800	160	60	50	—	210	80	40	80	—
Wrist(s) and arm(s) .....	920	120	390	80	50	30	—	130	30	20	70	—
Wrist(s) and arm(s), unspecified .....	460	50	130	30	40	30	—	100	20	20	—	—
Wrist(s) and elbow(s) .....	140	—	100	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	320	60	160	50	—	—	—	20	—	—	—	—
Shoulder(s) and arm(s) .....	2,240	660	300	—	110	110	—	270	60	170	50	30
Multiple upper extremities locations, n.e.c. ....	1,500	210	580	240	180	150	—	150	80	60	—	20
Upper extremities, n.e.c. ....	140	—	20	—	—	—	—	40	30	—	—	—
<b>Lower extremities</b> .....	<b>49,290</b>	<b>4,030</b>	<b>680</b>	<b>3,540</b>	<b>5,970</b>	<b>1,260</b>	<b>160</b>	<b>4,960</b>	<b>860</b>	<b>1,770</b>	<b>2,310</b>	<b>1,550</b>
Lower extremities, unspecified .....	—	—	—	30	40	—	—	—	—	—	—	—
Leg(s) .....	33,030	3,580	440	1,610	3,020	950	60	3,370	610	1,010	1,730	1,130
Leg(s), unspecified .....	1,670	540	50	870	1,040	440	30	950	60	90	800	360
Thigh(s) .....	1,160	230	—	110	70	—	—	250	—	20	220	—
Knee(s) .....	27,480	2,570	340	60	1,530	450	20	1,690	490	810	370	680
Lower leg(s) .....	1,850	150	—	550	260	40	—	380	40	60	280	80
Multiple leg locations .....	740	60	20	20	100	20	—	70	—	20	40	—
Multiple leg locations, unspecified .....	40	—	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s) .....	410	50	20	20	60	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Multiple leg locations, n.e.c. ....	5189	1,050	70	60	—	—	630	120	430	60
Leg(s), n.e.c. ....	519	470	230	200	20	—	80	20	30	—
Ankle(s) ....	52	46,610	7,750	3,740	3,060	890	25,450	5,270	9,800	9,090
Foot (feet) ....	53	42,480	26,030	20,410	3,680	1,390	8,520	2,340	2,950	2,320
Foot (feet), unspecified ....	530	26,100	14,720	11,090	2,160	1,010	5,690	1,480	2,330	1,600
Sole(s) ....	531	3,540	1,000	440	540	—	1,630	670	130	260
Sole(s), unspecified ....	5310	510	400	60	340	—	—	—	—	—
Ball(s) of the foot ....	5311	150	—	—	—	—	140	—	—	—
Arch(es), instep(s) ....	5312	410	60	60	—	—	90	—	30	50
Heel(s) ....	5313	2,390	500	320	150	—	1,380	660	80	80
Multiple sole locations ....	5318	30	—	—	—	—	—	—	—	—
Sole(s), n.e.c. ....	5319	40	30	—	30	—	—	—	—	—
Toes(s), toenail(s) ....	532	10,750	9,070	7,840	850	300	780	90	300	360
Multiple foot (feet) locations ....	538	580	360	290	30	30	90	50	20	—
Foot (feet), n.e.c. ....	539	1,510	880	740	100	40	330	60	190	80
Multiple lower extremities locations ....	58	7,050	1,710	1,170	270	250	3,570	590	1,970	810
Multiple lower extremities locations, unspecified ....	580	230	120	120	—	—	70	20	40	20
Foot (feet) and leg(s) ....	581	980	310	270	30	—	330	30	210	70
Foot(feet) and leg(s), unspecified ....	5810	370	130	110	—	—	80	—	30	40
Foot(feet) and knee(s) ....	5811	330	50	30	—	—	190	20	140	20
Foot(feet) and leg(s), n.e.c. ....	5819	280	130	120	—	—	50	—	40	—
Foot (feet) and ankle(s) ....	582	2,290	660	460	90	110	930	190	330	380
Ankle(s) and leg(s) ....	583	2,400	340	200	60	70	1,640	280	960	270
Ankle(s) and leg(s), unspecified ....	5830	550	170	110	30	30	290	50	240	—
Ankle(s) and knee(s) ....	5831	1,370	100	30	30	30	1,010	170	620	200
Ankle(s) and leg(s), n.e.c. ....	5839	470	70	60	—	—	340	60	110	60
Multiple lower extremities locations, n.e.c. ....	589	1,150	270	130	90	50	600	80	420	80
Lower extremities, n.e.c. ....	59	60	—	—	—	—	30	—	20	—
<b>Body systems</b> .....	<b>6</b>	<b>17,710</b>	<b>140</b>	<b>60</b>	<b>60</b>	<b>—</b>	<b>240</b>	<b>40</b>	<b>200</b>	<b>—</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>87,620</b>	<b>8,110</b>	<b>5,620</b>	<b>1,490</b>	<b>670</b>	<b>41,310</b>	<b>9,940</b>	<b>27,610</b>	<b>2,490</b>
Multiple body parts, unspecified ....	80	7,620	690	460	150	30	3,190	710	2,260	60
Head and neck ....	81	2,340	1,000	780	190	—	390	80	290	—
Head, neck, and trunk ....	82	770	150	130	20	—	350	160	190	—
Head and trunk ....	83	1,830	140	130	—	—	770	210	550	—
Neck and back ....	84	8,400	460	280	120	50	1,970	430	1,000	510
Shoulder(s) and back ....	85	3,600	210	160	20	30	920	240	500	160
Hip(s) and leg(s) ....	86	1,300	90	40	20	30	810	100	590	100
Upper and lower limb(s) ....	87	7,190	290	190	60	30	5,760	1,160	4,290	280
Other multiple body parts .....	89	54,560	5,090	3,460	910	500	27,140	6,860	17,930	1,380
Whole body ....	891	1,010	—	—	—	—	230	70	80	30
Multiple body parts, n.e.c. ....	899	53,550	5,070	3,450	900	500	26,910	6,790	17,850	1,350

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2011<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Multiple leg locations, n.e.c. ....	300	-	-	-	30	-	-	20	-	-	-	-
Leg(s), n.e.c. ....	120	20	-	-	20	-	-	30	-	-	-	-
Ankle(s) ....	11,470	320	140	150	800	110	90	690	120	420	140	220
Foot (feet) ....	3,960	80	100	1,450	1,620	130	-	750	100	290	350	160
Foot (feet), unspecified ....	2,760	50	60	1,160	1,190	80	-	450	70	130	250	140
Sole(s) ....	680	-	-	80	80	-	-	50	-	-	40	-
Sole(s), unspecified ....	50	-	-	-	-	-	-	-	-	-	-	-
Ball(s) of the foot ....	-	-	-	-	-	-	-	-	-	-	-	-
Arch(es), instep(s) ....	260	-	-	-	-	-	-	-	-	-	-	-
Heel(s) ....	360	-	-	-	70	-	-	50	-	-	40	-
Multiple sole locations ....	-	-	-	-	-	-	-	-	-	-	-	-
Sole(s), n.e.c. ....	-	-	-	-	-	-	-	-	-	-	-	-
Toes(s), toenail(s) ....	310	-	-	110	270	40	-	200	20	150	30	20
Multiple foot (feet) locations ....	70	-	-	-	50	-	-	-	-	-	-	-
Foot (feet), n.e.c. ....	140	-	-	100	30	-	-	40	-	-	20	-
Multiple lower extremities locations ....	810	40	-	290	490	50	-	150	20	50	70	30
Multiple lower extremities locations, unspecified ....	20	-	-	-	-	-	-	-	-	-	-	-
Foot (feet) and leg(s) ....	100	20	-	150	40	-	-	40	-	-	20	-
Foot(feet) and leg(s), unspecified ....	20	-	-	110	-	-	-	30	-	-	20	-
Foot(feet) and knee(s) ....	40	-	-	-	20	-	-	-	-	-	-	-
Foot(feet) and leg(s), n.e.c. ....	40	-	-	40	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s) ....	350	-	-	90	230	-	-	20	-	-	-	-
Ankle(s) and leg(s) ....	160	-	-	20	160	-	-	70	-	20	40	-
Ankle(s) and leg(s), unspecified ....	30	-	-	-	40	-	-	-	-	-	-	-
Ankle(s) and knee(s) ....	110	-	-	-	110	-	-	30	-	20	-	-
Ankle(s) and leg(s), n.e.c. ....	-	-	-	-	-	-	-	20	-	-	-	-
Multiple lower extremities locations, n.e.c. ....	190	20	-	20	40	-	-	20	-	-	-	-
Lower extremities, n.e.c. ....	20	-	-	-	-	-	-	-	-	-	-	-
<b>Body systems</b> .....	<b>1,970</b>	<b>-</b>	<b>90</b>	<b>13,180</b>	<b>390</b>	<b>90</b>	<b>50</b>	<b>1,340</b>	<b>510</b>	<b>40</b>	<b>740</b>	<b>410</b>
<b>Multiple body parts</b> .....	<b>14,400</b>	<b>4,340</b>	<b>1,160</b>	<b>3,330</b>	<b>14,700</b>	<b>11,030</b>	<b>860</b>	<b>4,560</b>	<b>2,140</b>	<b>1,440</b>	<b>890</b>	<b>360</b>
Multiple body parts, unspecified .....	1,070	200	270	560	1,430	1,030	80	570	180	80	290	40
Head and neck .....	20	-	-	90	280	200	280	270	180	70	-	-
Head, neck, and trunk .....	30	-	-	-	190	190	-	40	20	20	-	-
Head and trunk .....	20	-	-	70	690	550	-	140	70	30	30	-
Neck and back .....	2,390	650	80	-	3,100	2,670	-	460	90	360	-	-
Shoulder(s) and back .....	1,900	710	70	-	420	300	20	120	60	60	-	20
Hip(s) and leg(s) .....	240	80	-	-	120	30	-	30	-	-	-	-
Upper and lower limb(s) .....	230	60	30	260	500	170	-	150	70	50	20	-
Other multiple body parts .....	8,500	2,630	710	2,330	7,980	5,880	480	2,790	1,470	760	510	260
Whole body .....	30	20	-	350	270	230	-	90	-	-	70	-
Multiple body parts, n.e.c. ....	8,470	2,610	710	1,980	7,710	5,650	460	2,700	1,460	760	440	250

See footnotes at end of table.



TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
<b>Nonclassifiable .....</b>	9999	6,410	780	620	70	30	1,130	250	700	140

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2011<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Nonclassifiable</b> .....	570	190	70	360	730	630	20	740	70	120	520	2,070

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

<sup>5</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>6</sup> Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.