

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, private industry, 2011³

Part of body	Part of body code ⁴	Private industry ⁵	Event or exposure leading to injury or illness ⁶							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total [918,140 cases]		104.3	26.4	15.1	6.1	3.9	26.1	5.4	15.5	4.1
Head	1	7.0	3.9	2.2	1.0	(⁸)	1.3	.3	.9	(⁸)
Head, unspecified	10	1.5	.9	.4	.4	(⁸)	.5	.1	.4	(⁸)
Cranial region, including skull	11	1.2	.6	.3	.3	(⁸)	.4	.1	.3	(⁸)
Cranial region, unspecified	110	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	—	(⁸)	—
Brain	111	.9	.4	.2	.2	(⁸)	.3	.1	.2	(⁸)
Scalp	112	.2	.1	.1	.1	—	(⁸)	(⁸)	(⁸)	—
Skull	113	.1	(⁸)	(⁸)	(⁸)	—	.1	(⁸)	(⁸)	—
Multiple cranial region locations	118	(⁸)	(⁸)	(⁸)	(⁸)	—	—	—	—	—
Cranial region, n.e.c.	119	(⁸)	(⁸)	—	—	—	(⁸)	—	(⁸)	—
Ear(s)	12	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	—	(⁸)	—
Face	13	3.9	2.4	1.5	.2	(⁸)	.3	.1	.2	(⁸)
Face, unspecified	130	.3	.1	.1	(⁸)	(⁸)	.1	(⁸)	(⁸)	—
Forehead	131	.3	.2	.1	.1	(⁸)	.1	(⁸)	.1	(⁸)
Eye(s)	132	2.4	1.6	.8	.1	—	(⁸)	—	(⁸)	(⁸)
Nose, nasal cavity	133	.2	.1	.1	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Nose, except internal location of diseases or disorders	1330	.2	.1	.1	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Cheek(s)	134	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	—	(⁸)	—
Jaw, chin	135	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	—	(⁸)	—
Mouth	136	.3	.2	.1	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Mouth, unspecified	1360	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—	—	—
Lip(s)	1361	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	—	(⁸)	—
Tongue	1362	(⁸)	—	—	—	—	—	—	—	—
Tooth (teeth)	1363	.1	.1	.1	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Multiple mouth locations	1368	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	—
Multiple face locations	138	.2	.1	.1	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Face, n.e.c.	139	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	—	(⁸)	—
Multiple head locations	18	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Head, n.e.c.	19	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Neck, including throat	2	1.4	.2	.1	(⁸)	(⁸)	.2	.1	.1	(⁸)
Neck, except internal location of diseases or disorders ...	20	1.4	.2	.1	(⁸)	(⁸)	.2	.1	.1	(⁸)
Internal neck location, unspecified	21	(⁸)	—	—	—	—	—	—	—	—
Trunk	3	27.1	1.2	.7	.3	.1	5.0	1.0	3.0	.8
Trunk, unspecified	30	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	(⁸)
Chest, including ribs, internal organs	31	1.6	.3	.2	.1	(⁸)	.6	.2	.3	(⁸)
Chest, except internal location of diseases or disorders	310	1.5	.3	.2	.1	(⁸)	.6	.2	.3	(⁸)
Internal chest location, unspecified	311	(⁸)	—	—	—	—	—	—	—	—
Heart	313	(⁸)	—	—	—	—	—	—	—	—
Bronchus	314	(⁸)	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, private industry, 2011³ — Continued

Part of body	Event or exposure leading to injury or illness ⁶											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁷
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total [918,140 cases]	37.7	12.9	3.2	4.5	4.7	3.0	0.2	3.8	1.3	1.3	1.1	1.0
Head	(8)	(8)	—	.8	.3	.2	(8)	.6	.3	.2	.1	(8)
Head, unspecified	(8)	(8)	—	(8)	.1	.1	—	.1	.1	(8)	(8)	(8)
Cranial region, including skull	(8)	—	—	(8)	.1	.1	(8)	.1	.1	(8)	(8)	(8)
Cranial region, unspecified	(8)	—	—	(8)	—	—	(8)	—	—	—	—	—
Brain	(8)	—	—	(8)	.1	.1	—	.1	.1	(8)	(8)	(8)
Scalp	—	—	—	—	(8)	—	—	(8)	(8)	(8)	—	—
Skull	—	—	—	—	—	—	—	(8)	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	—
Face	(8)	(8)	—	.7	.1	(8)	(8)	.4	.2	.1	.1	(8)
Face, unspecified	(8)	—	—	(8)	.1	(8)	(8)	.1	(8)	(8)	(8)	—
Forehead	—	—	—	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	—
Eye(s)	(8)	(8)	—	.6	(8)	(8)	(8)	.1	(8)	.1	(8)	(8)
Nose, nasal cavity	—	—	—	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	—
Nose, except internal location of diseases or disorders	—	—	—	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	—
Cheek(s)	—	—	—	—	—	—	—	(8)	(8)	—	(8)	—
Jaw, chin	—	—	—	—	—	—	—	(8)	(8)	(8)	(8)	—
Mouth	—	—	—	(8)	(8)	(8)	—	.1	(8)	(8)	(8)	—
Mouth, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Lip(s)	—	—	—	—	(8)	(8)	—	(8)	(8)	(8)	(8)	—
Tongue	—	—	—	(8)	(8)	(8)	—	(8)	(8)	—	—	—
Tooth (teeth)	—	—	—	—	(8)	(8)	—	(8)	(8)	(8)	—	—
Multiple mouth locations	—	—	—	—	(8)	(8)	—	(8)	(8)	—	—	—
Multiple face locations	—	—	—	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	—
Face, n.e.c.	—	—	—	(8)	(8)	(8)	(8)	(8)	(8)	—	—	—
Multiple head locations	—	—	—	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Head, n.e.c.	—	—	—	—	—	—	—	(8)	(8)	—	—	—
Neck, including throat5	.2	(8)	(8)	.3	.3	—	.1	.1	(8)	(8)	(8)
Neck, except internal location of diseases or disorders5	.2	(8)	(8)	.3	.3	—	.1	.1	(8)	(8)	(8)
Internal neck location, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Trunk	18.9	8.6	.3	.1	1.1	.7	(8)	.6	.2	.3	(8)	.2
Trunk, unspecified1	(8)	—	(8)	(8)	(8)	—	(8)	—	—	—	—
Chest, including ribs, internal organs4	.1	(8)	.1	.2	.1	—	.1	(8)	(8)	(8)	(8)
Chest, except internal location of diseases or disorders3	.1	(8)	(8)	.2	.1	—	.1	(8)	(8)	(8)	(8)
Internal chest location, unspecified	(8)	—	—	(8)	—	—	—	—	—	—	—	—
Heart	(8)	(8)	—	—	—	—	—	—	—	—	—	—
Bronchus	—	—	—	(8)	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, private industry, 2011³ — Continued

Part of body	Part of body code ⁴	Private industry ⁵	Event or exposure leading to injury or illness ⁶							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Lung(s), pleura	315	(⁸)	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	20.8	0.5	0.3	0.1	(⁸)	3.4	0.6	2.0	0.7
Back, including spine, spinal cord, unspecified	320	8.2	.2	.1	(⁸)	(⁸)	1.5	.3	.9	.3
Thoracic region	321	.9	(⁸)	(⁸)	(⁸)	—	.1	(⁸)	.1	(⁸)
Lumbar region	322	10.6	.2	.1	.1	(⁸)	1.4	.3	.7	.3
Sacral region	323	.1	(⁸)	—	—	—	(⁸)	(⁸)	(⁸)	—
Coccygeal region	324	.2	(⁸)	(⁸)	(⁸)	—	.2	(⁸)	.2	—
Multiple back regions	328	.7	(⁸)	(⁸)	(⁸)	—	.2	(⁸)	.1	(⁸)
Back, including spine, spinal cord, n.e.c.	329	.1	—	—	—	—	(⁸)	(⁸)	(⁸)	—
Abdomen	33	2.3	.1	.1	(⁸)	(⁸)	.1	(⁸)	.1	(⁸)
Abdomen, except internal location of diseases or disorders	330	2.1	.1	.1	(⁸)	(⁸)	.1	(⁸)	.1	(⁸)
Internal abdominal location, unspecified	331	.1	—	—	—	—	—	—	—	—
Stomach organ	332	(⁸)	—	—	—	—	—	—	—	—
Spleen	333	(⁸)	(⁸)	—	(⁸)	—	—	—	—	—
Urinary organs	334	(⁸)	—	—	—	—	—	—	—	—
Urinary organs, unspecified	3340	(⁸)	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	(⁸)	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	(⁸)	—	—	—	—	—	—	—	—
Peritoneum	3351	(⁸)	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	338	(⁸)	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	(⁸)	—	—	—	—	—	—	—	—
Pelvic region	34	1.8	.2	.1	(⁸)	(⁸)	.7	.1	.5	.1
Pelvic region, unspecified	340	(⁸)	(⁸)	—	—	—	(⁸)	—	(⁸)	—
Hip(s)	341	.8	.1	(⁸)	(⁸)	(⁸)	.5	.1	.3	(⁸)
Pelvis	342	.1	(⁸)	(⁸)	—	—	(⁸)	(⁸)	(⁸)	—
Buttock(s)	343	.1	(⁸)	—	(⁸)	—	.1	(⁸)	.1	—
Groin	344	.7	(⁸)	(⁸)	(⁸)	—	.1	(⁸)	(⁸)	(⁸)
External reproductive tract structures	345	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	—
External reproductive tract structures, unspecified ..	3450	(⁸)	—	—	—	—	—	—	—	—
Scrotum	3451	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	—
Penis	3452	(⁸)	(⁸)	(⁸)	—	—	—	—	—	—
Internal reproductive tract structures	346	(⁸)	(⁸)	(⁸)	—	—	—	—	—	—
Testis (testes)	3462	(⁸)	(⁸)	(⁸)	—	—	—	—	—	—
Multiple pelvic region locations	348	(⁸)	—	—	—	—	(⁸)	—	(⁸)	—
Pelvic region, n.e.c.	349	(⁸)	—	—	—	—	—	—	—	—
Multiple trunk locations	38	.5	(⁸)	(⁸)	(⁸)	(⁸)	.2	(⁸)	.1	(⁸)
Trunk, n.e.c.	39	(⁸)	(⁸)	—	—	—	(⁸)	—	(⁸)	—
Upper extremities	4	32.8	13.7	7.2	3.0	3.2	5.2	1.1	3.6	.4
Upper extremities, unspecified	40	.1	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	(⁸)
Shoulder(s), including clavicle(s), scapula(e)	41	7.8	.6	.4	.1	.1	1.7	.3	1.1	.2
Arm(s)	42	5.1	1.2	.7	.4	.1	1.3	.3	.9	.1
Arm(s), unspecified	420	1.6	.3	.2	.1	.1	.4	.1	.3	(⁸)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, private industry, 2011³ — Continued

Part of body	Event or exposure leading to injury or illness ⁶											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁷
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Lung(s), pleura	—	—	—	(⁸)	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	15.7	6.9	0.2	(⁸)	0.7	0.6	—	0.3	0.1	0.2	(⁸)	0.2
Back, including spine, spinal cord, unspecified	6.0	2.8	.1	(⁸)	.3	.3	—	.2	(⁸)	.1	(⁸)	.1
Thoracic region7	.2	(⁸)	—	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	—	(⁸)
Lumbar region	8.5	3.6	.1	—	.3	.2	—	.2	(⁸)	.1	(⁸)	.1
Sacral region1	(⁸)	—	—	—	—	—	(⁸)	—	—	—	—
Coccygeal region	(⁸)	(⁸)	—	—	(⁸)	—	—	—	—	—	—	(⁸)
Multiple back regions4	.2	(⁸)	—	.1	.1	—	(⁸)	(⁸)	(⁸)	—	(⁸)
Back, including spine, spinal cord, n.e.c.	(⁸)	(⁸)	—	—	(⁸)	(⁸)	—	—	—	—	—	—
Abdomen	1.9	1.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)	(⁸)	(⁸)	(⁸)
Abdomen, except internal location of diseases or disorders	1.7	1.0	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)	(⁸)	(⁸)	(⁸)
Internal abdominal location, unspecified1	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—
Stomach organ	(⁸)	(⁸)	—	(⁸)	—	—	—	—	—	—	—	—
Spleen	—	—	—	—	—	—	—	—	—	—	—	—
Urinary organs	(⁸)	—	—	—	—	—	—	—	—	—	—	—
Urinary organs, unspecified	(⁸)	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	(⁸)	(⁸)	(⁸)	(⁸)	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	(⁸)	(⁸)	(⁸)	(⁸)	—	—	—	—	—	—	—	—
Peritoneum	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—	—
Pelvic region8	.3	(⁸)	(⁸)	.1	(⁸)	—	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)
Pelvic region, unspecified	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—	—
Hip(s)2	.1	(⁸)	—	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	—	(⁸)
Pelvis	(⁸)	(⁸)	—	—	(⁸)	—	—	(⁸)	—	—	—	—
Buttock(s)	(⁸)	(⁸)	—	—	—	—	—	(⁸)	—	—	—	—
Groin5	.3	(⁸)	—	—	—	—	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)
External reproductive tract structures	(⁸)	—	—	—	—	—	—	(⁸)	(⁸)	—	(⁸)	—
External reproductive tract structures, unspecified ..	(⁸)	—	—	—	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—	—	(⁸)	—	—	—	—
Penis	—	—	—	—	—	—	—	(⁸)	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—	—	—	—	—	—	—
Testis (testes)	—	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	(⁸)	(⁸)	—	—	(⁸)	—	—	—	—	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations2	.1	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)
Trunk, n.e.c.	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—	—
Upper extremities	10.7	3.1	2.7	1.2	.5	.3	(⁸)	1.2	.3	.4	.4	.2
Upper extremities, unspecified	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	—	—
Shoulder(s), including clavicle(s), scapula(e)	5.0	1.9	.4	(⁸)	.2	.1	—	.2	.1	.1	(⁸)	.1
Arm(s)	1.8	.6	.3	.4	.1	.1	(⁸)	.2	.1	.1	(⁸)	(⁸)
Arm(s), unspecified5	.2	.1	.2	(⁸)	(⁸)	(⁸)	.1	(⁸)	(⁸)	(⁸)	(⁸)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, private industry, 2011³ — Continued

Part of body	Part of body code ⁴	Private industry ⁵	Event or exposure leading to injury or illness ⁶							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Upper arm(s)	421	0.6	0.1	0.1	(⁸)	(⁸)	0.1	(⁸)	0.1	(⁸)
Elbow(s)	422	1.7	.4	.1	.3	(⁸)	.5	.1	.4	(⁸)
Forearm(s)	423	.9	.4	.3	.1	(⁸)	.1	.1	.1	(⁸)
Multiple arm locations	428	.2	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)
Multiple arm locations, unspecified	4280	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	—	(⁸)	—
Elbow(s) and arm(s)	4281	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Multiple arm locations, n.e.c.	4289	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)
Arm(s), n.e.c.	429	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	—
Wrist(s)	43	4.5	.7	.5	.1	.1	1.2	.3	.8	.1
Hand(s)	44	13.6	10.9	5.4	2.2	2.9	.7	.1	.5	.1
Hand(s), unspecified	440	3.3	2.1	1.1	.5	.4	.3	.1	.2	(⁸)
Hand(s), except finger(s)	441	.9	.6	.3	.1	.1	.1	(⁸)	(⁸)	—
Finger(s), fingernail(s)	442	9.0	7.9	3.8	1.6	2.3	.3	(⁸)	.2	(⁸)
Finger(s), fingernail(s), unspecified	4420	6.0	5.2	2.4	1.2	1.5	.1	(⁸)	.1	(⁸)
Fingernail(s), nailbed(s)	4421	.3	.3	.1	(⁸)	.1	(⁸)	—	(⁸)	—
Fingertip(s)	4422	.8	.7	.3	.1	.3	(⁸)	—	(⁸)	(⁸)
Finger(s), fingernail(s), n.e.c.	4429	1.9	1.6	.9	.3	.4	.1	(⁸)	.1	(⁸)
Hand(s) and finger(s)	448	.3	.2	.1	(⁸)	.1	(⁸)	(⁸)	(⁸)	—
Hand(s), n.e.c.	449	.2	.1	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	—
Multiple upper extremities locations	48	1.7	.3	.1	.1	.1	.4	.1	.3	(⁸)
Multiple upper extremities locations, unspecified	480	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	—
Hand(s) and arms(s)	481	.2	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—
Hand(s) and arm(s), unspecified	4810	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	—
Hand(s) and elbow(s)	4811	(⁸)	—	—	—	—	(⁸)	(⁸)	(⁸)	—
Hand(s) and arm(s), n.e.c.	4819	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	—
Hand(s) and wrist(s)	482	.3	.1	(⁸)	(⁸)	(⁸)	.1	(⁸)	.1	(⁸)
Wrist(s) and arm(s)	483	.2	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)	(⁸)	—
Wrist(s) and arm(s), unspecified	4830	.1	(⁸)	(⁸)	—	—	(⁸)	(⁸)	(⁸)	—
Wrist(s) and elbow(s)	4831	(⁸)	—	—	—	—	(⁸)	(⁸)	(⁸)	—
Wrist(s) and arm(s), n.e.c.	4839	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—
Shoulder(s) and arm(s)	484	.5	.1	(⁸)	(⁸)	(⁸)	.1	(⁸)	.1	(⁸)
Multiple upper extremities locations, n.e.c.	489	.4	.1	(⁸)	(⁸)	(⁸)	.1	(⁸)	.1	(⁸)
Upper extremities, n.e.c.	49	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	—
Lower extremities	5	23.4	6.4	4.1	1.6	.5	9.6	1.9	4.6	2.5
Lower extremities, unspecified	50	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	—
Leg(s)	51	12.4	2.3	1.2	.8	.2	5.3	.9	3.0	1.1
Leg(s), unspecified	510	1.5	.5	.3	.1	.1	.5	.2	.2	.1
Thigh(s)	511	.5	.1	.1	(⁸)	(⁸)	.2	.1	.1	(⁸)
Knee(s)	512	9.0	1.3	.5	.6	.1	4.1	.6	2.4	.9
Lower leg(s)	513	1.0	.4	.2	.1	(⁸)	.3	.1	.2	.1
Multiple leg locations	518	.3	.1	(⁸)	(⁸)	(⁸)	.2	(⁸)	.1	(⁸)
Multiple leg locations, unspecified	5180	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	(⁸)
Knee(s) and leg(s)	5181	.2	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)	.1	(⁸)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, private industry, 2011³ — Continued

Part of body	Event or exposure leading to injury or illness ⁶											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁷
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Upper arm(s)	0.4	0.2	(8)	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	(8)
Elbow(s)6	.2	.2	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	(8)
Forearm(s)2	.1	(8)	.1	(8)	(8)	(8)	.1	(8)	(8)	(8)	(8)
Multiple arm locations1	(8)	(8)	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	—
Multiple arm locations, unspecified	(8)	(8)	(8)	(8)	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	(8)	(8)	(8)	—	—	—	—	(8)	—	—	—	—
Multiple arm locations, n.e.c.	(8)	(8)	(8)	(8)	(8)	—	—	(8)	(8)	(8)	—	—
Arm(s), n.e.c.	(8)	(8)	(8)	(8)	—	—	—	(8)	(8)	—	—	—
Wrist(s)	2.3	.3	1.3	(8)	(8)	(8)	—	.2	(8)	.1	(8)	.1
Hand(s)8	.1	.3	.6	.1	(8)	(8)	.4	(8)	.1	(8)	.2
Hand(s), unspecified3	(8)	.1	.4	(8)	(8)	(8)	.1	(8)	(8)	(8)	.1
Hand(s), except finger(s)1	(8)	(8)	.1	—	—	—	.1	(8)	(8)	(8)	(8)
Finger(s), fingernail(s)4	.1	.2	.1	(8)	(8)	(8)	.2	(8)	.1	(8)	.1
Finger(s), fingernail(s), unspecified3	(8)	.1	.1	(8)	(8)	(8)	.2	(8)	(8)	(8)	.1
Fingernail(s), nailbed(s)	(8)	—	(8)	—	—	—	—	(8)	—	(8)	—	—
Fingertip(s)	(8)	—	—	(8)	(8)	—	—	(8)	(8)	(8)	—	(8)
Finger(s), fingernail(s), n.e.c.1	(8)	(8)	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	(8)
Hand(s) and finger(s)	(8)	(8)	(8)	(8)	—	—	—	(8)	(8)	(8)	—	(8)
Hand(s), n.e.c.	(8)	—	(8)	(8)	—	—	—	(8)	—	(8)	—	—
Multiple upper extremities locations8	.1	.3	.1	.1	(8)	(8)	.1	(8)	(8)	(8)	(8)
Multiple upper extremities locations, unspecified	(8)	—	(8)	—	(8)	(8)	—	—	—	—	—	—
Hand(s) and arms(s)1	(8)	(8)	.1	(8)	(8)	—	(8)	(8)	(8)	(8)	—
Hand(s) and arm(s), unspecified	(8)	(8)	(8)	(8)	(8)	—	—	(8)	—	(8)	(8)	—
Hand(s) and elbow(s)	(8)	—	(8)	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	(8)	(8)	(8)	(8)	(8)	—	—	(8)	(8)	(8)	—	—
Hand(s) and wrist(s)2	(8)	.1	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	—
Wrist(s) and arm(s)1	(8)	(8)	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	—
Wrist(s) and arm(s), unspecified1	(8)	(8)	(8)	(8)	(8)	—	(8)	(8)	(8)	—	—
Wrist(s) and elbow(s)	(8)	—	(8)	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	(8)	(8)	(8)	(8)	—	—	—	(8)	—	—	—	—
Shoulder(s) and arm(s)3	.1	(8)	—	(8)	(8)	—	(8)	(8)	(8)	(8)	(8)
Multiple upper extremities locations, n.e.c.2	(8)	.1	(8)	(8)	(8)	—	(8)	(8)	(8)	—	(8)
Upper extremities, n.e.c.	(8)	—	(8)	—	—	—	—	(8)	(8)	—	—	—
Lower extremities	5.6	.5	.1	.4	.7	.1	(8)	.6	.1	.2	.3	.2
Lower extremities, unspecified	—	—	—	(8)	(8)	—	—	—	—	—	—	—
Leg(s)	3.8	.4	(8)	.2	.3	.1	(8)	.4	.1	.1	.2	.1
Leg(s), unspecified2	.1	(8)	.1	.1	.1	(8)	.1	(8)	(8)	.1	(8)
Thigh(s)1	(8)	—	(8)	(8)	—	—	(8)	—	(8)	(8)	—
Knee(s)	3.1	.3	(8)	(8)	.2	.1	(8)	.2	.1	.1	(8)	.1
Lower leg(s)2	(8)	—	.1	(8)	(8)	—	(8)	(8)	(8)	(8)	(8)
Multiple leg locations1	(8)	(8)	(8)	(8)	(8)	—	(8)	—	(8)	(8)	—
Multiple leg locations, unspecified	(8)	—	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	(8)	(8)	(8)	(8)	(8)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, private industry, 2011³ — Continued

Part of body	Part of body code ⁴	Private industry ⁵	Event or exposure leading to injury or illness ⁶							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Multiple leg locations, n.e.c.	5189	0.1	(⁸)	(⁸)	—	—	0.1	(⁸)	(⁸)	(⁸)
Leg(s), n.e.c.	519	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Ankle(s)	52	5.3	.9	.4	.3	0.1	2.9	.6	1.1	1.0
Foot (feet)	53	4.8	3.0	2.3	.4	.2	1.0	.3	.3	.3
Foot (feet), unspecified	530	3.0	1.7	1.3	.2	.1	.6	.2	.3	.2
Sole(s)	531	.4	.1	.1	.1	—	.2	.1	(⁸)	(⁸)
Sole(s), unspecified	5310	.1	(⁸)	(⁸)	(⁸)	—	—	—	—	—
Ball(s) of the foot	5311	(⁸)	—	—	—	—	(⁸)	—	—	—
Arch(es), instep(s)	5312	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	(⁸)
Heel(s)	5313	.3	.1	(⁸)	(⁸)	—	.2	.1	(⁸)	(⁸)
Multiple sole locations	5318	(⁸)	—	—	—	—	—	—	—	—
Sole(s), n.e.c.	5319	(⁸)	(⁸)	—	(⁸)	—	—	—	—	—
Toes(s), toenail(s)	532	1.2	1.0	.9	.1	(⁸)	.1	(⁸)	(⁸)	(⁸)
Multiple foot (feet) locations	538	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—
Foot (feet), n.e.c.	539	.2	.1	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)
Multiple lower extremities locations	58	.8	.2	.1	(⁸)	(⁸)	.4	.1	.2	.1
Multiple lower extremities locations, unspecified	580	(⁸)	(⁸)	(⁸)	—	—	(⁸)	(⁸)	(⁸)	(⁸)
Foot (feet) and leg(s)	581	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	(⁸)
Foot(feet) and leg(s), unspecified	5810	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	(⁸)
Foot(feet) and knee(s)	5811	(⁸)	(⁸)	(⁸)	—	—	(⁸)	(⁸)	(⁸)	(⁸)
Foot(feet) and leg(s), n.e.c.	5819	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	—
Foot (feet) and ankle(s)	582	.3	.1	.1	(⁸)	(⁸)	.1	(⁸)	(⁸)	(⁸)
Ankle(s) and leg(s)	583	.3	(⁸)	(⁸)	(⁸)	(⁸)	.2	(⁸)	.1	(⁸)
Ankle(s) and leg(s), unspecified	5830	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—
Ankle(s) and knee(s)	5831	.2	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)	.1	(⁸)
Ankle(s) and leg(s), n.e.c.	5839	.1	(⁸)	(⁸)	—	—	(⁸)	(⁸)	(⁸)	(⁸)
Multiple lower extremities locations, n.e.c.	589	.1	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)	(⁸)	(⁸)
Lower extremities, n.e.c.	59	(⁸)	—	—	—	—	(⁸)	—	(⁸)	—
Body systems	6	2.0	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Multiple body parts	8	10.0	.9	.6	.2	.1	4.7	1.1	3.1	.3
Multiple body parts, unspecified	80	.9	.1	.1	(⁸)	(⁸)	.4	.1	.3	(⁸)
Head and neck	81	.3	.1	.1	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Head, neck, and trunk	82	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Head and trunk	83	.2	(⁸)	(⁸)	—	—	.1	(⁸)	.1	—
Neck and back	84	1.0	.1	(⁸)	(⁸)	(⁸)	.2	(⁸)	.1	.1
Shoulder(s) and back	85	.4	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)	.1	(⁸)
Hip(s) and leg(s)	86	.1	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)	.1	(⁸)
Upper and lower limb(s)	87	.8	(⁸)	(⁸)	(⁸)	(⁸)	.7	.1	.5	(⁸)
Other multiple body parts	89	6.2	.6	.4	.1	.1	3.1	.8	2.0	.2
Whole body	891	.1	—	—	—	—	(⁸)	(⁸)	(⁸)	(⁸)
Multiple body parts, n.e.c.	899	6.1	.6	.4	.1	.1	3.1	.8	2.0	.2

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, private industry, 2011³ — Continued

Part of body	Event or exposure leading to injury or illness ⁶											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁷
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Multiple leg locations, n.e.c.	(8)	—	—	—	(8)	—	—	(8)	—	—	—	—
Leg(s), n.e.c.	(8)	(8)	—	—	(8)	—	—	(8)	—	—	—	—
Ankle(s)	1.3	(8)	(8)	(8)	.1	(8)	(8)	.1	(8)	(8)	(8)	(8)
Foot (feet)4	(8)	(8)	.2	.2	(8)	—	.1	(8)	(8)	(8)	(8)
Foot (feet), unspecified3	(8)	(8)	.1	.1	(8)	—	.1	(8)	(8)	(8)	(8)
Sole(s)1	—	—	(8)	(8)	—	—	(8)	—	—	(8)	—
Sole(s), unspecified	(8)	—	—	—	—	—	—	—	—	—	—	—
Ball(s) of the foot	—	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s)	(8)	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	(8)	—	—	—	(8)	—	—	(8)	—	—	(8)	—
Multiple sole locations	—	—	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	(8)	—	—	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	(8)
Multiple foot (feet) locations	(8)	—	—	—	(8)	—	—	—	—	—	—	—
Foot (feet), n.e.c.	(8)	—	—	(8)	(8)	—	—	(8)	—	—	(8)	—
Multiple lower extremities locations1	(8)	—	(8)	.1	(8)	—	(8)	(8)	(8)	(8)	(8)
Multiple lower extremities locations, unspecified	(8)	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and leg(s)	(8)	(8)	—	(8)	(8)	—	—	(8)	—	—	(8)	—
Foot(feet) and leg(s), unspecified	(8)	—	—	(8)	—	—	—	(8)	—	—	(8)	—
Foot(feet) and knee(s)	(8)	—	—	—	(8)	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	(8)	—	—	(8)	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	(8)	—	—	(8)	(8)	—	—	(8)	—	—	—	—
Ankle(s) and leg(s)	(8)	—	—	(8)	(8)	—	—	(8)	—	(8)	(8)	—
Ankle(s) and leg(s), unspecified	(8)	—	—	—	(8)	—	—	—	—	—	—	—
Ankle(s) and knee(s)	(8)	—	—	—	(8)	—	—	(8)	—	(8)	—	—
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	—	(8)	—	—	—	—
Multiple lower extremities locations, n.e.c.	(8)	(8)	—	(8)	(8)	—	—	(8)	—	—	—	—
Lower extremities, n.e.c.	(8)	—	—	—	—	—	—	—	—	—	—	—
Body systems2	—	(8)	1.5	(8)	(8)	(8)	.2	.1	(8)	.1	(8)
Multiple body parts	1.6	.5	.1	.4	1.7	1.3	.1	.5	.2	.2	.1	(8)
Multiple body parts, unspecified1	(8)	(8)	.1	.2	.1	(8)	.1	(8)	(8)	(8)	(8)
Head and neck	(8)	—	—	(8)	(8)	(8)	(8)	(8)	(8)	(8)	—	—
Head, neck, and trunk	(8)	—	—	—	(8)	(8)	—	(8)	(8)	(8)	—	—
Head and trunk	(8)	—	—	(8)	.1	.1	—	(8)	(8)	(8)	(8)	—
Neck and back3	.1	(8)	—	.4	.3	—	.1	(8)	(8)	—	—
Shoulder(s) and back2	.1	(8)	—	(8)	(8)	(8)	(8)	(8)	(8)	—	(8)
Hip(s) and leg(s)	(8)	(8)	—	—	(8)	(8)	—	(8)	—	—	—	—
Upper and lower limb(s)	(8)	(8)	(8)	(8)	.1	(8)	—	(8)	(8)	(8)	(8)	—
Other multiple body parts	1.0	.3	.1	.3	.9	.7	.1	.3	.2	.1	.1	(8)
Whole body	(8)	(8)	—	(8)	(8)	(8)	—	(8)	—	—	(8)	—
Multiple body parts, n.e.c.	1.0	.3	.1	.2	.9	.6	.1	.3	.2	.1	.1	(8)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, private industry, 2011³ — Continued

Part of body	Part of body code ⁴	Private industry ⁵	Event or exposure leading to injury or illness ⁶							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Nonclassifiable	9999	0.7	0.1	0.1	(⁸)	(⁸)	0.1	(⁸)	0.1	(⁸)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, private industry, 2011³ — Continued

Part of body	Event or exposure leading to injury or illness ⁶											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁷
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Nonclassifiable	0.1	(⁸)	(⁸)	(⁸)	0.1	0.1	(⁸)	0.1	(⁸)	(⁸)	0.1	0.2

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000, where
 N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers
 (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

⁴ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Excludes farms with fewer than 11 employees.

⁶ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁷ Includes nonclassifiable responses.

⁸ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.